


# **BIBLIOGRAPHY**



- 1) Adnan Amin, Taufeeq Ahmad, Malik Ehsanullah and Muhammad Ayaz Khan (2010) Evaluation of industrial and city effluent quality using physiochemical and biological parameters. *Electronic Journal of Env't Agri. and Food Chem*, 9 (5): 931-939.
- 2) Ajmal Mohammad and A. U. Khan (1983) Effects of sugar factory effluent on soil and crop plants. *Env't Poll. Series A, Ecological and Biological*, Vol 30( 2), p 135-141.
- 3) Al-Agha Mohammad R. and Hamed A. El-Nakhal (2004) "Hydrochemical Facies of Groundwater in the Gaza Strip, Palestine" *Hydrological Sciences–Journal–des Sciences Hydrologiques*, Vol. 49 (3), pp-359-371.
- 4) Alef, K., P. Nannipieri and C. Trazar-Cepada, (1995) Phosphatase activity. In *Methods in applied soil microbiology and biochemistry*. Ed K. Alef and P. Nannipieri. Academic Press, London, pp: 335-344.
- 5) Alexander Priscilla (2008), "Evaluation of Ground Water Quality of Mubi Town in Adamawa State, Nigeria" *African Journal of Biotechnology*, Vol. 7 (11), pp- 1712-1715.
- 6) Ali M.S., S. Mahmood M. N. Chaudhary and M. Sadiq (2009) "Irrigation Quality of Ground Water of Twenty Villages in Lahore District" *Soil & Environ*, Vol. 28 (1), pp- 17-23.
- 7) Amathussalam, A., Abusbacker, M.N and Jayabal, N.J. (2002) Physico-chemical parameters and concentration of heavy metals in sugar industry. *Ind. Poll.Con.* 13: 34-39.
- 8) Anil Kumar, Yashpal Singh, Joshi, B.D. And Rai, J.P.N., 2003, Effect of distillery on soil microflora. *Poll.Res.* 32: 54-58.
- 9) APHA (1995), American Public Health Association (191-195), Standard methods for examination of water and wastewater, Washington D.C.
- 10) Ashok Kolhe and Ingale.(2011) "Physico-Chemical Analysis of Sugar Mill effluents".*Intr.Jour.Sodh, Samiksha aur Mulyankan.*, pp:307-311.
- 11) Asonye C. C., Okolie N. P., Okenwa E. E and Iwuanyanwu U. G (2007) "Some PhysicoChemical Characteristics and Heavy Metal Profiles of Nigerian Rivers, Streams and Waterways" *African Journal of Biotechnology*, Vol. 6 (5), pp. 617-624.
- 12) Attoe, O.J. (1947) Potassium fixation and release in soils occurring under moist and dry conditions. *Soil Sci. Soc. Amer. Proc.* 11:145-149.
- 13) Ayyasamy P.M, Yasodha R, Rajakumar S, Lakshmanaperumalsamy P, Rahman Lee S. (2008) Impact of sugar factory effluent on the growth and biochemical characteristics of terrestrial and aquatic plants. *Bull. Environ. Contam. Toxicol.*, 81: 449- 454.

- 14) Bakkialakshmi S., B.Shanthia, S.Barkavi, V.P.Chitra and A.Jarlet jeyaseeli. (2011) Spectro-chemical study of Thiru Aruran Sugar factory waste affected soil in A Sithoor, Cuddalore District, Tamilnadu, India. *Scholars Research Library Archives of Physics Research*, Vol. 2 (2): 142-148.
- 15) Barrow, J.J. (1961) Studies on the mineralization of sulfur from soil organic matter. *Aust. J. Agr.Res.* 12:306-319.
- 16) Baruah A.K, Sharma R.N and Borah G.C. (1993). Impact of sugar mill and distillery effluent on water quality of the River Galabil, Assam. *Indian J. Environ. Hlth.*, 35: 288–293.
- 17) Baskar, M., Kayalvizhi, C. And Subash Chandra Bose, M.,(2003) Eco-friendly utilization of distillery effluent in agriculture – A Review. *Agriculture Review*, 24 : 16-30.
- 18) Baskaran, L., K. Sankar Ganesh, A.L.A. Chidambaram and P. Sundaramorthy (2009). Amelioration of sugar mill effluent polluted soil and its effect of green gram. *Botany Research International*, 2(2): 131-135.
- 19) Beri, V, Goswami, K.P. and Brar, S.S., (1978) Urease activity and its Michaelis constant for soil systems. *Plant and Soil*, 49 : 105-115.
- 20) Bertranou, V.V., Fasiola, C., Gomez, Mjauregui And Valez, O. (1989) Land treatment of winery waste waters : A case study of irrigated arid zones. *Water science Technology*, 19 (7) : 1243-1246.
- 21) Bhandari Narendra Singh and Kapil Nayal (2008), “Correlation Study on PhysicoChemical Parameters and Quality Assessment of Kosi River Water, Uttarakhand” *E-Journal of Chemistry*, Vol. 5 (2), pp. 342-346.
- 22) BIS, Bureau of Indian Standards, (1991), “Indian Standard Drinking Water-Specification (First Revision)” IS-10500:1991, New Delhi, India.
- 23) Blair, J. M. et al.(1996). Soil invertebrates as indicators of soil quality. In *Methods for Assessing Soil Quality*, SSSA Special Publication 49, pp. 273-291.
- 24) Bongers T and Ferris H (1999), Nematodes community structure as bio-indicator in environment monitoring. *Soil Biology & Biochemistry*, 52:35–38
- 25) Bouwer, H., (2000) Ground water problems caused by irrigation with sewage effluent. *Environmental Health*, 10: 17-20.
- 26) Burns R.G. (1982) Enzyme activity in soil: location and a possible role in microbial ecology. *Soil Biology and Biochemistry*, 14:423–427.

- 27) Burns, A.L., and S.A. Barber. (1961). The effect of temperature and moisture on exchangeable potassium. *Soil Sci. Soc. Amer. Proc.* 25:349-352.
- 28) Casida, L.E., Klein, D.A. and Satoro, T.(1964) Soil dehydrogenase activity. *Soil Science*, 98 : 371-376.
- 29) Chang, S.J. and Li, S.W. (1988), Land fill treatment with alcoholic slops. *Annual Report*, Taiwan Sugar Research Institute, pp. 11-12.
- 30) Chenini I, S. Khemiri (2009), "Evaluation of ground water quality using multiple linear regression and structural equation modeling" *Int. J. Environ. Sci. Tech.*, Vol. 6 (3), pp-509-519.
- 31) Christina Curell (27 Dec 2013): The majority of soil nematodes are beneficial to soil health and the environment. Article published by Michigan State University Extension
- 32) Curran, J. and Heng, J. (1992): Comparison of three methods for estimating the number of entomopathogenic nematodes present in soil samples. *J.of Nematology*, 24 (1): 170-176.
- 33) Dahnke, W.C. and G.V. Johnson. (1990) Testing soils for available nitrogen. p. 127-139. *In* R.L.Westerman (ed.) *Soil Testing and Plant Analysis*, 3rd ed. SSSA, Madison, Wis.
- 34) Delavalle, N. B. (1992). Handbook on reference methods for soil analysis. Quality assurance plans for agricultural testing laboratories: p. 18 - 32. *Soil and Plant Analysis Council*, Inc. Athens, Ga.
- 35) Deng S.P. and M.A. Tabatabai (2002): Cellulase activity of soils. Department of Agronomy, Iowa State University, Ames, IA 50011, U.S.A.
- 36) Department of Agriculture, Maharashtra (1969). "Board soil zones of Maharashtra"
- 37) Department of Environment (1997), Bangladesh Gazette, No. DA-1; Ministry of Environment and Forest: pp.1324-1327
- 38) Deshmukh K.K (2001): Impact of irrigation on the chemistry of the soils and ground waters from Sangamner area, Ahmednagar district, Maharashtra. *RJCABP*.Vol.4, No.4 770-779.
- 39) Deshmukh K.K.(2014): Environmental Impact of Sugar mill Effluent on the Quality of Groundwater from Sangamner, Ahmednagar, Maharashtra, India. *Res. J. Recent. Sci.* Vol. 3, 385-392.
- 40) Devarajan, L. and Oblisamy, G., (1995), Effect of distillery effluent on soil properties, yield and quality of sugarcane. *Madras Agricultural Journal*, 82 : 397-399.

- 41) Dick, R.P., (1997). Soil enzyme activities as integrative indicators of soil health. In: Pankhurst CE, Doube BM, Gupta VVSR (eds) Biological indicators of soil health. *CAB International*, New York, pp: 121-156.
- 42) Dick, W.A. and M.A. Tabatabai (1993) Significance and potential uses of soil enzymes, pp: 95-127, In B.Metting (ed.), *Soil Microbial Ecology*, Marcel Dekker, New York.
- 43) Dinesh, R., R.P. Dubey, A.N. Ganeshamurthy and G. Shyam Prasad, (2000). Organic manuring in rice based cropping system: Effects on soil microbial biomass and selected enzyme activities. *Curr. Sci.*, 79: 1716-1720.
- 44) Doke K. M., E. M. Khan, Joseph R. and A. Shaikh (2011) Physico-Chemical Analysis Of Sugar Industry Effluent And Its Effect On Seed Germination of *Vigna angularis*, *Vigna cylindrical* and *Sorghum cernum*. *Annals of Environmental Science*, Vol 5, pp. 7-11
- 45) Eaton F. M. (1950), "Significance of carbonates in irrigated waters" *Soil Science*, Vol.69, pp-127-128.
- 46) Eisakhani Mahdieh and Amirhossein Malakahmad (2009), "Water Quality Assessment of Bertam River and its Tributaries in Cameron Highlands, Malaysia" *World Applied Sciences Journal*, Vol.7 (6), PP-769-776.
- 47) Eivazi, Z. and Tabatabai, M.A. (1979) Phosphatase in soils. *Soil Biology and Biochemistry*, 9 : 167-172.
- 48) Elaine R. Ingham (2014) Nematodes in 'Soil Biology', NRCS publication Oregon State University.
- 49) Engracia Madejon, S., P. Burgos, R. Lopez and F. Cabrera, (2003) Agricultural use of three organic residues: effect on orange production and on properties of a soil of Spain. *Nutr. Cycl. Agroecosyst.*, 65: 281-288.
- 50) EPRF (1990) – Laboratory manual for water, wastewater, soil and air quality analysis.
- 51) Esakku S., Obuli P. Karthikeyan, Kurian Joseph, R. Nagendran, K. Palanivelu, K. P. M. N. Pathirana, A. K. Karunarathna and B. F. A. Basnayake (2007), "Seasonal Variations in Leachate Characteristics from Municipal Solid Waste Dumpsites in India and Srilanka" *Pro. of the Internat' Conf.on Sust Solid Waste Managt*, 5 - 7 Chennai, India. pp 341-347.
- 52) ETPI. (2001) Environmental Technology Program for Industry "Environmental Report on Sugar Sector" Monthly Environmental News 5, Issue 7, pp. 11-27
- 53) Faryal Rani, Faheem Tahir and Abdul Hameed (2007), "Effect of Wastewater Irrigation on Soil along with its Micro and Macro Flora" *Pak. J. Bot.*, Vol.39 (1), pp-193-204.

- 54) Ferris H, Lau S. (1995) Respiration and metabolic rates based on carbon dioxide production. *Soil Biol. Biochem.* 27. 319- 330.
- 55) Freckman DW.(1982) Nematodes in Soil Ecosystems. Uni.of Texas Press, Austin, TX.
- 56) Gasser J. K. R. (1964) Urea as a fertilizer. *Soils Fertil.* 27, 175-180.
- 57) G. Narsimha, M. Nagarjuna, V. Rangaswamy. (2009) International biodeterioration and bio-degradation. ISSN 0964-8305.Online paper.
- 58) Garrels, R.M. and MacKenzie, R.T. (1971) Evolution of Sedimentary Rocks, New York
- 59) Gianfreda L, Ruggiero P (2006) Enzyme activities in soil. In: Nannipieri P, Smalla K (eds) *Nucleic acids and proteins in soil*. Springer, Heidelberg, pp 257–311
- 60) Ghose T.K. (1987) The measurement of cellulase activities. *Pure Appl Chem* 59(2): 257–268
- 61) Glenn L., Sia Su, (2008), “Assessing the Effect of a Dumpsite to Groundwater Quality in Payatas, Philippines” *American Journal of Environmental Sciences*, Vol. 4 (4), pp-276-280.
- 62) Goyal S.C.K. and Kapoor, K.K., (1995) Effect of distillery waste water application on soil microbiological properties and plant growth. *Environmental Ecology*, 13 : 89-93.
- 63) Graham, E. R. (1959). An explanation of theory and methods of soil testing. *Missouri Agric. Exp.Stn. Bull.* 734.
- 64) Griffiths, B. S. (1994). Microbial-feeding nematodes and protozoa in soil: Their effects on microbial activity and nitrogen mineralization in decomposition hotspots and the rhizosphere. *Plant and Soil* 164, 25-33.
- 65) Gurumani, N. (2005) An Introduction to Biostatistics 2<sup>nd</sup> edn. MJP Publishers, Chennai.
- 66) Hesse P. R. (1971) A textbook of soil chemical analysis. John Murray, London.
- 67) Howard Ferris (Nov.1998). The role of Nematodes in soil fertility. Department of Nematology, University of California, Davis C A 95616.
- 68) Hodda, M. (2011) Phylum Nematoda Cobb, 1932. In: Zhang, Z.-Q. (Ed.) *Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness. Zootaxa*, 3148, 63–95.
- 69) Howard Ferris (Nov.1998). The role of Nematodes in soil fertility. Department of Nematology, University of California, Davis C A 95616.
- 70) Hsieh w.d., Sheen H.K. and Chen C.H.(1995), An Approach to zero effluent in cane sugar factories. *Proc. Int. Soc. Sugar Cane Technol*, pp22: 226-231.

- 71) Hsueh YP, Leighton DHW, Sternberg PW. (2014). Nematode Communication. In: Witzany G (ed). *Bio-communication of Animals*. Springer, 383-407.
- 72) Hunachew B. and S. Banerjee (2011): Assessment of the Pollution Status of the Solid Waste Disposal Site of Addis Ababa City with Some Selected Trace Elements,” *Ethiopia World Applied Sciences Journal* 14 (7): 1048-1057.
- 73) Hunt, H. W., Coleman, D. C., Ingham, E. R., Ingham, R. E., Elliott, E. T., Moore, J. C., Rose, S. L., Reid, C. P. P., and Morley, C. R., (1987) The detrital food web in a shortgrass prairie. *Biology and Fertility of Soils*, 3: 57-68.
- 74) Igbinsosa E. O., A. I. Okoh (2009), “Impact of discharge wastewater effluents on the physico- chemical qualities of a receiving watershed in a typical rural community” *Int. J. Environ. Sci. Tech.*, Vol. 6 (2), pp-175-182.
- 75) Ingham RE, Detling JK. (1984). Plant-herbivore interactions in a North American mixed-grass prairie. III. Soil nematode populations and root biomass on *Cynomys ludovicianus* colonies and adjacent uncolonized areas. *Oecologia* 63: 307-313.
- 76) Ingham, R. E., Trofymow, J. A., Ingham, E. R. and Coleman, D. C. (1985) Interactions of bacteria, fungi and their nematode grazers: Effects on nutrient cycling and plant growth. *Ecological Monographs* 55, 119-140. *J. Microbial methods* 2002 Jul. 50 (2) 165-173. John Wiley & Sons Inc., New York, USA.
- 77) ISO 11466. (1995) Soil Quality – Extraction of trace elements soluble in *aqua regia*. International Organization for Standardization. Geneva, Switzerland. 6 p. (available at [www.iso.ch](http://www.iso.ch))
- 78) Jackson, M.L., (1973) *Soil Chemical Analysis*, Prentice Hall of India Pvt. Ltd., New Delhi.
- 79) Jadhav P.G., Vaidya N.G. and Deth S.B, (2013): Characterization and Comparative study of Cane Sugar Industry Waste Water. *IJCPS Vol. 2, No. 2, pp.19-25*.
- 80) Joshi Dharendra , Mohan Narendra, Singh Bhandari, Alok Kumar and Namita Agrawal (2009) “Statistical Analysis of Physicochemical Parameters of Water of River Ganga in Haridwar District” *Rasayan Journal of Chemistry*, Vol. 2(3), pp-579-587.
- 81) Kamalakumari, K. and P. Singaram, (1995). Relationship among soil chemical biochemical properties and enzyme activities. *Madras Agric. J.*, 82: 69-70.
- 82) Kang H, Freeman C, Lee D, Mitsch W. J. (1998). Enzyme activities in constructed wetlands; implications for water quality amelioration. *Hydrobiologia*, 368; 231-235.
- 83) Kenney, D.R., and J.M. Bremner (1966). Comparison and evaluation of laboratory methods of obtaining an index of soil nitrogen availability. *Agron. J.* 58:498-503.

- 84) Khan M., Kalsoom U., Mahmood. M. And Khan A.R. (2003) "Characterization and Treatment of Industrial Effluent from Sugar Industry" *Jour. Chem. Soc. Pak.* Vol.25, No.3, pp:242-247.
- 85) Khodapanah L., W. N. A. Sulaiman, N. Khodapanah (2009), "Groundwater Quality Assessment for Different Purposes in Eshtehard District, Tehran, Iran" *Journal of Scientific Research*, Vol.36 (4), pp.-543-553.
- 86) Kisku, G.C., S.C. Barman and S.K. Bhargava (2000). Contamination of soil and plants potentially toxic elements irrigated with mixed industrial effluent and impact in the environment. *Journal of Water, Air and Soil Pollution*, 120: 121-137.
- 87) Kiss, S., M. Dragan-Bularda and D. Radulescu, (1975). Biological significance of enzymes in soil. *Adv. Agron.*, 27: 25-91.
- 88) Klose Susanne and M.A. Tabatabai (2000): Urease activity of microbial biomass in soils as affected by cropping systems. *Biol Fertil Soils* 31:191–199
- 89) Kolhe, M.P., S.A. Iqbal and K.S. Pawan (2000) Role of sugar industry in development of Indian economy. *Journal of Env Science*, 7: 23-25.
- 90) Kristian K. Brandt., Rasmus. J.N. Frandsen, Peter E. Holm and Ole Nybroe, (2010) *soil biology & Biochemistry*, 42: 748-757.
- 91) Ladd, J.N. (1985). Soil enzymes. In: Soil Organic Matter and Biological Activity. Nijhoff, Dordecht.
- 92) Lakshmanan, A., and Gopal, N.O. (1996) Effect of distillery effluent irrigation on the dynamics of soil microbial population. pp. 51-57. In : National symposium on "use of distillery and sugar industry wastes in agriculture" held on 28-29 Oct., 1996 at Anbil Dharmalingam Agricultural College and Research Institute, Tiruchirapalli, Tamil Nadu.
- 93) Laluraj C. M., G. Gopinath and P. K. Dineshkumar (2005), "Groundwater chemistry of Shallow Aquifers in the Coastal zones of Cochin, India", *Applied Ecology and Environmental Research*, Vol. 3(1), pp-133-139.
- 94) Lenhard, G., (1956) The dehydrogenase activity in soil as a measure of the activity of soil microorganisms. *Z.Pflanzenernaehr. Dueng. Bodenkd.*, 73: 1-11.
- 95) Leoppert R. H; Saurez G. L. (1996). Sparks D. L.(ed). *Methods of soil analysis. Part 3. Chemical methods.*
- 96) Lohar Prakash S. (2010): *Bioinformatics*. MJP Publishers Chennai. ISBN 978-81-8094-066-8
- 97) Luebs, R.E., G. Stanford, and A.D. Scott (1956) Relation of available potassium to soil moisture. *Soil Sci. Soc. Amer. Proc.* 20:45-50.



- 98) Malcom RE (1983) Assessment of phosphatase activity in soils. *Soil Biol Biochem* 15:403–408
- 99) Maruthi Y.A. & S.Ramkrishan Rao (2001) : Effect of sugar mill effluent on organic resources of fish. *Poll. Res.*20(2) : 167-171.
- 100) Mattiazo, M.E. and Ada Gloria, N.(1985) Effect of vinasse on soil acidity. *STAB* (Portuguese), 4 (2): 38-40.
- 101) Mayer, G.W. and Schulz, L. (2003). An environmental management system for sugarcane in the Noodsberg area of South Africa. *Proc. S. Afr. Sugar Technol. Assoc.*, 77: 189–195
- 102) Mbagwu, J.S.C. And Ekwealor, G.C. (1990) Agronomic potential of brewer's spent grains. *Biological Wastes*, 34 : 242-249.
- 103) McSorley R, Frederick JJ. (2000) Short-term effects of cattle grazing on nematode communities in Florida pastures. *Nematropica* 30: 211-221.
- 104) Meyer JH and Wood AW (2000). Soil management research for sustainable cane production in the 21<sup>st</sup> century. In: Wilson JR, Hogarth DM, Campbell JA and Garside AL (eds) Sugar 2000 Symposium: Sugarcane: Research Towards Efficient And Sustainable Production. 237-240.
- 105) Miller GL. (1959) Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Anal Chem* 31: 426–428.
- 106) Morgan RPC (1986). Soil degradation and soil erosion in the loamy belt of northern Europe. In: Chisci G and Morgan RPC (eds) *Soil erosion in the European Community - Impact of changing agriculture*. 165-172
- 107) Nadia M A. and Mahmood A K. (2006) Study on Effluent from Selected Sugar Mill in Pakistan: Potential Environmental, Health, and Economic Consequences of an Excessive Pollution Load, Sustainable Development Policy Institute.
- 108) Nannipieri P (1994) The potential use of soil enzymes as indicators of productivity, sustainability and pollution. In: Pankhurst CE, Doube BM, Gupta VVSR, Grace PR (eds) *Soil Biota: management in sustainable farming systems*. CSIRO, East Melbourne, pp 238–244
- 109) Nannipieri P, Ascher J, Ceccherini MT, Landi L, Pietramellara G, Renella G (2003) Microbial diversity and soil functions. *Eur J Soil Sci* 54:655–670
- 110) Nannipieri P, Kandeler E, Ruggiero P (2002) Enzyme activities and microbiological and biochemical processes. In: Burns RG, Dick RP (eds) *Enzymes in the environment. Activity, ecology and applications*. Marcel Dekker, New York, pp 1–3

- 111) Nannipieri P, Muccini L, Ciardi C (1983) Microbial biomass and enzyme activities: production and persistence. *Soil Biol Biochem* 15:679–685
- 112) Natarajan, K. (1999) Effect of distillery effluent on sugarcane yield and quality, pp. 64-65. In : XI Sugarcane scientists meet held on 20-08-1999 at Sugarcane Research Station, Sirugamani, Tamil Nadu.
- 113) Nath, K. and Y.K. Sharma (2002). Effect of sugar factory effluent on seed germination and seedling growth in pulses. *Current Botany*, 28: 73-78.
- 114) National Federation of Cooperative Sugar Factories Ltd (NFC SFL) (2002): Financial Daily from THE HINDU group of publications Monday, Sep 30, 2002.
- 115) Nomulwar Poonam and P. M. Patil (2005). Impact of distillery industry on the quality of ground water and soil. *J. Aqua. Bio.* Vol. 20 (1) 49-51.
- 116) Nunes, M.R., Velloosa, A.C.X. and Lela, J.R., (1981) Effect of land disposal of vinasse and exchangeable cations and other nutrients in soil. *Presqhia Agropecuaria Barasilerias*, 6 : 171-176.
- 117) Olsen, S.R., C.V. Cole, F.S. Watanabe, and L.A. Dean. (1954) Estimation of available phosphorus in soils by extraction with sodium bicarbonate. USDA Circular 939:1-19. Gov. Printing Office Washington D.C.
- 118) Pande, Y.N. (2005) Impact of distillery and sugar mill effluents on hydrobiology of the Paravathi lake. *Ecology and Environmental Sci*, 1(4): 39-42
- 119) Pancholy, S.K. And Rice, E.L. (1973) Soil enzymes in relation to old field succession: Amylase, invertase, cellulose, dehydrogenase and urease. *Soil Science Society of America Journal*, 37: 47-50.
- 120) Pathak, H., Joshi, H.C., Chaudhary, A., Chaudhary, R., Kalra, N. And Dwivedi, M.K., (1999): Soil amendment with distillery effluent for wheat and rice cultivation. *Water, Air and Soil Pollution*, 113 : 133-140.
- 121) Patil, G.D., Pingat, S.M. and Yelwande, A.J., (2000) Effect of spentwash levels on soil fertility, uptake, quality and yield of fodder maize. *Journal of Maharashtra Agriculture Universities*, 25 : 168-170.
- 122) Patil, J.D., S.V. Arbatti and D.G. Hapase, (1982) Humification of spentwash in soil. *J. Maharashtra Agric. Univ.*, 7(1): 80-83.
- 123) Paula, M.B., Holanda, F.S.R., Mesquita, H.A., Carvalho, V.D. and De Carvalho, V.D. (1999) Use of vinasse in pineapple. *Horticultura Brasileira*, 34 : 1217-1222.
- 124) Poinar GO Jr. (1983) The Natural History of Nematodes. Prentice-Hall, Englewood Cliffs, NJ.

- 125) Pondhe G. M, Pawar N. J, Patil S. F. (1992). Impact of sugar mill effluents on groundwater, *Poll, Res.* 16 (3).
- 126) Poonam Nomulwar and P. M. Patil (2005). Impact of distillery industry on the quality of ground water and soil. *J. Aqua. Bio.* Vol. 20 (1) 49-51.
- 127) Quiquampoix H, Mousain D (2005) Enzymatic hydrolysis of organic phosphorus. In: Turner BL, Frossard E, Baldwin DS (eds) *Organic phosphorous in the environment.* CABI, Wallingford, pp 89–112
- 128) Rajathi A. And Chandran P. (2010): *SPSS for you.* MJP Publishers, Chennai.
- 129) Rajendra Singh (2000) Pollution in Abu drainage - a preliminary report. *Advances in Plant Sciences*, Vol.13, No.1, pp.43-45
- 130) Ramalho, J.F., G.P., Amaral Sobrinho, N.M.B.D. And Do Amaral Sobrinho, N.M.B., (2001) Heavy metals accumulation due to the use of residues in soils cultivated with sugarcane. *Floresta e Ambiente*, 8 : 120-129.
- 131) Ramana, S., A.K. Biswas and A.B. Singh, (2002) Effect of distillery effluents on some physiological aspects in maize. *Bioresour. Technol.*, 84: 295-297.
- 132) Ramkrishan K., Srirama Chandraskharan M., Thamizhin Igan P., Sundar Maorthy P. (2001) : Effect of sugar mill effluent polluted soil on VAM fungi. *J. Ecobiol B(3):187-*
- 133) Ramkrishan K., Thamizhirigan P., Sundara Maorthy P., Senthit Kumar D. (2001): Effect of sugar mill raw and yeast treated effluent on seed germination & seedling growth of paddy Asia. *J. Microbio Biotech. Environ. 3 (1-2) : 34-37.*
- 134) Rao B.S. (1999) *Cane Sugar Industry Classification, Prevention and Treatment* “Proceedings of Annual Convention.
- 135) Rao B.S. and Ranade S.V. (1995) “Waste Management In Sugar Industry” 45th Annual Convention of DSTA, Pune.
- 136) Roy R. P, Prasad and Joshi A.P. (2007), *Journal of Environment Science Eng.* Vol.49 (4). pp. 277-282
- 137) Safari Sinegani A.A., Emtiazi G., Shariatmadari H. (2005). Sorption and immobilization of cellulose on clay minerals. *Journal of Colloid and Interface Science*, 290: 39–44.
- 138) Samuel S. and S.M Muthukkaruppan (2011). Physico-Chemical Analysis of Sugar Mill Effluent, Contaminated Soil and its Effect on Seed Germination of Paddy (*Oryza sativa* L.) *Intern'l J of Pharma & Biol Arch.* 2(5):1469-1472.
- 139) Sanjay K. (2005) “Environmental Pollution and its Management in Sugar Industry in India: An Appraisal *J. Sugar Tech.* 7 (1):pp77-81.

- 140) Sapkal D.B. and B.B. Gunjal (2004), "Achieving Zero Waste water requirement and Zerodischarge in Sugar Industry. Proceedings: 53rd Annual Convention of DSTA pp.G37-B43.
- 141) Saranraj P. and D. Stella (2012): Bioremediation of Sugar Mill Effluent by Immobilized Bacterial Consortium. *International Journal of Research in Pure and Applied Microbiology* Vol. 2(4): 43-48.
- 142) Saranraj P. and D. Stella (2014): Impact of Sugar Mill Effluent to Environment and Bioremediation: A Review. *World Applied Sciences Journal* Vol.30 (3):.299-316.
- 143) Scandaliaris, J., Dantur, C.N. and Roncedo, M., (1987) Effect of vinasse on sugarcane yields and soil properties. *Revista Industrial Agricolade Tucuman*, 64 (1) :41-44.
- 144) Schollenberger, C. J. (1945) Determination of soil organic matter. *Soil Sci.* 59:53-56
- 145) Self, J.R. and J.B. Rodriguez. (1996) Laboratory manual for soil and plant chemical analysis. Soil, Water and Plant Testing Laboratory, Colorado State University.
- 146) Semenov A. M. ,B. P. Batomunkueva, D. V. Nizovtseva and N. S. Panikov (1998): Method of determination of cellulase activity in soils and in microbial cultures, and its calibration. *Proc. USSR Acad. Sci. Ser. Biol.* 3 pp.466–471.
- 147) Semenov, A.M, and N. S. Panikov (1999). Soil Biochemistry. E-book.
- 148) Sen, I, A. Shandil, and V.S. Shrivastava. *Adv. Appli. Sci. Res.*,(2011), 2(2), 161-166.
- 149)Senthil Kumar R.D., R.Narayana Swamy, K.Ramkrishan (2001) : Pollution studies on sugar mill effluents physicochemical characteristic & toxic metals. *Poll. Res.* 20(1):91-97.
- 150) Shinde, B.N., Patil, T.D. and Patil, A.S., (1993) A note on effect of spentash (Distillery effluent) solids and spentwash pressmud compost on soil properties. DSTA 43 Annual Conference Part I, pp. 89-96.
- 151) Siddiqui Weqar A. and Muhammad Waseem (2012): A Comparative Study of Sugar Mill Treated And Untreated Effluent- A Case Study. *Oriental Journal of Chemistry*. Vol. 28, no. (4):pg. 1899-1904
- 152) Singaravel. R. and Govindamsamy. R. (2000), "Practical manual for soil fertility, fertilizers and manures. *I. J. of Ecology*, 35 : 21-27.
- 153) Singh, Y. and Raj Bahadur (1997), Effect of distillery effluent irrigation on maize grain crop and soil fertility. *Indian Journal of Ecology*, 24 : 53-59.
- 154) Solomon, S.K, (2008). Environmental pollution and its management in sugar industry in India: *An appraisal Sugar Technology*, 7(1): 77-81.

- 155) Somashekar, P.K., Gowda, M.T.G., Shattigar, S.L.N. and Shrinath, K.P. (1984) Effect of industrial effluents on crop plants. *Indian Journal of Environmental Health*, 26 (2) : 36-46.
- 156) Speir TW, Ross DJ (1978) Soil phosphatase and sulphatase. In: Burns RG (ed) Soil enzymes. Academic, London, pp 197–250
- 157) Srivastava SC (1998). Pollution of the Faren stream by the effluents of sugar factory and distillery. *Advances in Plant Sciences*, Vol 2, No 2, pp. 308-310.
- 158) Swamy, M. A, Kaushik, B.R Kadyan and C.P Alueu. (2001). Sugar mill effluent effects on growth photosynthetic pigments of crop plants. *Water, Air and soil Pollution*, 87(6): 39- 46.
- 159) Sweeney, D.W. and Graetz, D.A. (1991), Application of distillery waste anaerobic digester effluent to Augustine grass. *Agriculture Ecosystems and Environment*, 33 :341-351.
- 160) Tabatabai A, Fu. M. (1992) Extraction of enzymes from soil. In: Stotzky G, Bollag J-M (eds) Soil biochemistry, vol 7. Marcel Dekker, New York, pp 197–227.
- 161) Taluk, S.M. and Medeiros, A.M. (1989) Nutrient and enzymatic activity in red yellow medium textured latosol treated with vinasse under maize crop. *Ecletica Quaimica*, 14 : 83-93.
- 162) Trivedy ,R.K.(1998), “Advances in waste water Treatment Technologies” 1st Edition Global Sciences, pp:331
- 163) Turner BL and Haygarth PM (2005) Phosphatase activity in temperate pasture soils: potential regulation of labile organic phosphorus turnover by phosphodiesterase activity. *Sci Total Environ* 344:27–36
- 164) Vida, J.T.; Thomas, W.K. (1998): A molecular evolutionary framework for the phylum Nematoda. *Nature* 392: 71–75
- 165) Visser, S. and D. Parkinson, (1992). Soil biological criteria as indicators of soil quality: Soil microorganisms. *American Journal of Alternative Agriculture*, 7: 3-37.
- 166) Wallace HR. (1973) Nematode Ecology and Plant Disease. Edward Arnold, London, UK.
- 167) Wang, K-H, McSorley R, Fasulo TR. (2006). Foliar and Root-knot Nematodes as Pests of Ornamental Plants. Bug Tutorials. University of Florida/IFAS. CD-ROM. SW-188.
- 168) Waksman, S.A. (1992) Microbiological analysis of soil as an index of soil fertility. III. Influence of fertilization upon numbers of microorganisms in soil. *Soil Sci.*, 14: 321-346.

- 169) Wharton DA. (1986) *A Functional Biology of Nematodes*. Johns Hopkins University Press. Baltimore, MD.
- 170) WWF (2003). *Thirsty crop report: Agricultural water use and river basin conservation*. Rob de Noof, WWF. <http://assets.panda.org/downloads/agwaterusefinalreport.pdf>
- 171) Yadav Anoop and Daulta Renu (2014) : Effect of Sugar mill on Physico-Chemical Characteristics of Groundwater of Surrounding Area. *Intern'l Res J of Env't Sciences*. Vol. 3(6), 62-66.
- 172) Yeates GW, Bongers T, de Goede RGM, Freckman DW, Georgieva SS.(1993). Feeding habits in soil nematode families and genera- an outline for soil ecologists. *J. Nematol.* 25:315-331.
- 173) Zhang, Y.-H.P., Himmel, M.E., Mielenz, J.R. (2006). Outlook for cellulase improvement: Screening and selection strategies. *Biotech Adv.* 24, 452-481.