

References

- Ackard D, Moe J, Perry C, et al (2000); Dietary patterns of obese high school girls: snack consumption and energy intake. *Nutrition Research and Practice*, 4(5):433-437.
- ACC/SCN. Fourth Report on the world nutrition situation–Nutrition throughout the life cycle, Geneva: ACC/SCN in collaboration with IFPRI, 2000, ([http:// www.unsystem.org/scn/ Publications/ 4RWNS/4rwns.pdf](http://www.unsystem.org/scn/Publications/4RWNS/4rwns.pdf), accessed 26 May 2000).
- Beena Sachan, Mohammad Zafar Idris, Savita Jain, Reema Kumari, Ashutosh Singh, et al (2012); Energy and macronutrient intake and dietary pattern among school children in Bahrain: a cross-sectional study. *Nutr J*, 10:62.
- Bruening M, et al (2011); Dietary Patterns of Adolescents and Risk of Obesity and Hypertension. *J Nutr*. 138(2):364-70.
- Berge JM, et al (2010); Effect of tea on iron absorption. *Gut*, 16: 193-200.
- Burgess-Champoux T, et al (2010); Anthropometric assessment of nutritional status in adolescent populations in humanitarian emergencies *Eur J Clin Nutr*, 56 (11): 1108-
- Burgess-Champoux TL, et al (2009); Nutrition transition among adolescents of a south-Mediterranean country: dietary patterns, association with socio-economic factors, overweight and blood pressure. A cross-sectional study in Tunisia. *Nutr J*. 10: 38.

- Barr-Anderson D, Neumark-Sztainer D, et al (2009); Evaluation of a nutrition intervention in adolescents of an urban area in Greece: short- and long-term effects of the VYRONAS study. *Public Health Nutr*, 13(5): 712–719.
- Bazzano et al (2008); Obesity in children and young people: a crisis in public health. *Obesity Reviews*, 5:4-85. |
- Black, et al (2006); Sociocultural Factors Influencing the Food Choices of 16–18 year-old Indigenous Fijian Females at School. *Pacific Health Dialogue*, 13(2):57-65.
- Bester & Schnell, et al (2004); Longitudinal and cross-sectional influences on youth fruit and vegetable consumption. *Nutr Rev*, 67(2):65-76.
- Berkey, et al (2003); Relationships between physical activity, obesity and meal frequency in adolescents. *Annals of Human Biology*, 35(1):1-10.
- Cutler GJ, Flood A, et al (2011); Poor diet quality and food habits are related to impaired nutritional status in 13 – to 18- year-old adolescents in Jeddah. *Nutr Res*. 30(8):527-34.
- Cutler GJ, Flood A, et al (2009); *Human Nutrition and Dietetics*, 10th edn. Churchill Livingstone: Edinburgh, 460-461.
- Christine Friestad and Knut-Inge Klepp, et al (2004); Dietary intake of fruit and vegetables and management of body weight. WHO.
- Croll J, Perry C, et al (2003); Dietary Survey in a Fijian village, Naduri. *South Pacific Health Service: Nadroga*;. 30(8):527-34.

- Demory-Luce & Jensen, et al (2009); Does hunger and satiety drive eating anymore? Increasing eating occasions and decreasing time between eating occasions in the United States. *American Journal of Clinical Nutrition*, 91(5):1342-1347.
- Dhuper et al. (2009); The Pacific OPIC Project (Obesity Prevention In Communities): Objectives and Design. *Pacific Health Dialogue*, 14:14.
- Dianne Neumark-Sztainer, Mary Story, Peter J. Hannan, M Stat, and Jillian Croll et al (2002); Relationship between sugar-sweetened drinks and childhood obesity: a prospective, observational analysis. *Lancet*, 357(9255):505-508.
- Danel et al (2005); and Weiss et al (2004); Irregular breakfast eating and health status among adolescents in Taiwan. *BMC Public Health*, 6:295-297.
- Feldman S, et al (2009); Adolescent snacks, nutrient density and nutritional contribution to total intake. *J Am Diet Assoc*, 87(12):1678-9
- Freedman et al (2007); The Pacific Obesity Prevention in Communities project: project overview and methods. *Obesity Reviews: An Official Journal Of The International Association For The Study Of Obesity*, 12(Suppl 2):3-11.
- Flynn et al. (2006) ; Association of Soft Drink Consumption, Eating Behaviour and Dietary Factors on Body Composition among South Indian Adolescents. *Journal of US-China Medical Science*, 7(9):54-62.
- Flegal et al (2005) ; Food intakes of US children and adolescents compared with recommendations. *Pediatrics*, 100(3):323-329.

- Field, et al (2004); Overview of the health benefits of fruit and vegetable consumption for the dietetics professional: selected literature. *J Am Diet Assoc*, 100(12):1511-1521.
- Ganji V, Kies CV. Zinc bioavailability and tea consumption. *Studies in healthy humans consuming self-selected and laboratory-controlled diets. Plant Food Hum Nutr* 1994, 46 267-276.
- Hannan PJ, Story M, et al (2009), Nutrition-related habits of Greek adolescents. *Eur J Clin Nutr.* 58(4):580-6.
- Hanson MD, Chen E, et al (2007); Eating Meals Irregularly: A Novel Environmental Risk Factor for the Metabolic Syndrome. *Obesity*, 16(6):1302-1307.
- Hannan PJ, Story M, et al (2007); Krause's food nutrition & diet therapy . 12th ed. St Louis: WB saunders company, 246-266, 339, 341.
- Institute of Medicine, Food and Nutrition Board, Standing Committee on the Scientific Evaluation of Dietary Reference Intakes, Subcommittees on Upper Reference Levels of Nutrients and Interpretation and Uses of Dietary References Intakes, Panel on Micronutrients. *Dietary reference intakes for energy, protein and amino acids, carbohydrate, fiber, fat, fatty acids, cholesterol (macronutrients)*. Washington, DC: National Academy Press, 2002 (prepress). Available to read at: URL: <http://www.nap.edu>.
- Janssen and Leblanc, et al (2010); Klein-Platat, et al (2005); Wang, et al (2007); Kostic et al. (2007); Patrick et al (2004); Nutritional status of Tunisian adolescents: associated gender, environmental and socio-economic factors. *Public Health Nutr.* 11(12):1306-17.

- Jeffery and Harnack, et al (2007); The Importance of Breakfast Consumption to Nutrition of Children, Adolescents, and Young Adults. *Nutrition Today*, 39(1):30-39.
- Johns, et al (2001); Dietary habits during adolescence: results of the Belgian Adolux Study. *Eur J Clin Nutr*, 55 (2): 130-136.
- Keast, et al (2010); gender divergences in the relationship of childhood cardiovascular risk factors to carotid artery intima-media thickness in adulthood: the Bogalusa Heart Study. *Atherosclerosis*, 194:421-425.
- Kant, et al (2003); Sugar-sweetened beverages and body mass index in children and adolescents: a meta-analysis. *Am J Clin Nut*, 87:1662-1671.
- Laska MN, et al (2011); Dietary habits and nutritional status in adolescents over Europe. An overview of current studies in the Nordic countries. *Eur J Clin Nutr*, 54 (Suppl 1):21-8.
- Larson NI, Nelson MC, Neumark-Sztainer D, Story M, Hannan et al (2009); Body Composition, Eating Behavior, Food-Body Concerns and Eating Disorders in Adolescent Girls. *Ann Nutr Metab*, 47: 284–293.
- Larson NI, Harnack L, Wall M, et al (2009); Prevalence of underweight, overweight and obesity among highschool girls in Sistan va Baluchistan. *East Mediterr Health J*, 15(5):993-1000.
- Larson NI, Neumark-Sztainer D, et al (2007); Fiji National Nutrition Survey. Suva: Fiji Ministry of Health.
- Larson NI, Story M, Eisenberg ME et al (2006); Body mass index in children and adolescents: considerations for population-based applications. *International Journal of Obesity*, 30(4):590-594.

- MacFarlane et al. 2009; Niemeier et al. 2006; Clemens et al. 1999, (Ludwig et al. 2001; Kral et al. 2008), (Hill and Peters 1998; Rolls 2010), (Ceru-Bjork et al. 2001), (Lin and Morrison 2002; te Velde et al. 2007; Rose et al. 2007; Good et al. 2008), (Priebe et al. 2008; Murtaugh et al. 2003; Jensen et al. 2004, Seal et al. 2006), Development of a WHO growth reference for school-aged children and adolescents. Bulletin of the World Health Organization, 85(9):660-667. Australia Bureau of Statistics: National Nutrition Survey Users' Guide. Canberra: Australia Bureau of Statistics; ABS1998. Report No.: 4801.0
- Mrdjenovic and Levitsky, et al (2005); Food intake patterns among Australian adolescents. Asia Pac J Clin Nutr, 16(4):738-747.
- Ministry of Health: NZ food NZ children: Key results of the 2002 national children's nutrition survey. Wellington, New Zealand: Ministry of Health; 2003.
- Nicklas, et al (2004); Children's diets in the mid-1990s: dietary intake and its relationship with school meal participation. Special nutrition programs; report no. CN-01-CD1. Alexandria, VA: US Department of Agriculture, Food and Nutrition. <http://www.fns.usda.gov/oane/MENU/Published/CNP/cnp.htm>.
- Nielsen and Popkin, et al (2003); Breakfast consumption among children and adolescents in the Netherlands. Eur J Public Health , 20(3): 318–324.
- Neumark-Sztainer D, Story M, Larson NI, et al (2008); Non-communicable diseases (NCD) STEPS survey 2002. Suva Fiji: Ministry of Health.

- Neumark-Sztainer D, et al (2000); Meal patterns among children and adolescents and their associations with weight status and parental characteristics. *Public Health Nutrition*, 12(8):1115-1121.
- Nestle and Jacobson, et al (2000); Meal pattern and BMI in 9–11-year-old children in Finland. *Public Health Nutrition*, 14(7):1245-1250.
- Olson RE, Bearinger LH, et al (2004); Evidence on the food environment and obesity. Oxford, UK: Wiley-Blackwell.
- Robinson-O'Brien R, et al (2009) ; Selecting informative food items for compiling food-frequency questionnaires: comparison of procedures. *Br J Nutr*, 73(4): 531-50.
- Rea-Jeng Yang, Edward K Wang, Yeu-Sheng Hsieh and Mei-Yen Chen, et al (2006); National Nutrition Survey. Main Report. National Food and Nutrition Committee: Suva,
- Rea, et al (2007); The effect of obesity on health outcomes. *Molecular and Cellular Endocrinology*, 316:104-108.
- Salmon, Timperio, Telford, Carver, Crawford, et al (2005); Links between children's independent mobility, active transport, physical activity and obesity. Oxford, UK: Wiley-Blackwell.
- Story M, Hannan P, Moe J, et al (2002); Food consumption trends. *Fiji School Med J* , 1(5):10.
- Sweeting et al (2007); Breakfast skipping as a risk correlate of overweight and obesity in school-going ethnic Fijian adolescent girls. *Asia Pacific Journal of Clinical Nutrition*, 19(3):372-382.

- Ternouth et al (2009); Wang et al (2009) and Sánchez-Villegas et al (2010). Evaluation of short dietary questions with weighted dietary records. Canberra: Australian Food and Nutrition Monitoring Unit, Commonwealth Department of Health and Aged Care.
- Thomsen, Weber, and Brown, et al (2002); Sociocultural factors relating to Tongans' and Indigenous Fijians' patterns of eating, physical activity and body size. *Asia Pacific Journal of Clinical Nutrition* , 17(3):375-383. PubMed Abstract .
- Videon and Manning, et al (2003); changes in Swedish adolescents. *Acta Paediatr.* ,82(5):472-80. *Functional Foods in Health and Disease* 2012, 2(3):62-71 Page 71 of 71
- World Health Organization: WHO Global infobase 2010.
- Wall M, Perry C, Story M et al (2003); Adolescent breakfast skipping: an Australian study. *Adolescence*; 33:851-61.
- Wall M, Fulkerson JA, et al (2004); The importance of physical activity in the prevention of overweight and obesity in childhood: a review and an opinion. *Obesity Reviews*, 2(2):117-130.
- World Health Organization: Global Strategy on Diet, Physical Activity and Health. 2012.
- World Health Organization: Diet, nutrition and the prevention of chronic diseases: Report of the joint WHO/FAO expert consultation-WHO Technical Report Series, No.916.
- World Health Organization: Global and regional food consumption patterns and trends.

- World Health Organization: Growth reference 5–19 years.
- Wood-Wright, et al (2009); a food frequency questionnaire for adolescents: defining eating patterns. *J Am Diet Assoc.* 92(3):313-8.
- Yearul Kabir , Hussain Mohammad Shahjalal , Farzana Saleh AND Wahida Obaid, et al (2010); Obesity in childhood and vascular changes in adulthood: insights into the Cardiovascular Risk in Young Finns Study. *Int J Obes (Lond).* 29 Suppl 2:S101-4. *Functional Foods in Health and Disease* 2012, 2(3):62-71 Page 70 of 71
- Young and Nestle, et al (2002); Estimated energy intake, macronutrient intake and meal pattern of Flemish adolescents. *Eur J Clin Nutr;* 57: 366–375.