
LIST OF FIGURES

Figure No.	Title of figure	Page No.
1.1	Risk factors of HCC	6
2.1	Photograph of plant and bark of <i>S. racemosa</i>	14
2.2	Morphology of stem bark of <i>S. racemosa</i>	15
2.3	Chemical constituents of stem bark of <i>S. racemosa</i>	27
4.1	Microscopical diagram of bark of <i>S. racemosa</i>	69
4.2	Powder characteristics of crude drug	70
5.1	Principle reaction behind MTT assay	81
5.2	Cytotoxicity assay of standard and samples on Hep3B cell	87
5.3	Dose response curve of standard and samples on Hep3B cell	88
5.4	Cytotoxicity assay of standard and samples on Hep3B cell	88
5.5	Dose response curve of standard and samples on Hep3B cell	89
6.1	Effect of eluted fractions/extract and standard on Hep3B cell	90
6.2	Effect of eluted fractions/extract and standard on BRL-3A cell	90
6.3	Dose response curve of standard and eluted fractions on Hep3B cell	91
6.4	Dose response curve of standard and eluted fractions on BRL-3A cell	92
6.5	Effect of eluted fractions on Hep3B cell and BRL3A cell	92
6.6	TLC study of the ESME, fraction no 17, 22, 19, 15 and 11	92
6.7	HPLC chromatogram of isolated compound 1	93
6.8	Overlay HPLC chromatogram of Isolated compound 1 and standard stigmasterol (500 ppm)	93
6.9	FT-IR spectrum of isolated compound 1	94
6.10	H-NMR spectrum of isolated compound 1	95
6.11	H-NMR spectrum of isolated compound 1	95
6.12	Mass spectrum of isolated compound 1	96
6.13	Chemical structure of isolated compound 1 (Stigmasterol)	96
6.14	HPLC chromatogram of isolated compound 2 from fraction no 22	97
6.15	Overlay HPLC chromatogram of isolated compound 2 and ursolic acid (500 ppm)	97

6.16	FT-IR spectrum of isolated compound 2	98
6.17	H-NMR spectrum of isolated compound 2	99
6.18	H-NMR spectrum of isolated compound 2	99
6.19	H-NMR spectrum of isolated compound 2	100
6.20	Mass spectrum of isolated compound 2	100
6.21	Chemical structure of ursolic acid	101
6.22	HPLC chromatogram of isolated compound 3	101
6.23	Overlay HPLC chromatogram of isolated compound 3 and standard β -sitosterol (100 ppm)	102
6.24	FT-IR spectrum of isolated compound 3	103
6.25	GC-MS Spectrum of isolated compound 3	104
6.26	Mass spectra of isolated compound 3	104
6.27	Chemical structure of β -sitosterol	105
6.28	HPLC chromatogram of isolated compound 4	105
6.29	FT-IR spectrum of isolated compound 4	106
6.30	H-NMR spectrum of isolated compound 4	107
6.31	H-NMR spectrum of isolated compound 4	107
6.32	Mass spectrum of isolated compound 4	108
6.33	Chemical structure of Hexadecanoic acid	108
6.34	HPLC chromatogram of standard stigmasterol	109
6.35	HPLC chromatogram of standard ursolic acid	109
6.36	HPLC chromatogram of standard stigmasterol and ursolic acid	110
6.37	HPLC chromatogram of methanol extract of bark <i>S. racemosa</i>	110
6.38	HPLC chromatogram of ESME of <i>S. racemosa</i>	110
7.1	Principle reaction behind estimation of ALP	117
7.2	Effect of ESME (50 and 100 mg/kg) and isolated compound 1 and 2 (5mg/kg) and 5-FU on ALT level	126
7.3	Effect of ESME (50 and 100 mg/kg) and isolated compound 1 and 2 (5mg/kg) and 5-FU on ALP level	126
7.4	Effect of ESME (50 and 100 mg/kg) and isolated compound 1 and 2 (5mg/kg) and 5-FU on AST level	127
7.5	Effect of ESME (50 and 100 mg/kg) and isolated compound 1 and 2 (5mg/kg) and 5-FU on TP level	127
7.6	Effect of ESME (50 and 100 mg/kg) and isolated compound 1 and 2 (5mg/kg) and 5-FU on TB level	127
7.7	Effect of ESME (50 and 100 mg/kg) and isolated compound 1 and	129

	2 (5mg/kg) and 5-FU on AFP level	
7.8	Morphological appearance of liver of normal control, sham control, disease control, treatment control (ESME, isolated compounds 1&2 and 5-FU)	130
7.9	Histological study of liver of normal control, sham control, disease control, treatment control (ESME, isolated compounds 1&2 and 5-FU)	131
8.1	Principle reaction behind DPPH assay	136
8.2	H₂O₂ scavenging assay of ascorbic acid, methanol extract and ESME	139
8.3	DPPH scavenging assay of ascorbic acid, methanol extract and ESME	139
8.4	Graphical representation of IC₅₀ value (µg/ml) of ascorbic acid, methanol extract and ESME	140
8.5	DPPH scavenging assay of ascorbic acid and isolated compounds 1, 2	141
8.6	H₂O₂ scavenging assay of ascorbic acid and isolated compounds 1, 2	141
8.7	Graphical representation of IC₅₀ value (µg/ml) of ascorbic acid and isolated compounds 1, 2	142
8.8	DNA fragmentation assay bioactives of <i>S. racemosa</i>	143