


REFERENCES



REFERENCES

- 1) Acharya S.D., Ullal S.D., Padiyar S., Rao Y.D., Upadhyaya K., Pillai D., et al. (2011) "Analgesic effect of extracts of *Alpinia galangal* rhizome in mice" *Journal of Chinese Integrative Medicine* 9: 100-104.
- 2) Akhtar M.S., Khan M.A., Malik M.T. (2002) "Hypoglycemic activity of *Alpinia galanga* rhizome and its extracts in rabbits" *Fitoterapia* 73: 623–628.
- 3) Al-Yahya M.A., Rafatullah S., Mossa J.S., Ageel A.M., Al-Said M.S., Tariq M., et al. (1990) "Gastric antisecretory, antiulcer and cytoprotective properties of ethanolic extract of *Alpinia galanga* Willd in rats" *Phytotherapy research* 4(3): 112-114.
- 4) An N., Zou Z., Tian V, Luo X, Yang S, Xu LET., et al. (2008) "Diarylheptanoids from the rhizomes of *Alpinia officinarum* and their anticancer activity" *Fitoterapia* 79: 27–31.
- 5) Anderson G.D., Hauser S.D., McGarity K.L., Bremer M.E., Isakson P.C., Gregory S.A., et al. (1996) "Selective inhibition of cyclooxygenase (COX)-2 reverses inflammation and expression of COX-2 and interleukin 6 in rat adjuvant arthritis" *Journal of Clinical Investigation* 97(11): 2672–2679.
- 6) Andersen M.L., Santos E.H.R., Seabra M.D.L.V., Silva A.A.B., Tufik S. (2004) "Evaluation of acute and chronic treatments with *Harpagophytum procumbens* on Freund's adjuvant induced arthritis in rats" *Journal of Ethnopharmacology* 91: 325-330.
- 7) Anonymous (2003) "Quality Standards of Indian Medicinal Plants" Indian Council of Medical Research, New Delhi, India, ISBN-0972-721.
- 8) Asquith D.L., Miller A.M., McInnes I.B., Liew F.Y. (2009) "Animal models of rheumatoid arthritis" *European Journal of Immunology* 39(8): 2040-2044.
- 9) Azuma H., Miyasaka K., Yokotani T., Tachibana T., Kojima Y.A., Matsui Y.I., et al. (2006) "Lipase-catalyzed preparation of optically active 1'-acetoxychavicol acetates and their structure–activity relationships in apoptotic activity against human leukemia HL-60 cells" *Bioorganic and Medicinal Chemistry* 14: 1811-1818.

- 10) Banji D., Pinnapureddy J., Banji O.J.F., Saidulu A., Hayath M.S. (2011) “Synergistic activity of curcumin with methotrexate in ameliorating Freund’s complete adjuvant induced arthritis with reduced hepatotoxicity in experimental animals” *European Journal of Pharmacology* 668: 293-298.
- 11) Beghyn T., Deprez P.R., Willand N., Folleas B., Deprez B. (2008) “Natural compounds: leads or idea? Bioinspired molecules for drug discovery” *Chemical Biology and Drug Design* 72: 3-15.
- 12) Bendjeddou D., Lalaoui K., Satta D. (2003) “Immunostimulating activity of the hot water-soluble polysaccharide extracts of *Anacyclus pyrethrum*, *Alpinia galanga* and *Citrullus colocynthis*” *Journal of Ethnopharmacology* 88: 155-160.
- 13) Bernt J., Samuel P., Nicole G., Sanghyun C., Yuehong W., Scott G., Guido P., et al. (2008) “Anti-tuberculosis natural products in galangal (*Alpinia officinarum*) and ginger (*Zingiber officinale*)” *Journal of Natural Products* 71 (8):1489 –1508.
- 14) Bhowmick K., Chakraborti G., Gudi N.S., Moideen A.V.K., Shetty H.V. (2008) “Free radical and antioxidant status in rheumatoid arthritis” *Indian Journal of Rheumatology* 03(1): 08-12.
- 15) Borthakur M., Hazarika J., Singh R.S. (1999) “A protocol for micropropagation of *Alpinia galangal*” *Plant Cell, Tissue and Organ Culture* 55: 231–233.
- 16) Bose A., Mondal S., Kumar J., Ghosh T. (2007) “Analgesic, anti-inflammatory and antipyretic activities of the ethanolic extract and its fractions of *Cleome rutidosperma*” *Fitoterapia* 78: 515-520.
- 17) Brain K.R. and Turner T.D. (1975) “The practical evaluation of phytopharmaceuticals” Wright Sciencetchnica, Bristol, ISBN 0856080128
- 18) British Pharmacopoeia, Vol. II. (1980) “Ash value, acid insoluble ash, water soluble extractive” Her Majesty’s stationary office, London, appendix XI. A 108-113.
- 19) Cardinali P.D. and Esquifino I.A. (1985) “Circadian disorganization in experimental arthritis” *Neuro-Signals* 12: 267-282.
- 20) Carteron N.L. (2000) “Cytokines in rheumatoid arthritis: trials and tribulations” *Molecular Medicine Today* 6: 315-323.

- 21) Castro C. and Gourley M. (2010) "Diagnostic testing and interpretation of tests for autoimmunity" *Journal of Allergy and Clinical Immunology* 2: 238-247.
- 22) Chaplan S.R., Bach F.W., Pogrel J.W., Chung J.M., Yaksh T.L. (1994) "Quantitative assessment of tactile allodynia in the rat paw" *Journal of Neuroscience Methods* 53: 55-63.
- 23) Chase C.R. and Pratt R.J. (1949) "Fluorescence of powdered vegetable drugs with particular reference to development of a system of identification" *Journal of American Pharmacology Association* 38: 324-331
- 24) Chillingworth N.L. and Donaldson L.F., (2003) "Characterisation of a Freund's complete adjuvant-induced model of chronic arthritis in mice" *Journal of Neuroscience Methods* 128: 45-52.
- 25) Dingle J.T. (1973) "The role of lysosomal enzymes in skeletal tissues" *The Journal of Bone & Joint Surgery* 1: 87-95.
- 26) Doug H., Chen S.X., Kadota S., Namba T. (1998) "A new antiplatelet diarylheptanoid from *Alpinia blepharocalyx*" *Journal of Natural Products* 61: 142-144.
- 27) Evans W.C. (2001) "Plant cell and tissue culture, biochemical conversion and clonal propagation" In: *Pharmacognosy* Evans WC (Ed.). UK: WB Saunders Company pp 76-86.
- 28) Fan G., Kang Y., Han Y.N., Han B.H. (2007) "Platelet-activating factor (PAF) receptor binding antagonists from *Alpinia officinarum*" *Bioorganic & Medicinal Chemistry Letters* 17: 6720-6722.
- 29) Gasaluck P., Jirawan O., Tomoko S., Griangsak E. (2006) "Antimicrobial properties and action of galangal (*Alpinia galanga* Linn.) on *Staphylococcus aureus*" *Food Science and Technology* 39(10): 1214-1220.
- 30) Ghosh A.K., Banerjee M., Bhattacharyya N.K. (2011) "Anti-inflammatory activity of root of *Alpinia galanga* Willd" *Chronicles of Young Scientists* 2(3): 139-143
- 31) Greenwald R.A. and Diamond H.S. (1998) "Handbook of Animal Models for the Rheumatic Diseases" CRC Press, Boca Raton, Florida, ISBN-9780849329883
- 32) Hansen J.D. (1993) "Field Phenology of Red Ginger, *Alpinia purpurata*" *Florida State Horticultural Society* 106: 290-292.

- 33) Hamdard's Pharmacopiea of eastern medicine (1969), Times Press, Karachi, 42.
- 34) Harborne JB. (1998) "Phytochemical methods-A guide to modern techniques of plant analysis" Third edition, Springer, India, ISBN 978-0-412-57260-9.
- 35) Harris E.D. (1991) "Pathogenesis of Rheumatoid Arthritis: It's Relevance to therapy in the 90s" Transactions of the American Clinical and Climatological Association 102: 260-270.
- 36) Hegen M., Keith J.C., Collins M., Nickerson N.C.L. (2008). "Utility of animal models for identification of potential therapeutics for rheumatoid arthritis" Annals of the Rheumatic Diseases 67: 1505-1515.
- 37) Hsu W., Simonne A., Weissman A., Kim J. (2010) "Antimicrobial activity of greater galangal *Alpinia galanga* (Linn.) Swartz flowers" Food science and biotechnology 19(4): 873-880.
- 38) Iain B. and Schett G. (2011) "The Pathogenesis of Rheumatoid Arthritis" The New England Journal of Medicine 365: 2205-19.
- 39) Ibrahim B., Sowemimo A., Rooyen A., Venter M. (2012) "Antiinflammatory, analgesic and antioxidant activities of *Cyathula prostrate* (Linn.) Blume (Amaranthaceae)" Journal of Ethnopharmacology 141: 282-289.
- 40) ICH, Q2A. (1996) "Validation of analytical procedure: Methodology, international conference on harmonization" Geneva.
- 41) ICH, Q2B. (1996) "Validation of analytical procedure: Methodology, international conference on harmonization" Geneva.
- 42) Ilavarasan R., Mallika M., Venkataraman S. (2006) "Anti-inflammatory and free radical scavenging activity of *Ricinus communis* root extract" Journal of Ethnopharmacology 103: 478-480.
- 43) Indranyl A.K., Agrawal P., Rath A.K., Shatru A., Agrawal N.K., Tyagi D.K., et al. (2009) "Nutritive values of some indigenous plant rhizomes resembling ginger" Natural Product Radiance 8(5): 507-515.
- 44) Ishola I.O., Akindele A.J., Adeyemi O.O. (2011) "Analgesic and anti-inflammatory activities of *Cnestis ferruginea* Vahl ex DC (Connaraceae) methanolic root extract" Journal of Ethnopharmacology 135(1): 55-62.

- 45) Islam M.S., Mehraj H., Roni M.Z.K., Mahasen M., Jamal Uddin A.F.M. (2013) "Influence of sucrose of ascorbic acid on vase life of red ginger (*Alpinia purpurata* Vieill.)" Bangladesh Research Publications Journal 8 (1): 104-106.
- 46) Ito K., Nakazato T., Murakami A., Ohigashi H., Ikeda Y., Kizaki M., et al. (2005) "1'-Acetoxychavicol acetate induces apoptosis of myeloma cells via induction of Trail" Biochemical and Biophysical Research Communications 338: 1702–1710.
- 47) Itokawa H., Morita M., Mihashi S. (1981) "Two new diarylheptanoids from *Alpinia officinarum* Hance" Chemical and Pharmaceutical Bulletin 29: 2383–2385.
- 48) Itokawa H., Morita H., Midorikawa I., Aiyama A.R., Morita M. (1981) "Diarylheptanoids from the rhizome of *Alpinia officinarum* Hance" Chemical and Pharmaceutical Bulletin 33: 4889–4893.
- 49) Itokawa H., Morita H., Sumitomo T., Totsuka N., Takeya K. (1987) "Antitumor principals from *Alpinia galanga*" Planta Medica 53: 32.
- 50) Jaju S.B., Indurwade N.H., Sakarker D.M., Fuloria N.K., Ali M.D., Das S., Basu S.P., et al. (2009) "Galangoflavonoid isolated from rhizome of *Alpinia galanga*" Tropical Journal of Pharmaceutical Research 8: 545-550.
- 51) Jalapure S.S. (2011) "Antiarthritic activity of various extracts of *Mesua Ferrea* Linn. Seed" Journal of Ethnopharmacology 138: 700-704.
- 52) Hemabarathy B., Budin S.B., Feizal V., (2009) "Paracetamol hepatotoxicity in rats treated with crude extract of *Alpinia galanga*" Journal of Biological Sciences 9(1): 57-62.
- 53) Janssen A.M and Scheffer J.J. (1985) "1'- Acetoxychavicol acetate an antifungal component of *Alpinia galanga*" Planta Medica 6: 507 –511.
- 54) Jantan I.B., Yassin M.S.M., Chin C.B., Chen L.L., Sim N.L. (2003) "Antifungal activity of the essential oils of nine Zingiberaceae species" Pharmaceutical Biology 41: 392–397.
- 55) Jirovetz L., Gerhard B., Shafi M., Neettiyath L. (2003) "Analysis of the essential oils of the leaves, stem, rhizomes and roots of the medicinal plant *Alpinia galanga* from Southern India" Acta Pharmaceutica 53: 73-81.
- 56) Johansen D.A. (1940) "Plant micro technique" McGraw Hill, New York, ISBN-9780070325401.

-
- 57) Joy P.P., Thomas M.S., Skaria B.P. (1998) "Zingiberaceous medicinal and aromatic plants" Aromatic and medicinal plant research station, Odakkali, Asamannoor P.O, Kerala, India pp 236-238.
- 58) Khandelwal K.R. (2010) "Practical Pharmacognosy" Nirali Prakashan, Pune, India ISBN-81-85790-30-2.
- 59) Kikue K., Kae N., Akio K. (1998) "Acetoxy-1, 8-cineoles as aroma constituents of *Alpinia galanga* Willd" Journal of Agricultural and Food Chemistry 46: 5244 – 5247.
- 60) Kim D.H., Shin J.E., Han M.J., Song M.C., Baek N.I. (2004) "5-Hydroxy-7-(40-hydroxy-30-methoxyphenyl)-1-phenyl-3-heptanone: A pancreatic lipase inhibitor isolated from *Alpinia officinarum*" Biological and Pharmaceutical Bulletin 27: 138–140
- 61) Kobayashi K.D., McEwen J., Kaufman A.J. (2007) "Ornamental Ginger, Red and Pink" Cooperative extensive service UH–CTAHR 37: 1-8.
- 62) Kochuthressia K.P., Britto J.S., Raj L.J., Jaseentha M.O., Senthilkumar S.R. (2010) "Efficient regeneration of *Alpinia purpurata* (Vieill.) K.Schum. plantlets from rhizome bud explants" International Research Journal of Plant Science 1(2): 043-047.
- 63) Kokate C.K., Purohit A.P., Gokhale S.B. (1994) "Practical Pharmacognosy" Vallabh Prakashan, New Delhi, ISBN 978-81-85731-86-5.
- 64) Kokate C.K., Purohit A.P., Gokhale G.B. (2002) "Pharmacognosy: In alkaloidal drugs" Nirali Prakashan, Pune, ISBN 81-85790-10-8
- 65) Kokoshi J., Kokoski R., Slama F.J. (1958) "Fluorescence analysis of powdered vegetable drugs under ultraviolet radiation" Journal American Pharmacology Association 47: 75-77.
- 66) Latha C., Shriram V.D., Jahagirdar S.S., Dhakephalkar P.K., Rojatkar S.R. "Antiplasmodic activity of 1-acetoxychavicol acetate from *Alpinia galanga* against multi-drug resistant bacteria" Journal of Ethnopharmacology 123: 522–525.
- 67) Latha R.T., Supriyo B., Gajen C., Latha R. (2010) "Ethnomedical uses of *Zingiberaceous* plants of Northeast India" Journal of Ethnopharmacology 132: 286–296.

- 68) Laxmi B.S., Krishnan S., Cinnasamy S., Sankaranayanan M., Arun B. (2008) "Extract of *Alpinia officinarum* suppresses enteriopathogenic *Escherichia coli* (EPEC) lipopolysaccharide (LPS) induced inflammation in J777A.1 macrophages" *Journal of Health Sciences* 54(1): 112-117.
- 69) Lee J., Kim K.A., Jeong S.H., Lee S.G., Hi J.P., Kim N.J., Lim S., et al. (2009) "Anti-inflammatory, anti-nociceptive, and anti-psychiatric effects by the rhizomes of *Alpinia officinarum* on complete Freund's adjuvant-induced arthritis in rats" *Journal of Ethnopharmacology* 126:259.
- 70) Lewis H.W., Elvin-Lewis M.P.H. (2003) "Medical botany: plants affecting man's health" John Wiley and Sons, New York, ISBN 0471628824
- 71) Liang J.Y., Zhao L., Zhang J.Y and Chen Y.A. (2010) "Novel diarylheptanoid bearing flavonol moiety from the rhizomes of *Alpinia officinarum* Hance" *Chinese Chemical Letters* 21: 194–196.
- 72) Liang J.Y., Zhao L., Qu W., Fu Ju. (2010) "A New Diarylheptanoid from the Rhizomes of *Alpinia officinarum*" *Chinese Journal of Natural Medicines* 8:241-243.
- 73) Liao Z., Zhang B., Dai Y., Ding L. (2010) "Three new antibacterial active diarylheptanoids from *Alpinia officinarum*" *Fitoterapia* 81: 948–952.
- 74) Loram L.C., Fuller A., Cartmell T., Mitchell B., Mitchell D. (2007) "Behavioural, histological and cytokine responses during hyperalgesia induced by carrageenan injection in the rat tail" *Physiology and Behavior* 92: 873–880.
- 75) Mali S., Sinnathambi A., Kapase CU., Bodhankar S.L., Mahadik K.R. (2011) "Anti-arthritic activity of standardised extract of *Phyllanthus amarus* in Freund's complete adjuvant induced arthritis" *Biomedicine and Aging Pathology* 3: 185-190.
- 76) Maria M., Engeniusz M., Mirosław K., Maria K., Iwona P. (1983) "Adjuvant induced disease in rats. Clinical findings and morphological and biochemical changes in blood and histological changes in internal organs" *Rheumatologia* 21: 213–245.
- 77) Matsuda H., Pongpiriyadacha Y., Morikawa T., Ochi M., Yoshikawa M. (2003) "Gastroprotective effects of phenylpropanoids from the rhizomes of *Alpinia*

- galanga* in rats: structural requirements and mode of action” European Journal of Pharmacology 471: 59–67.
- 78) Matsuda H., Ando S., Morikawa T., Kataoka S., Yoshikawa M. (2005) “Structure–activity relationships of 1'S-1'-Acetoxychavicol acetate for inhibitory effect on NO production in lipopolysaccharide-activated mouse peritoneal macrophages” Bioorganic & Medicinal Chemistry Letters 15: 1949–1953.
- 79) Matsuda H., Nakashima S., Oda Y., Nakamura S., Yoshikawa M. (2009) “Melanogenesis inhibitors from the rhizomes of *Alpinia officinarum* in B16 melanoma cells” Bioorganic and Medicinal Chemistry 17: 6048–6053.
- 80) Mcsteen P and Yunde Z. (2008) “Plant hormones and signaling: Common themes and new developments” Development Cell 14: 467-473.
- 81) Mehta A., Sethiya N.K, Mehta C., Shah G.B. (2012) “Anti-arthritis activity of roots of *Hemidesmus Indicus* R. Br. (Anantmul) in rats” Asian Pacific Journal of Tropical Medicine 1: 130-135.
- 82) Min H.J., Nam J.W., Yu E.S., Hong J.H., Seo E.K., Hwang E.S., et al. (2009) “Effect of naturally occurring hydroxychavicol acetate on the cytokine production in T helper cells” International Immunopharmacology 9: 448–454.
- 83) Misera H.P and Fridocich. (1972) “The role of superoxide anion in the auto oxidation of epineohrine and a simple assay for SOD” The Journal of Biological Chemistry 3170-3175.
- 84) Mizushima Y., Tsukada W., Akimoto T. (1972) “A modification of rat adjuvant arthritis for testing anti-rheumatic drugs” Journal of Pharmacy and Pharmacology 24: 781-785.
- 85) Moron M.S., Depierre J.W., Manmerik B. (1979) “Levels of glutathione, glutathione reductase and glutathione S-transferase activities in rat lung and liver” Biochemica et Biophysica Acta 582(1): 67-78.
- 86) Mosihuzzaman M and Choudhary M.I. (2008) “Protocols on safety, efficacy, standardization, and documentation of herbal medicine” Pure and Applied Chemistry 80:2195–2230.
- 87) Mowat A.G. (1971) “Anaemia in rheumatoid arthritis” Modern trends in rheumatology 2: 106–116.

- 88) Mukherjee P.K. (2002) "Quality Control of Herbal Drugs" Business Horizons, New Delhi, ISBN 81-900788-4-4.
- 89) Murashige T and Skoog F. (1962) "A revised medium for rapid growth and bioassays with tobacco tissue" *Physiology Plantarum* 15:473.
- 90) Muralidharan E.M. (1997) "Micropropagation of selected medicinal plants" Kerala forest research institute peechi, Thrissur. KFRI Research Report pp 123: 1-22.
- 91) Mythilypriya M., Shanthi P., Sachdanandam P. (2008) "Salubrious effect of Kalpaamruthaa, a modified indigenous preparation in adjuvant-induced arthritis in rats-a biochemical approach" *Chemico-Biological Interactions* 173:148–158.
- 92) Nadkarni KM. (1954) "Indian Materia Medica" Popular Book Depot, Bombay ISBN 8171541429.
- 93) Nana P., Huc Y., Zhao J., Fengb Y., Zhonga Y. (2004) "Chemical composition of the essential oils of two *Alpinia* species from Hainan Island, China" *Z. Naturforsch* 59: 157.
- 94) Newbould B.B. (1963) "Chemotherapy of arthritis induced in rats by mycobacterial adjuvant" *British Journal of Clinical Pharmacology* 21: 127-136.
- 95) Ning A., Zhong M.Z., Ze T., Xiu Z.L., Shi L.Y., Li Z.X., et al. (2008) "Diarylheptanoids from the rhizomes of *Alpinia officinarum* and their anticancer activity" *Fitoterapia* 79: 27-31.
- 96) Noor H., Lionel L., Mohamad A., Ahmad A., Eswary T., Halijah I., et al. (2010) "1'S-1'-Acetoxyeugenol acetate: A new chemotherapeutic natural compound against MCF-7 human breast cancer cells" *Phytomedicine* 17: 935-939.
- 97) Nopparat M and Siree C. (2009) "Antioxidant activities and antioxidative components in extracts of *Alpinia galanga* (L.)" *Kasetsart Journal (Natural Science)* 43: 358-369.
- 98) OECD, Guidelines for testing of chemicals, Acute oral toxicity, Environmental Health and Safety Monograph Series on Testing and Adjustment No. 425:2001:1
- 99) Okonogi S., Prakatthagomol W., Ampasavate C., Klayraung S. (2011) "Killing kinetics and bactericidal mechanism of action of *Alpinia galanga* on food borne bacteria" *African Journal of Microbiology Research* 5(18): 2847-2854.

- 100) Oonmetta A.J., Suzuki T., Gasaluck P., Eumke G. (2006) "Antimicrobial properties and action of galangal (*Alpinia galanga* Linn.) on *Staphylococcus aureus*" LWT-Food Science and Technology 39(10): 1214-1220.
- 101) Ovando M.I., Adriano A.L., Chavez A.A., Oliva L.A., Ayora T.T., Dendooven L., Gutierrez M., Savador F.M., et al. (2007) "Ex vitro survival and early growth of *Alpinia purpurata* plantlets inoculated with *Azotobacter* and *Azospirillum*" Pakistan Journal of Biological Sciences 10(19): 3454-3457.
- 102) Parida R., Mohanty S., Nayak S. (2011) "Evaluation of genetic fidelity of *in vitro* propagated greater galangal (*Alpinia galanga*) using DNA based markers" International Journal of Plant, Animal and Environmental Sciences 1(3) 123-133.
- 103) Pearson C.M and Wood F.D. (1959) "Studies of polyarthritis and other lesions induced in rats given adjuvants, Arthritis" Rheum 2: 440-459.
- 104) Phitak T., Choocheep K., Pothacharoen P., Pompimon W., Premanode B., Kongtawelert P., et al. (2009) "The effects of p-hydroxycinnamaldehyde from *Alpinia galanga* extracts on human chondrocytes" Phytochemistry 70: 237-243.
- 105) Prajapathi N.D., Purohit S.S., Arun K.S., Kumar T. (2003) "A Handbook of medicinal plants" Agrobios, India, ISBN 817754134X.
- 106) Ramadan G., Al-kahtani M.A., El-sayed W.M. (2010) "Anti-inflammatory and anti-oxidant properties of *Curcuma longa* (Turmeric) versus *Zingiber officinale* (Ginger) rhizomes in rat adjuvant-induced arthritis" Inflammation 1-5.
- 107) Rao K., Chodiseti B., Mangamoori L.N., Giri A. (2010) "Agrobacterium-mediated transformation in *Alpinia galanga* (Linn.) Willd for enhanced acetoxychavicol acetate production" Applied Biochemistry and Biotechnology 12: 9777-6.
- 108) Rao K., Chodiseti B., Gandi S., Mangamoori L.N., Giri A. (2011) "Direct and indirect organogenesis of *Alpinia galanga* and the phytochemical analysis" Appl Applied Biochemistry and Biotechnology 165: 1366-1378.
- 109) Ravichandra V.D and Parakh P.M. (2011) "Pharmacognostic and phytochemical investigation on leaves of *Ficus hispida*" International Journal of Pharmacy and Pharmaceutical Sciences 3: 131-134.

-
- 110) Reddy N.Y., Hanish S.J., Alagarsamy V., Diwan P.V., Sathesh K.S., Nishad J.C., et al. (2011) "Neuroprotective effect of *Alpinia galanga* (L.) fractions on a (25–35) induced amnesia in mice" *Journal of Ethnopharmacology* 138: 85-91.
- 111) "Research guidelines for evaluating the safety and efficacy of herbal medicines", World Health Organization, Regional office for the Western Pacific 1993; 1-2.
- 112) Rolf D and Faria R.T. (1995) "Micropropagation of *Alpinia purpurata* from inflorescence buds" *Plant Cell, Tissue and Organ Culture* 40(2):183-185.
- 113) Sabu M. (2006) "Zingiberaceae and Costaceae of south India [M]" India: Indian Association for Angiosperm Taxonomy Calicut University 68-70.
- 114) Sammons M.J, Raval P., Davey P.T., Rogers D., Parsons A.A., Bingham S., et al. (2000) "Carrageenan- induced thermal hyperalgesia in the mouse: role of nerve growth factor and the mitogen-activated protein kinase pathway" *Brain Research* 876: 48–54.
- 115) Santos G.K.N., Dutra K.A., Barros R.A., Claudio A.G., Lira D.D., Gusmao N.B., Navarro D., et al. (2012) "Essential oils from *Alpinia purpurata* (Zingiberaceae): Chemical composition, oviposition deterrence, larvicidal and antibacterial activity" *Industrial Crops and Products* 40: 254-260
- 116) Seed M.P., Parker F.L., Johns S., Curnock A.P., Bowden A.R., Gardner C.R., et al. (1991) "*Mycobacterium tuberculosis*-induced monoarticular arthritis in the rat, a new *in vivo* model for the assessment of anti-rheumatic drugs" *Clinical Rheumatology* 10: 461-462.
- 117) Selvakkumar C., Balakrishnan A., Laksmi B.S. (2007) "Rapid *in vitro* Micropropagation of *Alpinia officinarum* Hance, an important medicinal plant, through rhizome bud explants" *Asian Journal of Plant Science* 6(8): 1251-1255.
- 118) Shivkanya J., Indurwade N., Sakarkar D., Fuloria N., Ali M. (2009) "Antioxidant and antidiabetic activity of *Alpinia galangal*" *International Journal of Green Pharmacy* 3 (2): 144-147.
- 119) Shriram V., Kumar V., Mulla J., Latha C. (2013) "Curing of plasmid - mediated antibiotic resistance in multi-drug resistant pathogens using *Alpinia galanga* rhizome extract" *Journal of Advanced Biotechnology* 13(01): 2319-6750.

-
- 120) Singh I.P., Kaur A., Singh R., Sankar D.C., Sharma S.S., Kamlesh K.B., et al. (2010) "Antileishmanial phenylpropanoids from *Alpinia galanga* (L.)" Indian Journal of Experimental Biology 48: 314-317.
- 121) Slater T.F and Sawyer B.C. (1971) "The stimulatory effects of carbon tetrachloride and other halogenoalkanes on peroxidative reaction in rat liver fraction *in vitro*" The Biochemical Journal 123(5): 805-814.
- 122) Smita S., Shwetha K., Prabhu K., Maradi R., Kl B., Shanbhag T., et al. (2010) "Evaluation of anti-inflammatory activity of *Tephrosia purpurea* in rats" Asian Pacific Journal of Tropical Medicine 3(3): 193-195.
- 123) Sofia R.D., Vassar H.B., Nalepa S.D. (1973) "Correlations between pathological changes in the hind paws of rats with adjuvant arthritis and their response to anti-inflammatory and analgesic drugs" The European Journal of Pharmacology 24: 108-112.
- 124) Srivastava S., Singh P., Jha K.K., Mishra G., Srivastava S., Khosa R.L., et al. (2012) "Evaluation of anti-arthritic potential of the methanolic extract of the aerial parts of *Costus speciosus*" The Journal of Ayurveda and Integrative Medicine 4: 204-208.
- 125) Srividya A.R., Dhanabal S.P., Satish kumar M.N., Bavadia P.H. (2010) "Antioxidant and antidiabetic activity of *Alpinia Galanga*" International Journal of Pharmacognosy and Phytochemical Research 3(1): 6-12.
- 126) Subramanian K., Selvakkumar C., Sundaram S.M., Balkrishnan A., Lakshmi B.S. (2008) "Extract of *Alpinia officinarum* suppresses enteropathogenic *Escherichia coli* (EPEC) lipopolysaccharide (LPS) induced inflammation in J 774 A.1 Macrophages" Journal of Health Science 54(1): 112-117.
- 127) Sudha C.G., George M., Koranappallil B.R., Nair G.M. (2012) "Improved clonal propagation of *Alpinia calcarata* Rosc., a commercially important medicinal plant and evaluation of chemical fidelity through comparison of volatile compounds" American Journal of Plant Sciences 3: 930-940.
- 128) Taechowisan T., Wanbanjob A., Untiwachwuttikul P., Taylor W.C. (2006) "Identification of *Streptomyces* sp. Tc022, an endophyte in *Alpinia galanga*, and the isolation of actinomycin D" Annals of Microbiology 56 (2): 113-117.
-

- 129) Tal M and Bennett G.J. (1994) "Extra-territorial pain in rats with a peripheral mononeuropathy: mechano-hyperalgesia and mechano-allodynia in the territory of an uninjured nerve" *Pain* 57: 375–82.
- 130) Tamura S., Shiomi A., Kimura T., Murakami N. (2010) "Halogenated analogs of 1'-acetoxychavicol acetate, Rev-export inhibitor from *Alpinia galanga*, designed from mechanism of action" *Bioorganic & Medicinal Chemistry Letters* 20: 2082–2085
- 131) Tao L., Wang Z.T., Zhu E.Y., Lu Y.H., Wei D.Z. (2006) "HPLC analysis of bioactive flavonoids from the rhizome of *Alpinia officinarum*" *South African Journal of Botany* 72: 163-166.
- 132) Tushara., Basaka S., Sarma G.C., Rangan L. (2010) "Ethnomedical uses of Zingiberaceous plants of Northeast India" *Journal of Ethnopharmacology* 132: 287.
- 133) Valko M., Leibfritz D., Moncol J., Mark T.D., Mazur C.M., Telser J., et al. (2007) "Free radicals and antioxidants in normal physiological functions and human disease" *The International Journal of Biochemistry & Cell Biology* 39:44-84.
- 134) Verma R.K., Mishra G., Singh P., Jha K.K., Khosa R.L. (2011) "*Alpinia galanga*-An Important Medicinal Plant: A review" *Der Pharmacia Sinica* 2 (1): 142-143.
- 135) Victorio C.P., Kuster R.M., Lage C.L.S. (2009) "Detection of flavonoids in *Alpinia purpurata* (Vieill.) K. Schum leaves using high performance liquid chromatography" [J]. *Rev Bras Plant Med Botucatu*. 11(2): 147-153.
- 136) Vierboom M.P.M., Jonker M., Tak P.P., Hart B.A. (2007) "Preclinical models of arthritic disease in non-human primates" *Drug Discovery Today* 12(8): 327-35.
- 137) Vijayalakshmi T., Muthulakshmi V., Sachdanandam P. (1997) "Effect of milk extract of *Semecarpus anacardium* nuts on glycohydrolases and lysosomal stability in adjuvant arthritis in rats" *Journal of Ethnopharmacology* 58: 1-8.
- 138) Villaflores O.B., Macabeo A.G., Gehle D., Krohn K., Franzblau S.G., Aguinaldo A.M., et al. (2010) "Phytoconstituents from *Alpinia purpurata* and their in vitro inhibitory activity against mycobacterium tuberculosis" *Phcog Mag* 6(24): 339-344.

-
- 139) Weiss G and Goodnough L.T. (2005) "Anemia of Chronic Disease" The New England Journal of medicine 1011-1023.
- 140) WHO/PHARM/92.559/rev.1. (1992) "Quality control methods for medicinal plant materials" Geneva: Organization Mondiale De La Sante 22-34.
- 141) Willich S.N., Rossnagel K., Roll S., Wagner A., Mune O., Erlendson J., Kharazmi A., Sorensen H., Winther K., et al. (2010) "Rose hip herbal remedy in patients with rheumatoid arthritis a randomized controlled trial" *Phytomedicine* 17:87–93.
- 142) Wim B and Berg V.D. (1999) "Pathogenesis of joint damage in rheumatoid arthritis: evidence of a dominant role for interleukin-1" *Clinical Rheumatology* 13: 577-597.
- 143) Winter C.A., Risley E.A., Nuss W. (1962) "Carrageenan induced edema in hind paw of rats as an assay for anti-inflammatory drugs" *Proceedings of the Society for Experimental Biology and Medicine* 111: 544–547.
- 144) Wu Y., Zhou C., Li X., Song L., Wu X., Lin W., et al. (2006) "Evaluation of anti-inflammatory activity of the total flavonoids of *Laggera pterodonta* on acute and chronic inflammation models" *Phytotherapy Research* 590: 585-590.
- 145) Xiaogen Y., Martin R., Jason J. (2009) "Identification of Dihydrogalangal acetate in Galangal [*Alpinia galanga* (L.) Swartz extracts]" *Journal of Agricultural and Food Chemistry* 57: 3286 –3290
- 146) Xu S., Kojima Y.A., Azuma H., Huang X., Norikura T., Kennedy D., Matsui Y.I., et al. (2008) "1'-Acetoxychavicol acetate and its enantiomer inhibit tumor cells proliferation via different mechanisms" *Chemico-Biological Interactions* 172: 216–223.
- 147) Xu S., Kojima Y.A., Azuma H., Konishi Y., Matsui Y.I., et al. (2010) "Comparison of glutathione reductase activity and the intracellular glutathione reducing effects of 13 derivatives of 1'-Acetoxychavicol acetate in Ehrlich ascites tumor cells" *Chemico-Biological Interactions* 185: 235–240.
- 148) Yadav P.N., Zhihua L., Rafi M.M. (2003) "A diarylheptanoid from lesser galangal (*alpinia officinarum*) inhibits proinflammatory mediators via inhibition of mitogen-activated protein kinase, p44/42, and transcription factor nuclear factor κ B" *The Journal of Pharmacology and Experimental Therapeutics* 305: 925-931
-

- 149) Yasuhara T., Manse Y., Morimoto T., Qilong W., Matsuda H., Yoshikawa M., et al. (2009) “Acetoxybenzhydrols as highly active and stable analogues of 1'S-1'-Acetoxychavicol, a potent antiallergic principal from *Alpinia galanga*” *Bioorganic & Medicinal Chemistry Letters* 19: 2944–2946.
- 150) Ye Y and Li B. (2006) “1'S-1'-Acetoxychavicol acetate isolated from *Alpinia galanga* inhibits human immunodeficiency virus type 1 replication by blocking Rev Transport” *Journal of General Virology* 87: 2047-2053.
- 151) Yoshikawa M., Matsuda H., Morikawa T., Managi H. (2003) “Antiallergic principles from *Alpinia galanga*: structural requirements of phenylpropanoids for inhibition of degranulation and release of TNF- α and IL-4 in RBL-2H3 cells” *Bioorganic and Medicinal Chemistry Letters* 13(19): 3197 – 3202.
- 152) Yoshikawa M., Matsuda H., Nakashima S., Oda Y., Nakamura S. (2004) “Melanogenesis inhibitors from the rhizomes of *Alpinia officinarum* in B16 melanoma cells” *Bioorganic and Medicinal Chemistry* 17: 6048–6053.
- 153) Yoshikawa M., Morikawa T., Ando S., Matsuda H., Kataoka S., Muraoka O., et al. (2005) “Inhibitors of nitric oxide production from the rhizomes of *Alpinia galanga*: Structures of new 8-9' linked neolignans and sesqueneolignan” *Chemical and Pharmaceutical Bulletin* 53(6): 625 –630.
- 154) Zafar R., Aeri V., Datta A. (1992) “Application of plant tissue and cell culture for production of secondary metabolites” *Fitoterapia* 13: 33-43.
- 155) Zhang B., Dai Y., Liao Z., Ding L. (2010) “Three new antibacterial active diarylheptanoids from *Alpinia officinarum*” *Fitoterapia* 81: 948–952.
- 156) Zhang R.X., Yin A., Zhou A.N., Moudgil K.D., Ma Z.Z., Lee D.Y.W., et al. (2009) “Extract of the Chinese herbal formula Huo Luo Xiao Ling Dan inhibited adjuvant arthritis in rats” *Journal of Ethnopharmacology* 121: 366-371.
- 157) Zhong M.Z., Ning A., Hong W.Z., Li Z.X., Shi L.Y. (2010) “New diarylheptanoids from the rhizome of *Alpinia officinarum* Hance” *Journal of Food Chemistry* 119: 513–517.
- 158) Zhu X.L., Yang M.H., Luo J.G., Huang X.F., Kong L.Y. (2009) “A New Phenylpropanoid from *Alpinia galanga*” *Chinese Journal of Natural Medicines* 7(1): 19–20.