

## CONTENTS

---

<b>Chapter 1:</b>	<b>INTRODUCTION</b>	<b>1-4</b>
<b>Chapter 2:</b>	<b>REVIEW OF LITERATURE</b>	<b>5-24</b>
2.1.	Psoriasis	5-6
2.1.1.	Clinical features of psoriasis	6-7
2.1.2.	Biochemical and immunological basis of psoriasis	7-9
2.1.3.	Relationship of zinc and psoriasis	9-11
2.1.4.	Serum zinc and psoriasis	11-14
2.2.	Enzymatic zinc determination based on zinc-dependent re-activation of apocarbonic anhydrase	15-24
2.2.1.	Carbonic anhydrase and its reaction	15-17
2.2.2.	Preparation of apocarbonic anhydrase	17-18
2.2.3.	Application of carbonic anhydrase in zinc determination	18-21
2.2.4.	Useful features of serum zinc determination based on apocarbonic anhydrase reactivation	21-24

<b>Chapter 3:</b>	<b>EXPERIMENTAL</b>	<b>25-42</b>
<b>3.1.</b>	<b>Materials:</b>	<b>25-28</b>
<b>3.1.1.</b>	<b>Chemicals</b>	<b>25-27</b>
3.1.1.1.	For gel electrophoresis	25-26
3.1.1.2.	For carbonic anhydrase assay	26
3.1.1.3.	For protein estimation	26
3.1.1.4.	For preparation of apocarbonic anhydrase	26-27
3.1.1.5.	For re-activation of apocarbonic anhydrase	27
3.1.1.6.	Other chemicals	27
3.1.1.7.	Water	27
<b>3.1.2.</b>	<b>Solutions, buffers and reagents</b>	<b>27-28</b>
3.1.2.1.	Enzyme (bovine erythrocyte carbonic anhydrase) solution	27
3.1.2.2.	Substrate solution (6.0 mM p-nitrophenyl acetate)	27
3.1.2.3.	Suspension buffer (0.2 M phosphate buffer pH 7.4)	28
3.1.2.4.	Assay buffer (0.5 M phosphate buffer pH 7.5)	28
3.1.2.5.	Zinc standard solution	28
3.1.2.6.	Trichloroacetic acid solution	28
<b>3.1.3.</b>	<b>Main instruments used in the investigation</b>	<b>28</b>
<b>3.2.</b>	<b>Methods</b>	<b>30-42</b>
<b>3.2.1.</b>	<b>Testing the homogeneity of the commercial bovine erythrocyte carbonic anhydrase preparation</b>	<b>30</b>

3.2.1.1.	Polyacrylamide gel electrophoresis in presence of sodium dodecyl sulphate	30-32
3.2.1.2.	Silver staining of protein on SDS-PAGE	32-33
<b>3.2.2.</b>	<b>Protein estimation</b>	<b>33-34</b>
<b>3.2.3.</b>	<b>Standardization of carbonic anhydrase assay</b>	<b>35-37</b>
3.2.3.1.	Spectral analysis of p-nitrophenol and determination of its molar extinction coefficient	35
3.2.3.2.	Determination of optimum substrate concentration	36
3.2.3.3.	Standard carbonic anhydrase assay	36-37
<b>3.2.4.</b>	<b>Standardization of the method of zinc determination by apocarbonic anhydrase re-activation</b>	<b>37-39</b>
3.2.4.1.	Preparation of apocarbonic anhydrase	37
3.2.4.2.	Determination of zinc contents in standard solution and solvents	38
3.2.4.3.	Re-activation of apocarbonic anhydrase	38-39
3.2.4.4.	Analysis of the apocarbonic anhydrase re-activation data for calculation of zinc concentration in an unknown sample	39
<b>3.2.5.</b>	<b>Study on the variation of serum zinc level in psoriasis patients</b>	<b>39-42</b>

3.2.5.1.	Diagnosis and selection of psoriasis patients	40
3.2.5.2.	Selection of control individuals	40
3.2.5.3.	Resolution of ethical issues	40-41
3.2.5.4.	Serum sample preparation and storage	41
3.2.5.5.	Analysis for serum zinc level	41-42
3.2.5.6.	Statistical analysis	42
<b>Chapter 4:</b>	<b>RESULTS</b>	<b>43-72</b>
4.1.	<b>Standardization of the method of enzymatic serum zinc determination</b>	<b>43-55</b>
4.1.1.	Standardization of carbonic anhydrase assay	43-47
4.1.2.	Preparation of apocarbonic anhydrase	47-48
4.1.3.	Re-activation of apocarbonic anhydrase and zinc determination	49-53
4.1.4.	Comparison between the atomic absorption spectrophotometry (AAS) and apocarbonic anhydrase (apo-CA) methods for serum zinc determination	53-55
4.2	<b>Variations of serum zinc level in psoriasis patients</b>	<b>56-72</b>
<b>Chapter 5:</b>	<b>DISCUSSION</b>	<b>73-84</b>
<b>Chapter 6:</b>	<b>SUMMARY</b>	<b>85-89</b>
<b>Chapter 7:</b>	<b>REFERENCES</b>	<b>90-101</b>
<b>Appendix</b>		
	i) Proforma	
	ii) Abbreviations	