

## Literature Cited

---

- Abhyankar, G. and Reddy, V.D., (2007). Rapid micropropagation via axillary bud proliferation of *Adhatoda vasica* Nees from nodal segments. *Indian Journal Exp Biol.*(45): 286–271.
- Abraham, J. and Thomas D.T., (2012). Antibacterial activity of medicinal plant *Cyclea peltata* (Lam) Hooks & Thoms. *Asian Pacific Journal of Tropical Disease* 280-284.
- Abubakar, M.S., Sule, M.I., Pateh, U.U., Abdurahman, E.M., Haruna, A.K., Jahun, B.M. 2000. In - vitro snake venom detoxifying action of the leaf extract of *Guiera senegalensis*. *Journal of Ethnopharmacology*, 69: 253-257.
- Agarwal M, Kamal R (2007). Studies on flavonoid production using *in vitro* cultures of *Momordica charantia* L. *Ind. J. Biotechnol.* 6 : 277- 279.
- Agarwal, S. and Mishra, K., (1979). New flavonoids from the *Grewia asiatica*, *J. Indian Chem. Soc.*, 1979, 56(6): 649.
- Ahmad, N., Abbasi, B.H., Fazal, H. , Khan, M.A. and Afridi, M.S., (2014). Effect of reverse photoperiod on in vitro regeneration and piperine production in *Piper nigrum* L. *C R Biol.* (1):19-28.
- Ahmed, D. and Tariq S.A., (2012). *In vitro* study of antimicrobial and antioxidant activity of methanolic extracts of leaves, fruits and bark of *Ficus glomerata*. *Int. J. Med. Arom. Plants.* 2(1): 30-33.
- Akhtar, S., (2010). Use of *Tinospora cordifolia* in HIV infection. *Indian Journal Pharmacol.* (42) :57-59.
- Alagesaboopathi C., (2011). Antimicrobial potential and phytochemical screening of *Andrographis affinis* Nees an endemic medicinal plant from India. *Int. J. of Pharma. and Pharmaceutical Sci.* 3 (2): 157-159.
- Alba, E., Polignano, G. B., Carlo, D. and Mincione, A. 2001. Electrophoretic phenotypes of different enzymes in some entries of *Lathyrus sativus* L. *Lathyrus Lathyrism Newslett.* 2: 15–20.
- Alfermann, A.W. and Peterson, M. 1995. Natural Product formation by plant cell biotechnology: Result and Perspectives. *Plant cell Tissue Organ Culture.* 43(3): 199-205.

## *Literature Cited*

---

- Ali, SI., Khan, NA. and Husain, I., (1982) . Flavone glucosides from the leaves of *Grewia asiatica*, J. Sci. Res., 1982, 4(1): 55.
- Alscher, R.G., Madamachani, N.R. and Cramar, C.L., (1991). Protective mechanism in chloroplast stroma; In current topics in plant physiology. *American society of plant physiologists*. 6:145-155.
- Aminuddin, Sharma GL and Khanna P (1977) Flavonoids from *in vitro* seedling callus culture of *Trigonella foenum – graecum*. Indian J.pharm. 39:142-143
- Ananthi, P., Kumari Ranjitha, B. D. and Ramachandran A., (2011). *In vitro* propagation of *Rorippa indica* L. from nodal and shoot tip explants. International Journal for Biotechnology and Molecular Biology Research. 2(3) : 51–55.
- Anonymous.(1999). The Ayurvedic Pharmacopoeia of India,1999: Government of India, Ministry of health and family welfare, Department of Indian system of medicine and homeopathy Vol 1, Ed 1<sup>st</sup>.
- Aranha, I., Clement, F., Venkatesh, YP., (2012). Immunostimulatory properties of the major protein from the stem of the Ayurvedic medicinal herb, guduchi (*Tinospora cordifolia*), J Ethnopharmacol. 139(2):366-72.
- Arnon, D.I., Whatley, F.R. and Allen, M.B., (1954). *Journal Amer. Chem. Soc.* (76) : 6324-6326.
- Arnon, DI., (1949). Copper enzymes in isolated chloroplasts, polyphenoxidase in beta vulgaris. *Plant physiology* 24: 1-15.
- Arumugam, A. and Gopinath, K. (2012). *In vitro* micropropagation using corm bud explants : an endangered medicinal plant of *Gloriosa superba* L. *Journal Asian Journal of Biotechnology*. 4(3): 120-128.
- Arungam, A. and Gopinath, K., (2011). Micropropagation and tissue culture of the endangered medicinal plant *Witha ina somnifera* by the direct shoot and root initiation method. *International Journal of applied biology and pharmaceutical technology*. (2): 21-25,

## *Literature Cited*

---

- Arya D, Patn V, Kant U (2008). *In vitro* propagation and quercetin quantification in callus cultures of Rasna (*Pluchea lanceolata* Oliver & Hiern.). *Ind. J. Biotechnol.* 7 : 383-387.
- Asada Y, Li W, Yoshikawa T (1998). Isopyrenylated flavonoids from hairy root cultures of *Glycyrrhiza glabra*. *Phytochem.* 47 : 389-392.
- Ayodhya, S., Kusum, S. and Anjali, S., (2010). Hypoglycaemic activity of different extracts of various herbal plants Singh. *Int J Ayurveda Res Pharm.* 1(1):212–224.
- Azeez, M. A. and Morakinyo, J. A. 2004. Electrophoretic characterization of crude leaf proteins in *Lycopersicon* and *Trichosanthes* cultivars. *Afr. J. Biotechnol.* 3(11): 585-587.
- Baris, O., Golloce, M., Sahin, R., Ozer, H., Kilic, H. and Ozkan, H., (2006). Biological activities of essential oil and methanol extract of *Achillea bickersteinii* Afan. (Asteraceae). *Turkish J. of Bio.* 30: 65-73.
- Benjamin B D and Mulchandani N B (1973) Studies on biosynthesis of secondary constituents in tissue of *Tylophora indica*. *Planta Med.* 23:394-397.
- Bennett R. D. and E. Heftmann. 1962. Thin layer chromatography of steroidal sapogenins. *J. Chromatogr.* 9 : 353.
- Berg, G. J. V. and Klaauw, B. V. D. 2000. Combining Micro and Macro Unemployment Duration Data. IZA . Discussion Paper. No. 109.
- Berrondo, L.F., Gabriel, F.T., Fernandes, S.B.D.O., and Menezes, F.D.S. 2003. Dirhamnosyl flavonoid and other constituents from *Brillantaisia palisatii*. *Quimica Nova*, 26 (6): 922 - 923.
- Berrondo, L.F., Gabriel, F.T., Fernandes, S.B.D.O., and Menezes, F.D.S. 2003. Dirhamnosyl flavonoid and other constituents from *Brillantaisia palisatii*. *Quimica Nova*, 26 (6): 922 - 923.
- Betes-Saura, C., Andres - Lacueva, C., and Lamuela-Raventos, R. M. 1996. Phenolics in white free run juices and wines from penedes by high-performance liquid chromatography: changes during vinification. *Journal of Agricultural Food Chemistry*, 44: 3040-3046.
- Bhattarai, Shandesh. and Bhuju Dinesh Raj., (2011). Antimicrobial Activity of Useful Parts of *Woodfordia fruticosa* (Linn.) Kurz. of Nepal

## *Literature Cited*

---

- International Journal of Pharmaceutical & Biological Archives. 2(2):756-761.
- Bhawya, D. and Anilakumar, KR.,\* (2010) . *In Vitro* Antioxidant Potency of *Tinospora cordifolia* (gulancha) in Sequential Extracts. International Journal of Pharmaceutical & Biological Archives. 1(5):448-456.
- Bhuiyan, M.A.R., Hoque, M.Z. and Hossain, S.J., (2009). Free Radical Scavenging Activities of *Zizyphus mauritiana*. *World J. of Agri. Sci.* 5 (3): 318-322.
- Bino, R.J., Hall, R.D., Fiehn, O., Kopka, J. , Saito, K., Draper, J., Nikolau, B.J. , Mendes, P. , Roessner-Tunali, U., Beale, M.H., Trethewey, R.N., Lange, B.M., Wurtele, E.S. and Sumner, L.W., (2004). Potential of metabolomics as a functional genomics tool. *Trends in Plant Science* 9: 418-425.
- Biradar, Sanjay., Waghmare, Vishwanath. and Pandhure\*., (2012). IN VITRO CALLUS AND SHOOT INDUCTION IN JATROPHA CURCAS (LINN.). *DAMA International.* (1) : 13-17.
- Bouic, P.J., Clark, A., Lamprecht, J., Freestone, M., Pool, E.J., Liebenberg, R.W., Kotze D., and Van Jaarsveld, P.P.1996. Beta-sitosterol and beta-sitosterol glucoside stimulate human peripheral blood lymphocyte proliferation: Implications for their use as an immunomodulatory vitamin combination. *International Journal of Immunopharmacology*, 18(12): 693-700.
- Brand-Williams W., Cuvelier M.E., Berset C., (1995). Use of a free radical method to evaluate antioxidant activity. *Lebensm. Wiss. Tech.* 28: 25-30.
- Bray, H.C. and Thorpe, W.V., (1954). Analysis of phenolic compounds of interest in metabolism. *Journal Meth. Biochem. Anal.* (1): 27-52.
- Bray, H.C. and Thorpe, W.V., (1954). Analysis of phenolic compounds of interest in metabolism. *Meth. Biochem. Analysis.* 1: 27-52.
- Bukhari, Y. M. 2002. Seed weight and protein concentration of whole seed, cotyledons and seed coat of 57 accessions of *Acacia* and *Prosopis* (Mimosaceae): Phylogenetic and nutritional implications. *Indian For.* 128: 686–699.

## *Literature Cited*

---

- Carboni, E., Tonneli, M.G., Iacovacci, P. and Demiano, C. (1997). Biochemical and molecular factors affecting *in vitro* rooting ability in almond. *Journal Biology of root formation and development (Eds.) Altmann and Waisel, Plenum press, New York.* pp. 117-124.
- Carvalho T.C., Simão M.R., Ambrósio S.R., Furtado N.A.J.C., Veneziani R.C.S., Heleno V.C.G., Costa F.B.D., Gomes B.P.F.A., Souza M.G.M., Reis E.B. and Martins C.H. G., (2011). Antimicrobial activity of Diterpenes from *Viguiera arenaria* against endodontic bacteria. *Molecules*, 16: 543-551.
- Carvalho, M.G., Velloso, C.R.X., Braz-Filho, R., and Costa, W.F. 2001. Acyl-lupeol esters from *Parahancornia amapa* (Apocynaceae). *Journal of Brazilian Chemical Society*, 12(4): 556-559.
- Carvalho, M.G., Velloso, C.R.X., Braz-Filho, R., and Costa, W.F. 2001. Acyl-lupeol esters from *Parahancornia amapa* (Apocynaceae). *Journal of Brazilian Chemical Society*, 12(4): 556-559.
- Celiktas O.Y., Gurel A. and Sukan F. V., (2010). Large scale cultivation of plant cell and tissue culture in bioreactors. *Journal Transworld Res. Net.* 1: 1-54.
- Cespedes, C. L., El-Hafidi, M., Pavon, N. and Alarcon, J. 2008. Antioxidant and cardioprotective activities of phenolic extracts from fruits of Chilean blackberry *Aristotelia chilensis* (Elaeocarpaceae), Maqui. *Food Chem*, 107: 820-829.
- Chahal, J.K., Sarin, R. and Malwal, M. (2010) : Efficacy of *Clerodendrum inerme* L. (Garden quinine) against some human pathogenic strains. *International Journal of Pharma and Bio Sciences.* 1(4) : 219-223.
- Chakrabarty, D. and Datta, SK., (2008) Micropropagation of gerbera: lipid peroxidation and antioxidant enzyme activities during acclimatization process. *Journal Acta Physiol Plant.*(30): 325-331.
- Chakrabarty, D. and Datta, SK., (2007). Micropropagation of gerbera: lipid peroxidation and antioxidant enzyme activities during acclimatization process. *Journal Acta Physiologiae Plantarum.* (10):15-17.

## *Literature Cited*

---

- Charles, D.J. and J.E. Simon. 1990. Comparison of extraction methods for the rapid determination of essential oil content and composition of basil (*Ocimum* spp.). *J. Amer. Soc. Hort. Sci.* 115:458-462.
- Charriere F., Sotta B., Migniac E. and Hahne G. 1999. Induction of adventitious shoots or somatic embryos on *in vitro* cultured zygotic embryos of *Helianthus annuus*: Variation of endogenous hormone levels. *Plant Physio. Biochem.* 37: 751–757.
- Chattopadhyaya, S. and Pakrashi, SC., (1975). Triterpenoids from *Grewia asiatica*, *J. Indian Chem. Soc.*52(6): 553.
- Chauhan ,A., Sharma, PK., Sharma, N., Sharma, S., Sharma, P., Srivastava, P., Kumar, N. and Duehe, R., (2010) Plants having potential antidiabetic activity: a review. *Der Pharm Lett.* 2(3):369–387.
- Chidananda, NK. and Massimo, M., (2008). Callus induction and shoot regeneration of *Phaseolus lunatus* L. cv. Wonder Bush and cv. Pole Sieva. *Journal Plant Cell Tissue and Organ Culture* (92): 239-242.
- Chitravadivu, C., S. Manian and K. Kalaichelvi. 2009. Antimicrobial Studies on Selected Medicinal Plants, Erode Region, Tamilnadu, India. *Middle-East J. Scient. Res.*, 4(3):147-152.
- Chopra, A and Doiphode, VV., (2002). Ayurvedic medicine. Core concept, therapeutic principles, and current relevance. *Journal Med Clin.* ; 86(1): 75-89.
- Chopra, R.N., Nayar, S.L. and Chopra, I.C. (1956). In glossary of Indian medicinal plants, Vol. I. *Council of Scientific and Industrial Research, New Delhi*, pp. 197.
- Choudhury, D., Ghosal, M., Das, AP and Mandal, P., (2013). *In vitro* antioxidant activity of methanolic leaves and barks extracts of four *Litsea* plants. *Pelagia Research Library Asian Journal of Plant Science and Research.* 3(1):99-107.
- Chougale, AD., Ghadyale, VA., Panaskar, SN. and Arvindekar, AU., (2009). Alpha glucosidase inhibition by stem extract of *Tinospora cordifolia*. *J Enzyme Inhib Med Chem.*(24) :998–1001.
- Chowdhury, m.m.h., Ashrafuzzaman, m., Begum, s.n., Islam, m.m. and Dhar, P. (2012). REGENERATION OF PLANTLETS FROM

## *Literature Cited*

---

- GRAPE (*Vitis vinifera* L.) THROUGH DIFFERENT EXPLANTS. *Int. J. Sustain. Crop Prod.* 7(2): 12-18.
- Christen, P. and Veuthey, J.-L. 2001. New trends in extraction, identification and quantification of artemisinin and its derivatives. *Current Medicinal Chemistry.* 8:1827-1839.
- Chung, K.T., Wong, T.Y., Huang, Y.W. and Lin, Y., (1998). Tannins and human health: A review. *Crit Rev. Food Sci.* (38): 421-464 (1998).
- Cowan M., (1999). Plant products as antimicrobial agents. *Clin. Microbiol. Rev.* 12: 564-582.
- Croteau, R., Kotchan, T.M. and Lewis, N.G. (2000). Natural products (Secondary metabolites. In B. B. Buchanan, W. Gruissen and R.L.Jones (eds), *Biochemistry and molecular biology of plant.* American society of plant physiologists, Rockville, MD, pp. 1250-1318.
- Dafedar, H. Tejavathi, Kaivaram Gayathamma, Rajashekharaiyah Nijagunaiah. 2012. Genetic Variability by *in Vitro* Mutagenesis and Arbuscular Mycorrhizal Fungal Symbiosis among Micropropagated Plants of *Agave vera-cruz* Miller. *Global Sci. Books.*
- Daniel, S. Fabricant and Farnsworth Norman R., (2001). The Value of Plants Used in Traditional Medicine for Drug Discovery. *Journal Environ Health Perspect* 109(suppl 1):69–75.
- Das P., Mekap S., Pani S., Sethi R. and Naya P., (2010). Pharmacological evaluation of anti-inflammatory activity of *Euphorbia hirta* against carrageenan induced paw edema in Rat. *Der Pharmacia Lettre.* 2(2):151-15.
- Das P.K., Goswami S., Chinniah A., Panda N., Banerjee S., Sahu N.P., Achari B.. (2007). *Woodfordia fruticosa* : traditional uses and recent findings. *Journal Ethnopharmacol.* 110(2): 189-199.
- Das P.K., Goswami S., Chinniah A., Panda N., Banerjee S., Sahu N.P., Achari B., (2007). *Woodfordia fruticosa* : traditional uses and recent findings. *Journal Ethnopharmacol.* 110(2): 189-199.

## *Literature Cited*

---

- Das, C., Dash, S. and Sahoo, D.C. (2012). Pharmacognostical and phytochemical investigation of *Butea frondosa* Linn. bark. *Der Pharmacia Lettre*. 4 (2) :475-482.
- Davies, S.P., Reddy, H., Caivano, M., and Cohen, P. 2000. Specificity and mechanism of action of some commonly used protein kinase inhibitors. *Biochemistry Journal*, 351: 95 - 105.
- Debnath, M., Malik, C.P. and Bisen, P.S., (2007). Clonal Propagation of *Chlorophytum borivillianum*, An Endangered Medicinal Plant. *Journal Phytomorphology*. (57):117–121.
- Dehpour, A.A., Ebrahimzadeh, M.A., Nabavi, S.F. and Nabavi, S.M., (2009). Antioxidant activity of methanol extract of *Ferula asafoetida* and its essential oil composition. *Grasas aceites*, 60(4): 405-412.
- Deokota, R. and Chhetri, T.B., (2007). Ethnobotanical study in Sunsari district of eastern Nepal. *Ethnobotany*, 10(1&2): 67-72.
- DESAI, VR., KAMAT, JP. and SAINIS, KB., (2002) . An immunomodulator from *Tinospora cordifolia* with antioxidant activity in cell-free systems. . *Indian Acad. Sci. (Chem. Sci.)*. (6): 713–719.
- Dewick, P.M.(2002). *Medicinal natural products: A Biosynthetic Approach*, 2<sup>nd</sup> edn., John Wiley and Sons, chichester.
- Dhawale, P.G., (2013). Phytochemical analysis of eight medicinal plants. *International Journal of Scientific and Research Publications*, 3: 2250-3153.
- Dhawan, Poonam., Kaur, Manpreet. and Damor, Shilpi., (2013). A review on Phytochemical and Pharmacological profile of endangered medicinal plant *Leptadenia Reticulata*. *Biotechnology*. (2) : 14-17.
- Dinareello, C. A. 1996. *Blood*, 87: 2095–2147.
- Ding, H.Y., Wu, Y.C., and Ching, H. 2000. Phytochemical and Pharmacological Studies on Chinese Changzhu. *Journal of the Chinese Chemical Society*, 47: 561-566.
- Dodds, J.H. and Roberts, L.W. (1985). *Experiments in plant tissue culture*. Cambridge university press, Cambridge London New York. New Rochelle Melbourne Sydney. pp. 1-15.



## *Literature Cited*

---

- Donald, P.R., Lamprecht, J.H., Freestone, M., Albrecht, C.F., Bouic, P.J.D., Kotze, D., and van Jaarsveld, P.P. 1997. A randomised placebo-controlled trial of the efficacy of beta-sitosterol and its glucoside as adjuvants in the treatment of pulmonary tuberculosis. *International Journal of Tuberculosis Lungs Diseases*,1(5): 518-522.
- Donnelly Hank, R., Forman, W. , Jone, C. , Quintana, H. , Ramirez, A. , Churazov E. and Gilfanov M., (2001). *The Astrophysical Journal*, 562:254-265.
- Drew, R.A., McComb, J.A. and Considine, J.A., (1993). Rhizogenesis and root growth of *Carica papaya* L. *in vitro* in relation to auxin sensitive phase and use of riboflavin. *Plant Cell Tiss. Org. Cult.* (33): 1-7.
- Dubey R., Dubey K., Sridhar C. and Jayaveera K. N., (2011). Human vaginal pathogen inhibition studies on aqueous, methanolic and saponins extracts of stem barks of *Zizyphus mauritiana*. *Int. J.Pharm. Sci. Res.*, 2(3):659-663.
- Dubey S.K. and Batra A., (2009). Antioxidant Activities of *Thuja occidentalis* Linn. *Asian J. of Pharma. and Clinical Res.*2(1): 71-76.
- Durkovic, J. (2000). Microsatellite DNA fingerprinting in micropropagated *Cornus mas* l. 'macrocarpa'. *Propag. Ornament. Plant.*( 9): 21-25.
- Edward, J. and Padmaja, V., (2011). Antioxidant potential of ethanolic extract of aerial parts of *Coleus spicatus* Benth. *African Journal of Biotechnology*. 10(56): 12054-12057.
- El Deeb, K. S., Al-Haidari, R. A., Mossa, J. S., Ateya, A. 2003. *Saudi Pharmaceutical Journal*, 11(4): 184-191.
- Elmouloud, B., Abdelouaheb, D., Abdesselem, B., (2012). Antibacterial and antioxidant activities of three endemic plants from algerian sahara. *Acta Sci. Pol. Technol. Aliment.* 11(1) : 61-65.
- Elumalai, EK., Ramachandran M., Thirumalai1, T and Vinothkumar P., (2011). Antibacterial activity of various leaf extracts of *Merremia emarginata*, *Asian Pacific Journal of Tropical Biomedicine*. (6): 406-408.

## *Literature Cited*

---

- Enne V.I., Livermore D.M., Stephens P. and Hal L.M.C., (2001). Persistence of sulphonamide resistance in *Escherichia coli* in the UK despite national prescribing restriction. *The Lancet*. 28:1325-1328.
- FAROUK, K., EL-BAZ, AMAL A., MOHAMED, SAMI I. ALI., CALLUS FORMATION, PHENOLICS CONTENT AND RELATED ANTIOXIDANT ACTIVITIES IN TISSUE CULTURE OF A MEDICINAL PLANT COLOCYNTH (*Citrullus colocynthis*) *Nova Biotechnologica* 10-2 (2010).
- Farquar J.W (1996). Plant sterols : Their biological effects in humans. Handbook of lipids in human nutrition. Boca Raton (FL): CRC press P 101-105.
- Farzami MS, Ghorbant M (2005). Formation of catechin in callus cultures and micropropagation of *Rheum ribes* L. *Pak. J. Biol. Sci.* 8 : 1346-1350.
- Fazli F. R. Y. and R. Hardman 1968. The spice, fenugreek (*Trigonella foenum-graecum*). Its commercial var. of seed as a source of diosgenin. *Trap. Sci.* 10 : 66-78.
- Flores, RG., Martínez, RR., Guerra PT. and Licea RQ., (2012) Antibacterial Activity of *Oenothera rosea* (L 'Hér) Leaf Extracts, *British Journal of Medicine & Medical Research* 2(3): 396-404,
- Fogliano, V., Verde, V., Randzzo, G. and Ritieni, X. (2009). A method for measuring antioxidant activity and its application to monitoring the antioxidant capacity of wines, *J. Agric. Food Chem.*, 47 : 1035-1040.
- Folashade, K.O., Omoregie, E.H. and Ochogu, A.P., (2012). Standardization of herbal medicines - A review. *International Journal of Biodiversity and Conservation*, 4(3): 101-112.
- Gacche, RN. and Dhole, NA., (2011). Profile of aldose reductase inhibition, anti-cataract and free radical scavenging activity of selected medicinal plants. An attempt to standardize the botanicals for amelioration of diabetes complications. *Journal Food Chem Toxicol.* (49):1806–1813.

## *Literature Cited*

---

- Gamborg, O. L, Miller, R. A. and Ojima, K., (1968). Nutrient requirements of suspension cultures of soybean root cells. *Journal Exp. Cell Res.* (50):151-158.
- Gami B., Parabia M. and Kothari I.L.\*, (2010). *In vitro* development of callus from node of *Mimusops elengi* – as substitute of natural bark. *Int. J. of Pharma. Sci. and Drug Res.* 2(4): 281-285.
- Garth, E., Sheila, B., Elaine, B. and Kerr, W., (1998). Economics of starch production in the 20, *Biochemical Methods*.
- Gasper, T. (1991). Vitrification in micropropagation. In: Bajaj, Y. P. S. (Ed). *Biotechnology in agriculture and forestry*. Vol. 17. High tech and micropropagation I. Springer, Berlin, pp. 116-123.
- Gaur, M. (1978). Production of primary and secondary products from *in vitro* plant tissue cultures. Ph.D. Thesis. University of Rajasthan, Jaipur, India.
- George, E.F. and Sherrington, P.D. (1984). Plant propagation by tissue culture : handbook and directory commercial laboratories. *Exegetics Ltd. eversley, England.* pp. 171-173.
- George, S., Geetha S P. and Balachandran, I. (1993). Micropropagation of *Baliospermum montanum* (Willd.) Muell. - Arg. - a red listed medicinal plant. *Journal Plant Sci.* 3(1):111-115.
- Gibbons, S. (2008) : Phytochemicals for bacterial resistance – strengths, weaknesses and opportunities. *Planta Medica.* 74: 594-602.
- Girijashankar, V., (2011). Micropropagation of multipurpose medicinal tree *Acacia auriculiformis*. *Journal of Medicinal Plants Research.*(5): 462–466.
- Gottlieb, D. 1971. Gel Electrophoresis: New approach to the study of evolution. *Biosc.* 21(18).
- Govind, P. and Madhuri, S., (2011). Therapeutic approach to cancer by vegetables with antioxidant activity. *Int. Res. J. of Pharm.* 2(1): 10-13.
- Goyal, D. and Bhadauria, S., (2006). *In vitro* propagation of *Ceropegia bulbosa* using nodal segments. *Indian Journal Biotech.* (5): 565-568.

## *Literature Cited*

---

- GROVER, R., MAGUER J. F., REYNAUD VAGANAY S. and FERRIER-PAGE, S C.. (2002). Uptake of ammonium by the scleractinian coral *Stylophora pistillata*: Effect of feeding, light, and ammonium concentrations. *Journal Limnol. Oceanogr.*47: 782– 790.
- Grover, S. (1985). Primary and secondary metabolites from medicinal plants of Rajasthan growing in vivo and in vitro tissue cultures. Ph.D Thesis, University of Rajasthan, Jaipur, India.
- Gupta, M., Mazumdar., U.K., Sivakumar T., Vamis, M.L.M., Karkis, S., Sambathkumarand, R. and Mainkandan, L., (2003). Antioxidant and anti-inflammatory activities of *Acalypha fruticosa*. *Nig. J. Nat. Prod. Med.* 25-29.
- Gupta, RS. and Sharma A.,(2003). Antifertility effect of *Tinospora cordifolia* (Willd.) stem extract in male rats. *Indian Journal Exp Biol.*(41):885–889.
- Gupta, S., Ali, M., Alam, M.S., Niwa, m. and Sakai, T. (1992). Isolation and characterization of Dihydrorysterol from *Lawsonia inermis*. *Nat. Prod. Lett.* 4: 195-201.
- Gurnani, Chandra., Kumar, Vikram., Mukhija, Shinam., Dhingra, Rajpurohit Sohan, Abha. and Narula Poonam., (2012). *IN VITRO* REGENERATION OF BRAHMI (*BACOPA MONNEIRI* (L.) PENN.) - A THREATENED MEDICINAL PLANT. *KATHMANDU UNIVERSITY JOURNAL OF SCIENCE, ENGINEERING AND TECHNOLOGY* . (8): 97- 99.
- Habib, M. R., Sayeed, M. A., Rahman., M. M., Hasan M. R., Saha, A., (2011). *In vitro* evaluation of cytotoxic, antibacterial, antioxidant and phytochemical screening of Petroleum ether extract of *Phyllanthus acidus*. *Int. J. Pharma Sci Rer* , 2(4): 875-881.
- Halliwell, B., (1990). How to characterise a biological antioxidant. *Free Rad Res Comm.* 9: 1–32.
- Handique, P.J., (2009). Medicinal plants of north east India: status, diversity, conservation, cultivation and trade. *J. Ind. Med.* 8: 348.
- Hapsari, R., Ely, B. and Amin, J., 2012. Formulation and evaluation of antioxidant and tyrosinase inhibitory effect from gel containing the

## *Literature Cited*

---

- 70% ethanolic *Pleurotus ostreatus* extract. *Int. J. Med. Arom. Plants.* 2(1): 135-140.
- Harborne J. B., T. J. Mabry and H. Mabry (Eds.) 1975. *The Flavonoids*. Chapman and Hall, London.
- Harsh M L (1982) Primary and secondary products from medicinal plant of Indian arid zone *in vivo* and *in vitro* tissue culture. Ph. D.Thesis, University of Rajasthan, Jaipur, India.
- Hasan, M.S., Ahmed, M.I., Mondal, S., Uddin, S.J., Masud, M.M., Sadhu, S.K., Ishibashi, M. (2012). Antioxidant, antino-ciceptive activity and general toxicity study of *Den-drophthoe falcata* and isolation of quercitrin as the major component. *OPEM*, 6: 355-60.
- Hasegawa, Y. 1979. Preliminary Notes on the Oligo-Miocene Penguin-like Birds from Japan. *Bull. Kitakyushu Mus. Nat. Hist.* 1: 41-60.
- Hassan, B.A.R., (2012). Medicinal plants (Importance and Uses). *Pharmaceut. Anal. Acta.*, 3:10
- Hassan, B.A.R., (2012). Medicinal plants (Importance and Uses). *Pharmaceut. Anal. Acta.*, 3:10.
- Havsteen, BH (2002). The biochemistry and medical significance of the flavonoids. *Pharmacol. Ther.* 96: 67-202.
- Heble M R, Narayanaswamy S AND Chadha M S (1968) Diosgenin and  $\beta$ -sitosterol isolation from *Solanum xanthocarpum* tissue cultures. *Science* 161:1145.
- Heble M R, Narayanaswamy S AND Chadha M S (1968) Diosgenin and  $\beta$ -sitosterol isolation from *Solanum xanthocarpum* tissue cultures. *Science* 161:1145.
- Heilbron I.M. and M.H. Bunbury. 1953. *Dictionary of Organic Compounds*. Vols. 1-5 Eyre Spottiswoode, London.
- Hela, A.E. and Abdullah, A., (2010). Antioxidant and antimicrobial activities of methanol extracts of some *Verbena* species: *In vitro* evaluation of antioxidant and antimicrobial activity in relation to polyphenolic content. *J. of App. Sci. Res.* 6(6): 683-689.

## *Literature Cited*

---

- Hess, C. and Neri, D., (2014). Tumor-targeting properties of novel immunocytokines based on murine IL1 $\beta$  and IL6. *Toxicol Sci.* 23 (4) : 67-71.
- Hiai S., H. Ou Ra and T. Nakajima 1976. Colour reactions of some saponins and saponins with vanillin and sulphuric acid. *Planta Med.* 29: 116-122.
- Hohtola A, Jalonen J, Tolnen A, Jaakola L, Kamarainen T, Pakonen M, Karppinen K, Laine K, Neubauer P, Myllykoshi L, Gyorgy Z, Rautio A, Peltonen O (2005). Natural product formation by plants, enhancement, analysis, processing and testing. In : Sustainable use renewable natural resources – from principles to practices (Eds. Jalkanen, A. and Nygren, P). University of Helsinki Publication. pp. 34-69.
- Holm and Hiltunen. (2002). *Plant Biotechnology and Transgenic Plants: Chapter-2- Plant derived drugs and extracts.* CRC Press, p. 24-43.
- Hoque, A. and Arima, S., (2003) Effects of plant growth regulators on the formation of axillary shoots and adventitious roots in water chestnut (*Trapa spp.*). *Phytomorphology.* (53): 21-27.
- Bromilow C., (2001). Problem plants of South Africa. *Pretoria South Africa: Briza Publication.* 1-315.
- Houghton, P.J., and Osibogun, I.M. 1993. Flowering plants used against snakebite. *Journal of Ethnopharmacology*, 39: 1-29.
- Hu, Y., Yu , H., Dong , K., Yang , S., Ye X, and Chen S., (2014). Analysis of the tenderisation of jumbo squid (*Dosidicus gigas*) meat by ultrasonic treatment using response surface methodology. *Food Chem.* (160) : 219-225.
- Humana Press, Inc.* 1:7.
- Hussain H., Badawy A., Elshazly A., Elsayed A., Krohn K., Riaz M. and Schulz B., (2011). Chemical constituents and antimicrobial activity of *Salix subserrata*. *Rec. Nat. Prod.*, 5(2): 133-137.
- Izumi, Y., Okazawa, A., Bamba, T., Kobayashi, A. and Fukusaki E. (2012). Development of a method for comprehensive and quantitative analysis of plant hormones by highly sensitive nanoflow liquid

## *Literature Cited*

---

- chromatography–electrospray ionization-ion trap mass spectrometry. *Analytica chimica acta* 648 (2), 215-225.
- Jackson, M.J., (1999). An overview of methods for assessment of free radical activity in biology. *Proceedings of the Nutrition Society*. 58: 1001–1006.
- Jahfar, M., (2003). Glycosyl composition of polysaccharide from *Tinospora cordifolia*. *Acta Pharm.* (53) :65–69.
- Jain S C (2007) Chemical investigation on *Tagetes* tissue cultures, *PLANTS Med.* 31:68.
- Jain S C and Khanna P (1973) Production of sterols from *Sesamum indicum* Linn. Tissue cultures. *Indian J.Exp.Biol* 35:163-164.
- Jain S C and Khanna P (1973) Production of sterols from *Sesamum indicum* Linn. Tissue cultures. *Indian J.Exp.Biol* 35:163-164.
- Jain S C and Khanna P (1974) Quercetin from *Crotalaria juncea* L. tissue cultures. *Indian J ExpBiol* 35:163-164.
- Jain S C, Khanna R and Khanna P (1975) Quercetin from the seeds and *in vitro* cultures of *Datura spp.* *Indian J.Exp.Biol.*13:83-84.
- Jain, A.K. and Datta, R.K. 1989. Shoot organogenesis and plant regeneration in mulberry (*Morus bombycis* Koidz): Factors influencing morphogenetic potential in callus cultures. *Plant Cell Tiss. Org. Cult.* 19: 65-70.
- Jamal, S. M. 2009. Biotechnological techniques for *in vitro* morphogenesis and biochemical studies in *Tylophora indica* (Burm. f.) merrill. Department of Botany. University of Rajasthan, Jaipur.
- Jawla, S., Gupta, A.K., Singla, R. and Gupta, V. (2009). General awareness and relative popularity of allopathic, ayurvedic and homeopathic systems. *Journal of Chemical and Pharmaceutical Research.* 1(1):105-112.
- Johns, T. (1996). Phytochemicals as evolutionary medicates of human nutritional physiology. *Int. J. Pharmacog* 34; 327-334.
- Johnson Benito, D., Shringi, B N., Patidar Kumar, D., Javvadi, Kumar A.(2011). Screening of Antimicrobial Activity of Alcoholic &

## *Literature Cited*

---

- Aqueous Extract of Some Indigenous Plants, *Indo-Global Journal of Pharmaceutical Sciences*.(1): 186-193.
- Joshi, KC., Prakash, L. and Shah, RK., (1974). Chemical composition of stem of *Grewia asiatica*, *J. Indian Chem. Soc.*, 51(9): 830.
- Joshi, M. and Dhar, U., (2003). In vitro propagation of *Saussurea obvallata* (DC.) Edgew.--an endangered ethnoreligious medicinal herb of Himalaya. *Journal Plant Cell Rep.* (10):933-939.
- Kala, C.P., Dhyani ,P.P. and Sajwan, B.S., (2006). Developing the medicinal plants sector in northern India: Challenges and opportunities, *Journal of Ethnobiology and Ethnomedicine*, 2: 32.
- Kamalakaran, Sridhar S., Deepa, T., Elamathi, R., Kavitha, R., Suresh Kumar J., (2012). Screening for Physical, Phytochemical and Antimicrobial Activities of Leaf Extracts of *Sapindus emarginatus* Vahl., *International Journal of PharmTech Research.* (4): 392-397.
- Kamali H.H.E.L. and Amir M.Y.E.L., (2010). Antibacterial activity and phytochemical screening of ethanolic extracts obtained from selected sudanese medicinal plants. *Curr. Res. J. of Bio. Sci.*, 2(2): 143-146.
- Kambaska, KB. And Santilata, S.,( 2009). Effect of plant growth regulator on micropropagation of *Zingiber officinale*. *Journal Agric. Technol.* (5): 271-280.
- Kamboj, A. and Saluja, A.K. (2010). Isolation of stigmasterol from petroleum ether extract of aerial parts of *Bryophyllum pinnatum* (Crassulaceae). *J. Pharma. Res.* 3(12). 2802-2803.
- Kamboj, A.; Saluja, A.K. (2011). Isolation of stigmasterol and  $\beta$ sitosterol from petroleum ether extract of aerial parts of *ageratum conyzoides* (Asteraceae). *International Journal of Pharmacy and Pharmaceutical Sciences*, Vol 3, Issue 1, : 94-96.
- Kariyone T., Y. Hashimoto and M. Kimura. 1953. Microchemical studies on plant components IX. Distribution of flavonoids in plants by paper chromatography. *J. Pharm. Soc.* 73: 253-256.
- Kaufman, PB., Duke, JA., Brielmam, H., Cseke, S. and Warber, S., (1999). *Natural products from plants*. CRC Press., Boca Ratton, F.L.



## *Literature Cited*

---

- Kaul B. L. and E. J. St Aba 1968. Dioscorea tissue cultures. I. Biosynthesis and isolation of diosgenin from *Dioscorea deltoidea* callus and suspension cells. *Lloydia* 31: 171-179.
- Kaul B. L. and E. J. St Aba 1968. Dioscorea tissue cultures. I. Biosynthesis and isolation of diosgenin from *Dioscorea deltoidea* callus and suspension cells. *Lloydia* 31: 171-179.
- Kaul, Shivane., Das, Sandip . and Srivastava, P. S., (2013). Micropropagation of *Ajuga bracteosa*, a medicinal herb. *Physiol Mol Biol Plants*. 19(2): 289–296.
- Kefeli, V.I., Kalevitch, M.V. and Borsari, B. (2003) Phenolic cycle in plants and environment. *J. Cell Mol. Biol.* 2, 13–18.
- Kenny, O., Smyth, T.J., Chandralal M. Hewage CM, Nigel, P. And Brunton, NP., (2014). Antioxidant properties and quantitative UPLC-MS/MS analysis of phenolic compounds in dandelion (*Taraxacum officinale*) root extracts. *Free Radicals and Antioxidants*. 4(1):55-61.
- Khan I., Shuaib M., Sikandar M., Zia M.A. and Akbar H., (2010). A Micropropagation, molecular and physiochemical analysis of Canola *Brassica napus* L. from seeds. *Journal Nature Proceedings*, 2(1): 24-27.
- Khanna P (1985) Useful metabolites from plant tissue culture. Fifty plant species – A review. X plant tissue culture association Meet. Jaipur. 2<sup>nd</sup> – 4<sup>th</sup> Feb.pp.1-6.
- Khanna P, Bansal R and Jain S C (1975) Effect of various hormones on production of saponins and sterols in *Trigonella foenun-graecum* L. suspension cultures. *Indian J Exp Biol* 13(6):582.
- Khanna P, Jain S C, Panagariya A and Dixit V P (1981) Hypoglycemic activity of polypeptide – p from a plant source. *Lloydia* 44:648-655.
- Khanna P, Kamal R and Jain S C (1977c)  $\beta$  – sitosterol and quercetin from *in vivo* and *in vitro* tissue cultures of *Tephrosia purpurea* Pers. *Science and Culture*. 43:396-398.
- Khanna P, Manot S K and Rathore A K (1978) Isolation and characterization of saponins and sterols from *in vitro* static cultures of some solanaceous species. *Indian J.Exp.Biol*-16(5):616-618.

## *Literature Cited*

---

- Khanna P, Sharma O P, Sehgal M, Bhargava C, Jain M, Goswami A, Singhvi S, Gupta U, Agarwal R, Sharma P and Jain S C (1980) Antimicrobials principles from in vitro tissue culture of some plant species. *Indian J Pharm Sci.*42:113-117.
- Khanna P, Sharma O P, Sehgal M, Bhargava C, Jain M, Goswami A, Singhvi S, Gupta U, Agarwal R, Sharma P and Jain S C (1980) Antimicrobials principles from in vitro tissue culture of some plant species. *Indian J Pharm Sci.*42:113-117.
- Khanna P, Taparia R and Jain S C (1982) Flavonoids from *Emblica officinalis* Gaertn. Tissue cultures. *Indian J. Bot.*5:43-44.
- Khanna P, Taparia R and Jain S C (1982) Flavonoids from *Emblica officinalis* Gaertn. Tissue cultures. *Indian J. Bot.*5:43-44.
- Khanna, P. and Mohan, S. (1973). Isolation and identification of diosgenin and sterols from fruits and in vitro cultures of *Momordic Charanta L.* *Indian J. Exp. Biol.*11: 58-60.
- Khanna, R. N. and Seshadri, T. R. 1965. Chemical components of *Pongamia* species. *Biochem Physiol Naturstoffren, Tetrahedron.* 19: 251-265.
- Khurdiya, DS. and Anand, JC., (1981). Anthocyanin derivatives from the fruits of *Grewia asiatica*, *J. Food Sci. Technol.* 18(3): 112.
- Kim H., Park S.W., Park J.M., Moon K.H. and Lee C.K., (1995). Screening and isolation of antibiotic resistance inhibitors from herb material resistant inhibition of 21 korean plants. *Nat. Prod. Sci.*, 1: 50 - 54.
- Klika, K.D., Saleem, A., Sinkkonen, J., Kähkönen, M., Lojonen, J., Tähtinen, P., and Pihlaja, K. 2004. The structural and conformational analyses and antioxidant activities of chebulinic acid and its thrice-hydrolyzed derivative, 2, 4-chebuloyl- $\beta$ -D- lucopyranoside, isolated from the fruit of *Terminalia chebula*. *ARKIVOC*, (vii) 83-105. *chemotherapy*, 51: 241-246.
- Klyne, W. (Ed.). 1965. *The Chemistry of the Sterols*. Methuen and Co. Ltd., London.
- Koleva, I.I., Van, B.T., Linssen, J.P.H., Groot, A.D. and Evstatieva L.N., (2002). Seasonal variation, chemical composition and antioxidant activity of Brazilian Propolis samples. *Phytochem. Analysis.* 13: 8-17.

## *Literature Cited*

---

- Kong, J.M., Khang, N.G., Sai1, C.L, and Fatt, C, T. 2003. Recent advances in traditional plant drugs and orchids. *Acta Pharmacology Sinca*, 24(1): 7-21.
- Kong, M., Zhang, M., Liao, S., Yu, S., chi, J., Wei, Z., 2010. Antioxidant activity of polysaccharide-enriched fractions extracted from pulp tissue of *Litchi Chinensis* Sonn.. *Molecules*, (15):2152-2165.
- Krinsky, N.I., (1992). Mechanism of action of biological antioxidants. *Proc. Society Exp. Biol. Med.* 200: 248–254.
- Kulkarni D D, Ghugale D D and Harasimhen E (1970) Chemical investigation of plant tissue grown in vitro: Isolation of (  $\beta$ - Sitosterol from *Morus alba* ( Mulberry) callus tissues. *Indian J. Exp. Biol.*8:347.
- Kumar, N., Anand, V.K.G. and Reddy, M.P., (2011). *In vitro* regeneration from petiole explants of non-toxic *Jatropha curcas*. *Indust. Crops and Prod.* 33 (1): 146-156.
- Kumar, P. S. and Ranjitha, K. B. D. 2009. In vitro and In vivo Identification of variation in protein expression in *Artemisia vulgaris* L. *Adv. Biol. Res.* 3(6): 63-70.
- Kumar, S., Shukla, Y. N., Lavania, U. C., Sharma, A. and Singh, A. K. (1997). Medicinal and Aromatic Plants: Prospects for India. *J. Med. Arom. Pl. Sc.* 19 (2):361-365.
- Kuteny, J. P., Beale, M. H., Salisbury, P. J., Stuart, K. L., Worth, B. R., Townsley, P. M. Chalmers, W. T., Nilsson, K. and Jacoli, G. G. 1981. *Phytochemistry*, 20(4), 653-657.
- Laemmli, U. K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nat.* 227: 680-685.
- Laemmli, U. K., (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Journal Nat.* (227): 680-685.
- Laxmi, V, and Chauhan JS., (1976). Grewinol, a keto-alcohol from the flowers of *Grewia asiatica*. *Llyodia.* 39(5): 372.
- Laxmi, V. and Chauhan, JS., (1976). Chemical examination of the seeds of *Amomum subulatu*. *J. Indian Chem. Soc.* 53(6): 633.
- Laxmi, V., Agarwal, SK. and Chauhan, JS., (1976). A new  $\delta$ -lactone from the flowers of *Grewia asiatica*, *Phytochemistry.* 15(9): 1397.

## *Literature Cited*

---

- Lee, P.K.; Carew, D.P.; and Rasazza, T. (1972). Apocynum cannabinum tissue cultures : Groeth and Chemical analysis. *Lloydia* 35: 150-156.
- Li, Thomas S. C.; Beveridge, Thomas H.J., Drover, John C.G. (2006). "Phytosterol content of sea buckthorn (*Hippophae rhamnoides L.*)seed oil: Extraction and identification". *Food Chemistry (Elsevier)* 101 (4): 1633–1639.
- Ling, W. H., and Jones, P. J. H. 1995. Dietary phytosterols: a review of metabolism, benefits and side effects. *Life Sciences*, 57:195-206.
- Lingaraju, D.P., Sudarshana, M.S. and Rajashekar, N., (2013).Ethnopharmacological survey of traditional medicinal plants in tribal areas of Kodagu district, Karnataka, India. *Journal of Pharmacy Research*, 6: 284-297.
- Lloyd, G., and McCown. B., (1981). *Journal Int. Plant Prop. Soc. Proc.* (30): 421 – 427.
- Loo, P.V., De Bruyn, A., and Budessinsky, M. 1986. Reinvestigation of the structural assignment of signals in the 1H and 13C NMR spectra of the flavone agigenin, *Magnetic Resonance in Chemistry*, 24: 879 - 882.
- Lopesa, M.N., Oliveira, A.D., Young, M.C.M., and Bolzani, V.D.S. 2004. Flavonoids from *Chiococca braquiata* (Rubiaceae). *Journal of Brazilian Chemical Society*, 15, (4): 468 - 471.
- Lowry, O. H., Rosebrough, N. J., Farr, A. L. and Randall, R. J., (1951). Protein measurement with the Folin Phenol reagent. *Journal Biol. Chem.* (193): 265-275.
- Lowry, OH., Rosebrough, NJ., Farr AL, Randall RJ (1951). Protein measurement with the Folin Phenol reagent. *J. Biol. Chem.*, 193: 265-275.
- Lucy, H. and Edgar, J.D., (1995). Medicinal Plants: A re-emerging health aid. *Electronic. J. Biotechnol.* 2(2): 1-15.
- Mabry, T.j.; K. R. Markham and M. B.Thomas, *The Systematic Identification of Flavonoids*, SpringerVerlag, New York, 1970.
- Magalhães, FS., Dayse, S. A., Cassiano, DSA. And Carla R. C.,(2014). Antioxidant Activity and Phenolics Analysis by HPLC-DAD of

## *Literature Cited*

---

- Solanum thomasiifolium Sendtner (Solanaceae). *Free Radicals and Antioxidants*. 4(1):15-23.
- Maharik N, Elgengaihi S, Taha H (2009). Anthocyanin production in callus cultures of *Crataegus sinaica* Bioss. *Intrn. J. Academic Res*. 1 : 30-34.
- Mahmood Ibrahim, A., Binti Kayat, F., Ermiena Surya Mat Hussin, Z., Susanto, D. and Ariffulah, M., (2014). Determination of Suitable Microspore Stage and Callus Induction from Anthers of Kenaf (*Hibiscus cannabinus* L.). *ScientificWorldJournal*. :284342.
- Maizura, M., Aminah, A. and Wan Aida, W. M., (2011). Total phenolic content and antioxidant activity of kesum (*Polygonum minus*), ginger (*Zingiber officinale*) and turmeric (*Curcuma longa*) extract. *International Food Research Journal* 18: 529-534.
- MAKUNGA, N.P., (2003). Micropropagation of *Thapsia garganica* - a medicinal plant. *Journal Plant cell rep*. (21): 967-973.
- Mann, A., Gbate, M. and Umar, A. 2003. Medicinal and Economic plants. Jube Evans Books and Publication, Bida, Nigeria, 160.
- Margareth B. C. Gallo, Miranda J. Sarachine\* (2009). "Biological activities of Lupeol". *International Journal of Biomedical and Pharmaceutical Sciences*. 2946-660.
- Maridass, M.; Ramesh, U. (2010). Investigation of phytochemical constituents from *Eulophia epidendreaea*. *Int. J. of Biological Technology*, Vol 1(1): 1-7.
- Martin KP., (2003). Rapid *in vitro* multiplication and ex vitro rooting of *Rotula aquatica* Lour., a rare rheophytic woody medicinal plant. *Journal Plant Cell Rep*. (5): 415-420.
- Martz, W., 1992. Plants with a reputation against snakebite. *Toxicon*, 30: 1131-1142.
- Mayilsamy, M. and Rajendran, A., (2013). Ethnomedicinal Plants used by Paliyar Tribals in Dindigul District of Tamil Nadu, India. *An International peer Review Journal for Science*, 3(1): 146-152.
- Mazid, M., Khanb, T.A. and Mohammad, F., (2012). Medicinal Plants of Rural India: A review of use by indian folks. *Indo Global Journal of Pharmaceutical Sciences*, 2(3): 286-304.

## *Literature Cited*

---

- Michalak, A., (2006). Phenolic compounds and their antioxidant activity in plants growing under heavy metal stress. *Polish J. of Environ. Stud.* Vol. 15(4): 523-530.
- Minerva, G., Kumar, S., (2013). Micropropagation of Gerbera (*Gerbera jamesonii* Bolus). *Methods Mol Biol.* (5): 305-316.
- Ming-Yeou, L. and Yu-Cheng, C. (2011). *In vitro* antioxidant properties of polysaccharides from *Armillaria mellea* in batch fermentation. *African J. Biotechnol.* 10(36): 7048-7057.
- Mohapatra, H. P. and Rath, S. P. 2005. *In vitro* studies of *Bacopa monnieri* – an important medicinal plant with reference to its biochemical variations. *Indian J. Exp. Biol.* 43(4): 373-376.
- Molina, S.M. 2004. *In vitro* callus induction and plants from stem and petiole explants of *Salvia canariensis* L. *Plant Tiss. Cult.* 14(2): 167-172.
- Moon, S.K., Cho, G.O., Jung, S.Y., Gal, S.W., Kwon, T.K., Lee, Y.C., Madamanchi, N.R., and Kim, C.H. 2003. Quercetin exerts multiple inhibitory effects on vascular smooth muscle cells: role of ERK1/2, cellcycle regulation, and matrix metalloproteinase-9. *Biochem. Biophys. Res. Commun.*, 301: 1069-1078.
- Morton, J.F., (1987) Phalsa. Fruits of warm climates. Julia Morton, Miami, FL.. 276–277.
- Moskaug, J. Ø., Carlsen, H., Myhrstad, M., Blomhoff, R. 2004. Molecular imaging of the biological effects of Quercetin and quercetin- rich foods. *Mechanisms of Ageing and Development*, 125:315–324.
- Muhammad azhar, bashir., Muhammad akbar, Anjum., Zubeda, chaudhry. and Hamid, rashid., (2009). RESPONSE OF JOJOBA (*SIMMONDSIA CHINENSIS*) CUTTINGS TO VARIOUS CONCENTRATIONS OF AUXINS. *Pak. J. Bot.*, 41(6): 2831-2840,
- Murashige, T. and Skoog, F., (1962). A revised medium for rapid growth and bioassays with tobacco tissue culture. *Journal Physiol. Plant.* (15):473-497.

## *Literature Cited*

---

- Nabavi, S.F., Nabavi, S.M., Ebrahimzadeh, M.A. and Asgarirad, H., (2011). The antioxidant activity of wild medlar (*Mespilus germanica* L.) fruit, stem bark and leaf. *Afri. J. of Biotech.* 10 (2): 283-289.
- Nag T N (1976) *Datura* tissue culture: A source of sterols. *Indian J. Pharm.* 38:80-81.
- Nagao A, Seki M and Kobayashi H (1999) Inhibition of xanthine oxidase by flavonoids. *Biosci. Biotechnol. Biochem.* 63(10):1787-90.
- Nagmouchi, S., Khouja, M.L., Romero, A., Tous, J. and Boussaid, M., (2009). Tunisian carob (*Ceratonia siliqua* L.) populations: morphological variability of pods and kernel. *Journal Scientia Horticulturae* (6): 125-130.
- Nandini, D. 2009. Biotechnological and biochemical investigations in medicinally important plant *Cassia tora* L. Ph.D. Thesis. Department of Botany. University of Rajasthan, Jaipur.
- Neto, A.G.E., Janette, P., Fett, L. and Goulart, V.W. 2000. Distinct effects of auxin and light on adventitious root development in *Eucalyptus saligna* and *Eucalyptus globules*. *Tree Physiol.* 21: 457-464.
- Neto, A.G.E., Janette, P., Fett, L. and Goulart, V.W., (2000). Distinct effects of auxin and light on adventitious root development in *Eucalyptus saligna* and *Eucalyptus globules*. *Tree Physiol.* (21): 457-464.
- Ngari, E.W., Chiuri, L.W., Kariuki, S. T. and Hockett, S., (2010). Ethnomedicine of Ogiek of River Njoro Watershed, Nakuru-Kenya, *Ethnobotany Research and Applications.* 8: 135-152.
- Noor, H. and Ashroff, S.J., (1989). Antidiabetic effects of *Tinospora crispa* in rats. *Ethanopharmacology* 27 61-149.
- Nozaki, H., Suzuki, H., Hirayama, T., Kasai, R., Wu, R. Y. and Lee, K. H. 1986. *Phytochemistry*, 25(2):479-485.
- Ogunsola, K.E. and C.O. Ilori., (2008). *In vitro* propagation of miracle berry (*Synsepalum dulcificu* Daniel) through embryo and nodal cultures. *Journal Afr. J. Biotechnol.* (15): 71-74.
- Okigbo, R.N., Eme, U.E. and Ogbogu, S., (2008). Biodiversity and conservation of medicinal and aromatic plants in Africa. *Biotechnol. Mol. Biol. Rev.*, 3(6): 127-134.

## *Literature Cited*

---

- Oktaç, M., Culcin, I. and Kufrevioğlu, O.I., (2007). Determination of in vitro antioxidant activity of fennel (*Foeniculum vulgare*) seed extracts. *Lebensm. -Wiss. Technol.* 36: 263-271.
- Olajire A, A, and Azeez, L., (2011). Total antioxidant activity, phenolic, flavonoid and ascorbic acid contents of Nigerian vegetables. *African Journal of Food Science and Technology* . Vol. 2(2) pp. 022-029.
- Oliveira, M.C.C., Carvalho, M.G., Silva, C.J., and Werle, A.A. 2002. New biflavonoid and other constituents from *Luxemburgia nobilis* (EICHL). *Journal of Brazilian Chemical Society*, 13(1): 119-123.
- Orabi, K. Y., Al-Qasoumi, S. I., El-Olemy, M. M., Mossa, J. S. and Muhammad, I. 2001. Dihydroagrofuran alkaloid and triterpenes from *Maytenus heterophylla* and *Maytenus arbutifolia*. *Phytochemistry*, 58(3): 475-480.
- Osawa, T., (1994) Novel natural antioxidants for utilization in food and biological systems. In: *Postharvest Biochemistry of Plant Food Materials in the Tropics*. Japan Scientific Societies Press, Tokyo, Japan. 241-251.
- Owolabi, J., Omogbai, E.K.I. and Obasuyi, O., (2007). Antifungal and antibacterial activities of the ethanolic and aqueous extract of *Kigelia africana* (Bignoniaceae) stem bark. *Af. J. Biotech.*, 6 (14): 882-885
- P S, Zinjarde, SS., Bhargava, SY. and Kumar, AR.,(2011). Potent  $\alpha$ -amylase inhibitory activity of Indian Ayurvedic medicinal plants. *Journal BMC Complement Altern Med.*(11): 51-55.
- Pahlaviani, MRMK., Issazadeh, K., Massiha, A., (2013). Chemical Composition and Antimicrobial Activity of Various Extracts of *O.gratissimum* L.from Guilan, Iran. *Advanced Studies in Biology*. (5): 51 – 60.
- Pandey, D., Singh,J., Roy,R., Singh,V.B., and Pandey,V.P.1996. Constituents of *Heliotropium indicum*. *Oriental Journal of Chemistry*, 12 (3): 321-322.
- Pandey, D., Singh,J., Roy,R., Singh,V.B., and Pandey,V.P.1996. Constituents of *Heliotropium indicum*. *Oriental Journal of Chemistry*, 12 (3): 321-322.



## *Literature Cited*

---

- Parida, R., Mohanty S. and Nayak S., (2013). *In vitro* propagation of *Hedychium coronarium* Koen. through axillary bud proliferation. *Plant Biosystem.* (147): 905-912
- Park, KH., Shin, DG. and Cho, KH., (2014). Dysfunctional Lipoproteins from Young Smokers Exacerbate Cellular Senescence and Atherogenesis with Smaller Particle Size and Severe Oxidation and Glycation. *Afr. J. Biotechnol.* 8(64): 65-69.
- Parveen, A., Irfan, M. and Mohammad, F., (2012). Antihyperglycemic activity in *Grewia asiatica*; A comparative investigation. *International Journal of Pharmacy and Pharmaceutical Sciences.* 4(1): 210-213.
- Pastori, G., Mullineaux, P. and Foyer, C.H., (2000). Post transcriptional regulation prevents accumulation of glutathione reductase protein and activity in the bundle sheath cells of maize to low temperatures. *Plant Physiol.* 122: 667-675.
- Patel, M. and Mishra, S., (2010). Hypoglycemic activity of alkaloidal fraction of *Tinospora cordifolia*. *Journal Phytomedicine.*(18) :1045–1052.
- Patt, D.E. and B.J.F., (1990). Hudson, Natural antioxidants not exploited commercially. *In: food antioxidants.* Hudson B.J.F., Ed: Elsevier Applied Science: London, U. K. 171-191.
- Pennington and Douglas. 2005. Food Values of Portions Commonly Used, 18th ed. Pietta, P., Simonetti, P. and Mauri, P. 1998. Antioxidant activity of selected medicinal plants, *J. Agric. Food Chem.* 46, 4487-4490.
- Pereira, D.M., Valentão, P., Pereira, J.A. and Andrade, P.B., (2009). Phenolics: From Chemistry to Biology. *Molecules* 14: 2202-2211.
- Pérez-Jiménez, M., Cantero-Navarro, E., Pérez-Alfocea, F., Le-Disque, I., Guivarc'h, A. and Cos-Terrer, J., (2014). Relationship between endogenous hormonal content and somatic organogenesis in callus of peach (*Prunus persica* L. Batsch) cultivars and *Prunus persica* × *Prunus dulcis* rootstocks. *J Plant Physiol.* (8):619-624.

## *Literature Cited*

---

- Pham-Huy, L.A., He, H. and Pham-Huy, C., (2008). Free Radicals, Antioxidants in Disease and Health. *Int. J. of Biomedical Sci.* 4(2): 89- 96.
- Philipson JD (1990). Plants as source of valuable products. In: B.V. Chalwood and M.J. Rhodes (Eds.), *Secondary products from plant tissue culture*, Oxford, Clarendon Press. pp.1-21.
- Pierik, R.L.M. (1987). *In vitro* culture of higher plants. Martinus Nijhoff, Deordrecht, The Netherland. pp. 344.
- Pourmorad, F., Hosseinimehr, S.J. and Shahabimajd, N., (2006). Antioxidant activity, phenol and flavonoid contents of some selected Iranian medicinal plants. *African J. Biotechnol.* 5(11): 1142-1145.
- Prakash, D., Niranjana, A., Tewari, S. K. and Pushpangadan, P. 2001. Underlisted legumes: Potential sources for low-coast protein. *Int. J. Food Sci. Nutr.* 52: 337–341.
- Prasannabalaji, N., Muralitharan, G., Sivanandan, RN., Kumaran S and Pugazhvendan SR. (2012). *Asian Pacific Journal of Tropical Disease.*(5) :291-295.
- Preethi R., Devanathan V. V. and Loganathan M., (2010). Antimicrobial and antioxidant efficacy of some medicinal plants against food borne pathogens. *Adv. in Bio.Res.* 4 (2): 122-125.
- Preethi, R., Devanathan, V. V. and Loganathan, M. (2010). Antimicrobial and Antioxidant Efficacy of Some Medicinal Plants Against Food Borne Pathogens. *Adv. in Bio.Res.* 4 (2): 122-125.
- Prince, PS., Kamalakkannan , N. and Menon, VP., (2004) Restoration of antioxidants by ethanolic *Tinospora cordifolia* in alloxan-induced diabetic Wistar rats. *Acta Pol Pharm.* 2004;61:283–7.
- Prince, PS., Kamalakkannan, N. and Menon, VP., (2004). Restoration of antioxidants by ethanolic *Tinospora cordifolia* in alloxan-induced diabetic Wistar rats. *Acta Pol Pharm.*(61) :283–287.
- Prusti, A. ; Mishra, S. R. ; Sahoo, S. ; Mishra, S. K., 2008. Antibacterial activity of some Indian medicinal plants. *Ethnobotanical Leaflets*, 12: 227-230.

## *Literature Cited*

---

- Punia, M.S. and Bohorova, N.E. 1992. Callus development and plant regeneration from different explants of six wild species of sunflower (*Helianthus annuus* L.). *Plant Sci.* 87: 79-83.
- Radhakrishnan, R. and Ranjitha, K. B. D. 2009. Changes in Protein Content in Micropropagated and Conventional Soybean Plants (*Glycine max* (L.) Merr.). *World J. Agric. Sci.* 5(2): 186-189.
- Rafael Eliezer, Ben., (2009). Nationalism and religion: The Jewish Israeli case”, in Narodna tvorčist’ taetnohrafia.(special issue). *Journal Ethnology in Israel* , vol. (4); 14-22.
- Raghu, AV., Geetha, SP., Martin, G., Balachandran, I. and Ravindran, PN., (2006). Review article of *Tinospora cordifolia*. *Journal In vitro cell. Dev.Biol. – Plant* , , 42, 584-588.
- Rainha N., Elisabete Lima, E. and Baptista. J., (2010). Comparison of the endemic Azorean *Hypericum foliosum* with other *Hypericum* species: antioxidant activity and phenolic profile. *Natural Product Research.* (25): 123-135.
- Rajarajeswari, N. and Pari, L., (2011). *In vivo* and *in vitro* antioxidant activities of coumarin on chemical induced hyperglycemic rats. *Int. J. Pharma. Sci. Res.* 2(4): 968-978.
- Rajendran, N.K. and Ramakrishnan, J. 2009. *In vitro* evaluation of antimicrobial activity of crude extracts of medicinal plants against multi drug resistant pathogens. *Biyoloji Bilimleri Araştırma Dergisi.* 2: 97-101.
- Rajesh, M., Sivanandhan, G., Jeyaraj, M., Chackravarthy, R., Manickavasagam, M., Selvaraj, N. and Ganapathi A., (2014). An efficient *in vitro* system for somatic embryogenesis and podophyllotoxin production in *Podophyllum hexandrum* Royle. *Journal Protoplasma.* (59) : 72-76.
- Ramachandra Rao, S., Ravishankar, G.A., (2002): Plant cell cultures: chemical factories of secondary metabolites. *Biotechnol. Adv.*, 20: 101-153.

## *Literature Cited*

---

- Ramchandra, A.R., Chaitanya, K.V. and Vivekanandan, M., (2004). Drought-induced responses of photosynthesis and antioxidant metabolism in higher plants. *J. Plant Physiol.* 161: 1189-1202.
- Ramlan, A. Z. and Mohamad Roji, S. 2000. Processing of herbs and herbal products. Proceedings of The Seminar on Medicinal and Aromatic Plants – Towards Bridging Science and Herbal Industry, Kepong, Selangor, pp. 1–8.
- Rani U., Sharma M.M., Ismail N. and Batra A., (2010). Quick *in vitro* plant regeneration from immature seeds of *Murraya koenigii* (L.) Spreng. *Aca. Journal of Plant Sci.* 3(1): 19-22.
- Rani, U., Sharma, MM., Ismail, N. and Batra, A., (2012). *In vitro* plant regeneration from immature seeds of *Murraya koenigii* (L.) Spreng. *Indian Journal of Biotechnology.* (11): 108-110.
- Rani, V. and Raina, S.N. (2009). Genetic fidelity of organized meristem-derived micropropagated plants: a critical reappraisal. *World J. Agric. Sci.* 5(3): 313-317.
- Rao, MU., Sreenivasulu, M., Chengaiah, B., Reddy, KJ. and Chetty, CM., (2010). Herbal medicines for diabetes mellitus: a review. *Int J PharmTech Res.* 2(3):1883–1892.
- Rao, PR., Kumar, VK., Viswanath, RK. and Subbaraju, GV., (2005). Cardioprotective activity of alcoholic extract of *Tinospora cordifolia* in ischemia-reperfusion induced myocardial infarction in rats. *Journal Biol Pharm Bull.* (28):2319–2322.
- Rathi, SS., Grover, JK., Vikran, V. and Biswas, NR., (2002). Prevention of experimental diabetes by Indian Ayurvedic plant extracts. *Phytotherapy Research* 18(8) 774-777.
- Rathore, MS. and Shekhawat NS., (2013). *In vitro* regeneration in *Sarcostemma acidum* (Roxb.) -an important medicinal plant of semi-arid ecosystem of Rajasthan, India. *Journal Physiol Mol Biol Plants.* (19): 269-275.
- Rawani, A., Pal, S., and Chandra G., (2011). Evaluation of antimicrobial properties of four plant extracts against human pathogens, *Asian Pacific Journal of Tropical Biomedicine* (3):71-75.

## *Literature Cited*

---

- Ray, T., Saha, P. and Roy, S.C. (2005). *In vitro* plant regeneration from young capitulum explants of *Gerbera jamesonii*. *Plant Cell Biotech. Journal Mol. Biol.* 6 (1&2): 35-40.
- Rehana, A., Rabia, S., Afzal, M. and Akthar, S. 2004. Inter and Intraspecific variation in SDS-AGE of total seed protein in rice (*Oryza sativa* L.) germplasm. *Pak. J. Biol. Sci.* 7: 139-143.
- Reyes-Chilpa, R., Gómez-Garibay, F., Quijano, L., Magos-Guerrero, G., and Ríos, T. 1994. Preliminary results on the protective effect of (-) - edunol, a pterocarpan from *Brongniartia podalyrioides* (Leguminosae), against *Bothrops atrox* venom in mice. *Journal of Ethnopharmacology*, 42: 199-203.
- Rishi, A. and Sarin, R. 2009. Estimation of primary metabolites From *Gloriosa superba* L. *in vivo* and *in vitro*. *Int. J. Mendel.* 26(1-4): 87.
- Robert K.M. (2006) : *Biochemistry and Medicine Harper's. Illustrated Biochemistry.* Mc Graw Hill.
- Rout, J. R., Kanungo, S., Das, R. and Sahoo, S. L. 2010. *In vivo* protein profiling and Catalase Activity of *Plumbago zeylanica* L. *Nat. Sci.* 8(1): 87-90.
- Rout, GR., (2006). Identification of *Tinospora cordifolia* (Willd.) Miers ex Hook F. & Thomas Using RAPD Markers, *Z. Naturforsch.* 61 c, 118D122;
- Sadasivam, S. and Manickam, A., (1996). *New Age International, Biochemistry* - 256 pages.
- Sagwan, S., Rao, D. V. and Sharma. R.A. 2010 a. Phytochemical evaluation and quantification of primary metabolites of *Maytenus emarginata* (Willd.) Ding Hou. *J. Chem. Pharm. Res*, 2(6):46-50.
- Sagwan, S., Rao, D.V. and Sharma. R.A. (2010 b). Biochemical estimation of primary metabolites from *pongamia pinnata* (l.): an important biodiesel plant. *International Journal of Pharmaceutical Sciences Review and Research*, 5(1): 146-149.
- Sahoo, M. and Chand, P. K., (1998). *In vitro* multiplication of a medicinal herb *Tridax procumbens* L. (Mexican Daisy, coat button): influence of

## Literature Cited

---

- explanting season, growth regulator synergy, culture passage and planting substrate. *Phytomorphology* (48):195 – 206.
- Saini, R., Sharma, A., Sharma, M. M. and Batra, A. 2011. Impact of phytohormones in micropropagation of medicinally potent plant: *Boerhavia diffusa* L. 8(1).
- Sangeetha, MK., Raghavendran Balaji, HR., Gayathri, V. and Vasanthi, HR., (2011). *Tinospora cordifolia* attenuates oxidative stress and distorted carbohydrate metabolism in experimentally induced type 2 diabetes in rats. *J Nat Med.*(65): 544–550.
- Santerre, R.F., Cook, R.A., Crisel, R.M.D., Sharp, J.D., Schmidt, R.J., Williams, D.C., and Wilson, C.P., (1981). Insulin synthesis in a clonal cell line of simian virus 40-transformed hamster pancreatic  $\beta$  cells. *Journal cell biology in: Proc. Nat. Acad. Sci. USA.* 78: 4339–4343.
- Sarasan, V., Ramsay, MM. and Roberts, AV., (2002). *In vitro* germination and induction of direct somatic embryogenesis in ‘Bottle Palm’ *Hyophorbe lagenicaulis* (L. Bailey) H.E. Moore, a critically
- Sarrafi, A., Bolandi, A.R., Berville, A. and Alibert, G. 1996. Analysis of cotyledon culture to measure genetic variability for organogenesis parameters in sunflower (*Helianthus annuus* L.). *Plant Sci.* 121: 213-214.
- Savithramma, N., Linga, MR., Suhrulatha, D., (2011). Screening of Medicinal Plants for Secondary Metabolites. Middle-East. *Journal of Scientific Research.*8(3): 579-584.
- Saxena, C., Samantaray, S., Rout, G.R. and Das, P., (2000). Effect of auxins on *in vitro* ripping of *Plumbago zeylanica*: peroxidase activity as a marker for root induction. *Biol. Plant.* 43(1): 121-124.
- Scazzocchio F., Cometa M.F., Tomassini L. and Palmery M., (2001). Antibacterial activity of *Hydrastis canadensis* extract and its major isolated alkaloids. *Planta Med.* 67: 561-564.
- Sen, A., Sharma, MM., Grover, D. and Batra, A., (2009). *In Vitro* Regeneration of *Phyllanthus amarus* Schum. And Thonn.: An Important Medicinal Plant. *Journal Our Nature.*(7): 110-119.

## Literature Cited

---

- Sengupta, M., Sharma, GD. and Chakraborty, B., (2011). Effect of aqueous extract of *Tinospora cordifolia* on functions of peritoneal macrophages isolated from CCl 4 intoxicated male albino mice. *Journal BMC Complement Altern Med.*(11) :102-104.
- Senthil, K., Karunanithi, N., Kim, G. S., Nagappan, A. Sendrayaperumal Sundareswaran, S. Senthil Natesan, S. and Raveendran Muthurajan, R. 2011. Proteome analysis of *in vitro* and *in vivo* root tissue of *Withania somnifera*. *Afr. J. Biotechnol.* 10(74): 16875-16883.
- Seyydnejad, S. M., Niknejad, M., Darabpoor, I. and Motamedi, H. 2010. Antibacterial Activity of Hydroalcoholic Extract of *Callistemon citrinus* and *Albizia lebbek*. *American J.of App. Sci.* 7 (1): 13-16.
- Shanmugasundaram, KR., Pannerselvam, P., Samudram, E. and Shanmugasundaram, RB., (1983). Enzyme changes and glucoseutilization in diabetic rabbits: the effect of *Gymnema sylvestre*. *Journal of Ethnopharmacol.* 7: 205-35. Mitra, SK., Gopumadhavan, S., Muralidhar, TS., Anturlikar, SD. and
- Sharma N., Tanwer B.S. and Vijayvergia R., (2011). Study of primary metabolites and antimicrobial activities of *Digera muricata* (L.) Mart. *J. Chem. Pharm. Res.* 3(2): 424-431
- Sharma R (1975) Production of primary and secondary metabolites from in vivo and in vitro tissue cultures of medicinal plants. Ph.D.Thesis University of Rajasthan. Jaipur, India.
- Sharma, A. 2006. *In vitro* morphogenetic studies of *Boerhaavia diffusa* L. Ph.D. Thesis. Department of Botany, University of Rajasthan, Jaipur.
- Sharma, A. and Batra A., (2013). *In vivo* antimicrobial activity of Indian medicinal plant *Tinospora cordifolia* using serial tube dilution technique. *Asian Journal of Pharmaceutical Research and Development.* (2):148-156.
- Sharma, A., Barman, N., and Manvi malwal., (2010). BIOCHEMICAL ESTIMATION OF PRIMARY METABOLITES FROM SEMECARPUS ANACARDIUM. *The bioscan*,5 (2) : 235-237.

## *Literature Cited*

---

- Sharma, A., Kaur, R. and Sharma, N., (2014). In vitro morphogenic response of different explants of *Gentiana kurroo* Royle from Western Himalayas-an endangered medicinal plant. *Physiol Mol Biol Plants*. (2) :249-256.
- Sharma, A., Yadav, A., Barman, N. and Malwal, M. 2010. Quatification of primary metabolites of *Moringa oleifera* Lam. *The Bioscan*. 5(3): 403-405.
- Sharma, A., Kaur, R. and Sharma, N., (2014). In vitro morphogenic response of different explants of *Gentiana kurroo* Royle from Western Himalayas-an endangered medicinal plant. *Physiol Mol Biol Plants*. (20):249-256.
- Sharma, MM., Saini, R., Sharma, A. and Batra, A., (2011). Review article on *Nerium olierder*. *International Journal of pharmaceutical Sciences review and Research*. (8): 85-91.
- Sharma, S. K., Ali, M. and Singh, R. 1996. New 9b- Lanostane type triterpenic and 13, 14- secosteroidal esters from root of *Astemisia scoparia*. *J.Nat. Prod*. 59: 181-184.
- Sharma, V. and Patel P., (2013). Evaluation of antibacterial activity, methanolic extract of plant *Rivea ornate*. *Int. Research J of Pharmacy*. 4(1)233-235.
- Shekhawat, GS., Mathur, S. and Batra, A., (2009). Role of phytohormones and nitrogen in somatic embryogenesis induction in cell culture derived from leaflets of *Azadirachta indica*. *Journal Biol Plant* (53): 707-710.
- Shekhawat, N. and Vijayvergia, R. 2010. Comparative study of primary metabolites in different plant parts of *Clitoria ternatea* (L.), *Guazuma ulmifolia* (Lam.) & *Madhuca indica* (Gmel). *Journal of Chemical and Pharmaceutical Research*. 2(2): 168-171.
- Shetty, BV. and Singh, V.,(1987). Flora of Rajasthan. 1st edition, Merrut publishers and Distributors, Merrut. Vol 1: 756-100.
- SHINDE, A., MALPATHAK, N.N., FULZELE, D.P. (2009). Determination of isoflavones content and antioxidant activity in *Psoralea corylifolia* L. callus cultures. *Food Chem.*, 118: 128–132.



## Literature Cited

---

- Shrivastav, HC., 1953 Paper chromatography of fruit juices. *J. Sci. Ind. Research.* 12B: 363.
- Silva, A. L. C., Caruso, C.S. Moreira, R. A. and Horta, A. C. G. 2005. Growth characteristics and dynamics of protein synthesis in callus cultures from *Glycine wightii* (Wight and Arn.). *Verdc. Cienc Agrotec.* 29: 1161-1166.
- Silveira, D., De Souza Filho, J.D. De Oliveira, A. B., and Raslan, D.S., 2005. Lychnophoric acid from *Lychnophora pinaster*: a complete and unequivocal assignment by NMR spectroscopy. *Ecl. Quím., São Paulo*, 30(1): 37- 41.
- Singh Tanwer, B., Choudhary, R. and Vijayvergia. R., (2011). *IN VIVO AND IN VITRO COMPARATIVE STUDY OF PRIMARY METABOLITES OF COMMIPHORA WIGHTII (ARNOTT.)* BHANDARI. *International journal of applied biology and pharmaceutical technology.* (2): 15-19.
- Singh Tanwer, B., Choudhary, R. and Vijayvergia. R., (2010). *In-vivo and in-vitro comparative study of primary metabolites and antioxidant activity of Andrographis paniculata.* *J. Chem. Pharm.*, 2(2): 489-495.
- Singh, D and Sharma, R.A. (2009). Study of bioactive compounds in selected *cassia* species. Ph.D Thesis, University of Rajasthan, Jaipur, India.
- Singh, G., Gupta, P., Rawat, P., Puri, A., Bhatia, G. and Mauryaa, R., (2010). Antidyslipidemic activity of polyprenol from *Coccinia grandis* in high-fat diet-fed hamster model. *Phytomedicine* 14: 792-798.
- Singh, K. and Ahirwar, V. (2010). Acute and chronic toxicity study of *Tridax procumbens* on haemoglobin percent and blood sugar level of sprague dawley rats. *IJPI's Journal of Pharmacology and Toxicology.* 1: 1-6.
- Singh, LW., (2011). Traditional medicinal plants of Manipur as anti-diabetics. *J Med Plant Res.* 5(5):677–687.
- Singh, P., Singh, A., Shukla, A., Singh, L., Pande, V. and Nailwal K., (2009). Somatic embryogenesis and *in vitro* regeneration of an endangered medicinal plant sargandha (*Rauvolfia serpentina* L.). *Journal Agric. Technol.* (5): 2911-295.

## *Literature Cited*

---

- Singh, R. P., Sreenivasa, B. P., Dhar, P., Shah, L. C. and Bandyopadhyay, S. K. 2004. Development of monoclonal antibody based competitive-ELISA for detection and titration of antibodies to peste despetits ruminants (PPR) virus. *Vet. Microbiol.* 98: 3–15.
- Singh, RP., Banerjee, S., Kumar, PV., Raveesha, KA. and Rao, AR., (2006). *Tinospora cordifolia* induces enzymes of carcinogen/drug metabolism and antioxidant system, and inhibits lipid peroxidation in mice. *Journal Phytomedicine.* (13):74–84.
- Singh, RP., Murthy, KNC., Jayaprakasha, GK., (2008). Studies on antioxidant activity of pomegranate (*Punica granatum*) peel and seed extracts using in vitro models. *J. Agr. Food Chem.* 50: 81-86.
- Singh, S.; Tanwer, B. S. and Khan, M. 2011. Callus induction and *in vivo* and *in vitro* comparative study of primary metabolites of *Withania Somnifera*. *Advances in Applied Science Research*, 2 (3): 47-52.
- Singh, SS., Pandey, SC., Srivastava, S., Gupta, VS., Patro, B. and Ghosh, AC., (2003). Phytochemistry of *Tinospora cordifolia*. *Journal Indian Journal of Pharmacology.* Vol 35: 83-91.
- Sivakumar, V. and Rajan, MS., (2010). Antioxidant Effect of *Tinospora cordifolia* Extract in Alloxan-induced Diabetic Rats. *Indian Journal Pharm Sci.* (72):795–801.
- Somogyi, M., (1945). A new reagent for determination of sugar. *Journal Biological Chemistry.* (160): 61-68.
- Sreenivasulu, B., and Sarma, P.N. 1996. Chemical examination of the whole plants of *Tephrosia strigosa*. *Indian Journal of Chemistry Sec., B*, 1217-1218.
- Sreenivasulu, B., and Sarma, P.N. 1996. Chemical examination of the whole plants of *Tephrosia strigosa*. *Indian Journal of Chemistry Sec., B*, 1217-1218.
- Srinivas Nammi., Murthy Bolar, K., Srinivas Iodagala, D. and Ravindra Babu Behra, S., (2003). The juice of fresh leaves of *Catharanthus roseus* ( L.) reduces blood glucose in normal and alloxan diabetic rabbits. *Journal BMC Complementary & alternative Medicine.* Doi:10.1186/1472-6882-3-4

## *Literature Cited*

---

- Stanely, P., Prince, M. and Menon, VP., (2000). Hypoglycaemic and other related actions of *Tinospora cordifolia* roots in alloxan-induced diabetic rats. *Journal Ethnopharmacol.*(70) :9–15.
- Stobiecki M., Kachlicki P. (2005). Metabolomics and metabolite profiling – can we achieve the goal? *Acta Physiol. Plant.* 27: 109-116.
- Stohs S J and Rosenberg H (1975 a) Steroids and Steroid metabolism in plant tissue cultures. *Lloydia* 38:181-194.
- Stohs S J, Wegner C L and Rosenberg H (1975, b) Steroids and sapogenins in tissue cultures of *Dioscorea deltoidea*. *Planta Med.*28:101-105.
- Subedi, A., Amatya, MA., Shrestha, MT., Mishra, SK. and Pokhre, BM., (2012) ANTIOXIDANT AND ANTIBACTERIAL ACTIVITY OF METHANOLIC EXTRACT OF *MACHILUS ODORATISSIMA*, KATHMANDU UNIVERSITY JOURNAL OF SCIENCE, ENGINEERING AND TECHNOLOGY VOL. 8, No. I, FEBRUARY. pp 73-80.
- Subramaman S S and Nair A G R (1970) Chlorogenin and kaempferol glycosides from the flowers of *Agave Americana* M. *Phytochemistry* (Oxford) 9:2582.
- Subramanian S S and Nagarajan S (1969) Flavonoids of the seeds of *Crotalaria retusa* and *C. Striata*. *CurrSci* 38:65-68.
- Subramanian, M., Chintalwar, GJ. and Chattopadhyay, S., (2002). Antioxidant properties of a *Tinospora cordifolia* polysaccharide against iron-mediated lipid damage and gamma-ray induced protein damage. *Journal Redox Rep.*(7): 137–43.
- Subramanian, S. S. and Nagarajan, S., (1969). Flavonoids of the seeds of *Crotalaria retusa* and *C. striata*. *Journal Curr. Sci.* (38): 65-68.
- Sudhakaran, DS., Sreekha, P., Devasree, LD., Preamsingh, S. and Michael, RD., (2006) Immunostimulatory effect of *Tinospora cordifolia* Miers leaf extract in *Oreochromis mossambicus*. *Indian J Exp Biol.* (44) :726–32.
- Sujatha, G. and Kumari, R.B.D. (2007). Effect of phytohormones on micropropagation of *Artemisia vulgaris* L. *Acta Physiol. Plant* (29): 189-195.

## *Literature Cited*

---

- Sujatha, MB., (1996) Effect of a herbomineral preparation D-400 in streptozotocin induced diabetic rats. *Journal of Ethnopharmacol.* 54: 41-6.
- TADHANI, M.B., PATEL, V.H., SUBHASH, R., (2007). *In vitro* antioxidant activities of *Stevia rebaudiana* leaves and callus. *J. Food Compos. Anal.*, (20) :323– 329.
- TADHANI, M.B., PATEL, V.H., SUBHASH, R., (2007). *In vitro* antioxidant activities of *Stevia rebaudiana* leaves and callus. *J. Food Compos. Anal.*, 20 :323– 329.
- Talreja, T., (2011). Biochemical estimation of three primary metabolites from medicinally important plant *Moringa oleifera*. *Int. J. Pharma. Sci. Rev. Res.* 7(2):186-188.
- Tanaka, M., Kuie, CW., Nagashima, Y. and Taguchi, T., (1988). Applications of antioxidative maillard reaction products from histidine and glucose to sardine products. *Nippon Suisan Gakk.*(54): 1409-1414.
- Tanveer BS and Vijayvergia R (2010). Phytochemical evaluation and quantification of primary metabolites of *Alangium salvifolium*. *International Journal of Pharmaceutical Biosciences* 1(3) 1-6.
- Taparia R (1975) Production of primary and secondary products from plants in vivo and in vitro tissue cultures. Ph. D.Thesis. University of Rajasthan. Jaipur.India.
- Tatsuta, K. and Hosokawa S., (2006). Total syntheses of polyketide-derived bioactive natural products. *The Chemical Record.* (6) :217–233.
- Thatte, UM., Rege, NN., Phatak, SD. and Dahanukar, SA., (1993). Ethobotanical Survey of Rajasthan. *Journal Post graduate medicine.* Volume : 3 (4): 179-182.
- Thatte, UM., Rao, SG. and Dahanukar, SA., (1994). *Tinospora cordifolia* induces colony stimulating activity in serum. *Journal Postgrad Med.* (40):202–203.
- Thatte, UM., Kulkarni, MR. and Dahanukar, SA., (1992). Immunotherapeutic modification of *Escherichia coli* peritonitis and

## *Literature Cited*

---

- bacteremia by *Tinospora cordifolia*. *Journal Postgrad Med.* (38) :13–15.
- Thippeswamy, G., Sheela, M. and Salimath, BP., (2008). Octacosanol isolated from *Tinospora cordifolia* downregulates VEGF gene expression by inhibiting nuclear translocation of NF- $\kappa$ B and its DNA binding activity. *Eur Jornal Pharmacol.*(588):141–150.
- Tomer, P., Chaturvedi, G. C., Minakshi, Malik, P. and Monga, D. P. 2002. Comparative analysis of the outer membrane protein profiles of isolates of the *Pasteurella multocida* (B:2) associated with haemorrhagic septicaemia. *Vet. Res. Commun.* 26(7): 513-522.
- Tomita, Y., Uomori, A. and Minato, H., (1970). Chemical studies on plant tissue culture II. Steroidal sapogenins and sterols in tissue cultures of *Dioscorea tokoro*. *Journal Phytochem.* (9): 111-114.
- Trejgell, A., Domzalska, L., Szczepanek, D. and Tretyn, A., (2010). *In vitro* propagation of *Leontopodium alpinum* L. from different seedling explants. *Journal Propagation of Ornamental Plant* (10): 81–87.
- Trejgell, A., Michalska, M. and Tretyn, A., (2010). Micropropagation of *Senecio macrophyllus* M. Bieb. *Journal Acta Biologica Cracoviensia Series Botanica* 52(2): 67–72.
- Tripathi, VJ., Ray, AB. and Dasgupta, B., (1973) Triterpenoid Constituents of *Grewia Asiatica*, *Curr. Sci.*, 1973, 42(23): 820.
- Ullah, M., F.K. Chy, S.K. Sarkar, M.K. Islam and N. Absar, 2011. Nutrient and phytochemical analysis of four varieties of bitter gourd (*Momordica charantia*) grown in Chittagong hill tracts, Bangladesh. *Asian J Agric. Res.*, 5: 186-193.
- Umamaheswari, S. and Prince Mainzen, PS., (2007). Antihyperglycaemic effect of ‘Ilogen-Excel’, an ayurvedic herbal formulation in streptozotocin-induced diabetes mellitus. *Acta Pol Pharm.*(64) :53–61.
- Vaidya, A.D.B. and Devasagayam T.P.A., (2007). Current status of herbal drugs in India: An overview. *J. Clin. Biochem. Nutr.* 41: 1-11.
- Valentão, P., Fernande, E., Carvalho, F., Andrade, P.B., Seabra, R.M. and Bastos, M.L., (2003). Hydroxyl radical and hypochlorous acid

## Literature Cited

---

- scavenging activity of small centaury (*Centaureum erythraea*) infusion. A comparative study with green tea (*Camellia sinensis*). *Phytomed.* 10: 517-522.
- Van Wiel, A., van Golde, P.H.M., and Hart HCh, 2001. Blessings of the grape. *European Journal of International Medicine*, 12: 484 – 489.
- Van Wyk, B. E. and Wink, M. 2004. *Medicinal plants of the World*. Briza Publications, Pretoria.
- Varutharaju, K., Soundar Raju, C., Thilip, C., Aslam, .A and Shajahan A., (2014). High efficiency direct shoot organogenesis from leaf segments of *Aerva lanata* (L.) Juss. ex Schult by using thidiazuron. *ScientificWorldJournal*. 652919 e collection.
- Veerapur,, V.P., Prabhakar, K.R., Parihar, V. K., Bansal, P., Srinivasan, K.K., Priyadarsin, K.I. and Unnikrishnan, M. K., (2010). Antidiabetic, hypolipidaemic and antioxidant activity of *Dodonaea viscosa* aerial parts in streptozotocin-induced diabetic rats. *Int. J. of Phytomed.* 2 : 59-70.
- Vig, D. 2010. Tissue culture differentiation & biochemical studies of two important medicinal plant species. Ph.D. Thesis. Department of Botany. University of Rajasthan, Jaipur.
- Vijayvergia, R. and Kumar, J., (2007). Quantification of primary metabolites of *Nerium indicum* Mill. *Asian J. Exp. Sci.*,21(1): 123-128.
- Visioli F and Galli C (2001) Antiatherogenic components of Olive oil. *CurrAtherosclerRep.*31(1):64-67.
- Wagner H., Chari, V. M., and Sonnenbichler, J. 1976. C-NMR-spektren Natürlich vorkommender flavonoide. *Tetrahedron Letter*, 1799-1802.
- Waliullah, Uddin G, Rauf A, Siddiqui BS, Rehman TU, Azam S and Qaisar (2011). M. Chemical Constituents and Biological Screening of *Grewia optiva* Drummond ex Burret Whole Plant. *American-Eurasian J. Agric. & Environ. Sci.* 2011; 11(4): 542-546.
- Wang, G., Manns, DC., Guron, GK., Churey, JJ. and Worobo, RW., (2014) .Large-Scale Purification, Characterization, and Spore Outgrowth Inhibitory Effect of Thurincin H, a Bacteriocin Produced by *Bacillus thuringiensis* SF361. *Probiotics Antimicrob Proteins.* (25) : 15-23.

## *Literature Cited*

---

- Wang, L. C. and Lee, T. (1998). Effect of ginseng saponins on exercise performance in non-trained rats. *Planta Med.* 64: 130-133.
- Westh H., Zinn C.S. and Rosdahl V.T., (2004). An international multicenter study of antimicrobial consumption and resistance in *Staphylococcus aureus* isolates from 15 hospitals in 14 countries. *Microb. Drug Resist.* 10: 169-176.
- Wong C.K., Leung K.N., Fung K.P. and choy Y.M. (1994) : Immunomodulatory and anti-tumor polysaccharides from medicinal plants. *J. Int. Med. Res.* 22, 299-311.
- Wong C.K., Leung K.N., Fung K.P. and choy Y.M. (1994) : Immunomodulatory and anti-tumor polysaccharides from medicinal plants. *J. Int. Med. Res.* 22, 299-311.
- Wu, ZL. , Robey, MT., Tatge, T., Lin, C., Leymarie, N., Zou, Y. and Zaia J., (2014). Detecting O-GlcNAc using in vitro sulfation. *Glycobiology.* (15) : 56-61.
- Xi Bao Yu Fen Zi Mian Yi Xue Za Zhi. (2014). [The expression of C-type lectin-like domain of DNGR-1 molecules of Chinese rhesus macaques in E.coli]. *Protein Eng Des Sel.* 30(5):489-92.
- Yamada, H., Yoshino, M., and Matsumoto, T. 1987. Effects of phytosterols on anti- complementary activity. *Chem Pharm Bull.*,35: 4851- 4855.
- Yamamoto, M., Matsui, T., Sugiyama, K., Yakota, M., Nakagomi, K., and Nakazawa, H. 1991. Anti-inflammatory active constituents of *Aloe arborescens* Miller. *Agricultural and Biological Chemistry*, 55: 1627-1629.
- Yamamoto, M., Matsui, T., Sugiyama, K., Yakota, M., Nakagomi, K., and Nakazawa, H. 1991. Anti-inflammatory active constituents of *Aloe arborescens* Miller. *Agricultural and Biological Chemistry*, 55: 1627-1629.
- Yemm, EW. And Willis AJ., (1954). The estimation of carbohydrates in plant extracts by anthrone. *Biochem. J.* (1954) 57 (508–0) (Printed in Great Britain).

## *Literature Cited*

---

- Yokozaw, T. and Nakagawa, T..( 2004). Inhibitory effects of Luobuma tea and its components against glucose-mediated protein damage. *Journal Food Chem Toxicol* 42:975–981.
- Yu, P.L.C.; EL-olemy, M.M.; and Staba, S.J.(1974). A phytochemical investigation of *Withania somnifera* tissue cultures. *Lloydia* 37: 593-597.
- Zheng, W. and Wang S.Y., (2001). Antioxidant activity and phenolic compounds in selected herbs. *J. of Agri. and Food Chem.* 49: 5165-5170.
- Zhishen, J., Mengcheng, T. and Jianming, W., (1999).The determination of flavonoid contents in mulberry and their scavenging effects on super oxide radicals. *Food Chem.* (64): 555-559.
- Zhou Y, Hirotani M, Yoshikava T, Furuya T (1997). Flavonoids and phenylethanoids from hairy root cultures of *Scutellaria baicalensis*. *Phytochem.* 42 : 69-72.
- Zibbu, G. and Batra, A., (2011). *Thevetia peruviana* (Pers.) Schum.: A plant with enormous therapeutic potential. *Journal of Pharmacy Research.* (4): 44- 61.