

References

- Abba D, Inabo HI, Yakubu SE, Olonitola OS (2009) Contamination of herbal medicinal products marketed in kaduna metropolis. *African J Tradit Complement Altern Med* 6:70–77.
- Abd-Elsalam K a. (2003) Bioinformatic tools and guideline for PCR primer design. *African J Biotechnol* 2:91–95. doi: 10.4314/ajb.v2i5.14794
- Abdin MZ, Mirza KJ, Khan S, et al (2012) Development and detection efficiency of SCAR markers of *Cuscuta reflexa* and its adulterant *Cuscuta chinensis*. *J Food Drug Anal* 20:471–477.
- Agarwa P, Sharma B, Fatima A, Jain SK (2014) An update on Ayurvedic herb *Convolvulus pluricaulis* Choisy. *Asian Pac J Trop Biomed* 4:245–252.
- Agarwal M, Rai V, Khatoon S, Mehrotra S (2014) Effect of microbial load on therapeutically active constituent glycyrrhizin . *Indian J Tradit Knowl* 13:319–324.
- Ajazuddin, Saraf S (2012) Legal regulations of complementary and alternative medicines in different countries. *Pharmacogn Rev* 6:154–160.
- Akhtar SM, Kaskoos R, Mir SR, Ali M (2009) New chromone derivative from *Evolvulus alsinoides* Linn. aerial parts. *J Saudi Chem Soc* 13:191–194.
- Alaeddini R (2012) Forensic implications of PCR inhibition - A review. *Forensic Sci Int Genet* 6:297–305.
- Alamgir M, Uddin SJ (2010) Recent advances on the ethnomedicinal plants as immunomodulatory agents. *Ethnomedicine A Source Complement Ther* 661:227–244.
- Altschul SF, Gish W, Miller W, et al (1990) Basic local alignment search tool. *J Mol Biol* 215:403–10.
- Álvarez I, Wendel JF (2003) Ribosomal ITS sequences and plant phylogenetic inference. *Mol Phylogenet Evol* 29:417–434.
- Alwakeel S (2008) Microbial and Heavy Metals Contamination of Herbal Medicines. *Res J Microbiol* 3:683–691.
- Amalraj A, Gopi S (2016) Medicinal properties of *Terminalia arjuna* (Roxb .) Wight & Arn .: A

review. *J Tradit Complement Med* 1–14.

- Amin H, Sharma R, Vyas M, et al (2014) Shankhapushpi (*Convolvulus pluricaulis* Choisy): Validation of the Ayurvedic therapeutic claims through contemporary studies. *Int J Green Pharm* 193–200.
- Andrade C, Monteiro I, Hegde RP, Chandra JS (2012) Investigation of the possible role of Shankapushpi in the attenuation of ECT induced amnesic deficits. *Indian J Psychiatry* 54:166–171. doi: 10.4103/0019-5545.99542
- Angeles JGILC, Laurena AC, Mae E, Mendoza T (2005) Extraction of genomic DNA from the lipid-, polysaccharide, and polyphenol-rich coconut (*Cocos nucifera* L.). *Plant Mol Biol Report* 23:297a–297i.
- Anonymus (1998) Quality control methods for medicinal plant materials. World Health Organization Geneva.
- Anonymous (2006) *Convolvulus microphyllus* Sieb.ex Spreng. In: Gupta A, Tondon N, Sharma M (eds) Quality standards of Indian medicinal plants. ICMR, New Delhi, India, pp 143–153
- Anonymous (1999) *Convolvulus pluricaulis* Choisy. In: Ayurvedic Pharmacopoeia of India, 1st edn. CSIR, New Delhi, India, pp 147–149
- Anonymous (2005a) *Convolvulus microphyllus* Sieb ex Spreng. In: Gupta A, Tondon N, Sharma M (eds) Quality standards of Indian medicinal plants, Volume 2. ICMR, New Delhi, India, pp 70–78
- Anonymous (2005b) *Terminalia arjuna* (Roxb.) Wight and Arn. In: Gupta A, Tondon N, Sharma M (eds) Quality standards of Indian medicinal plants, Volume 2. ICMR, New Delhi, India, pp 243–252
- Anonymous (2006) *Evolvulus alsinoides* (Linn.) Linn. In: Gupta A, Tondon N, Sharma M (eds) Quality standards of Indian medicinal plants, Volume 4. ICMR, New Delhi, India, pp 145–153
- Anonymous (2008) *Convolvulus* Linn. (Convolvulaceae). In: AKG, Sharma M (eds) Reviews on Indian Medicinal Plants, Volume 7. ICMR, New Delhi, India, pp 515–538
- Aronson JK (2009) Herbal Medicine-Introduction and general information. In: Meyler's Side Effects of Herbal Medicines. Elsevier, Amsterdam, pp 1–30

- Austin DF (2008) *Evolvulus alsinoides* (Convolvulaceae): An American herb in the Old World. J Ethnopharmacol 117:185–198. doi: 10.1016/j.jep.2008.01.038
- Avula B, Yu K, Wang Y, et al (2011) A metabolomics approach to profile novel chemical markers for identification and authentication of *Terminalia* species. Appl notes, Water 38677.
- Babaei S, Talebi M, Bahar M (2014) Developing an SCAR and ITS reliable multiplex PCR-based assay for safflower adulterant detection in saffron samples. Food Control 35:323–328.
- Bag A, Bhattacharyya SK, Chattopadhyay RR (2013) The development of *Terminalia chebula* Retz. (Combretaceae) in clinical research. Asian Pac J Trop Biomed 3:244–252.
- Bainard LD, Klironomos JN, Hart MM (2010) Differential effect of sample preservation methods on plant and arbuscular mycorrhizal fungal DNA. J Microbiol Methods 82:124–130.
- Balasubramani SP, Murugan R, Ravikumar K, Venkatasubramanian P (2010) Development of ITS sequence based molecular marker to distinguish, *Tribulus terrestris* L. (Zygophyllaceae) from its adulterants. Fitoterapia 81:503–508. doi: 10.1016/j.fitote.2010.01.002
- Balasubramani SP, Seethapathy GS, Venkatasubramanian P (2011) Nuclear ribosomal DNA-ITS region based molecular markers to distinguish botanical entities traded as “Vidari.” J Herb Med 1:83–89.
- Baldwin BG, Sanderson MJ, Porter JM, et al (1995) The ITS region of nuclear ribosomal DNA: A valuable source of evidence on angiosperm phylogeny. Ann Missouri Bot Gard 82:247–277.
- Bandaranayake WM (2006) Quality control , screening , toxicity , and regulation of herbal drugs. In: Ahmad I, Aqil F, Owais M (eds) Modern phytomedicine. Turning medicinal plants into drugs. WILEY-VCH Verlag, Weinheim, pp 25–58
- Banerjee S, Mitra A (2012) Changing landscape of herbal medicine : technology attributing renaissance. Int J Pharm Pharm Sci 4:47–52.
- Bansal A, Chhabra V, Rawal RK, Sharma S (2014) Chemometrics: A new scenario in herbal drug standardization. J Pharm Anal 4:223–233. doi: 10.1016/j.jpha.2013.12.001
- Begum S, Ravikumar K, Ved D (2014) “ Asoka ” – an important medicinal plant , its market scenario and conservation measures in India. Curr Sci 107:6–8.

- Bennett BC, Balick MJ (2014) Does the name really matter? the importance of botanical nomenclature and plant taxonomy in biomedical research. *J Ethnopharmacol* 152:387–392.
- Bharani A, Ganguly A, Bhargava KD (1995) Salutory effect of *Terminalia arjuna* in patients with severe refractory heart failure. *Int J Cardiol*. doi: 10.1016/0167-5273(95)02320-V
- Bharatan V (2008) Homeopathy and systematics : a systematic analysis of the therapeutic effects of the plant species used in homeopathy. *Homeopathy* 97:122–128.
- Bhargava M, Sharma A (2013) DNA barcoding in plants: Evolution and applications of in silico approaches and resources. *Mol Phylogenet Evol* 67:631–641.
- Bhatia J, Bhattacharya S, Mahajan P, Dwivedi S (1998) Effect of *Terminalia arjuna* on coronary flow—an experimental study. *Indian J Pharmacol* 30:118.
- Bhawani G, Kumar A, Murthy KSN, et al (2013) A retrospective study of effect of *Terminalia arjuna* and evidence based standard therapy on echocardiographic parameters in patients of dilated cardiomyopathy. *J Pharm Res* 6:493–498.
- Bihaqi S, Tiwari M, Singh A (2012) Supplementation of *Convolvulus pluricaulis* attenuates scopolamine-induced increased tau and Amyloid precursor protein (A β PP) expression in rat brain. *Indian J Pharmacol* 44:593.
- Bihaqi SW, Singh AP, Tiwari M (2011) *In vivo* investigation of the neuroprotective property of *Convolvulus pluricaulis* in scopolamine-induced cognitive impairments in Wistar rats. *Indian J Pharmacol* 43:520–525.
- Biswas K, Biswas R (2013) Identification of medicinal plants using PCR- RFLP in Dasamula-an Ayurvedic drug. *J Pharm Biosci* 3:94–99.
- Biswas K, Kapoor A, Biswas R (2013) Authentication of herbal medicinal plant- *Boerhavia diffusa* L. using PCR-RFLP. *Curr Trends Biotechnol Pharm* 7:725–731.
- Blumenthal M (2011) Economically motivated adulteration of botanical raw materials, herbal extracts, and essential oils in the global marketplace. *Planta Med* 77:SL61.
- Boiteux L (1999) Effects of plant tissue and DNA purification method on randomly amplified polymorphic DNA-based genetic fingerprinting analysis in carrot. *J Am Soc Hortic Sci* 124:32–38.
- Booy G, Van der Schoot J, Vosman B (2000). Heterogeneity of the internal transcribed spacer 1

- (ITS1) in *Tulipa* (Liliaceae). *Plant Syst Evol* 225:29-41.
- Wallis TE (2005) Textbook of pharmacognosy. Fifth edition. CBC publication, New Delhi, India.
- Brownie J, Shawcross S, Theaker J, et al (1997) The elimination of primer-dimer accumulation in PCR. *Nucleic Acids Res* 25:3235–3241.
- Bui M, Liu Z (2009) Simple allele-discriminating PCR for cost-effective and rapid genotyping and mapping. *Plant Methods* 5:1. doi: 10.1186/1746-4811-5-1
- Burpo F (2001) A critical review of PCR primer design algorithms and crosshybridization case study. *Biochemistry* 86:1–12.
- Busconi M, Colli L, Sánchez RA, et al (2015) AFLP and MS-AFLP analysis of the variation within Saffron Crocus (*Crocus sativus* L.) Germplasm. *PLoS One* 10:e0123434. doi: 10.1371/journal.pone.0123434
- Caldas ED, Machado LL (2004) Cadmium, mercury and lead in medicinal herbs in Brazil. *Food Chem Toxicol* 42:599–603.
- Carles M, Cheung MK, Moganti S, et al (2005) A DNA microarray for the authentication of toxic traditional Chinese medicinal plants. *Planta Med* 71:580–584. doi: 10.1055/s-2005-864166
- Cervenka F, Koleckar V, Rehakova Z, et al (2008) Evaluation of natural substances from *Evolvulus alsinoides* L. with the purpose of determining their antioxidant potency. *J Enzyme Inhib Med Chem* 23:574–8.
- Chang BS, Mahoney RR (1995) Enzyme thermostabilization by bovine serum albumin and other proteins: evidence for hydrophobic interactions. *Biotechnol Appl Biochem* 22:203–214.
- Chase MW, Cowan RS, Hollingsworth PM, et al (2007) A proposal for a standardised protocol to barcode all land plants. *Taxon* 56:295–299.
- Chaudhari GM, Mahajan RT (2015) Comprehensive study on pharmacognostic , physico and phytochemical evaluation of *Terminalia arjuna* Roxb . stem bark. *J Pharmacogn Phytochem* 4:186–193.
- Chavan P, Joshi K, Patwardhan B (2006) DNA microarrays in herbal drug research. Evidence-based Complement Altern Med 3:447–457.
- Chen S, Pang X, Song J, et al (2014) A renaissance in herbal medicine identification: From

- morphology to DNA. *Biotechnol Adv* 32:1237–1244.
- Chen S, Pang X, Song J, et al (2014) A renaissance in herbal medicine identification: From morphology to DNA. *Biotechnol Adv* 32:1237–1244.
- Chen S, Yao H, Han J, et al (2010) Validation of the ITS2 region as a novel DNA barcode for identifying medicinal plant species. *PLoS One* 5:1–8. doi: 10.1371/journal.pone.0008613
- Cheng X, Su X, Chen X, et al (2014) Biological ingredient analysis of traditional Chinese medicine preparation based on high-throughput sequencing: the story for Liuwei Dihuang Wan. *Sci Rep* 4:5147. doi: 10.1038/srep05147
- Choo BK, Moon BC, Ji Y, et al (2009) Development of SCAR markers for the discrimination of three species of medicinal plants, *Angelica decursiva* (*Peucedanum decursivum*), *Peucedanum praeruptorum* and *Anthriscus sylvestris*, based on the internal transcribed spacer (ITS) sequence and random ampli. *Biol Pharm Bull* 32:24–30.
- Choudhary N, Sekhon BS (2011) An overview of advances in the standardization of herbal drugs. *J Pharm Educ Res* 2:55–70.
- Chuang L-Y, Cheng Y-H, Yang C-H (2013) Specific primer design for the polymerase chain reaction. *Biotechnol Lett* 35:1541–1549.
- Crawford L a., Kosciński D, Keyghobadi N (2012) A call for more transparent reporting of error rates: The quality of AFLP data in ecological and evolutionary research. *Mol Ecol* 21:5911–5917. doi: 10.1111/mec.12069
- Dambal AA, Bhagwat DA, Khadabadi S (2014) Pharmacognostic Studies of the *Terminalia arjuna* (Bark). *Int J Chem Pharmaceuical Sci* 2:837–840.
- Dellaporta SL, Wood J, Hicks JB (1983) A plant DNA miniprep: Version II. *Plant Mol Biol Report* 1:19–21.
- Demeke T, Adams R (1992) Effects of plant polysaccharides and buffer additives on PCR. *Bio Tech* 12:332–334.
- Denholm J (2010) Complementary medicine and heavy metal toxicity in Australia. *Webmed Cent Toxicol* 1:1–6.
- Deshmukh VP (2007) A simple method for isolation of genomic DNA from fresh and dry leaves of *Terminalia arjuna* (Roxb .) Wight and Argot. doi: 10.2225/vol10-issue3-fulltext-5

- Deshmukh VP, Thakare P V, Chaudhari US, et al (2009) Assessment of genetic diversity among *Terminalia* Species Using RAPD Markers. *Glob J Biotechnol Biochem* 4:70–74.
- Deshpande SG, Kasture VS, Gosavi SA, et al (2014) Development of validated UV spectrophotometric method for estimation of shankhpushpin and asiaticoside from ayurvedic polyherbal formulation. *6:89–94*.
- Dghaim R, Khatib S Al, Rasool H, Khan MA (2015) Determination of heavy metals concentration in traditional herbs commonly consumed in the United Arab Emirates. *J Environ Public Health*. doi: <http://dx.doi.org/10.1155/2015/973878>
- Dhami N, Mishra AD (2015) Phytochemical variation: How to resolve the quality controversies of herbal medicinal products? *J Herb Med* 5:118–127. doi: 10.1016/j.hermed.2015.04.002
- Dhanani T, Shah S, Kumar S (2014) A validated High-Performance liquid chromatography method for determination of tannin-related marker constituents gallic acid, corilagin, chebulagic acid, ellagic acid and chebulinic acid in four *Terminalia* species from India. *J Chromatogr Sci Adv* 1–8.
- Dhingra V, Dhingra S, Singla A (2013) Forensic and pharmacognostic studies of the *Terminalia arjuna* bark. *Egypt J Forensic Sci* 3:15–19. doi: 10.1016/j.ejfs.2012.10.001
- Dieffenbach CW, Lowe TM, Dveksler GS (1993) General concepts for PCR primer design. *PCR Methods Appl* 3:S30–S37.
- Dixit VK (2011) Controversial ayurvedic herbs. *J Adv Pharm Technol Res* 2:78–80.
- Do N, Adams R (1991) A simple technique for removing polysaccharide contaminants from DNA. *Bio Tech* 10:162–166.
- Doyle JJ, Doyle JL. (1990) Isolation of plant DNA from fresh tissue. *Focus* 12:13–15.
- Druml B, Cichna-Markl M (2014) High resolution melting (HRM) analysis of DNA - Its role and potential in food analysis. *Food Chem* 158:245–254.
- Dwivedi S (2007) *Terminalia arjuna* Wight & Arn.-A useful drug for cardiovascular disorders. *J Ethnopharmacol* 114:114–129.
- Dwivedi S, Aggarwal A, Agarwal MP, Rajpal S (2005) Role of *Terminalia arjuna* in ischaemic mitral regurgitation. *Int J Cardiol* 100:507–508.

- Dwivedi S, Chopra D (2014) Revisiting *Terminalia arjuna* – An ancient cardiovascular drug. J Tradit Complement Med 4:224–231.
- Dwivedi S, Kumar V (2007) Beta-thalassemia, hyperlipoproteinemia , and metabolic syndrome: its low-cost holistic therapy. J Altern Complement Med 13:287–289.
- Eilert KD, Foran DR (2009) Polymerase resistance to polymerase chain reaction inhibitors in bone. J Forensic Sci 54:1001–1007.
- Ekor M (2014) The growing use of herbal medicines: Issues relating to adverse reactions and challenges in monitoring safety. Front Neurol 4 JAN:1–10. doi: 10.3389/fphar.2013.00177
- Ewing B, Green P (1998) Base-calling of automated sequencer traces using phred II error probabilities. Genome Res 8:186–194.
- Fang G, Hammer S, Grumet R (1992) A quick and inexpensive method for removing polysaccharides from plant genomic DNA. Biotechniques 13:52–55.
- Farell EM, Alexandre G (2012) Bovine serum albumin further enhances the effects of organic solvents on increased yield of polymerase chain reaction of GC-rich templates. BMC Res Notes 5:257. doi: 10.1186/1756-0500-5-257
- Fazekas AJ, Burgess KS, Kesanakurti PR, et al (2008) Multiple multilocus DNA barcodes from the plastid genome discriminate plant species equally well. PLoS One. doi: 10.1371/journal.pone.0002802
- Feng T, Liu S, He X (2010) Molecular authentication of the traditional Chinese medicinal plant *Angelica sinensis* based on internal transcribed spacer of nrDNA. Electron J Biotechnol 13:1–10.
- Finkeldey R, Leinemann L, Gailing O (2010) Molecular genetic tools to infer the origin of forest plants and wood. 1251–1258. doi: 10.1007/s00253-009-2328-6
- Ford CS, Ayres KL, Toomey N, et al (2009) Selection of candidate coding DNA barcoding regions for use on land plants. Bot J Linn Soc 159:1–11.
- Galimberti A, De Mattia F, Losa A, et al (2013) DNA barcoding as a new tool for food traceability. Food Res Int 50:55–63. doi: 10.1016/j.foodres.2012.09.036
- Ganie SH (2012) Molecular Characterization of plants equated with the traditional herbal drug “Shankhpushpi.” Ph.D Thesis, Jamia Hamdard University, India.

- Ganie SH, Ali Z, Das S, et al (2014) Genetic diversity and chemical profiling of different populations of *Convolvulus pluricaulis* (convolvulaceae): an important herb of ayurvedic medicine. *3 Biotech* 5:295–302. doi: 10.1007/s13205-014-0227-8
- Ganie SH, Sharma MP (2014) Molecular and chemical profiling of different populations of *Evolvulus alsinoides* (L.) L. 1322–1331.
- Ganie SH, Srivastava PS, Narula A, et al (2012) Authentication of shankhpushpi by RAPD markers. *EurAsian J Biosci* 46:39–46. doi: 10.5053/ejobios.2012.6.0.5
- Ganie SH, Upadhyay P, Das S, Prasad Sharma M (2015) Authentication of medicinal plants by DNA markers. *Plant Gene* 4:83–99. doi: 10.1016/j.plgene.2015.10.002
- Gao W, Yang H, Qi L-W, et al (2012) Unbiased metabolite profiling by liquid chromatography–quadrupole time-of-flight mass spectrometry and multivariate data analysis for herbal authentication: Classification of seven *Lonicera* species flower buds. *J Chromatogr A* 1245:109–116. doi: <http://dx.doi.org/10.1016/j.chroma.2012.05.027>
- Gauthaman K, Saleem TSM, Ravi V, et al (2008) Alcoholic extract of *Terminalia arjuna* Protects rabbit heart against ischemic-reperfusion injury: Role of antioxidant enzymes and heat shock protein. *Int J Biol Biomol Agric Food Biotechnol Eng* 2:112–122.
- Giudicelli GC, Mader G, de Freitas LB (2015) Efficiency of ITS sequences for DNA barcoding in *Passiflora* (Passifloraceae). *Int J Mol Sci* 16:7289–7303.
- Godwin D, Aitken E, Smith L (1997) Application of inter simple sequence (ISSR) markers to plant genetics. *Electrophoresis* 18:1524–1528.
- Gomathi D, Kalaiselvi M, Ravikumar G, et al (2015) GC-MS analysis of bioactive compounds from the whole plant ethanolic extract of *Evolvulus alsinoides* (L.) L. *J Food Sci Technol* 52:1212–7.
- Gomathi D, Ravikumar G, Kalaiselvi M, et al (2013) Efficacy of *Evolvulus alsinoides* (L.) L. on insulin and antioxidants activity in pancreas of streptozotocin induced diabetic rats. *J Diabetes Metab Disord* 12:39. doi: 10.1186/2251-6581-12-39
- Govindaraghavan S, Hennell JR, Sucher NJ (2012) From classical taxonomy to genome and metabolome: Towards comprehensive quality standards for medicinal herb raw materials and extracts. *Fitoterapia* 83:979–988.

- Gowda BK, Chandrika KT, Prasanna VCK (2010) AFLP authentication of *Embelia Ribes* Burm . F and *Embelia Tsjeriam*-Cottam a. Dc. Int J Sci Nat 1:58–60.
- Group CPBOL, Li D-Z, Gao L-M, et al (2011) Comparative analysis of a large dataset indicates that internal transcribed spacer (ITS) should be incorporated into the core barcode for seed plants. Proc Natl Acad Sci 108 :19641–19646. doi: 10.1073/pnas.1104551108
- Group CPW, Hollingsworth PM, Forrest LL, et al (2009) A DNA barcode for land plants. Proc Natl Acad Sci 106 :12794–12797.
- Gu S, Ding XY, Wang Y, et al (2007) Isolation and characterization of microsatellite markers in *Dendrobium officinale*, an endangered herb endemic to China. Mol Ecol Notes 7:1166–1168. doi: 10.1111/j.1471-8286.2007.01817.x
- Guo J, Ren Y, Chen L, et al (2010) Authentication of arandii (“Chuanmutong”) and differentiation of its common adulterants using RAPD and SCAR markers. 4:697–701.
- Gupta AK, Harish, Rai MK, et al (2011) Isolation of genomic DNA suitable for community analysis from mature trees adapted to arid environment. Gene 487:156–159.
- Gupta P, Akanksha, Siripurapu KB, et al (2007) Anti-stress constituents of *Evolvulus alsinoides*: an ayurvedic crude drug. Chem Pharm Bull (Tokyo) 55:771–775. doi: 10.1248/cpb.55.771
- Gupta P, Goel R, Pathak S, et al (2013) De Novo Assembly, functional annotation and comparative analysis of *Withania somnifera* leaf and root transcriptomes to identify putative genes involved in the withanolides biosynthesis. PLoS One 8:10.1371/journal.pone.0062714. doi: 10.1371/journal.pone.0062714
- Gupta P, Sharma U, Gupta P, et al (2013) Evolvosides C-E, flavonol-4-O-triglycosides from *Evolvulus alsinoides* and their anti-stress activity. Bioorganic Med Chem 21:1116–1122.
- Gurib-Fakim A (2006) Medicinal plants: Traditions of yesterday and drugs of tomorrow. Mol Aspects Med 27:1–93.
- Ha WY, Shaw PC, Liu J, et al (2002) Authentication of *Panax ginseng* and *Panax quinquefolius* using amplified fragment length polymorphism (AFLP) and directed amplification of minisatellite region DNA (DAMD). J Agric Food Chem 50:1871–1875.
- Haq AM, Mahbul Huque M, Chaudhury SAR, Haque MN (2012) Cardiogenic effects of *Terminalia arjuna* extracts on guinea pig heart in vitro. Bangladesh J Pharmacol 7:164–168.

doi: 10.3329/bjp.v7i3.11034

Hebert PDN, Gregory TR (2005) The promise of DNA barcoding for taxonomy. *Syst Biol* 54:852–859.

Henegariu O, Heerema NA, Dlouhy SR, et al (1997) Multiplex PCR: critical parameters and step-by-step protocol. *Biotechniques* 23:504–11.

Hershkovitz MA, Zimmer EA (1996) Conservation patterns in angiosperm rDNA ITS2 sequences. *Nucleic Acids Res* 24:2857–2867.

Heubl G (2010) New aspects of DNA-based authentication of Chinese medicinal plants by molecular biological techniques. *Planta Med* 76:1963–1974.

Hollingsworth PM (2011) Refining the DNA barcode for land plants. *Proc Natl Acad Sci* 108:19451–19452.

Hollingsworth PM, Graham SW, Little DP (2011) Choosing and using a plant DNA barcode. *PLoS One*. doi: 10.1371/journal.pone.0019254

<http://137.189.42.34/mherbsdb/index.php>

http://apps.kew.org/wcsp/namedetail.do?name_id=484749, Last accessed on 4.12.2015

<http://apps.who.int/medicinedocs/pdf/whozip57e/whozip57e.pdf>

<http://indianmedicine.nic.in/index.asp?lang=1>

<http://loopamp.eiken.co.jp/e/lamp/>

http://www.bioinformatics.org/sms/rev_comp.html

<http://www.nmpb.nic.in/>.

<http://www.tcmbarcode.cn>

Hussain M A, Bedi YS (2012) Authentication of *Picrorhiza kurroa* Royle ex Benth . using DNA fingerprint. *Int J of AgriScience* 2:511–521.

Ivanova NV, Kuzmina ML, Braukmann TWA, et al (2016) Authentication of herbal supplements using next-generation sequencing. *PLoS One* 11:e0156426. doi: 10.1371/journal.pone.0156426

Iyer D, Patil UK (2011) Effect of *Evolvulus alsinoides* L . Ethanolic extract and its fraction in

experimentally induced hyperlipidemia in rats. *Pharmacol online* 580:573–580.

Jain S, Yadav PP, Gill V, et al (2009) *Terminalia arjuna* a sacred medicinal plant: Phytochemical and pharmacological profile. *Phytochem Rev* 8:491–502.

Jiang C, Cao L, Yuan Y, et al (2014) Barcoding melting curve analysis for rapid , sensitive , and discriminating authentication of Saffron (*Crocus sativus* L.) from its adulterants. *BioMed* 2014:1–10.

Jones AW (2011) Early drug discovery and the rise of pharmaceutical chemistry. *Drug Test Anal* 3:337–344. doi: 10.1002/dta.301

Jones CJ, Edwards KJ, Castaglione S, et al (1997) Reproducibility testing of RAPD, AFLP and SSR markers in plants by a network of European laboratories. *Mol Breed* 3:381–390.

Joshi K, Chavan P, Warude D, Patwardhan B (2004) Molecular markers in herbal drug technology. *Curr Sci* 87:159–165.

Justin-Temu M, Lyamuya E, Makwaya C (2009) Sources of microbial contamination of local herbal medicines sold on the open market in Dar es Salaam, Tanzania. *East Cent African J Phrmaceutical Sci* 12:19–22.

Kala CP, Dhyani PP, Sajwan BS (2006) Developing the medicinal plants sector in northern India: challenges and opportunities. *J Ethnobiol Ethnomed* 2:32. doi: 10.1186/1746-4269-2-32

Kapadia NS, Acharya NS, Acharya SA, Shah MB (2007) Use of HPTLC to establish a distinct chemical profile for Shankhpushpi and for quantification of scopoletin in *Convolvulus pluricaulis* choisy and in commercial formulations of Shankhpushpi. *JPC - J Planar Chromatogr - Mod TLC* 19:195–199.

Kapoor D, Vijayvergiya R, Dhawan V (2014) *Terminalia arjuna* in coronary artery disease: Ethnopharmacology, pre-clinical, clinical & safety evaluation. *J Ethnopharmacol* 155:1029–1045. doi: 10.1016/j.jep.2014.06.056

Kaur K, Arora S, Kumar S, Nagpal A (2002) Antimutagenic activities of acetone and methanol fractions of *Terminalia arjuna*. *Food Chem Toxicol* 40:1475–1482.

Kaur SJ, Grover IS, Kumar S (2000) Modulatory effects of a tannin fraction isolated from *Terminalia arjuna* on the genotoxicity of mutagens in *Salmonella typhimurium*. *Food Chem Toxicol* 38:1113–1119.

- Kazi T, Hussain N, Bremner P, et al (2013) The application of a DNA-based identification technique to over-the-counter herbal medicines. *Fitoterapia* 87:27–30.
- Khabiya R (2012) Identification of some *Phyllanthus* species of Gujarat state using integrative taxonomy. Dissertation, National Institute of Pharmaceutical Education and Research, Ahmedabd
- Khan S, Mirza KJ, Al-Qurainy F, Abdin MZ (2011) Authentication of the medicinal plant *Senna angustifolia* by RAPD profiling. *Saudi J Biol Sci* 18:287–292.
- ewin SPS, Shasany A, MP D, Kumar S (1999) Rapid Isolation of DNA from dry and fresh samples of plants producing large amounts of secondary metabolites and essential oils. *Plant Mol Rep* 17:1–7.
- Khatoon S, Mehrotra S (2009) *Bark Drugs*. National Institute of Science Communication and Information Resources, CSIR
- Khatoon S, Singh N, Srivastava N, et al (2008) Chemical evaluation of seven *Terminalia* species and quantification of important polyphenols by TLC. *JPC - J Planar Chromatogr - Mod TLC* 21:167–171.
- Kibbe WA (2007) OligoCalc: An online oligonucleotide properties calculator. *Nucleic Acids Res* 35:W43–6. doi: 10.1093/nar/gkm234
- Kim P, Park J, Kim YS, Suh Y (2015) The application of DNA chip technology to identify herbal medicines : an Example from the Family Umbelliferae. *Nat Prod Sci* 21:185–191.
- King CE, Debryne R, Kuch M, et al (2009) A quantitative approach to detect and overcome PCR inhibition in ancient DNA extracts. *Biotechniques* 47:941–949.
- Kokate C (1994) *Practical Pharmacognosy*, Fourth rep. Vallabh Prakashan, New Delhi, India
- Kokkiripati PK, Kamsala R V, Bashyam L, et al (2013) Stem-bark of *Terminalia arjuna* attenuates human monocytic (THP-1) and aortic endothelial cell activation. *J Ethnopharmacol* 146:456–464.
- Kothiyal P, Rawat. MS. (2011) Comparitive nootropic effect of *Evolvulus alsinoides* and *Convolvulus pluricaulis*. *Int J Pharma Biosci* 2:617.
- Kreader CA (1996) Relief of amplification inhibition in PCR with bovine serum albumin or T4 gene 32 protein . *Appl Environ Microbiol* 62:1102–1106.

- Kress WJ, Erickson DL (2007) A two-locus global dna barcode for land plants: The coding rbcL gene complements the non-coding trnH-psbA spacer region. PLoS One. doi: 10.1371/journal.pone.0000508
- Kress WJ, Erickson DL (2008) DNA barcodes: genes, genomics, and bioinformatics. Proc Natl Acad Sci U S A 105:2761–2762.
- Kress WJ, Wurdack KJ, Elizabeth Z, et al (2005) Use of DNA barcodes to identify flowering plants. Proc Natl Acad Sci U S A 102:8369–74.
- Krizman M, Jakse J, Baricevic D, et al (2006) Robust CTAB-activated charcoal protocol for plant DNA extraction. Acta Agric Slov 87:427–433.
- Kumar D (2007) Pharmacognosy can help minimize accidental misuse of herbal medicine. Curr Sci 93:1356–1358.
- Kumar M, Ahmad A, Rawat P, et al (2010) Antioxidant flavonoid glycosides from *Evolvulus alsinoides*. Fitoterapia 81:234–242.
- Kunle OF, Egharevba HO, Ahmadu PO (2012) Standardization of herbal medicines - A review. Int J Biodivers Conserv 4:101–112.
- Kwok S, Chang SY, Sninsky JJ, Wang A (1994) A guide to the design and use of mismatched and degenerate primers. Genome Res. doi: 10.1101/gr.3.4.S39
- Kwon H-K, Ahn C-H, Choi Y-E (2009) Molecular authentication of *Panax notoginseng* by specific AFLP-derived SCAR marker. J Med Plants Res 3:957–966.
- Lahaye R, van der Bank M, Bogarin D, et al (2008) DNA barcoding the floras of biodiversity hotspots. Proc Natl Acad Sci U S A 105:2923–2928. doi: 10.1073/pnas.0709936105
- Lahlou M (2013) The success of natural products in drug discovery. Pharmacol Pharm 04:17–31.
- Lai GH, Chao J, Lin MK, et al (2015) Rapid and sensitive identification of the herbal tea ingredient *Taraxacum formosanum* using loop-mediated isothermal amplification. Int J Mol Sci 16:1562–1575.
- Lai YH, Ni YN, Kokot S (2010) Authentication of Cassia seeds on the basis of two-wavelength HPLC fingerprinting with the use of chemometrics. Chinese Chem Lett 21:213–216.
- Lal B (2014) Development of high performance thin layer chromatography method for the

- determination of scopolin in *Convolvulus pluricaulis* Chois. *Pharmatutor* 2:77–83.
- Lam K, Chan G, Xin G-Z, et al (2015) Comparison of ITS sequence analysis and RAPD-Derived molecular markers. *Molecules* 20:22454–22462.
- Lee JH, Lee JW, Sung JS, et al (2009) Molecular authentication of 21 Korean *Artemisia* species (Compositae) by polymerase chain reaction-restriction fragment length polymorphism based on *trnL-F* region of chloroplast DNA. *Biol Pharm Bull* 32:1912–1916.
- Li D, Liu J, Chen Z, et al (2011a) Plant DNA barcoding in China. *J Syst Evol* 49:165–168.
- Li D-Z, Gao L-M, Li H-T, et al (2011a) Comparative analysis of a large dataset indicates that internal transcribed spacer (ITS) should be incorporated into the core barcode for seed plants. *Proc Natl Acad Sci* 108:19641–19646.
- Li G, Park YJ (2012) SCAR markers for discriminating species of two genera of medicinal plants, *Liriope* and *Ophiopogon*. *Genet Mol Res* 11:2987–2996.
- Li H, Li H, Hao N, et al (2011b) Study on HPLC fingerprint characteristics and chemotaxonomy of *Pulsatilla* medicinal plants. *Zhongguo Zhong Yao Za Zhi* 36:1478–1482.
- Li M, Wonga YL, Jiang LL, et al (2013) Application of novel loop-mediated isothermal amplification (LAMP) for rapid authentication of the herbal tea ingredient *Hedyotis diffusa* Willd. *Food Chem* 141:2522–2525.
- Li S, Han Q, Qiao C, et al (2008) Chemical markers for the quality control of herbal medicines: an overview. *Chin Med* 3:7. doi: 10.1186/1749-8546-3-7
- Li X, Yang Y, Henry RJ, et al (2014) Plant DNA barcoding: From gene to genome. *Biol Rev*. doi: 10.1111/brv.12104
- Liston A, Robinson WA, Oliphant JM, Grez-Buylla Elena R (1996) Length variation in the nuclear ribosomal DNA Internal Transcribed Spacer region of non-flowering seed plants. *Syst Bot* 21:109–120.
- Little DP (2011) DNA barcode sequence identification incorporating taxonomic hierarchy and within taxon variability. *PLoS One*. doi: 10.1371/journal.pone.0020552
- Liu J, Huang S, Sun M, et al (2012) An improved allele-specific PCR primer design method for SNP marker analysis and its application. *Plant Methods* 8:34. doi: 10.1186/1746-4811-8-34

- Liu LF, Durairajan SSK, Lu JH, et al (2012) *In vitro* screening on amyloid precursor protein modulation of plants used in Ayurvedic and Traditional Chinese medicine for memory improvement. *J Ethnopharmacol* 141:754–760. doi: 10.1016/j.jep.2011.08.065
- Llongueras JP, Nair S, Salas-Leiva D, Schwarzbach A (2012) Comparing DNA extraction methods for analysis of botanical materials found in anti-diabetic supplements. *Mol Biol Rep* 53:249-256.
- Madesis P, Ganopoulos I, Sakaridis I, et al (2014) Advances of DNA-based methods for tracing the botanical origin of food products. *Food Res Int* 60:163–172.
- Madhavan V, Yoganarasimhan SN, Gurudeva MR (2008) Pharmacognostical studies on Sankhapushpi (*Convolvulus microphyllus* Sieb. ex Spreng. and *Evolvulus alsinoides* (L.) L. *Indian J Tradit Knowl* 7:529–541.
- Maggini F, Marrocco R, Gelati MT, De Dominicis RI (1998) Lengths and nucleotide sequences of the internal spacers of nuclear ribosomal DNA in gymnosperms and pteridophytes. *Plant Syst Evol* 213:199–205.
- Mali RG, Mehta AA (2008) A review on anthelmintic plants. *Indian J Nat Prod Resour* 7:466–475.
- Malik J, Choudhary S, Kumar P (2015a) Protective effect of *Convolvulus pluricaulis* standardized extract and its fractions against 3-nitropropionic acid-induced neurotoxicity in rats. *Pharm Biol* 53:1448–57.
- Malik J, Karan M, Vasisht K (2011) Nootropic, anxiolytic and CNS-depressant studies on different plant sources of shankpushpi. *Pharm Biol* 49:1234–42.
- Malik J, Karan M, Vasisht K (2015b) Attenuating effect of bioactive coumarins from *Convolvulus pluricaulis* on scopolamine-induced amnesia in mice. *Nat Prod Res* 1–5. doi: 10.1080/14786419.2015.1025398
- Mangathayaru K (2013) Quality control and standardization of herbal drugs. In: *Pharmacognosy: An Indian perspective*, 1st edn. Pearson Education India, New Delhi, India, pp 198–217
- Manning K (1990) Isolation of nucleic acids from plants by differential solvent precipitation. *Anal Biochem* 50:45–50.
- Marieschi M, Torelli A, Poli F, et al (2010) Quality control of commercial Mediterranean

- oregano: Development of SCAR markers for the detection of the adulterants *Cistus incanus* L., *Rubus caesius* L. and *Rhus coriaria* L. *Food Control* 21:998–1003.
- Maulik SK, Talwar KK (2012) Therapeutic potential of *Terminalia arjuna* in cardiovascular disorders. *Am. J. Cardiovasc. Drugs* 12:157–163.
- Maurin O, Chase M, Jordaan M, Van der Bank M (2010) Phylogenetic relationships of Combretaceae inferred from nuclear and plastid DNA sequence data: implications for generic classification. *Bot J Linn Soc* 162:453–476.
- Metzker ML (2010) Sequencing technologies - the next generation. *Nat Rev Genet* 11:31–46.
- Michiels A, Ende W Van Den, Tucker M, Riet L Van (2003) Extraction of high-quality genomic DNA from latex-containing plants. *Anal Biochem* 315:85–89.
- Mills S, Bone K (2005) *The Essential Guide to Herbal Safety*. Elsevier Churchill Livingstone, Louis, Missouri
- Mirzaev YR, Aripova SF (1998) Neuro- and psychopharmacological investigation of the alkaloids convolvine and atropine. *Chem Nat Compd* 34:56–58.
- Mishra P, Kumar A, Nagireddy A, et al (2015) DNA barcoding: an efficient tool to overcome authentication challenges in the herbal market. *Plant Biotechnol J*. doi: 10.1111/pbi.12419
- Misra a., Shasany a. K, Shukla a. K, et al (2010) AFLP markers for identification of *Swertia* species (Gentianaceae). *Genet Mol Res* 9:1535–1544. doi: 10.4238/vol9-3gmr785
- Misra A, Shasany AK, Shukla AK, et al (2007) AFLP-based detection of adulterants in crude drug preparations of the “Safed Musli” Complex. *Nat Prod Commun* 2:93–97.
- Moraes DFC, Still DW, Lum MR, Hirsch AM (2015) DNA-based authentication of botanicals and plant-derived dietary supplements: where have we been and where are we going? *Planta Med* 81:687–695.
- Morey M, Fernández-marmiesse A, Castiñeiras D, et al (2013) A glimpse into past, present, and future DNA sequencing. *Mol Genet Metab* 110:3–24.
- Mukherjee PK (2002) Alternative system of medicine. In: *Quality control of herbal drugs*, 1st edn. Business horizons, New Delhi, India, pp 1–30
- Mukherjee PK, Bahadur S, Chaudhary SK, et al (2015) Quality related safety issues-Evidence

- based validation of herbal medicine from farm to Pharma. In: Mukherjee PK (ed) Evidence-Based Validation of Herbal Medicine, 1st edn. Elsevier, Amsterdam, pp 1–28
- Nahata A, Patil UK, Dixit VK (2008) Effect of *Convulvulus pluricaulis* Choisy. on learning behaviour and memory enhancement activity in rodents. Nat Prod Res 22:1472–1482.
- Nahata A, Patil UK, Dixit VK (2009) Anxiolytic activity of *Evolvulus alsinoides* and *Convulvulus pluricaulis* in rodents. Pharm Biol 47:444–451.
- Nahata A, Patil UK, Dixit VK (2010) Effect of *Evolvulus alsinoides* Linn. on learning behavior and memory enhancement activity in rodents. Phytother Res 24:486–93.
- Nakano SI, Fujimoto M, Hara H, Sugimoto N (1999) Nucleic acid duplex stability: Influence of base composition on cation effects. Nucleic Acids Res 27:2957–2965. doi: 10.1093/nar/27.14.2957
- Nammi S, Gudavalli R, Babu BSR, et al (2003) Possible mechanisms of hypotension produced 70% alcoholic extract of *Terminalia arjuna* (L.) in anaesthetized dogs. BMC Complement Altern Med 3:1–4. doi: 10.1186/1472-6882-3-5
- Narayanaswamy V (1981) Origin and development of Ayurveda. Anc Sci Life I:1–7.
- Newmaster SG, Fazekas AJ, Ragupathy S (2006) DNA barcoding in land plants: evaluation of *rbcL* in a multigene tiered approach. Can J Bot 84:335–341. doi: 10.1139/b06-047
- Newton CR, Graham a, Heptinstall LE, et al (1989) Analysis of any point mutation in DNA. The amplification refractory mutation system (ARMS). Nucleic Acids Res 17:2503–2516.
- Nguyen Q-V, Nguyen B Van, Eun J-B, et al (2016) Anti-oxidant and antidiabetic effect of some medicinal plants belong to *Terminalia* species collected in Dak Lak Province, Vietnam. Res Chem Intermed 42:5859–5871.
- Notomi T, Mori Y, Tomita N, Kanda H (2015) Loop-mediated isothermal amplification (LAMP): principle, features, and future prospects. J Microbiol 53:1–5. doi: 10.1007/s12275-015-4656-9
- Novaes R, Rodrigues JG, Lovato MB (2009) An efficient protocol for tissue sampling and DNA isolation from the stem bark of Leguminosae trees. 8:86–96.
- Nozaki A, Hori M, Kimura T, et al (2009) Interaction of polyphenols with proteins: binding of (-)-epigallocatechin gallate to serum albumin, estimated by induced circular dichroism. Chem

- Pharm Bull (Tokyo) 57:224–228.
- Omogbai B, Eze F (2011) Phytochemical screening and susceptibility of bacteria pathogens to extracts of *Evolvulus alsinoides*. Sci World J 6:5–8. doi: 10.4314/swj.v6i1.70307
- Opel KL, Chung D, McCord BR (2010) A study of PCR inhibition mechanisms using real time PCR. J Forensic Sci 55:25–33.
- Osathanunkul M, Madesis P, de Boer H (2015a) Bar-HRM for authentication of plant-based medicines: evaluation of three medicinal products derived from acanthaceae species. PLoS One 10:e0128476. doi: 10.1371/journal.pone.0128476
- Osathanunkul M, Suwannapoom C, Ounjai S, et al (2015b) Refining DNA barcoding coupled high resolution melting for discrimination of 12 closely related croton species. PLoS One 10:1–14. doi: 10.1371/journal.pone.0138888
- Paarakh PM (2010) *Terminalia arjuna* (Roxb.) wt. and am.: A review. Int. J. Pharmacol. 6:515–534.
- Palhares RM, Gonçalves Drummond M, dos Santos Alves Figueiredo Brasil B, et al (2015) Medicinal plants recommended by the World Health Organization: DNA barcode identification associated with chemical analyses guarantees their quality. PLoS One 10:e0127866. doi: 10.1371/journal.pone.0127866
- Panda AK, Debnath SK (2015) Overdose effect of aconite containing Ayurvedic Medicine (“Mahashankha Vati ”). Int J Ayurveda Pharma Res 1:183–186. doi: 10.4103/0974
- Pang X, Liu C, Shi L, et al (2012) Utility of the trnH-psbA intergenic spacer region and its combinations as plant DNA barcodes: A Meta-Analysis. PLoS One 7:1–9. doi: 10.1371/journal.pone.0048833
- Panjkovich A, Melo F (2005) Comparison of different melting temperature calculation methods for short DNA sequences. Bioinformatics 21:711–722.
- Parmar HS, Panda S, Jatwa R, Kar A (2006) Cardio-protective role of *Terminalia arjuna* bark extract is possibly mediated through alterations in thyroid hormones. Pharmazie 61:793–795.
- Patel DK, Dhanabal SP (2013) Development of bioanalytical parameters for the standardization of *Terminalia arjuna*. J Acute Dis 2:134–136.

- Patil RH, Prakash K, Maheshwari VL (2011) Hypolipidemic effect of *Terminalia arjuna* (L.) In experimentally induced hypercholesteremic rats. *Acta Biol Szeged* 55:289–293.
- Patil SJ, Satishagouda S, Vishwanatha T, Patil SB (2010) Effect of *Terminalia bellirica* barks extracts on activities of accessory reproductive ducts in male rats. *Int J Pharm Sci Rev Res* 1:75–79.
- Patil UH, Gaikwad DK (2011) Pharmacognostical evaluation of stem bark of *Terminalia arjuna*. *Int J Pharm Pharm Sci* 3:98–102.
- Peng X, Wu X, Ji Q, et al (2016) Molecular authentication of *Tetrastigma hemsleyanum* from its adulterant species using ISSR, CAPS, and ITS2 barcode. *Mol Biol Rep* 43:785-794.
- Phoolcharoen W, Sukrong S (2013) Molecular analysis of Vitex species using candidate DNA barcoding and PCR-RFLP of the matK gene for authentication of *Vitex glabrata*. *Nat Prod Commun* 8:125–128.
- Plotree D, Plotgram D (1989) PHYLIP-phylogeny inference package (version 3.2). *Cladistics* 5:163–166.
- Poczai P, Varga I, Laos M, et al (2013) Advances in plant gene-targeted and functional markers: a review. *Plant Methods* 9:6. doi: 10.1186/1746-4811-9-6
- Pop R, Csernaton F, Ranga F, et al (2013) HPLC-UV analysis coupled with chemometry to identify phenolic biomarkers from medicinal plants, used as ingredients in two food supplement formulas. *Bull UASVM food Sci Technol* 70:99–107.
- Porebski S, Bailey LG, Baum BR (1997) Modification of a CTAB DNA extraction protocol for plants containing high polysaccharide and polyphenol components. *Plant Mol Bio Rep* 15:8–15.
- Posadzki P, Watson L, Ernst E (2013) Contamination and adulteration of herbal medicinal products (HMPs): An overview of systematic reviews. *Eur J Clin Pharmacol* 69:295–307.
- Rao R V, Descamps O, John V, Bredesen DE (2012) Ayurvedic medicinal plants for Alzheimer's disease: a review. *Alzheimers Res Ther* 4:22. doi: 10.1186/alzrt125
- Reddy MP, Sarla N, Siddiq E a (2002) Inter simple sequence repeat (ISSR) polymorphism and its application in plant breeding. *Euphytica* 128:9–17.
- Rivera D, Allkin R, Obón C, et al (2014) What is in a name? the need for accurate scientific

- nomenclature for plants. *J Ethnopharmacol* 152:393–402. doi: 10.1016/j.jep.2013.12.022
- Rizwan M, Khan A (2014) Assessment of efficacy of Sankhahuli (*Convolvulus pluricaulis* Chois.) and gokhru (*Tribulus terrestris* L.) in the management of hypertension. *Indian J Tradit Knowl* 13:313–318.
- Rozen S, Skaletsky H (2000) Primer3 on the WWW for general users and for biologist programmers. *Methods Mol Biol* 132:365–386.
- Rubinoff D, Cameron S, Will K (2006) Are plant DNA barcodes a search for the Holy Grail? *Trends Ecol Evol* 21:1–2.
- Rupa S, Baquee AA, Kumar BJ (2014) Pharmacognostical evaluation of *Terminalia arjuna* bark on different marketed samples. *Der Pharm Lett* 6:299–303.
- Rychlik W, Spencer WJ, Rhoads RE (1991) Optimization of the annealing temperature for DNA amplification in vitro. *Nucleic Acids Res* 19:698.
- Saha A, Pawar VM, Jayaraman S (2012) Characterisation of polyphenols in *Terminalia arjuna* bark extract. *Indian J Pharm Sci* 74:339–347
- Sahoo N, Manchikanti P (2013) Herbal Drug Regulation and Commercialization: An Indian Industry Perspective. *J Altern Complement Med* 19:957–963.
- Sahoo N, Manchikanti P, Dey S (2010) Herbal drugs: Standards and regulation. *Fitoterapia* 81:462–471. doi: 10.1016/j.fitote.2010.02.001
- Sairkar P, Chouhan S, Batav N, Sharma R (2013) Optimization of DNA isolation process and enhancement of RAPD PCR for low quality genomic DNA of *Terminalia arjuna*. *J Genet Eng Biotechnol* 11:2–9.
- Salim AA, Chin Y, Kinghorn AD (2008) Drug Discovery from plants. In: Ramawat KG, Merillon J (eds) *Bioactive Molecules and Medicinal Plants*. Springer, Netherland, pp 1–24
- Sambrook J, Russell DW (2001) *Molecular Cloning: A Laboratory Manual, Third*. Cold Spring Harbor Laboratory Press
- Sanger F, Nicklen S, Coulson A (1977) DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A* 74:5463–5467.
- Santhan S, Janarthan M, Zali M (2013) Evaluation of anti-diabetic and nephro protective activity

- of 95 % ethanolic extract of *Canthium dicoccum* whole plant by using albino rats. Indian J Res Pharm Biotechnol 6:218–222.
- Saper RB, Phillips RS, Sehgal A, et al (2009) Lead, Mercury, and Arsenic in US- and Indian-manufactured ayurvedic medicines sold via the internet. JAMA 300:915–923
- Sarkar IN, Planet PJ, Desalle R (2008) CAOS software for use in character-based DNA barcoding. Mol Ecol Resour 8:1256–1259.
- Sarwat M, Das S, Srivastava PS (2008) Analysis of genetic diversity through AFLP, SAMPL, ISSR and RAPD markers in *Tribulus terrestris*, a medicinal herb. Plant Cell Rep 27:519–528. doi: 10.1007/s00299-007-0478-5
- Sarwat M, Das S, Srivastava PS (2011) Estimation of genetic diversity and evaluation of relatedness through molecular markers among medicinally important trees: *Terminalia arjuna*, *T. chebula* and *T. bellerica*. Mol Biol Rep 38:5025–5036.
- Sarwat M, Negi M, Lakshmikumara M, et al (2006) A standardized protocol for genomic DNA isolation from *Terminalia arjuna* for genetic diversity analysis. Electron J Biotechnol. doi: 10.2225/vol9-issue1-fulltext-3
- Sarwat M, Yamdagni MM (2014) DNA barcoding, microarrays and next generation sequencing: recent tools for genetic diversity estimation and authentication of medicinal plants. Crit Rev Biotechnol 8551:1–13. doi: 10.3109/07388551.2014.947563
- Schrader C, Schielke a., Ellerbroek L, Johne R (2012) PCR inhibitors - occurrence, properties and removal. J Appl Microbiol 113:1014–1026.
- Schultz J, Maisel S, Gerlach D, et al (2005) A common core of secondary structure of the internal transcribed spacer 2 (ITS2) throughout the Eukaryota. RNA 11:361–364.
- Seethapathy GS, Balasubramani SP, Venkatasubramanian P (2014) nrDNA ITS sequence based SCAR marker to authenticate *Aconitum heterophyllum* and *Cyperus rotundus* in Ayurvedic raw drug source and prepared herbal products. Food Chem 145:1015–1020.
- Selvaraj D, Shanmughanandhan D, Sarma RK, et al (2012) DNA barcode ITS effectively distinguishes the medicinal plant *Boerhavia diffusa* from its adulterants. Genomics, Proteomics Bioinforma 10:364–367.
- Sethiya Neeraj K, Alok N, Dixit Vinod K (2009) Comparative thin layer chromatographic

- investigations on sources of Shankhpushpi. *Pharmacogn J* 1:224–226.
- Sethiya NK, Mishra S (2010) Review on ethnomedicinal uses and phyto-pharmacology of memory boosting herb *Convolvulus pluricaulis* Choisy. *Aust J Med Herbal* 22:1.
- Sethiya NK, Mishra S (2014) Simultaneous HPTLC analysis of ursolic acid, betulinic acid, stigmasterol and lupeol for the identification of four medicinal plants commonly available in the indian market as Shankhpushpi. *J Chromatogr Sci* 53:816–823.
- Sethiya NK, Raja MKMM, Mishra SH (2013) Antioxidant markers based TLC-DPPH differentiation on four commercialized botanical sources of Shankhpushpi (A Medhya Rasayana): A preliminary assessment. *J Adv Pharm Technol Res* 4:25–30.
- Sethiya NK, Trivedi A, Patel MB, Mishra SH (2010) Comparative pharmacognostical investigation on four ethanobotanicals traditionally used as Shankhpushpi in India. *J Adv Pharm Technol Res* 1:388. doi: 10.4103/0110-5558.76437
- Shah BN, Seth A (2010) Drug Adulteration. In: *Textbook of Pharmacognosy and Phytochemistry*, 1st edn. Elsevier, New Delhi, India, pp 107–114
- Shah S, Dhanani T, Kumar S (2013) Comparative evaluation of antioxidant potential of extracts of *Vitex negundo*, *Vitex trifolia*, *Terminalia bellerica*, *Terminalia chebula*, *Embelica officinalis* and *Asparagus racemosus*. *Innov Pharm Pharmacother* 1:44–53.
- Sharma P, Sharma S, Yadav S, et al (2014) Plant derived bioactive molecules: culture vessels to bioreactors. In: Paek K-Y, Murthy NH, Zhong J-J (eds) *Production of biomass and bioactive compounds using bioreactor technology*. Springer Netherlands, Dordrecht, pp 47–60
- Sharma S, Sharma D, Agarwal N (2012) Diminishing effect of arjuna tree (*Terminalia arjuna*) bark on the lipid and oxidative stress status of high fat high cholesterol fed rats and development of certain dietary recipes containing the tree bark for human consumption. *Res Pharm* 2:22–30.
- Sharma S, Shrivastava N (2016) Renaissance in phytomedicines: promising implications of NGS technologies. *Planta* 244:19–38.
- Sharma SK, Dkhar J, Kumaria S, et al (2012) Assessment of phylogenetic inter-relationships in the genus *Cymbidium* (Orchidaceae) based on internal transcribed spacer region of rDNA. *Gene* 495:10–15.

- Shaw P-C, Wong K-L, Chan AW-K, et al (2009) Patent applications for using DNA technologies to authenticate medicinal herbal material. *Chin Med* 4:21. doi: 10.1186/1749-8546-4-21
- Sheeja TE, Anju PR, Shalini RS, et al (2013) RAPD, SCAR and conserved 18S rDNA markers for a red-listed and endemic medicinal plant species, *Knema andamanica* (Myristicaceae). *Physiol Mol Biol Plants* 19:245–250. doi: 10.1007/s12298-013-0166-6
- Shinde SL, Wadje SS (2011) Efficacy of terminalia bark extracts against seed-borne pathogens checked by paper disc method. *Res J Pharm Biol Chem Sci* 2:602–607.
- Simmler C, Anderson JR, Gauthier L, et al (2015) Metabolite Profiling and Classification of DNA-authenticated Licorice Botanicals. *J Nat Prod* 78:2007–2022.
- Singh VK, Govindarajan R, Naik S, Kumar A (2000) The effect of hairpin structure on PCR amplification efficiency. *Mol Biol Today* 1:67–9.
- Siripurapu KB, Gupta P, Bhatia G, et al (2005) Adaptogenic and anti-amnesic properties of *Evolvulus alsinoides* in rodents. *Pharmacol Biochem Behav* 81:424–432.
- Sissi, Wachtel-Galor, Benzie IFF (2011) Herbal Medicine-An introduction to its history, usage, regulation, current trends, and Research needs. In: Benzie IFF, Wachtel-Galor S (eds) *Herbal Medicine: Biomolecular and Clinical Aspects*, 2nd edn. CRC Press, BocaRaton, FL, pp 1–10
- Smillie TJ, Khan I a (2010) A comprehensive approach to identifying and authenticating botanical products. *Clin Pharmacol Ther* 87:175–186.
- Song J, Shi L, Li D, et al (2012) Extensive pyrosequencing reveals frequent intra-genomic variations of internal transcribed spacer regions of nuclear ribosomal DNA. *PLoS One*. doi: 10.1371/journal.pone.0043971
- Steinmann D, Ganzera M (2011) Recent advances on HPLC/MS in medicinal plant analysis. *J Pharm Biomed Anal* 55:744–757. doi: 10.1016/j.jpba.2010.11.015
- Sucher NJ, Carles MC (2008) Genome-based approaches to the authentication of medicinal plants. *Planta Med* 74:603–23. doi: 10.1055/s-2008-1074517
- Sui C, Wei J, Chen S, et al (2009) Development of genomic SSR and potential EST-SSR markers in *Bupleurum chinense* DC. *African J Biotechnol* 8:6233–6240.
- Sumitra M, Manikandam P, Kumar DA, et al (2001) Experimental myocardial necrosis in rats:

- role of arjunolic acid on platelet aggregation, coagulation and antioxidant status. *Mol Cell Biochem.* doi: 10.1023/A:1011927812753
- Taberlet P, Coissac E, Pompanon F, et al (2007) Power and limitations of the chloroplast trnL (UAA) intron for plant DNA barcoding. *Nucleic Acids Res.* doi: 10.1093/nar/gkl938
- Tamura K, Peterson D, Peterson N, et al (2011) MEGA5: Molecular evolutionary genetics analysis using maximum likelihood, evolutionary distance, and maximum parsimony methods. *Mol Biol Evol* 28:2731–2739.
- Techen N, Crockett SL, Khan IA, Scheffler BE (2004) Authentication of medicinal plants using molecular biology techniques to compliment conventional methods. *Curr Med Chem* 11:1391–1401.
- Techen N, Parveen I, Pan Z, Khan I A. (2014) DNA barcoding of medicinal plant material for identification. *Curr Opin Biotechnol* 25:103–110.
- Theerakulpisut P, Kanawapee N, Maensiri D, et al (2008) Development of species-specific SCAR markers for identification of three medicinal species of *Phyllanthus*. *J Syst Evol* 46:614–621.
- Thul ST, Srivastava AK, Singh SC, Shanker K (2011) Genetic and chemical diversity of high mucilaginous plants of *Sida* complex by ISSR markers and chemical fingerprinting. *Mol Biotechnol* 49:77–81.
- Tichopad A, Polster JJ, Pecen L, Pfaffl MW (2005) Model of inhibition of *Thermus aquaticus* polymerase and Moloney murine leukemia virus reverse transcriptase by tea polyphenols (+)-catechin and (-)-epigallocatechin-3-gallate. *J Ethnopharmacol* 99:221–227.
- Tripathi AM, Tyagi A, Kumar A, et al (2013) The Internal Transcribed Spacer (ITS) Region and trnH-psbA are suitable candidate loci for dna barcoding of tropical tree species of India. *PLoS One.* doi: 10.1371/journal.pone.0057934
- Tripathi V, Singh B, Jha R, et al (2000) Studies on Arjuna in coronary heart disease. *J Res Ayur Siddha* 21:37–40.
- Uddin H, Khalid RS, Khan UA, Abbas SA (2013) Determination of arsenic content of available traditional medicines in malaysia using hydride generation atomic absorption spectrometry. *Trop J Pharm Res* 12:1053–1056.

- Untergasser A, Cutcutache I, Koressaar T, et al (2012) Primer3--new capabilities and interfaces. *Nucleic Acids Res* 40:e115. doi: 10.1093/nar/gks596
- Varadan KSS, Vaidyanathan TS, Rao MVR (1958) Phytochemistry of *Evolvulus alsinoides* Linn. *Indian J Pharm* 20:100–105.
- Varma A (2012) DNA fingerprinting as a predictive tool for quantitative assessment of active phytochemicals in some important medicinal herbs. Ph.D Thesis, Bhavnagar University, India.
- Varma A, Padh H, Shrivastava N (2007) Plant genomic DNA isolation: An art or a science. *Biotechnol J* 2:386–392.
- Ved DK, Goraya GS (2007) Demand and supply of medicinal plants in India. New Delhi, India
- Veeresham C (2012) Natural products derived from plants as a source of drugs. *J Adv Pharm Technol Res* 3:200–201. doi: 10.4103/2231-4040.104709
- Venkatasubramanian P, Devaiah K, Balasubramani SP (2011) Development of randomly amplified polymorphic DNA based SCAR marker for identification of *Ipomoea mauritiana* Jacq (Convolvulaceae). *Evidence-based Complement Altern Med* 2011:1–7. doi: 10.1093/ecam/neq023
- Verma P, Rani S, Bhutani G (2013) Experimental Evaluation of *Terminalia Arjuna* (Aqueous Extract) on cardiovascular system in comparison to digoxin. *J Dent Med Sci* 7:48–51.
- Vijayan K, Tsou CH (2010) DNA barcoding in plants: Taxonomy in a new perspective. *Curr Sci* 99:1530–1541.
- Villa C, Costa J, Meira L, et al (2016) Exploiting DNA mini-barcodes as molecular markers to authenticate saffron (*Crocus sativus* L.). *Food Control* 65:21–31.
- Vipul U, Neeru S, Amit TK, et al (2013) Standardization of HPLC method of scopoletin in different extracts of *Convolvulus pluricaulis*. *Int J Pharm Sci Drug Res* 5:28–31.
- Wang L, Kong W, Yang M, et al (2015) Safety issues and new rapid detection methods in traditional Chinese medicinal materials. *Acta Pharm Sin B* 5:38–46.
- Wei T, Lu G, Clover G (2008) Novel approaches to mitigate primer interaction and eliminate inhibitors in multiplex PCR, demonstrated using an assay for detection of three strawberry viruses. *J Virol Methods* 151:132–139.

- Wei Y, Chen Y, Huang Y, et al (2016) Molecular authentication and quantitative analysis of *Sarcandra glabra* and adulterated chloranthus products using SNP markers. *Mitochondrial DNA* 27:3618–3625.
- Weising K, Nybom H, Kristen W, Kahl G (2005) *DNA Fingerprinting in Plants-Principles, Methods and Application*. CRC Press, FL
- Weitschek E, Fison G, Felici G (2014) Supervised DNA Barcodes species classification: analysis, comparisons and results. *BioData Min* 7:4. doi: 10.1186/1756-0381-7-4
- White T, Bruns T, Lee S, Taylor J (1990) Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In: Innis M, Gelfand D, Sninsky J, White T (eds) *PCR protocols a guide to methods and applications*. Academic Press, San Diego, pp 315–322
- Wilgenbusch JC, Swofford D (2002) Inferring Evolutionary Trees with PAUP*. In: Bateman A, Draghici S, Khurana E, Orchard S, Pearson WR (eds) *Current Protocols in Bioinformatics*. John Wiley & Sons, Inc., pp 6.4.1–6.4.28.
- Wolf M, Chen S, Song J, et al (2013) Compensatory base changes in ITS2 secondary structures correlate with the biological species concept despite intragenomic variability in ITS2 Sequences - A Proof of Concept. *PLoS One* 8:1–5. doi: 10.1371/journal.pone.0066726
- Wu D, Ugozzoli L, Bijay K, Wallace RB (1991) The effect of temperature and oligonucleotide primer length on the specificity and efficiency of amplification by the polymerase chain reaction. *DNA Cell Biol* 10:233–238.
- Wu L, Sun W, Wang B, et al (2015) An integrated system for identifying the hidden assassins in traditional medicines containing aristolochic acids. *Sci Rep* 5:11318. doi: 10.1038/srep11318
- Xanthopoulou A, Ganopoulos I, Kalivas A, et al (2016) Multiplex HRM analysis as a tool for rapid molecular authentication of nine herbal teas. *Food Control* 60:113–116.
- Xin GZ, Lam YC, Maiwulanjiang M, et al (2014) Authentication of *Bulbus fritillariae cirrhosae* by RAPD-derived DNA markers. *Molecules* 19:3450–3459.
- Xin T, Yao H, Gao H, et al (2013) Super food *Lycium barbarum* (Solanaceae) traceability via an internal transcribed spacer 2 barcode. *Food Res Int* 54:1699–1704.

- Xu H, Hou B, Zhang J, et al (2012) Detecting adulteration of *Dendrobium officinale* by real-time PCR coupled with ARMS. *Int J Food Sci Technol* 47:1695–1700.
- Yang A (2009) Solutions for sequencing difficult regions. In: kieleczawa J (ed) *DNA sequencing III dealing with difficult templates*, 1st edn. Jones and Bartlett Publishers, Canada, pp 65–90
- Yao H, Song J, Liu C, et al (2010) Use of ITS2 region as the universal DNA barcode for plants and animals. *PLoS One*. doi: 10.1371/journal.pone.0013102
- Yuan X, Chapman L, Wu Z (2011) Analytical methods for heavy metals in herbal medicines. *Phytochem Anal* 22:189–198.
- Zhang L, Wang B, Pan L, Peng J (2013) Recycling Isolation of Plant DNA, A Novel Method. *J Genet Genomics* 40:45–54.
- Zhang Y-B, Wang J, Wang Z-T, et al (2003) DNA microarray for identification of the herb of dendrobium species from Chinese medicinal formulations. *Planta Med* 69:1172–1174.
- Zhang Z, Lu L, Liu Yu, Qing L (2015) Comparing and authenticating on anatomical aspects of *Abrus cantoniensis* and *Abrus mollis* by microscopy. *Pharmacognosy Res* 7:148–155.
- Zhao Y, Qiu Y, Gong W, et al (2007) Authentication of *Actinidia macrosperma* using PCRRFLP. *Bot Stud* 48:239–242.
- Zhu S, Fushimi H, Komatsu K (2008) Development of a DNA microarray for authentication of ginseng drugs based on 18S rRNA gene sequence. *J Agric Food Chem* 56:3953–3959.