

- Abbas, S., Latif, H. H., Elsherbiny, E. A. (2013). Effect of 24-epibrassinolide on the physiological and genetic changes on two varieties of pepper under salt stress conditions. *Pakistan Journal of Botany*. **45**: 1273–1284.
- Abdel-Ghany, S.E., Müller-Moulé, P., Niyogi, K.K., Pilon, M., Shikanai, T. (2005). Two P-type ATPases are required for copper delivery in *Arabidopsis thaliana* chloroplasts. *Plant Cell*. **7**: 1233–1251.
- Adhikari, T., Kundu, S., Biswas, A.K., Tarafdar, J.C., Rao, A.S. (2012). Effect of copper oxide nano particle on seed germination of selected crops. *Journal of Agricultural Science and Technology*. **2**:815–823.
- Aebi, H. (1984). Catalase in Vitro. *Methods in Enzymology*. **105**:121-126.
- Ahammed, G. J., Choudhary, S. P., Chen, S., Xia, X., Shi, K., Zhou, Y., et al. (2013a). Role of brassinosteroids in alleviation of phenanthrene-cadmium co-contamination-induced photosynthetic inhibition and oxidative stress in tomato. *Journal of Experimental Botany*. **64**: 199–213.
- Ahammed, G. J., Gao, C. J., Ogwen, J. O., Zhou, Y. H., Xia, X. J., Mao, W. H., et al. (2012). Brassinosteroids induce plant tolerance against phenanthrene by enhancing degradation and detoxification in *Solanum lycopersicum* L. *Ecotoxicology and Environmental Safety*. **80**: 28–36.
- Ahammed, G.J., Li, X., Xia, X-J., Shi, K., Zhou, Y-H., Yu, J-Q. (2015). Enhanced photosynthetic capacity and antioxidant potential mediate brassinosteroid-induced phenanthrene stress tolerance in tomato. *Environmental Pollution*. **201**: 58-66.
- Ahammed, G.J., Zhou, Y.H., Xia, X.J., Mao, W.H., Shi, K., Yu, J.Q. (2013b). Brassinosteroid regulates secondary metabolism in tomato towards enhanced tolerance to phenanthrene. *Biologia Plantarum*. **57(1)**: 154-158.
- Ahmad, M., Munir, M., Shahzad, A., Masood, M.S., Iqbal, M. (2011). Evaluation of bread wheat genotypes for salinity tolerance under saline field conditions. *African Journal of Biotechnology*. **10**: 4086-4092.

- Ahsan, N., Lee, D.G., Lee, S.H., Kang, K.Y., Lee, J.J., Kim, P.J., Lee, B.H. (2007). Excess copper induced physiological and proteomic changes in germinating rice seeds. *Chemosphere*. **67**: 1182–1193.
- Alaoui-Sosse, B., Genet, P., Vinit-Dunand, F., Taussaint, M.L., Epran, D., Badot, P.M. (2004). Effect of copper on growth in cucumber plants (*Cucumis sativus*) and its relationships with carbohydrate accumulation and changes in ion contents. *Plant Science*. **166**: 1213-1218.
- Al-Hakimi, A.B.M., Hamada, A.M. (2011). Ascorbic acid, thiamine or salicylic acid induced changes in some physiological parameters in wheat grown under copper stress. *Plant Protection Science*. **47**: 92–108.
- Ali, B., Hasan, S.A., Hayat, S., Hayat, Q., Yadav, S., Fariduddin, Q., Ahmad, A. (2008). A role for brassinosteroids in the amelioration of aluminium stress through antioxidant system in mung bean (*Vigna radiate* L. Wilczek). *Environmental and Experimental Botany*. **62(2)**: 153-159.
- Ali, B., Hayat, S., Ahmad, A. (2005). Response of germinating seeds of *Cicer arietinum* to 28-homobrassinolide and/or potassium. *General and Applied Plant Physiology*. **31**: 55–63.
- Ali, N.A., Bernal, M.P., Ater, M. (2002). Tolerance and bioaccumulation of copper in *Phragmites australis* and *Zea mays*. *Plant Soil*. **239**: 103– 111.
- Ali, S., Shahbaz, M., Shahzad, A.N., Fatima, A., Khan, H.A.A., Anees, M., Haider, M.S. (2015). Impact of copper toxicity on stone-head cabbage (*Brassica oleracea* var. capitata) in hydroponics. *PeerJ PrePrints*. **3**: e1029.
- Allan, D.L., Jarrell, W.M. (1989). Proton and copper adsorption to maize and soybean root cell wall. *Plant Physiology*. **89**: 823–832.
- Alonso, J.M., Hirayama, T., Roamn, G., Nourizadeh, S., Ecker, J.R. (1999). EIN2, a bifunctional transducer of ethylene and stress response in *Arabidopsis*. *Science*. **284**: 2148-2152.
- Alscher, R.G., Erturk, N., Heath, L.S. (2002). Role of superoxide dismutases (SODs) in controlling oxidative stress in plants. *Journal of Experimental Botany*. **53**: 1331–1341.

- Aly, A.A., Mohamed, A.A. (2012). The impact of copper ion on growth, thiol compounds and lipid peroxidation in two maize cultivars (*Zea mays* L.) grown *in vitro*. *Australian Journal of Crop Science*. **6**: 541 – 549.
- An, Y.J. (2006). Assessment of comparative toxicities of lead and copper using plant assay. *Chemosphere*. **62**: 1359–1365.
- Ando, Y., Nagata, S., Yanagisawa, S., Yoneyama, T. (2013) Copper in xylem and phloem saps from rice (*Oryza sativa*): the effect of moderate copper concentrations in the growth medium on the accumulation of five essential metals and a speciation analysis of copper-containing compounds. *Functional Plant Biology*. **40**: 89–100.
- Andrade, L.R., Farina, M., Amado, G.M. (2004). Effects of copper on *Enteromorpha flexuosa* (Chlorophyta) *in vitro*. *Ecotoxicology and Environmental Safety*. **58**: 117–125.
- Andrade, S.A.L., Gratão, P. L., Azevedo, R. A., Silveira, A. P. D., Schiavinato, M. A., Mazzafera, P. (2010). Biochemical and physiological changes in jack bean under mycorrhizal symbiosis growing in soil with increasing Cu concentrations. *Environmental and Experimental Botany* **68**:198–207.
- Andreeva, I.V., Govorina, V.V., Vinogradova, S.B., Yagodin, B.A. (2001). Nickel in plants. *Agrokhimiya* **3**: 82–94.
- Andres-Colas, N., Sancenon, V., Rodriguez-Navarro, S., Mayo, S., Thiele, D.J., Ecker, J.R., et al. (2006). The *Arabidopsis* heavy metal P-type ATPase HMA5 interacts with metallochaperones and functions in copper detoxification of roots. *Plant Journal*. **45**: 225–236.
- Anjum, S. A., Wang, L. C., Farooq, M., Hussain, M., Xue, L. L., Zou, C. M. (2011). Brassinolide application improves the drought tolerance in maize through modulation of enzymatic antioxidants and leaf gas exchange. *Journal of Agronomy and Crop Science*. **197**: 177–185.
- Ansari, M.K.A., Ahmad, A., Ahmad, A., Umar, S., Iqbal, M. (2009). Mercury-induced changes in growth variables and antioxidative enzyme activities in Indian mustard. *Journal of Plant Interactions*. **4(2)**: 131-136.

- Anuradha, S., Rao, S.S.R. (2007). The effect of brassinosteroids on radish (*Raphanus sativus* L.) seedling growth under cadmium stress. *Plant, Soil and Environment*. **53**: 465- 472.
- Anuradha, S., Rao, S.S.R. (2009). Effect of 24-epibrassinolide on the photosynthetic activity of radish plants under cadmium stress. *Photosynthetica* **47**: 317–320.
- Anusha, P., Shahana, T., Sujatha, E. (2015). Germination, Growth and Oxidative Responses of Maize Seedlings to Salt and/or Cadmium Stress: Mechanism of Toxicity Amelioration by 28-Homobrassinolide. *International Journal of Current Microbiology and Applied Sciences*. **4(9)**: 442-453.
- Apel, K., Hirt, H. (2004). Reactive oxygen species: metabolism, oxidative stress, and signal transduction. *Annual Review of Plant Biology*. **55**: 373-399.
- Ariyakanon, N., Winaipanich, B. (2006). Phytoremediation of Copper contaminated soil by *Brassica juncea* (L.) Czern and *Bidens alba* (L.) DC. var. radiata. *Journal of Scientific Research, Chulalongkorn University*. **31**: 50-56.
- Arnon, D.I. (1949). Copper enzymes in isolated chloroplasts. Photophenoloxidase in *Beta vulgaris*. *Plant Physiology*. **24**: 1–15.
- Arora, N., Bhardwaj, R., Sharma, P., Arora, H.K., Arora, P. (2008). Amelioration of Zn toxicity by 28-homobrassinolide in *Zea mays* L. *Canadian Journal of Pure and Applied Sciences*. **2**: 503–509.
- Arora, P., Bhardwaj, R., Kanwar, M. K. (2010). 24-Epibrassinolide induced antioxidative defense system of *Brassica juncea* L. under Zn metal stress. *Physiology and Molecular Biology of Plants*. **16**: 285–293.
- Arru, L., Rognoni, S., Baroncini, M., Bonatti, P. M., Perata, P. (2004). Copper localization in *Cannabis sativa* L. grown in a copper-rich solution. *Euphytica* **140**: 33–38.
- Asha, A., Lingakumar, K. (2015). Effect of 24-epibrassinolide spray on vegetative growth, pigment compositions and biochemical constituents of *Vigna mungo* (L.) Hepper (blackgram). *Journal of Global Sciences*. **4** (4): 2007-2012.

- Asha, A., Maheswaran, M., Lingakumar, K. (2014). Effect of 24-Epibrassinolide induced changes in Seed germination, Growth and Biochemical Composition in Early seedling stages of *Brassica juncea* (L.) Czernj. *International Journal of Pharmacy and Life Sciences*. **5(7)**: 3681-3684.
- Ashagre, H., Shelema, M., Kedir, R., Ebsa, S. (2013). Seed germination and seedling growth of haricot bean (*Phaseolus vulgaris* L.) cultivars as influenced by copper sulphate. *World Journal of Agricultural Sciences*. **1**:312–317.
- Ashraf, M., Akram, N.A., Arteca, R.N., Foolad, M.R. (2010). The physiological, biochemical and molecular roles of brassinosteroids and salicylic acid in plant processes and salt tolerance. *Critical Reviews in Plant Sciences*. **29**: 162–190.
- Ashraf, M., Foolad, M.R. (2007). Roles of glycine betaine and proline in improving plant abiotic stress resistance. *Environmental and Experimental Botany*. **59**: 206-216.
- Ashraf, M., H.R. Athar, P.J.C. Harris and T.R. Kwon. 2008. Some prospective strategies for improving crop salt tolerance. *Advances in Agronomy*. **97**: 45-110.
- Assareh, M.H., Shariat, A., Ghamari-Zare, A., (2008). Seedling response of three Eucalyptus species to copper and zinc toxic concentrations. *Caspian Journal of Environmental Sciences*. **6(2)**: 97–103.
- Assuncao, A.G.L., Schat, H., Aarts, M.G.M. (2003). *Thlaspi caerulescens*: an attractive model species to study heavy metal hyperaccumulation in plants. *New Phytologist*. **159**:351-360.
- Athar, R., Ahmad, M. (2002). Heavy metal toxicity: effect on plant growth and metal uptake by wheat, and on free living azotobacter. *Water Air and Soil Pollution*. **138**: 165–180.
- Attallah, C.V., Welchen, E., Pujol, C., Bonnard, G., Gonzalez, D.H. (2007). Characterization of *Arabidopsis thaliana* genes encoding functional homologues of the yeast metal chaperone Cox19p, involved in cytochrome c oxidase biogenesis. *Plant Molecular Biology*. **65**: 343–355.

- Axelsen, K.B., Palmgren, M.G. (1998). Evolution of substrate specificities in the P-Type ATPase superfamily. *Journal of Molecular Evolution*. **46**: 84–10110.1007/PL00006286
- Ayala, M.B., G. Sandman. (1988). Activities of Cu-containing proteins in Cu-depleted pea leaves. *Physiologia Plantarum*. **72**:801-806.
- Azeez, M.O., Adesanwo, O.O., Adepetu, J.A. (2015). Effect of Copper (Cu) application on soil available nutrients and uptake. *African Journal of Agricultural Research*. **10(5)**: 359-364.
- Azmat, R., Riaz, S. (2012). The inhibition of polymerization of glucose in carbohydrate under Cu stress in *Vigna radiata*. *Pakistan Journal of Botany*. **44**: 95–98.
- Azooz, M.M., Abou-Elhamd, M.F., Al-Fredan, M.A. (2012). Biphasic effect of copper on growth, proline, lipid peroxidation and antioxidant enzyme activities of wheat (*Triticum aestivum* cv. Hasaawi) at early growing stage. *Australian Journal of Crop Science*. **6(4)**:688-694.
- Babu, B.H., Shylesh, B.S. Padikkala, J. (2001). Antioxidant and hepatoprotective effect of *Acanthus ilicifolius*. *Fitoterapia*. **72**: 272-277.
- Backor, M., Fahselt, D., Wu, C.T. (2004). Free proline content is positively correlated with copper tolerance of the lichen photobiont *Trebouxia erici* (Chlorophyta). *Plant Science*. **167**:151–157.
- Baek, S., Han, T., Ahn, S-K., Kang, H., Cho, M.R., Lee, S-C., Im, K-H. (2012). Effects of Heavy Metals on Plant Growths and Pigment Contents in *Arabidopsis thaliana*. *The Plant Pathology Journal*. **28(4)**: 446-452.
- Bajguz, A. (2010a). An enhancing effect of exogenous brassinolide on the growth and antioxidant activity in *Chlorella vulgaris* cultures under heavy metals stress. *Environmental and Experimental Botany*. **68**:175–179.
- Bajguz, A. (2000). Effect of brassinosteroids on nucleic acid and protein content in cultured cell of *Chlorella vulgaris*. *Plant Physiology and Biochemistry*. **38**: 209-215.

- Bajguz, A. (2010b). Brassinosteroids: Occurrence and chemical structures in plants In: *Brassinosteroids: A class of plant hormone* (Eds. S. Hayat, A. Ahmad), Springer, pp. 1-27, New York, USA.
- Bajguz, A. (2011). Suppression of *Chlorella vulgaris* growth by cadmium, lead, and copper stress and its restoration by endogenous brassinolide. *Archives of Environmental Contamination and Toxicology*. **60**: 406-416.
- Bajguz, A., Hayat, S. (2009). Effects of brassinosteroids on the plant responses to environmental stresses. *Plant Physiology and Biochemistry*. **47**: 1-8
- Bajguz, A., Piotrowska-Niczyporuk, A. (2014). Interactive effect of brassinosteroids and cytokinins on growth, chlorophyll, monosaccharide and protein content in the green alga *Chlorella vulgaris* (*Trebouxiophyceae*). *Plant Physiology and Biochemistry*. **80C**: 176–183.
- Bajguz, A., Tretyn, A. (2003). The chemical characteristic and distribution of brassinosteroids in plants. *Phytochemistry* **62**: 1027–1046.
- Balandin, T., Castresana, C. (2002). AtCOX17 an *Arabidopsis* homolog of the yeast copper chaperone COX17. *Plant Physiology*. **129**: 1852–1857.
- Barbosa, R.H., Tabaldi, L.A., Miyazaki, F.R., Pilecco, M., Kassab, S.O., Bigaton, D. (2013). Foliar copper uptake by maize plants: effects on growth and yield. *Ciência Rural*. **43**:1561–1568.
- Bari, R., Jones, J.D.G. (2009). Role of plant hormones in plant defence responses. *Plant Molecular Biology*. **69**: 473–488.
- Baron, M., Lopez, Gorg, J., Lachica, M., Sandmann, G. (1992). Changes in carotenoids and fatty acids in PSII of Cu-deficient plants. *Physiologia Plantarum*. **84**: 1-5.
- Baszynski, T., Ruzowska, M., Krol. M., Tukendorf, A., Volinska, D. (1978). Effect of copper deficiency on photosynthetic apparatus of higher plants. *Zeitschrift für Pflanzenphysiologie*. **78**: 207-21.
- Bates, L., Waldren, R.P., Teare, I.D. (1973). Rapid determination of free proline for water-stress studies. *Plant Soil*. **39**: 205-207.

- Battah, M. G. (2009). Alleviation of salinity stress on growth and some metabolites of *Anabaena constricta* and *Nostoc linckia* using L-proline or D L- B phenylalanine. *Australian Journal of Basic and Applied Science*. **3**: 1903 –1909.
- Baxter, I., Tchieu, J., Sussman, M.R., Boutry, M., Palmgren, M.G., Gribskov, M., Harper, J.F., Axelsen, K.B. (2003). Genomic comparison of P-type ATPase ion pumps in *Arabidopsis* and rice. *Plant Physiology*. **132**: 618–628.
- Beauchamp, C., Fridovich, I. (1971). Superoxide dismutase: improved assays and an assay applicable to acrylamide gels. *Analytical Biochemistry Review*. **44**: 276-287.
- Belouchi, A., Cellier, M., Kwan, T., Saini, H.S., Leroux, G., Gros, P. (1995). The macrophage-specific membrane protein Nramp controlling natural resistance to infections in mice has homologues expressed in the root system of plants. *Plant Molecular Biology*. **29**: 1181-1196.
- Belouchi, A., Kwan, T., Gros, P. (1997). Cloning and characterization of the OsNramp family from *Oryza sativa*, a new family of membrane proteins possibly implicated in the transport of metal ions. *Plant Molecular Biology*. **33**: 1085-1092
- Benimali, C.S., Medina, A., Navarro, C.M., Medina, R.B., Amoroso, M.J., Gómez, M.I. (2010). Bioaccumulation of copper by *Zea mays*: impact on root, shoot and leaf growth. *Water Air and Soil Pollution*. **210**: 365–370.
- Besson-Bard, A., Pugin, A., Wendehenne, D. (2008b). New insights into nitric oxide signaling in plants. *Annual Review of Plant Biology*. **59**: 21–39.
- Bhatia, N.P., Walsh, K.B., Baker, A.J.M. (2005). Detection and quantification of ligands involved in nickel detoxification in the herbaceous Ni hyperaccumulator *Stackhousia tryonii* Bailey. *Journal of Experimental Botany*. **56**: 1343–1349.
- Biesaga-Koscielniak, J., Dziurka, M., Ostrowska, A., Mirek, M., Koscielniak, J., Janeczko, A. (2014). Brassinosteroid improves content of antioxidants in seeds of selected leguminous plants. *Australian Journal of Crop Science*. **8**: 378–388.
- Billard, V., Ourry, A., Maillard, A., Garnica, M., Coquet, L., Jouenne, T., Cruz F, Garcia-Mina JM, Yvin JC, Etienne P (2014). Copper-Deficiency in *Brassica*

- napus* induces copper remobilization, molybdenum accumulation and modification of the expression of chloroplastic proteins. *PLoS ONE* **9(10)**: e109889. doi:10.1371/journal.pone.0109889
- Bizzo, A.L.M., Intorne, A.C., Gomes, P.H., Suzuki, M.S., Esteves, B.S. (2014). Short-term physiological responses to copper stress in *Salvinia auriculata*. *Aubl Acta Limnologica Brasiliensia*. **26 (3)**: 268-277.
- Blaby-Haas, C.E., Merchant, S.S. (2014). Lysosome-related organelles as mediators of metal homeostasis. *Journal of Biological Chemistry*. **289**: 28129–28136.
- Bradford, M.M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry*. **72(1–2)**: 248–254.
- Brahim, L., Mohamed, M. (2011). Effects of copper stress on antioxidative enzymes, chlorophyll and protein content in *Atriplex halimus*. *African Journal of Biotechnology*. **50**: 10143–10148.
- Bravin, M.N., Le Merrer, B., Denaix, L., Schneider, A., Hinsinger, P. (2010). Copper uptake kinetics in hydroponically-grown durum wheat (*Triticum turgidum* durum L.) as compared with soil's ability to supply copper. *Plant Soil*. **331**: 91–104.
- Broadley, M., Brown, P., Cakmak, I., Rengel, Z., Zhao, F. (2012). Function of nutrients: micronutrients. In: *Marchner's mineral nutrition of higher plants* (Eds. P. Marshner), Elsevier, **pp.** 191-248, London.
- Brown, J. C., Clark, R.B. (1977). Copper as essential to wheat production. *Plant and Soil*. **48**: 509-523.
- Brun, L.A., Maillet, J., Hinsinger, P., Pepin, M. (2001). Evaluation of copper availability to plants in copper-contaminated vineyard soils. *Environmental Pollution*. **11**: 293-302.
- Burkhead, J.L., Reynolds, K.A., Abdel-Ghany, S.E., Cohu, C.M., Pilon, M. (2009). Copper homeostasis. *New Phytologist*. **182**: 799–816.

- Cannon, H.L., Connally, G.C., Epstein, J.B., Parker, J.G., Thornton, I., Wixson, G. (1978). Rocks: geological sources of most trace elements. Report to the workshop at South Seas plantation, Captiva Islands, FL, US. *Environmental Geochemistry and Health*. **3**: 17-31.
- Cao, G., Sofic, E., Prior, R.L. (1997). Antioxidant and prooxidant behavior of flavonoids: structure-activity relationships. *Free Radical Biology and Medicine*. **22**: 749-760.
- Carlberg, I., Mannervik, B. (1975). Purification and characterization of the flavoenzyme glutathione reductase from rat liver. *Journal of Biological Chemistry*. **250**: 5475-5480.
- Cetinkaya, H., Dinler, B.S., Tasci, E. (2014). Investigation of Comparative Regulation on Antioxidant Enzyme System under Copper Treatment and Drought Stress in Maize (*Zea mays* L.). *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*. **42(2)**: 363-371.
- Chaignon, V., Bedin, F., Hinsinger, P. (2002). Copper bioavailability and rhizosphere pH changes as affected by nitrogen supply for tomato and oilseed rape cropped on an acidic and a calcareous soil. *Plant Soil*. **243**: 219–228.
- Chaoui, A., Mazhoudi, S., Ghorbal, M.H., Ferjani, E.E. (1997). Cadmium and zinc induction of lipid peroxidation and effects on antioxidant enzyme activities in bean (*Phaseolus vulgaris* L.). *Plant Science*. **127**: 139–147.
- Chatterjee, C., Gopal, R., Dube, B.K. (2006). Physiological and biochemical responses of French bean to excess cobalt. *Journal of Plant Nutrition*. **29**:127–136.
- Chen, C., Dickman, M.B. (2005). Proline suppresses apoptosis in the fungal pathogen *Colletotrichum trifolii*. *Proceedings of the National Academy of Sciences*. 3459-3464.
- Chen, J., Shafi, M., Li, S., Wang, Y., Wu, J., Ye, Z., Peng, D., Yan, W., Liu, D. (2015). Copper induced oxidative stresses, antioxidant responses and phytoremediation potential of Moso bamboo (*Phyllostachys pubescens*). *Scientific Reports* **5**: 13554.

- Chen, Y.C., Shen, S.C., Tsai, S.H. (2005). Prostaglandin D(2) and J(2) induce apoptosis in human leukemia cells via activation of the caspase 3 cascade and production of reactive oxygen species. *Biochimica et Biophysica Acta*. **1743**: 291–304.
- Chen, Y-A., Chi, W-C., Trinh, N.N., Huang, L-Y., Chen, Y-C., Cheng, K-T., et al. (2014) Transcriptome profiling and physiological studies reveal a major role for aromatic amino acids in mercury stress tolerance in rice seedlings. *PLoS ONE*. **9(5)**: e95163.
- Choudhary, S.P., Bhardwaj, R., Gupta, B.D., Dutt, P., Gupta, R.K., Biondi, S., Kanwar, M. (2010). Epibrassinolide induces changes in indole-3-acetic acid, abscisic acid and polyamine concentrations and enhances antioxidant potential of radish seedlings under copper stress. *Physiologia Plantarum*. **140**: 280–296.
- Choudhary, S.P., Oral, V., Bhardwaj, R., Yu, J-Q., Tran, L.S. (2012). Interactions of brassinosteroids and polyamines enhances copper stress tolerance in *Raphanus sativus*. *Journal of Experimental Botany*. **63**: 5659–5675.
- Clemens, S. (2006). Toxic metal accumulation, responses to exposure and mechanisms of tolerance in plants. *Biochimie*. **88**:1707–1719.
- Clouse, S.D. (2011). Brassinosteroid signal transduction: from receptor kinase activation to transcriptional networks regulating plant development. *Plant Cell*. **23**: 1219–1230.
- Clouse, S.D., Sasse, J.M. (1998). Brassinosteroids: Essential regulators of plant growth and development. *Annual review of plant physiology and plant molecular biology*. **49**: 427-451.
- Cobbett, C.S. (2000). Phytochelatin biosynthesis and function in heavymetal detoxification. *Current Opinion in Plant Biology*. **3**: 211–216.
- Cobbett, C.S., Hussain, D., Haydon, M.J. (2003). Structural and functional relationships between type 1B heavy metal-transporting P-type ATPases in *Arabidopsis*. *New Phytologist*. **159**: 315–321.
- Collin, V.C., Eymery, F., Genty, B., Rey, P., Havaux, M. (2008). Vitamin E is essential for the tolerance of *Arabidopsis thaliana* to metal-induced oxidative stress. *Plant Cell and Environment*. **31**: 244-257.

- Colzi, I., Arnetoli, M., Gallo, A., Doumett, S., Del Bubba, M., Pignattelli, S., Gabbrielli, R., Gonnelli, C. (2012). Copper tolerance strategies involving the root cell wall pectins in *Silene paradoxa* L. *Environmental and Experimental Botany*. **78**: 91–98.
- Cornu, J.Y., Staunton, S., Hinsinger, P. (2007). Copper concentration in plants and in the rhizosphere as influenced by the iron status of tomato (*Lycopersicon esculentum* L.). *Plant Soil*. **292**: 63–77.
- Cui, J.X., Zhou, Y.H., Ding, J.G., Xia, X.J., Shi, K., Chen, S.C., Asami, T., Chen, Z., Yu, J.Q. (2011). Role of nitric oxide in hydrogen peroxide-dependent induction of abiotic stress tolerance by brassinosteroids in cucumber. *Plant, Cell and Environment*. **34**: 347–358.
- Cuny, D., Van Haluwyn, C., Shirali, P., Zerimech, F., Jerome, L., Haguenoer, J.M. (2004). Cellular impact of metal trace elements in terricolous lichen *Diploschistes muscorum* (Scop.) R. Sant.- Identification of oxidative stress biomarker. *Water Air and Soil Pollution*. **152**: 55-69.
- Cuypers, A., Koistinen, K.M., Kokko, H., Kärenlampi, S., Auriola, S., Vangronsveld, J. (2005). Analysis of bean (*Phaseolus vulgaris* L.) proteins affected by copper stress. *Journal of Plant Physiology*. **162**:383-393.
- Cuypers, A., Smeets, K., Ruytinx, J., Opdenakker, K., Keunen, E., Remans, T., et al. (2011a). The cellular redox state as a modulator in cadmium and copper responses in *Arabidopsis thaliana* seedlings. *Journal of Plant Physiology*. **168**: 309-316.
- da Silva, C.B., Marcos-Filho, J., Jourdan, P., Bennett, M.A. (2015). Performance of bell pepper seeds in response to drum priming with addition of 24-epibrassinolide. *Horticulture Science*. **50(6)**: 873-878.
- DalCorso, G., Farinati, S., Maistri, S., Furini, A. (2008). How plants cope with cadmium: staking all on metabolism and gene expression. *Journal of Integrative Plant Biology*. **50**: 1268-1280.
- Dalton, D.A., Russell, S.A., Hanus, F.J., Pascoe, G.A., Evans, H.J. (1986). Enzymatic reactions of ascorbate and glutathione that prevent peroxide damage in soybean

- root nodules. *Proceedings of the National Academy of Sciences, USA*. **83**: 3811–3815.
- Das, S., Goswami, S., Das Talukdar, A. (2013). Copper Hyperaccumulating Plants From Barak Valley, South Assam, India For Phytoremediation. *International Journal of Toxicological and Pharmacological Research*. **5(1)**: 30-32
- Dat, J.F., Van Breusegem, F., Vandenabeele, S., Vranova, E., Van Montague, M., Inze, D. (2000). Dual action of active oxygen species during plant stress responses. *Cellular and Molecular Life Sciences*. **57**: 779-795.
- De Vos, C., Ten Bookum, W., Vooijs, R., Schat, H., DeKok, L. (1993). Effect of copper on fatty acid composition and peroxidation of lipids in the roots of copper tolerant and sensitive *Silene cucubalus*. *Plant Physiology and Biochemistry*. **31**:151–158.
- Delhaize, E., Lonergan, J., Webb, J. (1985). Development of three copper metalloenzymes in clover leaves. *Plant Physiology*. **48**: 4-7.
- Deng, F., Yamaji, N., Xia, J., Ma, J. F. (2013). A Member of the heavy metal P-type ATPase OsHMA5 is involved in xylem loading of copper in rice. *Plant Physiology*. **163**: 1353–1362.
- Depuydt, S., and Hardtke, C.S. (2011). Hormone signalling crosstalk in plant growth regulation. *Current Biology*. **21**: R365–R373.
- Devi Chinmayee, M., Anu, M., Mahesh, B., Mary, S., Mini, I., Swapna, T.S. (2014). A comparative study of heavy metal accumulation and antioxidant responses in *Jatropha curcas*. *IOSR Journal of Environmental Science, Toxicology and Food Technology*. **8(7)**: 58-67.
- Devi, S.R., Prasad, M.N.V. (2004). Membrane lipid alterations in heavy metal exposed plants. In: *Heavy metal stress in plants: from biomolecules to ecosystems* (Eds. MNV Prasad), Narosa Publishing House, **pp.** 127-145, New Delhi, India.
- Devi, S.R., Prasad, M.N.V. (2005). Antioxidant capacity of *Brassica juncea* exposed to elevated levels of copper. *Russian Journal of Plant Physiology*. **52**: 205–208.

- DeVos, C.H.R., Schat, H., DeWaal, M.A.M., Vooijs, R., Ernst, W.H.O. (1991). Increased resistance to copper-induced damage of the root cell plasmalemma in copper tolerant *Silene cucubalus*. *Physiologia Plantarum*. **82**:523-528.
- Dhir, B., Nasim, S.A., Samantary, S., Srivastava, S. (2012). Assessment of osmolyte accumulation in heavy metal exposed *Salvinia natans*. *International Journal of Botany*. **8**:153-158.
- Diaz, J., Bernal, A., Pomar, F., Merino, F. (2001). Induction of shikimate dehydrogenase and peroxidase in pepper (*Capsicum annuum* L.) seedlings in response to copper stress and its relation to lignification. *Plant Science*. **161**: 179-188.
- Divi, U. K., Krishna, P. (2010). Overexpression of the brassinosteroid biosynthetic gene AtDWF4 in *Arabidopsis* seeds overcomes abscisic acid-induced inhibition of germination and increases cold tolerance in transgenic seedlings. *Journal of Plant Growth Regulation*. **29**: 385–393.
- Divi, U.K., Rahman, T., Krishna, P. (2009). Brassinosteroid-mediated stress tolerance in *Arabidopsis* shows interactions with abscisic acid, ethylene and salicylic acid pathways. *BioMed Central Plant Biology*. **10**: 151- 165.
- Dominguez Solis, J.R., Lopez Martin, M.C., Ager, M.C., Ynsa, M.D., Romero, L.C., Gotor, C. (2004). Increased cysteine availability is essential for cadmium tolerance and accumulation in *Arabidopsis thaliana*. *Plant Biotechnology Journal*. **2**: 469-476.
- Dresler, S., Hanaka, A., Bednarek, W., Maksymiec, W. (2014). Accumulation of low-molecular-weight organic acids in roots and leaf segments of *Zea mays* plants treated with cadmium and copper. *Acta Physiologiae Plantarum*. **36**:1565–1575.
- Droppa, M., Horvath, G. (1990). The role of copper in photosynthesis. *Critical Reviews in Plant Sciences*. **9**: 111-123.
- Dubey, R.S., Singh, A.K. (1999). Salinity Induces Accumulation of Soluble Sugars and Alters the Activity of Sugar Metabolising Enzymes in Rice Plants. *Biologia Plantarum*. **42** (2): 233-239.

- Duffus, J.H. (2002). Heavy metals – a meaningless term. *Chemistry International A publication of IUPAC*. **23**: 4 pp.
- Duraipandian, M., Sevugaperumal, R., Ramasubramanian, V. (2015). Assessment of Copper Caused Stress in Terms of Morphometric, Pigmental, Biochemical and Enzymatic Characteristics of *Vigna Unguiculata* (L). *Journal of Advanced Botany and Zoology*. **312**: 1-4.
- Ebbs, S.D., Kochian, L.V. (1997). Toxicity of zinc and copper to *Brassica* species: Implications for phytoremediation. *Journal of Environmental Quality*. **26**: 776-781.
- Ederli, L., Reale, L., Ferranti, F., Pasqualini, S. (2004). Responses induced by high concentration of cadmium in *Phragmites australis* roots. *Physiologia Plantarum*. **121**: 66-74.
- El-Metwally, A.E., Abdalla, F.E., El-Saady, A.M., Safina, S.A., El-Sawy, S.S. (2010). Response of wheat to magnesium and copper foliar feeding under sandy soil condition. *Journal of American Science*. **6**: 818–823.
- El-Tayeb, A.E., Kawano, N., Badawi, G.H., Kaminaka, H., Sanekata, T., Shibahara, T., Inanaga, S., Tanaka, K. (2007). Overexpression of monodehydroascorbate reductase in transgenic tobacco confers enhanced tolerance to ozone, salt and polyethylene glycol stresses. *Planta*. **225**: 1255–1264.
- El-Tayeb, M. El-Enany, A. (2006). Salicylic acid induced adaptive response to copper stress in sunflower (*Helianthus annuus* L.). *Plant Growth Regulation*. **50**: 191-199.
- Emamverdian, A., Ding, Y., Mokhberdorran, F., Xie, Y. (2015). Heavy Metal Stress and Some Mechanisms of Plant Defense Response. *The Scientific World Journal*. 1-18.
- Fariduddin, Q., Ahmed, M., Mir, B.A., Yusuf, M., Khan, T.A. (2015). 24-Epibrassinolide mitigates the adverse effects of manganese induced toxicity through improved antioxidant system and photosynthetic attributes in *Brassica juncea*. *Environmental Science and Pollution Research*. **22(15)**: 11349-59.

- Fariduddin, Q., Khalil, R.R.A.E., Mir, B.A., Yusuf, M., Ahmad, A. (2013). 24-Epibrassinolide regulates photosynthesis, antioxidant enzyme activities and proline content of *Cucumis sativus* under salt and/or copper stress. *Environmental Monitoring and Assessment*. **185**: 7845–7856.
- Fariduddin, Q., Yusuf, M., Hayat, S., Ahmad, A. (2009). Effect of 28-homobrassinolide on antioxidant capacity and photosynthesis in *Brassica juncea* plants exposed to different levels of copper. *Environmental and Experimental Botany*. **66**: 418–424.
- Fatima, N., Ahmad, N., Anis, M. (2011). Enhanced *in vitro* regeneration and change in photosynthetic pigments, biomass and proline content in *Withania somnifera* L. (Dunal) induced by copper and zinc ions. *Plant Physiology and Biochemistry*. **49**: 1465–1471.
- Feigl, G., Kumar, D., Lehotai, N., Kolbert, Z. (2013). Physiological and morphological responses of the root system of Indian mustard (*Brassica juncea* L. Czern.) and rapeseed (*Brassica napus* L.) to copper stress. *Ecotoxicology and Environmental Safety*. **94**:179–189.
- Feigl, G., Kumar, D., Lehotai, N., Pető, A., Molnár, Á., Rácz, É. (2015). Comparing the effects of excess copper in the leaves of *Brassica juncea* (L. Czern) and *Brassica napus* (L.) seedlings: Growth inhibition, oxidative stress and photosynthetic damage. *Acta Biologica Hungarica*. **66(2)**:205-21.
- Fidalgo, F., Azenha, M., Silva, A.F., Sousa, A., Santiago, A., Ferraz, P., Teixeira, J. (2013). Copper-induced stress in *Solanum nigrum* L. and antioxidant defense system responses. *Food and Energy Security*. **2**:70–80.
- Fielding, J.L., Hall, J.L. (1978). A biochemical and cytochemical study of peroxidase activity in roots of *Pisum sativum*: II. Distribution of enzymes in relation to root development. *Journal of Experimental Botany*. **29**: 983-991.
- Filova, A., Sytar, O., Krivosudska, E. (2013). Effects of brassinosteroid on the induction of physiological changes in *Helianthus annuus* L. under copper stress. *Acta Universitatis Agriculturae Etsilviculturae Mendelianae Brunensis*. **61**: 623-629

- Flohe, L., Gunzler, W.A. (1984). Assays of glutathione peroxidase. *Methods in enzymology*. **105**: 114-21.
- Foyer, C.H., Lelandais, M., Kunert, K. (1994). Photooxidative stress in plants. *Physiologia Plantarum*. **92**: 692-717.
- Foyer, C.H., Lopez-Delgado, H., Dat, J.F., Scott, I.M. (1997). Hydrogen peroxide and glutathione-associated mechanisms of acclimatory stress tolerance and signalling. *Physiologia Plantarum*. **100**: 241–254.
- Fridman, Y., Savaldi-Goldstein, S. (2013). Brassinosteroids in growth control: how, when and where. *Plant Science*. **209**: 24-31.
- Fry, S.C. (1988). Oxidative scission of plant cell wall polysaccharides by ascorbate-induced hydroxyl radicals. *Biochemical Journal*. **332**:507–515.
- Gairola, C.G., Wagner, G.J., Diana, J.N. (1992). Tobacco, Cd and health. *Journal of Smoking-Related Disorders*. **3**: 3–6.
- Gaitonde, M. (1967). A spectrophometric method for the direct determination of cysteine in the presence of other naturally occurring amino acids. *Biochemical Journal*. **104**: 627-633.
- Gajewska, E., Sklodowska, M. (2005). Antioxidative responses and proline level in leaves and roots of pea plants subject to nickel stress. *Acta Physiologiae Plantarum*. **27**: 329-339.
- Gajewska, E., Sklodowska, M. (2010). Differential effect of equal copper, cadmium and nickel concentration on biochemical reactions in wheat seedlings. *Ecotoxicology and Environmental Safety*. **73**: 996–1003.
- Gajewska, E., Sklodowska, M., Salaba, Mazur, J. (2006). Effect of nickel on antioxidative enzyme activities, proline, chlorophyll contents in wheat shoots. *Biologia Plantarum*. **50(4)**:653-659.
- Gang, A., Vyas, A., Vyas, H. (2013). Toxic effect of heavy metals on germination and seedling growth of wheat. *Journal of Environmental Research and Development*. **8**: 206–213.

- Gao, H., Zhang, Z.K., Lv, X.G., Cheng, N., Peng, B.Z., Cao, W. (2016). Effect of 24-epibrassinolide on chilling injury of peach fruit in relation to phenolic and proline metabolisms. *Postharvest Biology and Technology*. **111**: 390-397.
- Garcia, L., Welchen, E., Gonzalez, D.H. (2014). Mitochondria and copper homeostasis in plants. *Mitochondrion*. **19**: 269–274.
- Garcia-Molina, A., Andrés-Colás, N., Perea-García, A., Del Valle-Tascón, S., Peñarrubia, L., Puig, S. (2011). The intracellular *Arabidopsis* COPT5 transport protein is required for photosynthetic electron transport under severe copper deficiency. *Plant Journal*. **65**: 848–860.
- Garcia-Molina, A., Andrés-Colás, N., Perea-García, A., Neumann, U., Dodani, S.C., Huijser, P., et al. (2013). The *Arabidopsis* COPT6 transport protein functions in copper distribution under copper-deficient conditions. *Plant and Cell Physiology*. **54**: 1378–1390.
- Garnett, G.P., Graham, R.D. (2005). Distribution and remobilization of iron and copper in wheat. *Annals of Botany*. **95**: 817-826.
- Gasic, K., Korban, S.S. (2007). Expression of *Arabidopsis* phytochelatin synthase in Indian mustard (*Brassica juncea*) plants enhances tolerance for Cd and Zn. *Planta*. **225**: 1277-1285.
- Gaspar, T., Penel, C., Hagege, D., Greppin, H. (1991). Peroxidases in Plant Growth: Differentiation and Development Processes. In: *Biochemical, Molecular and Physiological Aspects of Plant Peroxidases*, (Eds. J. Lobarzewski, H. Greppin, C. Penel, T. Gaspar), University M. Curie-Skodowska. **pp**: 249–280, Lublin. Switzerland, 249–280.
- Gazzarrini, S., McCourt, P. (2003). Cross-talk in plant hormone signalling: what *Arabidopsis* mutants are telling us. *Annals of Botany*. **91**: 605–612.
- Gill, S.S., Tuteja, N. (2010). Polyamines and abiotic stress tolerance in plants. *Plant and Signalling Behaviour*. **5**: 26–33.
- Ginocchio, R., Toro, I., Schnepf, D. (2002). Copper tolerance in populations of *Mimulus luteus* var. *variegatus* exposed and non-exposed to copper pollution. *Geochemistry: Exploration, Environment, Analysis*. **2**: 151-156.

- González-García, M-P., Vilarrasa-Blasi, J., Zhiponova, M., Divol, F., Mora-García, S., Russinova, E., Caño Delgado, A.I. (2011). Brassinosteroids control meristem size by promoting cell cycle progression in *Arabidopsis* roots. *Development*. **138**: 849–859.
- González-Mendoza, D., Espadas y Gil, F., Escoboza-García, F., Santamaría, J.M., Zapata-Perez, O. (2013). Copper Stress on Photosynthesis of Black Mangle (*Avicennia germinans*). *Anais da Academia Brasileira de Ciências*. **85(2)**: 665-670.
- Gratao, P.L., Polle, A., Lea, P.J., Azevedo, R.A. (2005). Making the life of heavy metal stressed plants a little easier. *Functional Plant Biology*. **32**: 481-494.
- Gruszka, D. (2013). The brassinosteroid signaling pathway-new key players and interconnections with other signaling networks crucial for plant development and stress tolerance. *International Journal of Molecular Sciences*. **14**: 8740-8774.
- Guangqiu, Q., Chongling, Y., Haoliang, L. (2007). Influence of heavy metals on the carbohydrate and phenolics in mangrove, *Aegiceras corniculatum* L., seedlings. *Bulletin of Environmental Contamination and Toxicology*. **78**: 440-444.
- Guo, R., Hou, Q., Yuan, G., Zhao, Y., Wang, Q. (2014). Effect of 24-epibrassinolide on main health-promoting compounds in broccoli sprouts. *LWT - Food Science and Technology*. **58(1)**: 287-292.
- Guo, T.R., Zhang, G.P., Zhang, Y.H. (2007). Physiological changes in barley plants under combined toxicity of aluminum, copper and cadmium. *Colloid Surfaces B: Biointerfaces*. **57**: 182-188.
- Guzel, S., Terzi, R. (2013). Exogenous hydrogen peroxide increases dry matter production, mineral content and level of osmotic solutes in young maize leaves and alleviates deleterious effects of copper stress. *Botanical Studies*. **54**: 26.
- Habig, W.H., Jakoby, W.B. (1981). Assays for differentiation of glutathione S-transferases. *Methods in Enzymology*. **77**: 398–405.

- Hale, K.L., McGrath, S.P., Lombi, E., Stack, S.M., Terry, N., Pickering, I.J., George, G.N. Pilon-Smits, E.A.H. (2001). Molybdenum sequestration in brassica species. A Role for Anthocyanins? *Plant Physiology*. **126**: 1391-1402.
- Halliwell, B., Gutteridge, J.M.C. (1984). Oxygen toxicity, oxygen radicals, transition metals and disease. *Biochemical Journal*. **219**: 1–14.
- Halliwell, B., Gutteridge, J.M.C. (1999). Free radicals in biology and medicine. Oxford Science Publications, Oxford.
- Hamid, N., Bukhari, N., Jawaid, F. (2010). Physiological responses of *Phaseolus vulgaris* to different lead concentrations. *Pakistan Journal of Botany*. **42(1)**: 239-246, 2010.
- Hamilton, P.B., Van Slyke, D.D. (1943). Amino acid determination with ninhydrin. *Journal of Biological Chemistry*. **150**: 231-233.
- Han, J., Won, E.J., Hwang, D.S., Rhee, J.S., Kim, I.C., Lee, J.S. (2013). Effect of copper exposure on GST activity and on the expression of four GSTs under oxidative stress condition in the monogonont rotifer, *Brachionus koreanus*. *Comparative Biochemistry and Physiology - Part C: Toxicology & Pharmacology*. **158(2)**: 91-100.
- Harris, E.D. (2000). Cellular copper transport and metabolism. *Annual Review of Nutrition*. **20**: 291-310.
- Hartmann, T.N., Fricker, M.D., Rennenberg, H., Meyer, A.J. (2003). Cell-specific measurements of cytosolic glutathione in poplar leaves. *Plant Cell and Environment*. **26**: 965–975.
- Hassan, M.A.L., Martinez Fuertes, M., Ramos Sanchez, F.J., Vicente, O. (2015). Effects of Salt and Water Stress on Plant Growth and on Accumulation of Osmolytes and Antioxidant Compounds in Cherry Tomato. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*. **43(1)**:1-11.
- Hayat, S., Ali, B., Hasan, S.A., Ahmad, A. (2007). Brassinosteroid enhanced the level of antioxidants under cadmium stress in *Brassica juncea*. *Environmental and Experimental Botany*. **60(1)**: 33-41.

- He, L.Y., Zhang, Y.F., Ma, H.Y., Su, L.N., Chen, Z.J., Wang, Q.Y., Qian, M., Sheng, X.F. (2010). Characterization of copper-resistant bacteria and assessment of bacterial communities in rhizosphere soils of copper-tolerant plants. *Applied Soil Ecology*. **44(1)**: 49-55.
- He, Y., Zhu, Z.J. (2008). Exogenous salicylic acid alleviates NaCl toxicity and increases antioxidative enzyme activity in *Lycopersicon esculentum*. *Biologia Plantarum*. **52**:792
- Heath, R.L., Packer, L. (1968). Photoperoxidation in isolated chloroplasts. I. Kinetics and stoichiometry of fatty acid peroxidation. *Archives of Biochemistry and Biophysics*. **125**:189–198.
- Henriques, F. (1989). Effects of copper deficiency on the photosynthetic apparatus of sugar beet (*Beta vulgaris* L.). *Journal of Plant Physiology*. **1.35**: 453-58.
- Herbette, S., Tacconat, L., Hugouvieux, V., Piette, L., Magniette, M.L., Cuine, S., Auroy, P., et al. (2006). Genome-wide transcriptome profiling of the early cadmium response of *Arabidopsis* roots and shoots. *Biochimie*. **88**: 1751-1765.
- Herrero, E.M., Lopez-Gonzalvez, A., Ruiz, M.A., LucasGarcia, J.A., Barbas, C., (2003). Uptake and distribution of zinc, cadmium, lead and copper in *Brassica napus* var. oleifera and *Helianthus annuus* grown in contaminated soils, *International Journal of Phytoremediation*. **5**: 153-167.
- Higuchi, K., Suzuki, K., Nakanishi, H., Yamaguchi, H., Nishizawa, N.K., Mori, S. (1999). Cloning of nicotianamine synthase genes, novel genes involved in the biosynthesis of phytosiderophores. *Plant Physiology*. **119**: 471–480.
- Hill, S.S., Miyasaka, S.C. Yost, R.S. (2000). Taro responses to excess copper in solution culture. *Hortscience*. **35**: 863-867.
- Himelblau, E., Amasino, R.M. (2000). Delivering copper within plant cells. *Current Opinion in Plant Biology*. **3**: 205–210.
- Hinsinger, P., Courchesne, F. (2007). Mobility and bioavailability of heavy metals and metalloids at soil–root interface. In: *Biophysicochemical processes of metals and metalloids in soil environments* (Eds. A. Violante, P.M. Huang, G.M. Gadd). John Wiley and sons (in press).

- Hong, Z., Ueguchi-Tanaka, M., Umemura, K., Uozu, S., Fujioka, S.Y., Takatsuto, S., Yoshida, S., Ashikari, M., Kitano, H., Matsuoka, M. (2003). A rice brassinosteroid-deficient mutant, ebisu dwarf (d2), is caused by a loss of function of a new member of cytochrome P450. *Plant Cell*. **15**: 2900–2910.
- Hossain, M.A., Piyatida, P, Silva, J.A.T., Fujita, M. (2012). Molecular mechanism of heavy metal toxicity and tolerance in plants: central role of glutathione in detoxification of reactive oxygen species and methylglyoxal and in heavy metal chelation. *Journal of Botany*. **2012**: 37 pages.
- Hsu, Y.T., Kao, C.H. (2004). Cadmium toxicity is reduced by nitric oxide in rice leaves. *Plant Growth Regulation*. **42**: 227-238.
- Hu, C. H., Guo, J., Chen, L., Li, J. P., Qiao, L., He, L. (2014). Influence of exogenous brassinolide on growth and resistance of maize seedling with preservative stress. *Hunan Nongye Daxue Xuebao*. **40**: 113–116.
- Igamberdiev, A.U., Lea, P.J. (2002). The role of peroxisomes in the integration of metabolism and evolutionary diversity of photosynthetic organism. *Phytochemistry*. **60**: 651-674.
- Işeri, O.D., Korpe, D.A., Yurtcu, E., Sahin, F.I., Haberal, M. (2011). Copper induced oxidative damage, antioxidant response and genotoxicity in *Lycopersicon esculentum* Mill. and *Cucumis sativus* L. *Plant Cell Reports*. **30**:1713–1721.
- Islek, C., Unal, T.B. (2015). Copper Toxicity in *Capsicum annum*: Superoxide Dismutase and Catalase Activities, Phenolic and Protein Amounts of *in-vitro*-Grown Plants. *Polish Journal of Environmental Studies*. **24(6)**: 2441-2445.
- Israr, M., Jewel, A., Kumar, D., Sahi, S. (2011). Interactive effects of lead, copper, nickel and zinc on growth, metal uptake and antioxidative metabolism of *Sesbania drummondii*. *Journal of Hazardous Materials*. **186**: 1520-1526.
- Ivanova, E.M., Kholodova, V.P., Kuznetsov, V.I.V. (2010). Biological effects of high copper and zinc concentrations and their interaction in rapeseed plants. *Russian Journal of Plant Physiology*. **57(6)**: 806-814.
- Jabs, T., Dietrich, R.A., Dangl, J.L. (1996). Initiation of runaway cell death in an Arabidopsis mutant by extracellular superoxide. *Science*. **273(5283)**: 1853-1856.

- Jagtap, M.M.N., Kulkarni, M.V., Puranik, P.R. (2013). Phytoremediation of metal contaminated soils with special reference to *Brassica juncea* (L.) Czern., *Macrotyloma uniflorum* Lam Verdc. (*Dolichos biflorus*) and *Medicago sativa* L. *Trends in Biotechnology Research*. **2(2)**:7-19
- Jain, P., Kachhwaha S., Kothari, S.L. (2014). Chloroplast ultra structure, photosynthesis and enzyme activities in regenerated plants of *Stevia rebaudiana* (Bert.) Bertonni as influenced by copper sulphate in the medium. *Indian Journal of Experimental Botany*. **52**: 898-904.
- Jana, S., Choudhuri, M. (1981). Glycolate metabolism of three submerged aquatic angiosperms during aging. *Aquatic Botany*. **12**: 345–354.
- Janas, K.M., Zielin´ska-Tomaszewska, J., Rybaczek, D., Maszewski, J., Posmyk, M.M., Amarowicz, R., Kosin´ska, A. (2010). The impact of copper ions on growth, lipid peroxidation as well as phenolic compounds accumulation and localization in lentil (*Lens culinaris* Medic.) seedlings. *Journal of Plant Physiology*. **167**:270–276.
- Janeczko, A., Hura, K., Skoczowski, A., Idzik, I., Biesaga-Koscielniak, J., Niemczyk, E. (2009). Temperature-dependent impact of 24-epibrassinolide on the fatty acid composition and sugar content in winter oilseed rape callus. *Acta Physiologiae Plantarum*. **31**: 71–79.
- Janeczko, A., Koscielniak, J., Pilipowicz, M., Szarek-Lukaszewska, G., Skoczowski, A. (2005). Protection of winter rape photosystem 2 by 24-epibrassinolide under cadmium stress. *Photosynthetica*. **43(2)**:293-298.
- Janeczko, A., Oklestkova, J., Pocięcha, E., Koscielniak, J., Mirek, M. (2011). Physiological effects and transport of 24-epibrassinolide in heat-stressed barley. *Acta Physiologiae Plantarum*. **33**: 1249–1259.
- Jarvis, S.C., Whitehead, D.C. (1981). The influence of some soil and plant factors on the concentration of copper in perennial ryegrass. *Plant and Soil*. **60**: 275–286.
- Jiang, J., Qin, C., Shu, X., Chen, R., Song, H., Li, Q., Xu, H. (2015). Effects of copper on induction of thiol-compounds and antioxidant enzymes by the fruiting body

- of *Oudemansiella radicata*. *Ecotoxicology and Environmental Safety*. **111**:60–65.
- Jiang, Y.P., Cheng F., Zhou Y.H., Xia X.J., Shi K., Yu J.Q. (2012). Interactive effects of CO₂ enrichment and brassinosteroid on CO₂ assimilation and photosynthetic electron transport in *Cucumis sativus*. *Environmental and Experimental Botany*. **75**: 98–106.
- Jouvin, D., Weiss, D.J., Mason T.F., Bravin M.N., Louvat P., Zhao F., et al. (2012). Stable isotopes of Cu and Zn in higher plants: evidence for Cu reduction at the root surface and two conceptual models for isotopic fractionation processes. *Environmental Science & Technology*. **46**: 2652–2660.
- Jung, C., Maeder, V., Funk, F., Frey, B., Sticher, H., Frossard, E. (2003). Release of phenols from *Lupinus albus* L. roots exposed to Cu and their possible role in Cu detoxification. *Plant Soil*. **252**: 301–312.
- Jung, H.I., Gayomba, S.R., Rutzke, M.A., Craft, E., Kochian, L.V., Vatamaniuk, O.K. (2012). COPT6 is a plasma membrane transporter that functions in copper homeostasis in *Arabidopsis* and is a novel target of SQUAMOSA promoter-binding protein-like 7. *Journal of Biological Chemistry*. **287**: 33252–33267.
- Kabata-Pendias, A., Pendias, H. (2001). Trace elements in soils and plants, 3rd edn. CRC Press, Boca Raton, New York.
- Kang, W., Bao, J., Zheng, J., Hu, H., Du, J. (2015). Distribution and chemical forms of copper in the root cells of castor seedlings and their tolerance to copper phytotoxicity in hydroponic culture. *Environmental Science and Pollution Research*. doi:10.1007/s11356-014-4030-1
- Kanoun-Boule', M., Vicente, J.A.F., Nabais, C., Prasad, M.N.V., Freitas, H. (2009). Ecophysiological tolerance of duckweeds exposed to copper. *Aquatic Toxicology*. **91**:1–9.
- Kanwar, M.K., Poonam, Bhardwaj, R. (2015). Arsenic induced modulation of antioxidative defense system and brassinosteroids in *Brassica juncea* L. *Ecotoxicology and Environmental Safety*. **115**: 119–125.

- Kapoor, D., Kaur, S., Bhardwaj, R. (2014a). Physiological and Biochemical Changes in *Brassica juncea* Plants under Cd-Induced Stress, *BioMed Research International*. **2014**: 13 pages.
- Kapoor, D., Rattan, A., Gautam, V., Kapoor, N., Bhardwaj, R. (2014b). 24-Epibrassinolide Mediated Changes in Photosynthetic pigments and Antioxidative Defence System of Radish Seedlings under Cadmium and Mercury Stress *Journal of Stress Physiology and Biochemistry*. **10(3)**: 110-121.
- Kappus, H. (1985). Lipid peroxidation: mechanism, analysis, enzymology and biological relevance. In: Oxidative stress, Sies H. (ed.). Academic Press, London, pp. 273-310.
- Karimi, P., Khavari-Nejad, R. A., Niknam, V., Ghahremaninejad, F., Najafi, F. (2012). The effects of excess copper on antioxidative enzymes, lipid peroxidation, proline, chlorophyll, and concentration of Mn, Fe, and Cu in *Astragalus neomobayenii*. *The Scientific World Journal*. **2012**, 6 pages.
- Karimi, R., Solhi, S., Salehi M., Solhi, M, Mollahosaini, H. (2013). Effects of Cd, Pb and Ni on growth and macronutrient contents of *Vicia faba* L and *Brassica arvensis* L. *International Journal of Agronomy & Plant Production*. **4**: 739-744.
- Kavi-Kishor, P.B., Sangam, S., Amrutha, R.N., Sri-Laxmi, P., Naidu, K.R., Rao, K.R.S.S., Rao, S., Reddy, K.J., Theriappan, P., Sreenivasulu, N. (2005). Regulation of proline biosynthesis, degradation, uptake and transport in higher plants: Its implications in plant growth and abiotic stress tolerance. *Current Science*. **88(3)**: 424-438.
- Kebeish, R., El-Ayouty, Y., Husain, A. (2014). Effect of copper on growth, bioactive metabolites, antioxidant enzymes and photosynthesis-related gene transcription in *Chlorella vulgaris*. *World Journal of Biology and Biological Sciences*. **2 (2)**: 034-043.
- Keller, C., Rizwan, M., Davidian, J.C., Pokrovsky, O.S., Bovet, N., Chaurand, P., Meunier, J.D. (2015). Effect of silicon on wheat seedlings (*Triticum turgidum* L.) grown in hydroponics and exposed to 0 to 30 μ M Cu. *Planta*. **241(4)**: 847-60.

- Kennedy, C.D., Gonsalves, F.A.N. (1987). The action of divalent zinc, cadmium, mercury, copper and lead on the trans-root potential and H⁺ efflux of excised roots. *Journal of Experimental Botany*. **38**:800-817.
- Khan, A.L. Lee, I-J. (2013). Endophytic *Penicillium funiculosum* LHL06 secretes gibberellin that reprograms *Glycine max* L. growth during copper stress. *BMC Plant Biology*. **13**:86.
- Khan, M.I.R., Asgher, M., Khan, N.A. (2014). Alleviation of salt-induced photosynthesis and growth inhibition by salicylic acid involves glycinebetaine and ethylene in mung bean (*Vigna radiata* L.). *Plant Physiology and Biochemistry*. **80**: 67–74.
- Khatun, S., Ali, M.B., Hahn, E., Paek, K. (2008). Copper toxicity in *Withania somnifera*: growth and antioxidant enzymes responses of *in vitro* plants. *Environmental and Experimental Botany*. **64**: 279–285.
- Khurana, N., Singh, M.V., Chatterjee, C. (2006). Copper stress alters physiology and deteriorates seed quality of rapeseed. *Journal of Plant Nutrition*. **29**: 93-101.
- Kim, H.K., Cheon, B.S., Kim, Y.H., Kim, S.Y., Kim, H.P. (1999). Effects of naturally occurring flavonoids on nitric oxide production in the macrophage cell line RAW 264.7 and their structure activity relationships. *Biochemical Pharmacology*. **58**:759-765.
- Kim, T.-W., Chang, S.C., Lee, J.S., Hwang, B., Takatsuto, S., Yokota, T., and Kim, S.-K. (2004a). Cytochrome P450-catalyzed brassinosteroid pathway activation through synthesis of castasterone in *Phaseolus vulgaris*. *Phytochemistry*. **65**: 679–689.
- Klaumann, S., Nickolaus, S.D., Fürst, S.H., Starck, S., Schneider, S., Ekkehard Neuhaus, H., et al. (2011). The tonoplast copper transporter COPT5 acts as an exporter and is required for interorgan allocation of copper in *Arabidopsis thaliana*. *New Phytologist*. **192**: 393–404.
- Kobayashi, Y., Kuroda, K., Kimura, K., Southron-Francis, J. L., Furuzawa A., Iuchi S., et al. (2008). Amino acid polymorphisms in strictly conserved domains of a P-

- type ATPase HMA5 are involved in the mechanism of copper tolerance variation in *Arabidopsis*. *Plant Physiology*. **148**: 969–980.
- Kolbert, Z., Peto, A., Lehotai, N., Feigl, G., Erdei, L. (2012). Long-term copper (Cu^{2+}) exposure impacts on auxin, nitric oxide (NO) metabolism and morphology of *Arabidopsis thaliana* L. *Plant Growth Regulation*. **68**: 151–159.
- Kono, Y. (1978). Generation of superoxide radical during autooxidation of hydroxylamine and an assay for superoxide dismutase. *Archives of Biochemistry and Biophysics*. **186**: 189–195.
- Kopittke, P.M., Menzies, N.W. (2006). Effect of Cu toxicity on growth of cowpea (*Vigna unguiculata*). *Plant Soil*. **279**: 287–296.
- Kopittke, P.M., Menzies, N.W., de Jonge, M.D., McKenna, B.A., Donner, E., Webb, R.I., Paterson, D.J., et al. (2011) In situ distribution and speciation of toxic copper, nickel, and zinc in hydrated roots of cowpea. *Plant Physiology* 156, 663–673
- Kopsell, D.E., Kopsell, D.A. (2007). Copper. In: *Handbook of plant nutrition*. (Eds. AV Barker et al.) CRS Press–Taylor & Francis Group: Boca Raton, FL. **pp.** 293–328.
- Kovacik, J., Klejdus, B., Hedbavny, J., Backor, M. (2010). Tolerance of *Silene vulgaris* to copper: population related comparison of selected physiological parameters. *Environmental Toxicology*. **25**: 581–592.
- Kramer, U. (2010). Metal hyperaccumulation in plants. *Annual Review of Plant Biology*. **61**: 517–534.
- Kulikova, A.L., Kuznetsova, N.A., Kholodova, V.P. (2011). Effect of copper excess in environment on soybean root viability and morphology. *Russian Journal of Plant Physiology*. **58**: 836.
- Kumar, K.B., Khan, P.A. (1982). Peroxidase & polyphenol oxidase in excised ragi (*Eleusine corocana* cv. PR 202) leaves during senescence. *Indian Journal of Experimental Biology*. **20(5)**: 412–416.

- Kumar, N., Soni, H., Kumar, R.N., Bhatt, I. (2009). Hyper accumulation and mobility of heavy metals in vegetables crops in India. *The Journal of Agriculture and Environment*. **10**: 34-45.
- Kumar, P., Tewari, R.K., Sharma, P.N. (2008). Modulation of copper toxicity-induced oxidative damage by excess supply of iron in maize plants. *Plant Cell Reports*. **27**: 399–409.
- Kumar, R., Mehrotra, N.K., Nautiyal, B.D., Kumar, P., Singh, P.K. (2009). Effect of copper on growth, yield and concentration of Fe, Mn, Zn and Cu in wheat plants (*Triticum aestivum* L.). *Journal of Environmental Biology*. **30**: 485–488.
- Kumar, S., Kumar, S., Prakash, P., Singh, M. (2014). Antioxidant defense mechanisms in chickpea (*Cicer arietinum* L.) under copper and arsenic toxicity. *International Journal of Plant Physiology and Biochemistry*. **6**: 40–43.
- Kumar, V., Awasthi, G., Chauhan, P.K. (2012). Cu and Zn tolerance and responses of the biochemical andphysiochemical system of wheat. *Journal of Stress Physiology and Biochemistry*. **8(3)**: 203-213.
- Kumar, V., Thakur, A.K., Barothia, N.D., Chatterjee, S.S. (2011). Therapeutic potentials of *Brassica juncea*: An overview. *TANG (Humanitas Medicine)*. **1**:1-17.
- Kurepin, L.V., Qaderi, M. M., Back, T. G., Reid, D. M., and Pharis, R. P. (2008). A rapid effect of applied brassinolide on abscisic acid concentrations in *Brassica napus* leaf tissue subjected to short-term heat stress. *Plant Growth Regulation*. **55**: 165–167.
- Laemmli, U.K. (1970). Cleavage of Structural Proteins during the Assembly of the Head of Bacteriophage T4. *Nature*. **227**: 680 – 685.
- Laspina, N.V., Groppa, M.D., Tomaro, M.L., Benavides, M.P. (2005). Nitric oxide protects sunflower leaves against Cd-induced oxidative stress. *Plant Science*. **169**: 323-330.
- Lavid, N., Schwartz, A., Lewinsohn, E., Tel-Or, E. (2001). Phenols and phenol oxidases are involved in cadmium accumulation in the water plants *Nymphoides peltata* (Menyanthaceae) and *Nymphaeae* (Nymphaeaceae). *Planta*. **214**: 189–195.

- Lax, A.R., Vaughn, K.C., Templeton, G.E. (1984). Nuclear inheritance of polyphenol oxidase in *Nicotiana*. *Journal of Heredity*. **75**: 285-287.
- Li, J., Leisner, S.M., Frantz, J.M. (2008). Alleviation of copper toxicity in *Arabidopsis thaliana* by silicon addition to hydroponic solutions. *Journal of the American Society for Horticultural Science*. **133**:670–677.
- Li, J., Yang, P., Gan, Y., Yu, J., Xie, J. (2015). Brassinosteroid alleviates chilling-induced oxidative stress in pepper by enhancing antioxidation systems and maintenance of photosystem II. *Acta Physiologiae Plantarum*. **37**: 222.
- Li, M., Hu, C., Zhu, Q., Chen, L., Kong, A., Liu, Z. (2006). Copper and zinc induction of lipid peroxidation and effects on antioxidant enzyme activities in the microalga *Pavlova viridis* (Prymnesiophyceae). *Chemosphere*. **62**: 565-572.
- Li, P., Chen, L., Zhou, Y., Xia, X., Shi, K., (2013). Brassinosteroids-induced systemic stress tolerance was associated with increased transcripts of several defence-related genes in the phloem in *Cucumis sativus*. *PLoS One*. **8**: e66582.
- Li, P., Wang, X., Zhang, T.L., Zhou, D.M., He, Y.Q. 2009. Distribution and accumulation of copper and cadmium in soil-rice system as affected by soil amendments. *Water Air and Soil Pollution*. **196**: 29-40.
- Li, Y.H., Liu, Y.J., Xu, X.L., Jin, M., An, L.Z., Zhang, H. (2012). Effect of 24-epibrassinolide on drought stress-induced changes in *Chorispora bungeana*. *Biologia Plantarum*. **56(1)**: 192-196.
- Liang, J., Liang, Y. (2009). Effects of plant growth substances on water-logging resistance of oilseed rape seedling. *Xinan Shifan Daxue Xuebao, Ziran Kexueban* 34, 58–62.
- Liao, M.T., Hedley, M.J., Woolley, D.J., Brooks, R.R., Nichols, M.A. (2000). Copper uptake and translocation in chicory (*Cichorium intybus* L. cv Grasslands Puna) and tomato (*Lycopersicon esculentum* Mill. cv Rondy) plants grown in NFT system. II. The role of nicotianamine and histidine in xylem sap copper transport. *Plant and Soil*. 223-245.
- Lidon, F.C., Henriques, F.S. (1992). Copper toxicity in rice: Diagnostic criteria and effect on tissue Mn and Fe. *Soil Science*. **154**: 130-135.

- Lim J., Salido A.L., Butcher D.J. (2004). Phytoremediation of lead using Indian mustard (*Brassica juncea*) with EDTA and electrodiodes. *Microchemical Journal*. **76**: 3–9.
- Lin, C.Y., Trinh, N.N., Fu, S.F., Hsiung, Y.C., Chia, L.C., Lin, C.W., Huang, H.J. (2013). Comparison of early transcriptome responses to copper and cadmium in rice roots. *Plant Molecular Biology*. **81**:507–522.
- Lin, D., Hubbes, M., Zsuffa, L. (1994). Differentiation of poplar and willow clones using RAPD fingerprints. *Tree Physiology*. **14**: 1097–1105.
- Lipman, B., Mackinney, G. (1931). Proof of the essential nature of copper for higher green plants. *Plant physiology*. **6(3)**: 593-599.
- Liu, J.J., Wei, Z., Li, J.H. (2014). Effects of copper on leaf membrane structure and root activity of maize seedling. *Botanical Studies*. **55**:1–6.
- Lorenz, N., Hintemann, T., Kramarewa, T., Katayama, A., Yasuta, T., Marschner, P., Kandeler, E. (2006). Response of microbial activity and microbial community composition, in soils to long-term arsenic and cadmium exposure. *Soil Biology and Biochemistry*. **38**:1430–1437.
- Luktatkin, A., Egorova, I., Michailova, I., Malec, P., Strzałka, K. (2014). Effect of copper on pro- and antioxidative reactions in radish (*Raphanus sativus* L.) *in vitro* and *in vivo*. *Journal of Trace Elements in Medicine and Biology*. **28(1)**: 80-86.
- Luna, C. M., Gonzalez, C. A., Trippi, V. S. (1994). Oxidative damage caused by an excess of copper in oat leaves. *Plant and Cell Physiology*. **35**: 11-15.
- Ma, M., Zhu, W., Wang, Z., Witkamp, G.J. (2003). Accumulation, assimilation and growth inhibition of copper on freshwater alga (*Scenedesmus subspicatus* 86.81 SAG) in the presence of EDTA and fulvic acid. *Aquatatic Toxicology*. **63**: 221–228
- Maclachlan, S., Zalik, S. (1963). Plastid structure, chlorophyll concentration and free amino acid composition of a chlorophyll mutant of barley. *Canadian Journal of Botany*. **41(7)**: 1053–1062.

- Madhan, M., Mahesh, K., Rao, S.S.R. (2014). Amelioration of aluminium toxicity on seed germination and early seedling growth of Pigeon Pea [*Cajanus cajan* (L.) Millsp.] by 28-Homobrassinolide *International Journal of Current Microbiology and Applied Sciences*. **3(5)**: 77-83.
- Mahesh, B., Parshavaneni, B., Ramakrishna, B., Rao, S. S. R. (2013). Effect of brassinosteroids on germination and seedling growth of radish (*Raphanus sativus* L.) under PEG-6000 induced water stress. *American Journal of Plant Sciences*. **4**: 2305–2313.
- Mahmood, T., Islam, K.R., Muhammad, S. (2007). Toxic effects of heavy metals on early growth and tolerance of cereal crops. *Pakistan Journal of Botany*. **39**: 451–462.
- Maksymiec, W., Krupa, Z. (2007). Effects of methyl jasmonate and excess copper on root and leaf growth. *Biologia Plantarum*. **51(2)**: 322-326.
- Maksymiec, W. (1997). Effect of copper on cellular processes in higher plants. *Photosynthetica*. **34**: 321–342.
- Maksymiec, W., Baszynski, T. (1996). Chlorophyll fluorescence in primary leaves of excess Cu-treated runner bean plants depends on their growth stages and the duration of Cu-action. *Journal of Plant Physiology*. **149**: 196–200.
- Maksymiec, W., Baszynski, T. (1999). The role of Ca²⁺ ions in modulating changes induced in bean plants by an excess of Cu²⁺ ions Chlorophyll fluorescence measurements. *Physiologia Plantarum*. **105**: 562-568.
- Maksymiec, W., Bednara, J., Baszynski, T. (1995). Responses of runner bean plants to excess copper as a function of plant growth stages: effects on morphology and structure of primary leaves and their chloroplast ultrastructure. *Photosynthetica*. **31**: 427–435.
- Maksymiec, W., Russa, R., Urbanic-Sypniewska, Baszyński, T. (1994). Effect of excess Cu on the photosynthetic apparatus of runner bean leaves treated at two different growth stages. *Physiologia Plantarum*. **91**:715–721.
- Maksymiec, W., Wójcik, M., Krupa, Z. (2007). Variation in oxidative stress and photochemical activity in *Arabidopsis thaliana* leaves subjected to cadmium and

- excess copper in the presence or absence of jasmonate and ascorbate. *Chemosphere*. **66**:421-427.
- Maleva, M.G., Nekrasova, G.F., Malec, P., Prasad, M.N.V., and Strzalka, K. (2009). Ecophysiological tolerance of *Elodea canadensis* to nickel exposure. *Chemosphere*. **77**: 392– 398.
- Malley, C., Nair, J., Ho, G. (2006). Impact of heavy metals on enzymatic activity of substrate and composting worms *Eisenia fetida*. *Bioresource Technology*. **97**:1498–1502.
- Mamat, D.D., Chong, C.-S., Samad, A.A., Chai, T-T., Manan, F.A. (2015). Effects of copper on total phenolics, flavonoids and mitochondrial properties of *Orthosiphon stamineus* callus culture. *International Journal of Agriculture and Biology*. **17**: 1243–1248.
- Manan, F.A., Chia, W-H., Othman, N.F.A., Mamat, D.D., Chong, C-H., Samad, A.A., Chai, T-T. (2015). Physical and antioxidative responses of *Orthosiphon stamineus* towards various copper and lead concentrations. *Chemical Speciation and Bioavailability*. **27(3)**: 106-111.
- Mancinelli, A.L. (1984). Photoregulation of anthocyanin synthesis. *Plant Physiology*. **75**: 447-453.
- Manivasagaperumal, R., Vijayarengan, P., Balamurugan, S., Thiyagarajan, G. (2011). Effect of copper on growth, dry matter yield and nutrient content of *Vigna radiata* (L) Wilczek. *Journal of Phytology*. **3**: 53–62.
- Markossian, K.A., Kurganov, B.I. (2003). Copper chaperones, intracellular copper trafficking proteins. Function, structure and mechanism of action. *Biochemistry (Moscow)*. **68**: 827-837.
- Marschner, H. (1995). Mineral nutrition of higher plants. 2nd edition Academic press, San Diego. 889 pp.
- Marschner, H. (2002). Mineral nutrition of higher plants. 2nd Ed. Academic Press, New York, NY.

- Martinek, R.G. (1964). Method for the determination of vitamin E (total tocopherols) in serum. *Clinical Chemistry*. **10**: 1078–1086.
- Martínez-Domínguez, D., de las Heras, M.A., Navarro, F., Torronteras, R., Córdoba, F. (2008). Efficiency of antioxidant response in *Spartina densiflora*: an adaptative success in a polluted environment. *Environmental and Experimental Botany*. **62**: 69–77.
- Martínez-Peñalver, A., Graña, E., Reigosa, M.J., Sánchez-Moreiras, A.M. (2012). The early response of *Arabidopsis thaliana* to cadmium- and copper-induced stress. *Environmental and Experimental Botany*. **78**: 1-9.
- Martins, L.L., Mourato, M.P. (2006). Effect of excess copper on tomato plants: growth parameters, enzyme activities, chlorophyll, and mineral content. *Journal of Plant Nutrition*. **29**: 2179–2198.
- Masood, A., Iqbal, N., Khan, N.A. (2012). Role of ethylene in alleviation of cadmium-induced photosynthetic capacity inhibition by sulphur in mustard. *Plant, Cell and Environment*. **35**: 524–533.
- Mateos-Naranjo, E., Redondo-Gómez, S., Cambrollé, J., Figueroa, M.E. (2008). Growth and photosynthetic responses to copper stress of an invasive cordgrass, *Spartina densiflora*. *Marine Environmental Research*. **66**: 459-465.
- Mazen, A.M.A. (2004). Accumulation of four metals in tissues of *Corchorus olitorius* and possible mechanisms of their tolerance. *Biologia Plantarum*. **48**: 267–272.
- McGrath, S.P., Knight, B., Killham, K., Preston, S., Paton, G.I. (1999). Assessment of the toxicity of metals in soils amended with sewage sludge using a chemical speciation technique and a lux-based biosensor. *Environmental Toxicology and Chemistry*. **18**: 659 – 63.
- Megateli, S., Semsari, S., Couderchet, M. (2009). Toxicity and removal of heavy metals (cadmium, copper, and zinc) by *Lemna gibba*. *Ecotoxicology and Environmental Safety*. **72**: 1774-1780.
- Meharg, A.A. (1994). Integrated tolerance mechanisms: constitutive and adaptive plant responses to elevated metal concentrations in the environment. *Plant, Cell and Environment*. **17**: 989–993.

- Mehrizi, M.H., Shariatmadari, H., Khoshgofarmanesh, A. H., Dehghani, F. (2012). Copper effects on growth, lipid peroxidation, and total phenolic content of rosemary leaves under salinity stress. *Journal of Agricultural Science and Technology*. **14(1)**: 205–212.
- Mei, L., Daud, M.K., Ullah, N., Ali, S., Khan, M., Malik, Z., Zhu, S.J. (2015). Pretreatment with salicylic acid and ascorbic acid significantly mitigate oxidative stress induced by copper in cotton genotypes. *Environmental Science and Pollution Research*. **22(13)**: 9922-31.
- Mellado, M., Contreras, R. A., González, A., Dennett, G., Moenne, A. (2012). Copper-induced synthesis of ascorbate, glutathione and phytochelatins in the marine alga *Ulva compressa* (Chlorophyta). *Plant Physiology and Biochemistry*. **51**: 102–108.
- Meng, Q.M., Zou, J., Zou, J.H., Jiang, W.S., Liu, D.H. (2007). Effect of Cu concentration on growth, antioxidant enzyme activity and malondialdehyde content in Garlic (*Allium sativum* L.). *Acta Biologica Cracoviensia Series Botanica*. **49**:95–101.
- Michaud, A.M., Chappellaz, C., Hinsinger, P. (2008). Copper phytotoxicity affects root elongation and iron nutrition in durum wheat (*Triticum turgidum durum* L.). *Plant Soil*. **310**: 151–165.
- Miotto, A., Ceretta, C.A., Brunetto, G., Nicoloso, F.T., Giroto, E., Farias, J.G., Tiecher, T.L., De Conti, L., Trentin, G. (2014). Copper uptake, accumulation and physiological changes in adult grapevines in response to excess copper in soil. *Plant Soil*. **374**: 593-610.
- Mir, B.A., Khan, T.A., Fariduddin, Q. (2015). 24-epibrassinolide and spermidine modulate photosynthesis and antioxidant systems in *Vigna radiata* under salt and zinc stress. *International Journal of Advanced Research*. **3(5)**: 592-608.
- Mira, H., Martínez-García, F., Peñarrubia, L. (2001a). Evidence for the plant specific intercellular transport of the *Arabidopsis* copper chaperone CCH. *Plant Journal*. **25**: 521–528.

- Mira, H., Vilar, M., Pérez-Payá, E., Peñarrubia, L. (2001b). Functional and conformational properties of the exclusive C-domain from the *Arabidopsis* copper chaperone (CCH). *Biochemical Journal*. **357**: 545–549.
- Mira, L., Fernandez, M.T., Santos, M., Rocha, R., Florencio, M.H., Jennings, K.R. (2002). Interactions of flavonoids with iron and copper ions: A mechanism for their antioxidant activity. *Free Radical Research*. **36**: 1199-208.
- Mishra, S., Dubey, R.S. (2005). Heavy metal toxicity induced alterations in photosynthetic metabolism in plants. *Handbook of Photosynthesis*. **2**: 845–863.
- Mittler, R. (2002). Oxidative stress, antioxidants and stress tolerance. *Trends in Plant Science*. **7**: 405-410.
- Mohanty, N. Vass, I., Demeter, S. (1989). Impairment of photosystem 2 activity at the level of secondary quinone acceptor in chloroplasts treated with cobalt, nickel and zinc ions. *Physiologia Plantarum*. **76**: 386-390.
- Møller, I.M. (2001). Plant mitochondria and oxidative stress: electron transport, NADPH turnover, and metabolism of reactive oxygen species. *Annual Review of Plant Physiology and Plant Molecular Biology*. **52**:561–591.
- Møller, I.M., Jensen, P.E., Hansson, A. (2007). Oxidative modifications to cellular components in plants. *Annual Reviews of Plant Biology*. **58**:459-81.
- Morales, J.M.L., Rodríguez-Monroy, M., Sepúlveda-Jiménez, G. (2012). Betacyanin accumulation and guaiacol peroxidase activity in *Beta vulgaris* L. leaves following copper stress. *Acta Societatis Botanicorum Poloniae*. **81**: 193–201.
- Moussa, H.R., EL-Gamal, S.M. (2010). Effect of salicylic acid pretreatment on cadmium toxicity in wheat. *Biologia Plantarum*. **54(2)**: 315-320.
- Muccifora, S., Bellani, L.M. (2013). Effects of copper on germination and reserve mobilization in *Vicia sativa* L. seeds. *Environmental Pollution*. **179**: 68– 74.
- Munné-Bosch, S. (2005). The role of α -tocopherol in plant stress tolerance. *Journal of Plant Physiology*. **16**: 743-748.
- Murata, Y., Pei, Z.M., Mori, I.C., Schroeder, J. (2001). Abscisic acid activation of plasma membrane Ca(2+) channels in guard cells requires cytosolic NAD(P)H

- and is differentially disrupted upstream and downstream of reactive oxygen species production in *abi1-1* and *abi2-1* protein phosphatase 2C mutants. *Plant Cell*. **13(11)**: 2513-23.
- Nadwodnik, J., Lohaus, G. (2008). Subcellular concentrations of sugar alcohols and sugars in relation to phloem translocation in *Plantago major*, *Plantago maritima*, *Prunus persica*, and *Apium graveolens*. *Planta*. **227**: 1079-1089.
- Nagajyoti, P.C., Lee, K.D., Sreekanth, T.V.M. (2010). Heavy metals, occurrence and toxicity for plants: a review. *Environmental Chemistry Letters*. **8(3)**: 199–216.
- Nakano, Y., Asada, K. (1981). Hydrogen peroxide is scavenged by ascorbate specific peroxidase in spinach chloroplasts. *Plant Cell Physiology*. **22**: 867-880.
- Nautiyal, N., Chatterjee, C., Sharma, C.P. (1999). Copper stress affects grain filling in rice. *Communications in Soil Science and Plant Analysis*. **30(11-12)**: 1625-1632.
- Naz, F.S., Yusuf, M., Khan, T.A., Fariduddin, Q., Ahmad, A. (2015). Low level of selenium increases the efficacy of 24-epibrassinolide through altered physiological and biochemical traits of *Brassica juncea* plants. *Food Chemistry*. **185**: 441-448.
- Neill, S., Barros, R., Bright, J., Desikan, R., Hancock, J., Harrison, J., Morris, P., Ribeiro, D., Wilson, I. (2008). Nitric oxide, stomatal closure, and abiotic stress. *Journal of Experimental Botany*. **59(2)**:165-76.
- Neill, S.O., Gould, K.S. (2003). Anthocyanins in leaves: light attenuators or antioxidants. *Functional Plant Biology*. **30**: 865– 873.
- Neumann, D., Nieden, U.Z., Lichtenberger, O., Leopold, I. (1995). How does *Armeria maritima* tolerate high heavy metal concentrations? *Journal of Plant Physiology*. **146**: 704-717.
- Nieboer, E., Richardson, D.H.S. (1980). The replacement of the nondescript term heavy metals by a biologically and chemistry significant classification of metal ions. *Environmental Pollution Series B*. **1**: 3–26.

- Nocito, F.F., Lancilli, C., Crema, B., Fourcroy, P., Davidian, J.C., Sacchi, G.A. (2006). Heavy metal stress and sulfate uptake in maize roots. *Plant Physiology*. **141**: 1138–1148.
- Noctor, G., Foyer, C.H. (1998). Ascorbate and glutathione: keeping active oxygen under control. *Annual Review of Plant Physiology and Plant Molecular Biology*. **49**: 249–279.
- Noctor, G., Veljovic-Jovanovic, S., Driscoll, S., Novitskaya, L., Foyer, C.H. (2002). Drought and oxidative load in wheat leaves: A predominant role for photorespiration? *Annals of Botany (London)*. **89**: 841–850.
- Nomura, T., Sato, T., Bishop, G.J., Kamiya, Y., Takatsuto, S., Yokota, T. (2001). Accumulation of 6-deoxocathasterone and 6-deoxocastasterone in *Arabidopsis*, pea and tomato is suggestive of common rate-limiting steps in brassinosteroid biosynthesis. *Phytochemistry*. **57**: 171–178.
- Ochiai, E.I. (1977). Bioinorganic chemistry: An introduction. (Eds. Allyn and Bacon), Boston, USA..
- Olteanu, Z., Truta, E., Oprica, L., Zamfirache, M.M., Rosu, C.M., Vochita, G. (2013). Copper-induced changes in antioxidative response and soluble protein level in *Triticum aestivum* cv. beti seedlings. *Romanian Agricultural Research*. **30**:2012–2190.
- O'Sullivan, J.N., Asher, C.J., Blamey, F.P.C. (1997). Nutrient Disorders of Sweet Potato. ACIAR Monograph No. 48. *Australian Centre for International Agricultural Research, Canberra*.
- Ouzounidou, G., Ciamporova, M., Moustakas, M., Karataglis, S. (1995). Responses of maize (*Zea mays* L.) plants to copper stress. Growth, mineral content and ultrastructure of roots. *Environmental and Experimental Botany*. **35**: 167–176.
- Owuoche, J.O., Briggs, K.G., Taylor, G.J., Penney, D.C. (1995). Response of eight Canadian spring wheat (*Triticum aestivum* L.) cultivars to copper: copper content in leaves and grain. *Canadian Journal of Plant Science*. **75(2)**: 405–411.
- Pandey, N., Sharma, C.P. (2002). Effect of heavy metals Co^{+2} , Ni^{+2} and Cd^{+2} on growth and metabolism of cabbage. *Plant Science*. **163**: 753–758.

- Pantola, R.C., Shekhawat, G.S. (2012). Copper induced antioxidative enzyme indices in leaves of *Brassica juncea* seedlings. *Journal of Pharmaceutical and Biomedical Sciences*. **15**:1–6.
- Peñarrubia L., Andrés-Colás N., Moreno J., Puig S. (2010). Regulation of copper transport in *Arabidopsis thaliana*: a biochemical oscillator? *Journal of Inorganic Biochemistry*. **15**: 29–36.
- Peng, H., Yang, X., Tian, S. (2005). Accumulation and ultrastructural distribution of copper in *Elsholtzia splendens*. *Journal of Zhejiang University SCIENCE*. **6**: 311-318.
- Pereira-Netto, A.B., Ramirez, J.A., Galagovsky, L.R. (2015). Comparative analysis of the effects of homocastasterone and two derivatives on shoot and main root elongation of tomato plantlets. *Scientia Horticulturae*. **181**: 13-17.
- Persans, M.W., Yan, X., Jean-Marc, M.L., Krämer, P.U., Salt, D.E. (1999). Molecular dissection of the role of histidine in nickel hyperaccumulation in *Thlaspi goesingense* (halacsy). *Plant Physiology*. **121**: 1117-1126.
- Poonam, Kaur, R., Bali, S., Singh, R., Pati, P.K., Bhardwaj, R. (2014). Treatment of 24-EBL to *Brassica juncea* plants under cu-metal stress lowers oxidative burst by activity of antioxidative enzymes. *Journal of Stress Physiology and Biochemistry*. **10(2)**: 315-327.
- Pope, C.R., Flores, A.G., Kaplan, J.H., Unger, V.M. (2012). Structure and function of copper uptake transporters. *Current Topics in Membranes*. **69**: 97–112.
- Posmyk, M.M., Kontek, R., Janas, K.M., (2009). Antioxidant enzymes activity and phenolic compounds content in red cabbage seedlings exposed to copper stress. *Ecotoxicology and Environmental Safety*. **72(2)**: 596-602.
- Pourrut, B., Shahid, M., Douay, F., Dumat, C., Pinelli, E. (2013). Molecular mechanisms involved in lead uptake, toxicity and detoxification in higher plants. *Heavy Metal Stress in Plants*, Springer, Berlin Heidelberg pp. 121–147.
- Prasad, M.N.V., Strzalka, K. (1999). Impact of heavy metals on photosynthesis. In: *Heavy Metal Stress in Plants*, (Eds. M.N.V. Prasad and J. Hagemeyer), Springer Publications, pp. 117-138, Berlin.

- Puig, S. (2014). Function and regulation of the plant COPT family of high-affinity copper transport proteins. *Advances in Botany*. 1-9.
- Puig, S., Thiele, D.J. (2002). Molecular mechanisms of copper uptake and distribution. *Current Opinion in Chemical Biology*. **6**: 171–180
- Putter, J. (1974). Peroxidase. In: Bergemeyer HU, ed. *Methods of Enzymatic Analysis*, London: Academic Press p. 685-690.
- Qu, T., Liu, R., Wang, W., An, L., Chen, T., Liu, G., Zhao, Z. (2011). Brassinosteroids regulate pectin methylesterase activity and AtPME41 expression in *Arabidopsis* under chilling stress. *Cryobiology*. **63**:111-117.
- Quartacci, M.F., Cosi, E., Navari-Izzo, F. (2001). Lipids and NADPH-dependent superoxide production in plasma membrane vesicles from roots of wheat grown under copper deficiency or excess. *Journal of Experimental Botany*. **52**: 77–84.
- Quartacci, M.F., Pinzino, C., Sgherri, C.L.M., Dalla, Vecchia, F., Navari-Izzo, F. (2000). Growth in excess copper induces changes in the lipid composition and fluidity of PSII-enriched membranes in wheat. *Physiologia Plantarum*. **108**: 87–93.
- Quideau, S., Deffieux, D., Douat–Casassus, C., Pouységu, L. (2011). Plant polyphenols: chemical properties, biological activities, and synthesis. *Angewandte Chemie International Edition*. **50**: 586–621.
- Raghu, K., Mahesh, K., Divya Sri, N. Rao, S.S.R. (2014). Effect of brassinosteroids on seed germination and seedling growth of radish (*Raphanus sativus* L.) under arsenic toxicity stress. *International Journal of Development Research*. **4(9)**: 1929-1933.
- Ramakrishna, A., Ravishankar, G.A. (2011). Influence of abiotic stress signals on secondary metabolites in plants. *Plant Signaling and Behavior*. **6**:1720–1731.
- Ramakrishna, B. Rao, S.S.R. (2013). 24- Epibrassinolide maintains elevated redox state of AsA and GSH in radish (*Raphanus sativus* L.) seedlings under zinc stress. *Acta Physiologiae Plantarum*. **35**:1291- 1302.

- Ramakrishna, B., Rao, S.S.R. (2012). 24-Epibrassinolide alleviated zinc-induced oxidative stress in radish (*Raphanus sativus* L.) seedlings by enhancing antioxidative system. *Plant Growth Regulation*. **68(2)**: 249-259.
- Ramakrishna, B., Rao, S.S.R.R (2015). Foliar application of brassinosteroids alleviates adverse effects of zinc toxicity in radish (*Raphanus sativus* L.) plants. *Protoplasma*. **252**: 665-677.
- Rao, S.S.R., Vardhini, B.V.V., Sujatha, E., Anuradha, S. (2002). Brassinosteroids-a new class of phytohormones. *Current Sciences*. **82**: 1239-45.
- Rattan, A., Kapoor, N., Bhardwaj, R., (2014). Role of brassinosteroids in osmolytes accumulation under salinity stress in *Zea mays* plants. *International Journal of Science and Research*. **3(9)**: 1822-1827.
- Rausch, T., Wachter, A. (2005). Sulfur metabolism: a versatile platform for launching defence operations. *Trends in Plant Science*. **10**: 503-509.
- Rausser, W.E. (1999). Structure and function of metal chelators produced by plants: the case for organic acids, amino acids, phytin, and metallothioneins. *Cell Biochemistry and Biophysics*. **31(1)**: 19-48.
- Raven, P.H., Evert, R.F., and Eichhorn, S.E. (1999). *Biology of Plants*, 6th ed. (New York: W.H. Freeman and Company).

REFERENCES

- Rejeb, K. B., Abdelly, C., Savoure, A. (2014). How reactive oxygen species and proline face stress together. *Plant Physiology and Biochemistry*. **80**: 278-284.
- Robinson, N.J., Winge, D.R. (2010). Copper metallochaperones. *Annual Review of Biochemistry*. **79**: 537-562.
- Roe, J.H., Kuether, C.A. (1943). The determination of ascorbic acid in whole blood and urine through 2,4- dinitrophenyl hydrazine derivative of dehydroascorbic acid. *Journal of Biological Chemistry*. **147**: 399.
- Rout, J.R., Ram, S.S., Das, R., Chakraborty, A., Sudarshan, M., Sahoo, S.L. (2013). Copper-stress induced alterations in protein profile and antioxidant enzymes

- activities in the in vitro grown *Withania somnifera* L. *Physiology and Molecular Biology of Plants*. **19(3)**: 353–361.
- Rozentsveta, O.A., Nesterova, V.N., Sinyutinab, N.F. (2012). The effect of copper ions on the lipid composition of subcellular membranes in *Hydrilla verticillata*. *Chemosphere*. **89**:108-13.
- Russo, M., Sgherri, C., Izzo, R., Navari-Izzo, F. (2007). *Brassica napus* subject to copper excess: phospholipases C and D and glutathione system in signalling. *Environmental and Experimental Botany*. **62**:238–46.
- Ryan, B.M., Kirby, J.K., Degryse, F., Harris H., Mclaughlin M.J., Scheiderich K. (2013). Copper speciation and isotopic fractionation in plants: uptake and translocation mechanisms. *New Phytologist*. **199**: 367–378.
- Sabat, S.C. (1996). Copper ion inhibition of electron transport activity in sodium chloride washed photosystem II particle is partially prevented by calcium ion. *Zeitschrift für Naturforschung*. **51**: 179-184.
- Saha, D., Mandal, S., Saha, A. (2012). Copper induced oxidative stress in tea (*Camellia sinensis*) leaves. *Journal of Environmental Biology*. **33**: 861–866.
- Sancenón, V., Puig S., Mateu-Andrés I., Dorcey E., Thiele D. J., Peñarrubia L. (2004). The *Arabidopsis* copper transporter COPT1 functions in root elongation and pollen development. *Journal of Biological Chemistry*. **279**: 15348–15355.
- Sancenón, V., Puig, S., Mira, H., Thiele, D., Peñarrubia, L. (2003). Identification of a copper transporter family in *Arabidopsis thaliana*. *Plant Molecular Biology*. **51**: 577–587.
- Sánchez, M., Revilla, G. and Zarra, I. (1995). Changes in peroxidase activity associated with cell walls during pine hypocotyl growth. *Annals of Botany*. **75**: 415-419.
- Sánchez-Pardo, B., Fernández-Pascual, M., Zornoza, P. (2012). Copper microlocalisation, ultrastructural alterations and antioxidant responses in the nodules of white lupin and soybean plants grown under conditions of copper excess. *Environmental and Experimental Botany*. **84**: 52–60.

- Sanchez-Pardo, B., Fernandez-Pascual, M., Zornoza, P. (2014). Copper microlocalisation and changes in leaf morphology, chloroplast ultrastructure and antioxidative response in white lupin and soybean grown in copper excess. *Journal of Plant Research*. **127**: 119–129.
- Sasse, J.M. (2003). Physiological actions of brassinosteroids: An update. *Journal of Plant Growth Regulation*. **22**: 276–288.
- Schmidt, U. (2003). Enhancing phytoremediation: The effect of chemical soil manipulation on mobility, plant accumulation, and leaching of heavy metals. *Journal of Environmental Quality*. **32**:1939–1954.
- Schopfer, P. (1996). Hydrogen peroxide-mediated cell-wall stiffening in vitro in maize coleoptiles. *Planta*. **199**: 43–49.
- Schulte, E.E., Keiling, K.A. (2004). Soil and applied copper. Understanding Plant Nutrients A2527. University of Wisconsin-Extension.
- Schützendübel, A., Polle, A. (2002). Plant responses to abiotic stresses: heavy metal-induced oxidative stress and protection by mycorrhization. *Journal of Experimental Botany*. **53**: 1351–1365.
- Šebestík, O., Marques, S.M., Falé, P.L., Santos, S., Arduíno, D.M., Cardoso, S.M., Oliveira, C.R., Serralheiro, M.L.M., Santos, M.A. (2011). Bifunctional phenolic-choline conjugates as anti-oxidants and acetylcholinesterase inhibitors. *Journal of Enzyme Inhibition and Medicinal Chemistry*. **26(4)**: 485–497.
- Sedlak, J., Lindsay, R.H. (1968). Estimation of total, protein bond and non-protein sulfhydryl groups in tissue with Ellman's reagent. *Analytical Biochemistry*. **25**: 192-205.
- Seregin, I.V., Ivanov, V.B. (2001). Physiological aspects of cadmium and lead toxic effects on higher plants. *Russian Journal of Plant Physiology*. **48**: 523-544.
- Seregin, I.V., Kozhevnikova, A.D. (2006). Physiological role of nickel and its toxic effects on higher plants. *Russian Journal of Plant Physiology*. **53**: 257–277.

- Seregin, V., Kozhevnikova, A.D., Kazyumina, E.M., Ivanov, V.B. (2003). Nickel Toxicity and Distribution in Maize Roots. *Russian Journal of Plant Physiology*. **50**: 711–717.
- Serna, M., Hernandez, F., Coll, F., Coll, Y., Amoros, A. (2012). Brassinosteroid analogues effects on the yield and quality parameters of greenhouse-grown pepper (*Capsicum annuum* L.). *Plant Growth Regulation*. **68**: 333–342.
- Shafi, A., Gill, T., Sreenivasulu, Y., Kumar, S., Ahuja, P. S., Singh, A.K. (2015). Improved callus induction, shoot regeneration, and salt stress tolerance in *Arabidopsis* overexpressing superoxide dismutase from *Potentilla atrosanguinea*. *Protoplasma*. **252**: 41–51.
- Shah, K., Dubey, R.S. (1998). Effect of cadmium on proline accumulation and ribonuclease activity in rice seedlings: role of proline as a possible enzyme protectant. *Biologia Plantarum*. **40(1)**: 121-130.
- Shahana, T., Anusha, P., Rao, S.S.R., Sujatha, E. (2015). Mitigation of Drought Stress by 24-Epibarassinolide and 28-Homobrassinolide in Pigeon Pea Seedlings. *International Journal of Multidisciplinary and Current research*. **3**: 904-911.
- Shahana, T., Rao, P.A., Ram, S.S., Sujatha, E. (2015). Mitigation of drought stress by 24-epibarassinolide and 28-homobrassinolide in pigeon pea seedlings. *International Journal of Multidisciplinary and Current Research Research*. **3**: 904-911.
- Shahbaz, M., Tseng, M.H., Stuiver, C.E.E., De Kok, L.J. (2010). Copper exposure interferes with the regulation of the uptake, distribution and metabolism of sulfate in Chinese cabbage. *J Plant Physiology*. **167**: 438–446.
- Shahid, M., Pourrut, B., Dumat, C., Nadeem, M., Aslam, M., Pinelli, E. (2014). Heavy-metal-induced reactive oxygen species: phytotoxicity and physicochemical changes in plants. *Reviews of Environmental Contamination and Toxicology*. **232**:1–44.
- Sharma, A., Singh, G. (2013a). Studies on the effect of Cu (II) ions on the antioxidant enzymes in chickpea (*Cicer arietinum* L) cultivars. *Journal of Stress Physiology and Biochemistry*. **9(1)**: 5-13.

- Sharma, I., Bhardwaj, R., Pati, P. K. (2013b). Stress modulation response of 24-epibrassinolide against imidacloprid in an elite indica rice variety Pusa Basmati-1. *Pesticide Biochemistry and Physiology*. **105**: 144–153.
- Sharma, I., Pati, P.K., Bhardwaj, R. (2011). Effect of 28- homobrassinolide on antioxidant defence system in *Raphanus sativus* L. under metal stress. *Ecotoxicology*. **13**: 862-874.
- Sharma, N., Hundal, G.S., Sharma, I., Bhardwaj, R. (2014) 28-Homobrassinolide alters protein content and activities of glutathione-s-transferase and polyphenol oxidase in *Raphanus sativus* L. plants under heavy metal stress. *Toxicology International*. **21(1)**: 44–50.
- Sharma, P., Bhardwaj, R. (2007). Effects of 24-epibrassinolide on growth and metal uptake in *Brassica juncea* L. under copper metal stress. *Acta Physiologiae Plantarum*. **29**: 259-263.
- Sharma, P., Kumar, A., Bhardwaj, R. (2016). Plant steroidal hormone epibrassinolide regulate – Heavy metal stress tolerance in *Oryza sativa* L. by modulating antioxidant defense expression. *Environmental and Experimental Botany*. **122**: 1-9.
- Sharma, S.S., Dietz, K.J. (2006). The significance of amino acids and amino acid-derived molecules in plant responses and adaptation to heavy metal stress. *Journal of Experimental Botany*. **57**:711–726.
- Shi, J., Abid, AD., Kennedy, I.M., Hristova, K.R., Silk, W. (2011). To duckweeds (*Landoltia punctata*), nanoparticulate copper oxide is more inhibitory than the soluble copper in the bulk solution. *Environmental Pollution*. **159(5)**: 1277-1282.
- Shi, J.Y., Wu, B., Yuan, X.F., Cao, Y.Y., Chen, X.C., Chen, Y.X., Hu, T.D. (2008). An x-ray absorption spectroscopy investigation of speciation and biotransformation of copper in *Elsholtzia splendens*. *Plant Soil*. **302**: 163–174.
- Shikanai, T., Müller-Moulé, P., Munekage, Y., Niyogi, K.K., Pilon, M. (2003). PAA1, a P-type ATPase of *Arabidopsis*, functions in copper transport in chloroplasts. *Plant Cell*. **15**:1333–1346.

- Shu, S., Guo, S.R., Sun, J., Yuan, L.Y. (2012). Effects of salt stress on the structure and function of the photosynthetic apparatus in *Cucumis sativus* and its protection by exogenous putrescine. *Physiologia Plantarum*. **146**: 285–296.
- Siedlecka, A. (1995). Some aspects of interactions between heavy metals and plant mineral nutrients. *Acta Societatis Botanicorum Poloniae*. **3**: 265-272.
- Singh, A., Lawrence, K., Pandit, S., Lawrence, R.S. (2014). Response of leaves, stems and roots of *Withania somnifera* to copper stress. *International Journal of Plant, Animal and Environmental Sciences*. 60-67
- Singh, D., Chauhan, S.K. (2011). Organic acids of crop plants in aluminum detoxification. *Current Science*. **100**: 1509-1515.
- Singh, D., Nath, K., Sharma, Y.K. (2007). Response of wheat seed germination and seedling growth under copper stress. *Journal of Environmental Biology*. **28**: 409–414.
- Singh, H.P., Kaur, S.K., Mittal, S., Batish, D.R., Kohli R.K. (2009). Essential oil of *Artemisia scoparia* inhibits plant growth by generating reactive oxygen species and causing oxidative damage. *Journal of Chemical Ecology*. **35**: 154 – 162.
- Singh, V., Bhatt, I., Aggawal, A., Tripathi, B.N., Munjal, A.K., Sharma, V. (2010). Proline improves copper tolerance in chickpea (*Cicer arietinum*). *Protoplasma*. **245**:173–181.
- Singleton, V.L., Rossi, J.A. (1965). Colorimetry of total phenolics with phosphomolybdicphosphotungstic acid reagents. *The American Journal of Enology and Viticulture*. **16**: 144–158.
- Sirhindi, G., Shrama, P., Singh, A., Kaur, H., Mir, M. (2015). Alteration in photosynthetic pigments, osmolytes and antioxidants in imparting copper stress tolerance by exogenous jasmonic acid treatment in *Cajanus cajan*. *International Journal of Plant Physiology and Biochemistry*. **7(2)**: 30-39.
- Siripornadulsil, S., Traina, S., Verma, D.P.S., Sayre, R.T. (2002). Molecular mechanisms of proline-mediated tolerance to toxic heavy metals in transgenic microalgae. *The Plant Cell*. **14**: 1-11.

- Skorzynska-Polit, E., Drazkiewicz, M., Krupa, Z. (2010). Lipid peroxidation and antioxidative response in *Arabidopsis thaliana* exposed to cadmium and copper. *Acta Physiologiae Plantarum*. **32**: 169–175.
- Soares, C., de Sousa, A., Pinto, A., Azenha, M., Teixeira, J., Azevedo, R.A., Fidalgo, F. (2016). Effect of 24-epibrassinolide on ROS content, antioxidant system, lipid peroxidation and Ni uptake in *Solanum nigrum* L. under Ni stress. *Environmental and Experimental Botany*. **122**: 115-125.
- Song, J., Zhao, F.J., Luo, Y.M., McGrath, S.P., Zhang, H. (2004). Copper uptake by *Elsholtzia splendens* and *Silene vulgaris* and assessment of copper phytoavailability in contaminated soils. *Environmental Pollution*. **128**: 307-315.
- Song, Y., Zhang, H., Chen, C., Wang, G., Zhuang, K., Cui, J., Shen, Z. (2014). Proteomic analysis of copper-binding proteins in excess copperstressed rice roots by immobilized metal affinity chromatography and two-dimensional electrophoresis. *BioMetals*. **27**: 265–276.
- Southron, J.L., Basu, U., Taylor, G.J. (2004). Complementation of *Saccharomyces cerevisiae* ccc2 mutant by a putative P1B-ATPase from *Brassica napus* supports a copper-transporting function. *FEBS Letters*. **566**: 218–222.
- Srivastava, A. K., Bhargava, P., Rai, L.C. (2005). Salinity and copper-induced oxidative damage and changes in antioxidative defense system of *Anabaena doliolum*. *World Journal of Microbiology and Biotechnology*. **22**: 1291-1298.
- Srivastava, S., Dubey, R.S. (2011). Manganese-excess induces oxidative stress, lowers the pool of antioxidants and elevates activities of key antioxidative enzymes in rice seedlings. *Plant Growth Regulation*. **6**: 1-16.
- Srivastava, S., Mishra, S., Tripathi, R.D., Dwivedi, S., Gupta, D.K. (2006). Copper-induced oxidative stress and responses of antioxidants and phytochelatin in *Hydrilla verticillata* (L.f.) Royle. *Aquat Toxicology*. **80**: 405 – 415.
- Stroinski, A., Floryszak-Wieczorck, J. (1993). Effects of cadmium on the host pathogen system IV. Influence of cadmium and *Phytophthora infestans* on membrane permeability of potato tuber. *Journal of Plant Physiology*. **142**: 575–578.

- Su, J., Wu, R. (2004). Stress-inducible synthesis of proline in transgenic rice confers faster growth under stress conditions than that with constitutive synthesis. *Plant Science*. **166**: 941–948.
- Swamy, K.N., Vardhini, B.V., Ramakrishna, B., Anuradha, S., Siddulu, N., Rao, S.S.R. (2014). Role of 28-homobrassinolide on growth biochemical parameters of *Trigonella foenu-graecum* L. plants subjected to lead toxicity. *International Journal of Multidisciplinary and Current Research*. 317-321.
- Swarna, K., Bhanumathi, G., Vijaya Bhaskar Reddy, T., Murthy, S.D.S. (2012). Copper stress induced alterations in the primary photosynthetic processes of maize leaves. *International Journal of Plant, Animal and Environmental Sciences*. 121-124.
- Szafranska, K., Cvikrova M., Kowalska U., Gorecka K., Gorecki R., Martincova O., Janas K.M. (2011). Influence of copper ions on growth, lipid peroxidation, and proline and polyamines content in carrot rosettes obtained from anther culture. *Acta Physiologiae Plantarum*. **33**: 851–859.
- Szarka, A., Horemans, N., Kovacs, Z., Grof, P., Mayer, M., Banhegyi, G. (2007). Dehydroascorbate reduction in plant mitochondria is coupled to the respiratory electron transfer chain. *Physiologia Plantarum*. **129**: 225–232.
- Szarka, A., Tomassovics, B., Bánhegyi, G. (2012). The ascorbate-glutathione-(α -tocopherol triad in abiotic stress response. *International Journal of Molecular Science*. **13**: 4458–4483.
- Szöllősi, R., Kálmán, E., Medvegy, A., Varga, I.S. (2012). Survival to early toxic copper excess: biochemical and anatomical changes during germination of Indian mustard. *European Chemical Bulletin*. **1(11)**: 466-469.
- Taiz, L., Zeiger, E. (2006). *Plant Physiology*, 4th Ed., Sinauer Associates Inc. Publishers, Massachusetts.
- Tanyolaç, D., Ekmekçi, Y., Ünalan, A. (2007). Changes in photochemical and antioxidant enzyme activities in maize (*Zea mays* L.) leaves exposed to excess copper. *Chemosphere*. **67**: 89-98.

- Tari, I., Szalai, G., Lorincz, Z., Balint, A. (2002). Changes in thiol content in roots of wheat cultivars exposed to copper stress. *Biologia Plantarum*. **45**: 255-260.
- Teale, W.D., Ditengou, F.A., Dovzhenko, A.D., Li, X., Molendijk, A.M., Ruperti, B., Paponov, I., Palme, K. (2008). Auxin as a model for the integration of hormonal signal processing and transduction. *Molecular Plant*. **1**: 229–237.
- Teklić, T., Hancock, J.T., Engler, M., Paradicović, N., Cesar, V., Lepeduš, H., Štolfa, I., Bešlo, D. (2008). Antioxidative responses in radish (*Raphanus sativus* L.) plants stressed by copper and lead in nutrient solution and soil. *Acta Biologica Cracoviensia Series Botanica*. **50(2)**: 79–86.
- Tewari, R.K., Kumar, P., Sharma, P.N. (2005). Antioxidant responses to enhanced generation of superoxide anion radical and hydrogen peroxide in the copper-stressed mulberry plants. *Planta*. **223(6)**:1145-53.
- Tewari, R.K., Kumar, P., Sharma, P.N. (2006). Antioxidant responses to enhanced generation of superoxide anion radical and hydrogen peroxide in the copper-stressed mulberry plants. *Planta*. **223**:1145–1153.
- Thounaojam, T. C., Panda, P., Mazumdar, P., Kumar, D., Sharma, G.D., Sahoo, L., Panda, S.K. (2012). Excess copper induced oxidative stress and response of antioxidants in rice. *Plant Physiology and Biochemistry*. **53**: 33–39.
- Thounaojam, T.C., Panda, P., Choudhury, S., Patra, H.K., Panda, S.K. (2014). Zinc ameliorates copper-induced oxidative stress in developing rice (*Oryza sativa* L.) seedlings. *Protoplasma*. **251(1)**:61-9.
- Tie, S.G., Tang, Z.J., Zhao, Y.M., Li, W. (2012). Oxidative damage and antioxidant response caused by excess copper in leaves of maize. *African Journal of Biotechnology*. **11(19)**: 4378-4384.
- Trindade, L.M., Horvath, B.M., Bergervoet, M.J., Visser, R.G. (2003). Isolation of a gene encoding a copper chaperone for copper/zinc superoxide dismutase and characterization of its promoter in potato. *Plant Physiology*. **133**: 618–629.
- Trovato, M., Mattioli, R., Costantino, P. (2008). Multiple roles of proline in plant stress tolerance and development. *Rendiconti Lincei*. **19**: 325-346.

- Valko, M., Morris, H., Cronin, M. (2005). Metals, toxicity and oxidative stress. *Current Medicinal Chemistry*. **12**: 1161–1208.
- Vamerali, T., Bandiera, M., Mosca, G. (2010). Field crops for phytoremediation of metal-contaminated land. *Environmental Chemistry Letters*. **8**: 1–17.
- Van Assche, F., Clijsters, H. (1986). Inhibition of photosynthesis in *Phaseolus vulgaris* by treatment with toxic concentrations of zinc: Effect on ribulose-1,5-bisphosphate carboxylase/ oxygenase. *Journal of Plant Physiology*. **125**: 355-360.
- Van Assche, F., Clijsters, H. (1990). Effects of metals on enzyme activity in plants. *Plant, Cell and Environment*. **13**: 195–206.
- Vardhini, B.V., Anjum, N.A. (2015a). Brassinosteroids make plant life easier under abiotic stresses mainly by modulating major components of antioxidant defense system. *Frontiers of Environmental Science*. **2**:67.
- Vardhini, B.V., Sujatha, E., Rao, S.S.R. (2012). Influence of brassinosteroids on metabolites of *Raphanus Sativus* L. *Jurnal of Phytology*. **4(2)**: 45-47.
- Verma, J.P., Singh, V., Yadav, J. (2011). Effect of copper sulphate on seed germination, plant growth and peroxidase activity of Mung bean (*Vigna radiata*). *International Journal of Botany*. **7**:200–204.
- Vidaković-Cifrek, Ž., Tkalec, M., Šikić, S., Tolić, S., Lepeduš, H., Pevalek-Kozlina, B. (2015). Growth and photosynthetic responses of *Lemna minor* L. exposed to cadmium in combination with zinc or copper *Archives of Industrial Hygiene and Toxicology*. **66**:141-152.
- Viehweger, K. (2014). How plants cope with heavy metals. *Botanical Studies*. **55**:35. doi: 10.1186/1999-3110-55-35.
- Vinit-Dunand, F., Epron, D., Alaoui-Sossè, B., Badot, P.M. (2002). Effects of copper on growth and on photosynthesis of mature and expanding leaves in cucumber plants. *Plant Science*. **163**: 53–58.

- Voskoboinik I., Camakaris J. and Mercer J. F. B. (2002). Understanding the mechanism and function of copper P-type ATPases. *Advances in Protein Chemistry*. **60**: 123-150.
- Wang, F., Zeng, B., Sun, Z., Zhu, C. (2009). Relationship between proline and Hg²⁺ - induced oxidative stress in a tolerant rice mutant. *Archives of Environmental Contamination and Toxicology*. **56**:723–731.
- Wang, L., Yang, L., Yang, F., Li, X., Song, Y., Wang, X., Hud, X. (2010). Involvements of H₂O₂ and metallothionein in NO mediated tomato tolerance to copper toxicity. *Journal of Plant Physiology*. **167**: 1298–1306.
- Wang, L., Yang, X., Ren, Z., Hu, X., Wang, X. (2015). Alleviation of photosynthetic inhibition in copper-stressed tomatoes through rebalance of ion content by exogenous nitric oxide. *Turkish Journal of Botany*. **39**: 10-22.
- Wang, S.H., Yang, Z.M., Yang, H., Lu, B., Li, S.Q., Lu, Y.P. (2004). Copper induced stress and antioxidative responses in roots of *Brassica juncea* L. *Botanical Bulletin- Academia Sinica*. **45**: 203-212.
- Wang, X. H., Shu, C., Li, H. Y., Hu, X. Q., Wang, Y. X. (2014). Effects of 0.01% brassinolide solution application on yield of rice and its resistance to autumn low-temperature damage. *Acta Agriculturae Jiangxi*. **26**: 36–38.
- Wang, Y.S., Yang, Z.M. (2005). Nitric oxide reduces aluminium toxicity by preventing oxidative stress in the roots of *Cassia tora* L. *Plant Cell Physiology*. **46**:1915-1923.
- Weiss, D., Ori, N. (2007). Mechanisms of cross talk between gibberellin and other hormones. *Plant Physiology*. **144**: 1240–1246.
- Williams, L.E., Pittman, J.K., Hall, J.L. (2000). Emerging mechanisms for heavy metal transport in plants. *Biochimica et Biophysica Acta*. **1465**: 104–126.
- Wimolphan, W. (2004). Brassinosteroid application on tropical wheat. Doctoral Dissertation, Institute of Graduate Studies, Central Luzon State University, Luzon, Philippines.

- Wintz, H., Fox, T., Wu, Y.Y., Feng, V., Chen, W., Chang, H.S., Zhu, T., Vulpe, C. (2003). Expression profiles of *Arabidopsis thaliana* in mineral deficiencies reveal novel transporters involved in metal homeostasis. *Journal of Biological Chemistry*. **278**: 47644–47653.
- Wintz, H., Vulpe, C. (2002). Plant copper chaperones. *Biochemical Society Transactions*. **30**: 732–735.
- Wodala, B., Eitel, G., Gyula, T.N., Ördög, A., Horváth, F. (2012). Monitoring moderate Cu and Cd toxicity by chlorophyll fluorescence and P700 absorbance in pea leaves. *Photosynthetica*. **50**: 380–386.
- Woodbury, W., Spencer, A.K., Stahmann, M.A. (1971). An improved procedure using ferricyanide for detecting catalase isozymes. *Analytical Biochemistry*. **443**: 301–305.
- Wu, X., Yang, Z.Y., Li, Y., Hogerkorp, C.M., Schief, W.R., Seaman, M.S., Zhou, T., Schmidt, S.D., Wu, L., et al. (2010). Rational design of envelope identifies broadly neutralizing human monoclonal antibodies to HIV-1. *Science*. **13**: 329(5993):856-61.
- Wu, X.X., Ding, H.D., Chen, J.L., Zhu, Z.W., Zha, D.S. (2015). Exogenous spray application of 24-epibrassinolide induced changes in photosynthesis and antioxidant defences against chilling stress in eggplant (*Solanum melongena* L.) seedlings. *The Journal of Horticultural Science and Biotechnology*. **90(2)**: 217-225.
- Wu, X-X. Ding, H-D., Zhu, Z-W., Yang, S-J., Zha, D-S. (2012). Effects of 24-epibrassinolide on photosynthesis of eggplant (*Solanum melongena* L.) seedlings under salt stress. *African Journal of Biotechnology*. **11(35)**: 8665-8671.
- Xi, Z.M., Zhang, Z.W., Huo, S.S., Luan, L.Y., Gao, X., Ma, L.N., Fang, Y.L. (2013). Regulating the secondary metabolism in grape berry using exogenous 24-epibrassinolide for enhanced phenolics content and antioxidant capacity. *Food Chemistry*. **141**: 3056–3065.
- Xia, X. H., Huang, Y. Y., Wang, L., Huang, L. F., Yu, Y. L., Zhou, Y. H., et al. (2006). Pesticides-induced depression of photosynthesis was alleviated by 24-

- epibrassinolide pretreatment in *Cucumis sativus* L. *Pesticide Biochemistry and Physiology*. **86**: 42–48.
- Xia, X. J., Zhang, Y., Wu, J. X., Wang, J. T., Zhou, Y. H., Shi, K., et al. (2009). Brassinosteroids promote metabolism of pesticides in cucumber. *Journal of Agricultural and Food Chemistry*. **57**: 8406–8413.
- Xia, X.J., Gao, C.J., Song, L.X., Zhou, Y.H., Shi, K., Yu, J.Q. (2014). Role of H₂O₂ dynamics in brassinosteroid-induced stomatal closure and opening in *Solanum lycopersicum*. *Plant and Cell Environmet*. **37**: 2036–2050.
- Xiang, C., Werner, B.L., Christensen, E.M., Oliver, D.J. (2001). The biological functions of glutathione revisited in *Arabidopsis* transgenic plants with altered glutathione levels. *Plant Physiology*. **126**: 564–574.
- Xing, W., Huang, W., Liu, G. (2010). Effect of excess iron and copper on physiology of aquatic plant *Spirodela polyrrhiza* (L.) Schleid. *Environmental Toxicology*. **25**: 103-112.
- Xiong, J.-L., Kong, H.-Y., Akram, N.A., Bai, X., Ashraf, M., Tan, R.-Y., Zhu, H., Siddique, K.H.M., Xiong, Y.-C., Turner, N.C. (2016). 24-epibrassinolide increases growth, grain yield and β-ODAP production in seeds of well-watered and moderately water-stressed grass pea. *Plant Growth Regulation*. **78(2)**: 217-231.
- Xiong, Z.T., Chao, L., Bing, G. (2006). Phytotoxic effects of copper on nitrogen metabolism and plant growth in *Brassica pekinensis* Rupr. *Ecotoxicology and Environmental Safety*. **64**: 273-280.
- Xu, F., Luan, L.Y., Zhang, Z.W., Huo, S.S., Gao, X., Fang, Y.L., Xi, Z.M. (2014). Phenolic Profiles and Antioxidant Properties of Young Wines Made from Yan73 (*Vitis vinifera* L.) and *Cabernet Sauvignon* (*Vitis vinifera* L.) Grapes Treated by 24-Epibrassinolide. *Molecules*. **19**: 10189-10207.
- Xu, X.Y., Shi, G.X., Ding, C.X., Xu, Y., Zhao, J.A., Yang, H.Y., Pan, Q.H. (2011). Regulation of exogenous spermidine on the reactive oxygen species level and polyamine metabolism in *Alternanthera philoxeroides* (Mart.) Griseb under copper stress. *Plant Growth Regulation*. **63**: 251–258.

- Yadav, S.K. (2010). Heavy metals toxicity in plants: an overview on the role of glutathione and phytochelatins in heavy metal stress tolerance of plants. *South African Journal of Botany*. **76**:167–179.
- Yang, H.M., Zhang, X.Y., Wang, G.X. (2004). Effects of Heavy Metals on Stomatal Movements in Broad Bean Leaves. *Russian Journal of Plant Physiology*. **51(4)**: 464-468.
- Yang, X.E., Li, T.Q., Yang, J.C., He, Z.L., Lu, L.L., Meng, F.H. (2006). Zinc compartmentation in root, transport into xylem, and absorption into leaf cells in the hyperaccumulating species of *Sedum alfredii* Hance. *Planta*. **224(1)**:185–195.
- Ye, Q., Zhu, W., Li, L., Zhang, S., Yin, Y., Ma, H., Wang, X. (2010). Brassinosteroids control male fertility by regulating the expression of key genes involved in *Arabidopsis* anther and pollen development. *Proceedings of the National Academy of Sciences of the United States of America*. **107(13)**: 6100–6105.
- Yem, E.W., Willis, A.J. (1954). The estimation of carbohydrates in plant extracts by anthrone. *Biochemical Journal*. **57**: 769-773.
- Yokota, T., Arima, M., Takahashi, N. (1982). Castasterone, a new phytosterol with planthormone potency, from chestnut insect gall. *Tetrahedron Letters*. **23**: 1275-1278.
- Yruela, I. (2005). Copper in plants: acquisition, transport and interactions. *Brazilian Journal of Plant Physiology*. **17(1)**: 145-156.
- Yruela, I. (2009). Copper in plants: acquisition, transport and interactions. *Functional Plant Biology*. **36**: 409–430.
- Yusuf, M., Fariduddin, Q., Ahmad, A. (2012). 24-Epibrassinolide modulates growth, nodulation, antioxidant system, and osmolyte in tolerant and sensitive varieties of *Vigna radiata* under different levels of nickel: a shotgun approach. *Plant Physiology and Biochemistry*. **57**: 143–153.
- Yusuf, M., Fariduddin, Q., Hayat, S., Hasan, S.A., Ahmad, A. (2011). Protective responses of 28-homobrassinolide in cultivars of *Triticum aestivum* with different

- levels of nickel. *Archives of Environmental Contamination and Toxicology*. **60**: 68–76.
- Zagorchev, L., Seal, C.E., Kranner, I., Odjakova, M. (2013). A central role for thiols in plant tolerance to abiotic stress. *International Journal of Molecular Sciences* **14**: 7405-7432.
- Zengin, F.K., Kirbag, S. (2007). Effects of copper on chlorophyll, proline, protein and abscisic acid level of sunflower (*Helianthus annuus* L.) seedlings. *Journal of Environmental Biology*. **28**: 561–566.
- Zhang, F., Wang, Y., Yang, Y., Wu, H., Wang, Di., Liu, J. (2007). Involvement of hydrogen peroxide and nitric oxide in salt resistance in the calluses from *Populus euphratica*. *Plant, Cell and Environment*. **30**: 775-785.
- Zhang, H., Lian, C., Shen, Z. (2009). Proteomic identification of small copper-responsive proteins in germinating embryos of *Oryza sativa*. *Annals of Botany*. **103**(6): 923–930.
- Zhang, L.P., Mehta, S.K., Liu, Z.P., Yang, Z.M. (2008). Copper-induced proline synthesis is associated with nitric oxide generation in *Chlamydomonas reinhardtii*. *Plant and Cell Physiology*. **49**: 411–419.
- Zhang, M.K., He, Z.L., Calvert, D.V., Stoffella, P.J., Yang, X.E. (2003). Surface runoff losses of copper and zinc in sandy soils. *Journal of Environmental Quality*. **32**: 909–915.
- Zhang, S., Cai, Z., Wang, X. (2009). The primary signaling outputs of brassinosteroids are regulated by abscisic acid signalling. *Proceedings of the National Academy of Sciences, USA*. **106**: 4543–4548.
- Zhang, Y., Lin, J., Ji, J., Chen, C., Lin, Z. (2003). Studies on *Amblyseius cucumeris* Oudemans for controlling the pest mites on citrus trees. *Plant Protection*. **29**(5): 31-33.
- Zhao, S. L., Liu, Q., Qi, Y. T., Duo L. (2010). Responses of root growth and protective enzymes to copper stress in turfgrass. *Acta Biologica Cracoviensia Series Botanica*. **52**: 7–11.

- Zheng, L., Yamaji, N., Yokosho, K., Ma, J. F. (2012). YSL16 is a phloem-localized transporter of the copper-nicotianamine complex that is responsible for copper distribution in rice. *Plant Cell*. **24**: 3767–3782.
- Zheng, Q., Liu, J., Liu, J., Liu, R., Wu, H., Jiang, C., Wang, C., Guan, Y. (2015). Temporal and spatial distributions of sodium and polyamines regulated by brassinosteroids in enhancing tomato salt resistance. *Plant and Soil*. **400**: 1-18.
- Zheng, Q., Liu, J., Liu, R., Wu, H., Jiang, C., Wang, C., Guan, Y., Temporal and spatial distributions of sodium and polyamines regulated by brassinosteroids in enhancing tomato salt resistance. *Plant and Soil*. **400**: 147-164.
- Zheng, Y., Wang, L., Cayanan, D.F., Dixon, M. (2010). Greenhouse cucumber growth and yield response to copper application. *Horticultural Science*. **45**: 771– 774.
- Zhishen, J., Mengcheng, T., Jianming, W. (1999). The determination of flavonoid contents in mudberry and their scavenging effects on superoxide radicals. *Food Chemistry*. **64**: 555-559.
- Zhi-Ting, X., Liu, C., Geng, B. (2006). Phytotoxic effects of copper on nitrogen metabolism and plant growth in *Brassica pekinensis* Rupr. *Ecotoxicology and Environmental Safety*. **64**(3): 273-280.
- Zhou, B., Guo, Z., Xing, J., Huang, B. (2005). Nitric oxide is involved in abscisic acid-induced antioxidant activities in *Stylosanthes guianensis*. *Journal of Experimental Botany*. **56**: 3223-3228.
- Zhou, H., Cadigan, K.M., Thiele, D.J. (2003). A copper-regulated transporter required for copper acquisition, pigmentation, and specific stages of development in *Drosophila melanogaster*. *Journal of Biological Chemistry*. **278**: 48210-48218.
- Zhu, H., Shipp, E., Sanchez, R.J., Liba, A., Stine, J.E., Hart, P.J., Gralla, E.B., Nersissian, A.M., Valentine, J.S. (2000). Cobalt (2⁺) binding to human and tomato copper chaperone for superoxide dismutase: implications for the metal ion transfer mechanism. *Biochemistry*. **39**: 5413–5421.