

References:

1. Zogbi D.M. "Ceramic Dielectric Materials: World Markets, Technologies and Opportunities: 2006-2010", Paumanok Publications, (ISBN: 1-893211-75-4-2012)1-67, 2006.
2. Noheda, B. , Gonzalo ,J.A. , Cross L.E., R. Guo, S.E. Park, D.E. Cox and G. Shirane, "Tetragonal-to-monoclinic phase transition in a ferroelectric perovskite": The structure of $\text{PbZr}_{0.52}\text{Ti}_{0.48}\text{O}_3$ Phys. Rev. B 61, 8687-8695, 2000.
3. **Report on 2009-2014: Outlook for Advanced Ceramics in India**, <http://www.researchandmarkets.com/reports/683723/>
4. Kingery, W.D. (Ed.), Ceramic Fabrication Processes. [Boston]: Technology Press of Massachusetts Institute of Technology, 215, 1956.
5. Moulson, A. J. and Herbert J. M. , "Electroceramics: Materials, Properties, Applications", Chapman and Hall: London, New York, 104, 1992
6. Charles, Kittel, "Introduction to Solid State Physics", Wiley India Edition, 262, 2008
7. VonHippel, A. R., "Dielectric Materials and Applications", Cambridge: Technology Press of MIT: Boston, 37, 1954.
8. VonHippel, A. R., "Dielectrics and Waves", Wiley: New York, 127, 1954.
9. Barsoum, M. W., "Fundamentals of Ceramics", Institute of Physics Publishing:Bristol and Philadelphia, 56, 1997.
10. Kao, K. C., "Dielectric Phenomena in Solids", Elsevier Academic Press: San Diego, CA, 73, 2004.
11. Xie, H. K. and Kao, K. C., "Study of low density region developed in liquefied polyethylene under high electric field."IEEE Trans ElectrInsul, EI-20, 293-294, 1985.
12. Newnham, R. E., "Properties of Materials", Oxford University Press: New York,54,2005.

13. Kobayashi, W.; Terasaki, I., High-field magnetization and magnetoresistance of the A-site ordered perovskite oxide $\text{CaCu}_3\text{Ti}_{4-x}\text{Ru}_x\text{O}_{12}$ ($0 \leq x \leq 4$), *Appl. Phys. Lett.*, 87, 032902, 2005.
14. Lukkassen, D and Meidell A., "Advanced Materials and Structures and their Fabrication Processes", Book manuscript, Narvik University College, 114, 2008
15. Subramanian, M.A., Li D, Duan N, Reisner B.A and Sleight A.W., "High dielectric constant in $\text{ACu}_3\text{Ti}_4\text{O}_{12}$ and $\text{ACu}_3\text{Ti}_3\text{FeO}_{12}$ phases", *J. Solid State Chem.*, 151, 323-325, 2000.
16. Subramanian, M.A. and A.W. Sleight., [\$\text{ACu}_3\text{Ti}_4\text{O}_{12}\$ and \$\text{ACu}_3\text{Ru}_4\text{O}_{12}\$ perovskites: high dielectric constants and valence degeneracy](#), *Solid State Sciences*, 4, 347-351, 2002.
17. Ramirez, A.P., Subramanian, M.A., Gardel M., Li D., Vogt T. and Shapiro S.M., "Giant Dielectric Constant Response in a Copper-Titanate", *Solid State Commun.*, 115, 217-220, 2000.
18. Homes, C.C., Vogt, T., Shapiro S.M., Wakimoto S. and Ramirez A.P., "Optical Response of High Dielectric Constant Perovskite Related Oxide", *Science*, 293, 673-676, 2001.
19. Kolve, N, Bontchev, R. P., Jacobson, A. J., Popov, V. N., Hadjiev, V. G., Litvinchuk, A. P. and Iliev, M. N., "Raman Spectroscopy of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ " *Physical Review B* 66, 132102, 2002.
20. Adams, T.B., Sinclair, D.C. and West, A.R., "Giant Barrier Layer Capacitance Effects in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics", *Adv. Mater.*, 14, 8, 2002.
21. Sinclair, D.C., Adams, T.B., Morrison, F.D. and West, A.R., " $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$: One-step Internal Barrier Layer Capacitor", *Appl. Phys. Lett.*, 80, 2153-2155, 2002.
22. Liu, J., Sui, Y., Duan, C., Mei, W.N., Smith, R.W. and Hardy, J.R., " $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$: Low temperature synthesis by pyrolysis of an organic solution". *Chem. Mater.*, 18, 3878, 2006.

23. Cohen, M. H., Neaton, J. B., HeL. and Vanderbilt, D., "Extrinsic models for the dielectric response of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ". J. Appl. Phys. 94, 3299, 2003.
24. Lunkenheimer, Fichtl R., Ebbinghaus, S. G and Loidl A., "[Nonintrinsic origin of the colossal dielectric constants in \$\text{CaCu}_3\text{Ti}_4\text{O}_{12}\$](#) ". Phys. Rev. B 70, 172102, 2004.
25. Zhang, L. "Electrode and grain boundary effects on the conductivity of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ". Appl. Phys. Lett, 87, 022907-3, 2005.
26. Yang, J.; Shen, M. and Fang, L., "The electrode/ sample contact effect on the dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramic." Mat. Lett, 59, 3990-3993, 2005.
27. Fang, T.-T.; Mei, L.-T. and Ho, H.-F., "Effect of Cu stoichiometry on the microstructure, barrier layer structure, electrical conduction, dielectric response and stability of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$." Acta. Mater, 54, (10), 2867-2875, 2006.
28. Patterson, E. A.; Kwon, S.; Huang, C.-C. and Cann, D. P., "Effect of ZnO_2 addition on the dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$." Appl. Phys. Lett, 87, 182911, 2005.
29. Capsoni, D.; Bini, M.; V. Massarotti; G. Chiodelli; M.C. Mozzatic and Azzoni, C. B., "Role of doping and CuO segregation in improving the giant permittivity of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$." J Solid State Chem, 177, 4494-4500, 2004.
30. Krohns, S.; Lunkenheimer, P.; Ebbinghaus, S. G. and Loidl, A., "Colossal dielectric constants in single crystalline and ceramic investigated by broadband dielectric spectroscopy". [J. Appl. Phys, 103, 084107-9, 2008.
31. Liu, J., Duan, C., Yin, W.G., Mei, W.N., Smith R.W. and Hardy J.R., "Large Dielectric Constant and Maxwell-Wagner Relaxation in $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ", Phys. Rev. B 70, 144106-1-144106-6, 2004.

32. Liu, J., Duan, C., Mei, W.N., Smith, R.W. and Hardy, J.R., "Dielectric Properties and Maxwell–Wagner Relaxation of Compounds $\text{ACu}_3\text{Ti}_4\text{O}_{12}$ (A = Ca, Bi $^{2/3}$, Y $^{2/3}$, La $^{2/3}$)", *J. Appl. Phys.* 98, 93703-1–93703-5, 2005.
33. Lunkenheimer, P., Bobnar, V., Pronin, A.V., Ritus, A.I., Volkov, A.A. and Loidl, A., "Origin of Apparent Colossal Dielectric Constants", *Phys. Rev. B* 66, 52105-1–52105-4, 2002.
34. Chung, S.Y., "Lattice Distortion and Polarization Switching in Calcium Copper Titanate", *Appl. Phys. Lett.* 87, 52901, 2005.
35. Fang, T.T. and Liu, C.P., "Evidence of the Internal Domains for Inducing the Anomalously High Dielectric Constant of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ", *Chem. Mater.* 17, 5167–5171, 2005.
36. Li, J., Cho, K., Wu, N. and Ignatiev, A., "Correlation between Dielectric Properties and Sintering Temperatures of Polycrystalline $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ", *IEEE Trans. Dielectr. Electr. Insul.* 11, 534–541, 2004.
37. Fang, L. and Shen, M., "Effects of Postanneal Conditions on the Dielectric Properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Thin Films Prepared on Pt/Ti/SiO $_2$ /Si Substrates", *J. Appl. Phys.* 95, 6483–6485, 2004.
38. Fang, T.T., Mei, L.T. and Ho, H.F., "Effect of Cu stoichiometry on the microstructure, barrier layer structures, electrical conduction, dielectric responses and stability of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ", *Acta Mat.* 54, 2867, 2006.
39. Y. Zhu, J.C. Zheng, L. Wu, A.I. Frenkel, J. Hanson, P. Northrup and W. Ku, "Nanoscale Disorder in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$: A New Route to the Enhanced Dielectric Response", *Phys. Rev. Lett.* 99, 037602-1–037602-4, 2007.
40. Wu, L., Zhu, Y., Park, S., Shapiro, S., Shirane, G. and Taftø, J., "Defect Structure of the High-Dielectric-Constant Perovskite $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ", *Phys. Rev. B* 71, 014118-1–014118-7, 2005.
41. Haertling, G. H., "Ferroelectric Ceramics; History and Technology", *J. Am. Ceram. Soc.*, 82 (4), 797, 1999.

42. Safri, A., Panda, R. K., Victor, F. Janas, "Ferroelectric Ceramics: Processing, Properties & Applications". Rutgers University, Piscataway NJ 08855, USA.
43. Uchino, K, "Ferroelectric Devices", Marcel Dekker Inc, New York, 2000.
44. Valasek, J., " Piezoelectric and allied phenomena in Rochelle Salt", Phys. Rev., 15, 537- 538, 1920.
45. Ezhilvalavan, S. and Tseng, T.Y., " Preparation and properties of Tanatalumpentoxide (Ta_2O_5) thin films for ultra large scale integrated circuits application – a review", Mater. Chem. Phys. 65, 227, 2000.
46. Kretly, L.C., Almeida, A.F.L., de Oliveira R.S., Sasaki J.M. and Sombra A.S.B., "Electrical and Optical properties of $CaCu_3Ti_4O_{12}$ (CCTO) substrate for microwave devices and antennas. Microw. Opt. Technol. Lett. 39, 145, 2003.
47. Kretly, L.C., Almeida, A.F., Fachine, P.B.A., de Oliveira R.S. and Sombra A.S.B., " Dielectric permittivity and loss of $CaCu_3Ti_4O_{12}$ (CCTO) substrate for microwave devices and antennas. J. Mater. Sci. Mater. Electron. 16, 657, 2004.
48. Liu, J., Cho, K., Wu, N. and Ignatiev A., "Correlation between Dielectric Properties and Sintering Temperatures of Polycrystalline $CaCu_3Ti_4O_{12}$, IEEE Trans. Dielectr. Electr. Insul. 11 534–541, 2004.
49. Mohamed, J.J., Hutagalung, S.D. and Ain, M.F. , Deraman K. and Ahmad Z. A, "Microstructure and dielectric properties of $CaCu_3Ti_4O_{12}$ Ceramics". Materials Letters 61 1835–1838. 2007.
50. Hutagalung, S.D., Mohamed, J.J. and Ahmad, Z.A., "Lowering Calcination Temperature of $CaCu_3Ti_4O_{12}$ formation by Modified Mechanical Alloying Process", Emirates Journal for Engineering Research, 12 (2), 61-64 ,2007.
51. Thomas, P., Sathapathy, L.N., Dwarakanath K .and Varma K.B.R., "Microwave Synthesis and Sintering Characteristics of $CaCu_3Ti_4O_{12}$ ", Bull. Mater. Sci., Vol. 30, No. 6, pp.567-570.2007.

52. Liu, L., Fan, .H, Fang, P. and Chen, X., "Sol-gel derived $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics : Synthesis , characterization and electrical properties". *Materials Research Bulletin* 43 , 1800–1807. 2008.
53. Thomas, P., Dwarakanath, K., Varma, K.B.R. and Kutty T.R.N., "Nano particles of giant dielectric material, $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ from a precursor route" *Journal of Physics and Chemistry of Solids* 69 ,2594–2604.,2008.
54. Yin,W. S., Hassan,J., Hashim,M. and See,A, "Development of Dielectric Material $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ", *Solid State Science and Technology*, Vol.16, No.1, 215-221.2008.
55. Yu,H., Liu,H., Luo,D. and Cao,M, "Microwave Synthesis of High Dielectric Constant $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ", *Journal of Materials Processing Technology*, Vol. 208, Issues 1-3, 21, pp. 145-148. 2008.
56. Masingboon,.,C., Thongbai,.,P., Maensiri,S.,Yamwong,.,T.and Seraphin,.,S., "Synthesis and Giant Dielectric Behavior of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics prepared by Polymerized Complex Method", *Materials Chemistry and Physics*, 109, 262-270, 2008.
57. Chen, K. and Li,C., "Molten Salt Synthesis of Calcium Copper Titanate Powder", <http://www.paper.edu.cn>,2008.
58. Maurya,D, Kumar,.,P., Singh, D.P. and Agrawal,D.C., "Effect of Calcium Variation on Dielectric Response of the Sol-Gel derived $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Thin Films", *Indian Journal of Engineering and Materials Sciences*, Vol. 15, pp.107-110, 2008.
59. Ramajo,L..A., Ramirez,M.A., Bueno,P.R., Reboredo, M.M. and CastroM.S., "Dielectric Behavior of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ –Epoxy Composites", *Materials Research*, Vol. 11, No.1, pp. 85-88. 2008.
60. Barbier,.,B.,Combettes,.,C.,Guillemet-FritschS.,Chartier,.,T.,Rossignol.F., Rumeau, A., Lebey,T. and Dutarde,E., " $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics from Co-Precipitation Method: Dielectric Properties of Pellets and Thick

Films”, Journal of the European Ceramic Society, Vol. 29 (4), pp. 731-735.2009,

61. Yuan,W. X., Hark, S.K. and Mei,W.N., “Effective Synthesis to Fabricate a Giant Dielectric-Constant Material $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ via Solid State Reactions”, Journal of Ceramic Processing Research, Vol. 10, No.5, pp. 696-699.2009.
62. Sen, S., Sahu,P. and Prasad ,K., “A Novel Technique for the Synthesis of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics”, Materials Science-Poland, Vol. 28, No.1, 2010.
63. Zheng.,J, Frenkel, A.,Wul. L., Hanson,J., Ku,W., Božin,E. S., Billinge,S. J. L. and Zhu,Y, “Nanoscale Disorder and Local Electronic Properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$: An Integrated Studyof Electron, Neutron, and X-ray Diffraction, X-ray Absorption Fine Structure and First-Principles Calculations”, Physical Review B 81, 144203 , 2010.
64. Banerjee,.N.,Parui,.J.and Krupanidhi,S.B, “Wide Ranged La Modification in CCTO Ceramics through Sol-Gel: Effect on Microstructure and Dielectric Properties” Integrated Ferroelectrics, Volume 121, Issue 1, 2010.
65. Yuan,.J., Lin,Y-H, Lu,.H., Cheng,.B. and Nan,C.W, “Dielectric and Varistor Behavior of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ – MgTiO_3 Composite Ceramics”, Journal of the American Ceramic Society, [Volume 94, Issue 7](#), pages 1966–1969, 2011.
66. Felix,.A.A., Orlandi,M.O. and Varela,J.A., “Schottky-type Grain Boundaries in CCTO Ceramics”, Solid State Communications, Volume 151, Issue 19, Pages 1377-1381, 2011.
67. Xu.,D, Zhang.,C, Cheng,.X.N., Fan,.Y, Yang., T. and Yuan.,H.M., “Dielectric Properties of Zn-Doped CCTO Ceramics by Sol-Gel Method”, [Advanced Materials Research](#)(Volumes 197 - 198), Pages 302-305, 2011

68. L., Wu, F. Ling, T. Liu, J. Liu, Y. Xu and J. Yao, "Dielectric Behaviour of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics in the Terahertz Range", optical Express, Vol. 19, Issue 6, pp. 5118-5125, 2011.
69. Puchmark,C. and Rujjanagul,G., "Preparation of CCTO Powders and Ceramics by a Simple Solid State Mixed Oxide Method", Ferroelectrics, Volume 415, Issue 1, 2011.
70. Kashyap,R., Thakur,O.P., Mehra,N.C. and Tandon,R.P., "Effect of Processing Conditions on Dielectric Properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics", International Journal of Modern Physics B (IJMPB), Volume 25, Issue 8, pp. 1049-1059, 2011.
71. LiuQ., X., Tang, X. G., Jiang,Y. P. and DongF. L., "The Dielectric Characteristics of Sr and Mg Doped CCTO Ceramics", Materials Science Forum, Volume 687, Pages 416-421, 2011.
72. Mazumder,R., Seal,A., Sen,A. and Maiti,H. S., "Effect of Boron Addition on the Dielectric Properties of Giant Dielectric $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ", Ferroelectrics, Vol. 326, pp. 103-108. 2005.
73. Bender, B.A. and Pan, M.J., " The effect of processing on the giant dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$." Materials Science and Engineering B 117 339–347. 2005.
74. Yang, J, Shen M. and Fang, L., "The electrode / sample contact effects on the dielectric properties of the $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics" .Materials Letters 59 3990 – 3993. 2005.
75. Lia, J., Sleight, A.W. and Subramanian, M.A., "Evidence for internal resistance barriers in a crystal of the giant dielectric properties in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics." Solid State Communications 135, 260–262. 2005.
76. Yoo,D. and Yoo,S., "Microstructures and Dielectric Properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Polycrystalline Ceramics" Solid State Phenomena Vols. 124-126 pp. 143-146, 2007.

77. Krohns.,S., Lunkenheimer.,P., Ebbinghaus.,S. G. and Loidl.,A., “Broadband Dielectric Spectroscopy on Single-Crystalline and Ceramic $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ”, Applied Physics Letters 91, 022910, 2007
78. Lee,S.Y., Yoo,D.K. and Yoo,S.I., “Microstructures and Dielectric Properties of Cu-deficient and excess $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Polycrystalline Ceramics”, Electronic Materials Letters, Vol. 3, No.1, pp. 23-25. 2007.
79. Shao, S.F., Zhang, J.L., Zheng, P. and Wang, C.L., “Effect of Cu stoichiometry on the dielectric and electric properties in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics”. Solid State Commun, 142:281, 2007.
80. Wang, C.M., Kao, K.S., Lin, S.Y., Chen, Y.C. and Weng, S.C., “ Processing and properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics”.Journal of Physics and Chemistry of Solids, 69, 608–610. 2008.
81. Kim, K.M., Lee, J.H., Lee, K.M., Kim, D.Y., Riu, D.H. and Lee, S.B., “Microstructure evolution and dielectric properties of Cu deficient and Cu excess $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics”. Materials Research Bulletin 43, 284–291, 2008.
82. Marco, A. L.,Cordeiro, Souza,F L., Leite,E. R. and Lanfredi,A. J. C., “Anomalous Current-Voltage Behavior of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics”, Applied Physics Letters 93, 182912, 2008.
83. Jacoba,K.T., Rajithaa,G., Kaleb,G.M., Watsonb,A. and Wangb, Z., “High-Temperature Heat Capacity and Heat Content of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ (CCTO)”, Journal of Alloys and Compounds, 488, 35–38, 2009.
84. Fiorenza,P., Nigro,R.L. and Raineri,V., “Detection of Heterogeneities in Single-Crystal $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ using Conductive Atomic Force Microscopy”, IOP Conf. Series; Materials Science and Engineering, 8, 012018, 2010
85. Myroshnychenko, V. and Brosseau, C, “Finite-Element Modeling Method for the Prediction of the Complex Effective Permittivity of Two-

- Phase Random Statistically Isotropic Hetero-Structures”, *J. Appl. Phys.*, 97, 044101.2005.
86. Rao ,Y, Qu, J, Marinis ,T. and Wong, C.P., “A Precise Numerical Prediction of the Effective Dielectric Constant for Polymer-Ceramic Composite based on Effective-Medium Theory”, *IEEE Trans. Comp.Pack. Tech.*, 23, 680-683.2000.
 87. Newnham, R. E., Skinner, D. P. and Cross, L. E., “Connectivity and piezoelectric- pyroelectric composites”. *Mater. Res. Bull.* 13, 525 1978.
 88. Ying, K.L, and Hsieh, T.E., “Sintering Behaviors and Dielectric Properties of Nano-Crystalline Barium Titanate”, *Mater. Sci. Eng. B-Sol. St., Mater. Adv. Technol.*, 138, 241-245.2007.
 89. Yoon, D.H, Zhang, J and Lee, B.I., “Dielectric Constant and Mixing Model of Barium Titanate Composite Thick Films”, *Mater. Res. Bull.*, 38, 765-772.2003.
 90. Rao, Y. and Wong, C.P., “Material Characterization of a High-Dielectric Constant Polymer-Ceramic Composite for Embedded Capacitor for RF Applications”, *J. Appl. Polym. Sci.*, 92, 2228-2231.2004.
 91. Todd, M.G. and Shi, F.G., “Complex Permittivity of Composite Systems: A Comprehensive Inter-Phase Approach”, *IEEE Dielect. El. In.*, 12, 601-611.2005.
 92. Vo, H.T., and Shi, F.G., “Towards Model-Based Engineering of Optoelectronic Packaging Materials: Dielectric Constant Modeling”, *Microelectronics*, 33, 409-415.2002.
 93. Gupta, D., D. K., Doughty, K. J., “Corona charging and the piezoelectric effect in polyvinylidene fluoride”. *Appl. Phys. Lett.*, 27 4601, 1986.
 94. Murugaraj,P, Mainwaring, D, Mora-Huertas, N., “Dielectric Enhancement of Polymer Nanoparticle through Inter-Phase Polarizability. *J. App. Phy.* 98, 054304.2005.

95. Tuncer, E., "Signs of Low Frequency Dispersions in Disordered Binary Dielectric Mixtures (50-50)", J. Phys. D: Appl. Phys., 37, 334-342.2004.
96. Tuncer, E, Nettelblad, B. and Gubanski S.M., "Non-Debye Relaxation of Binary Dielectric Mixtures (50-50): Randomness and Regularity in Mixture Topology", J. Appl. Phys., 92, 4612-4624.2002.
97. Ishizaki, K. Vaucher,S., Kiley,E. M.and YakovlevV. V., Applicability study of classical and contemporary models for effective complex permittivity of metal powders." Journal of Microwave Power and Electromagnetic Energy, 46 (1), pp. 26-38.2012.
98. Abdelal,O.A.A., Hassan, A.A. and Ali,M.E., " Dielectric properties of Calcium copper titanates ($\text{CaCu}_3\text{Ti}_4\text{O}_{12}$) synthesized by solid state reaction". International Journal of Advanced Research in Chemical Science (IJARCS) Volume 1, Issue 2, PP 4-10, 2014.
99. Ruan,X., Zhang,Y., Yang,Z., Xiong,R. and Shi, J., "Electrical conduction and dielectric properties of the $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics synthesized by SPS. Advances in Microelectronic Engineering AIME (AIME) Volume 1 Issue 2, 2013.
- 100.Ribeiro, W. C., Joanni, E., Savu ,R. and Bueno, P R., "Nanoscale effects and polaronic relaxation in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ compounds", Solid State Communications 151 173–176 ,2011.
- 101.[Pandey](#) ,R. K., [Stapleton](#), W. A., [Tate](#), J., [Bandyopadhyay](#), A. K. , [Sutanto](#), I.,[Sprissler](#), S. and [Lin](#), S. "Applications of CCTO supercapacitor in energy storage and electronics", <http://dx.doi.org/10.1063/1.4812709>, 2013.
- 102.Steeds, J W, "Introduction to Analytical Electron Microscopy", (eds) J JHren, J I Goldstein, D C Joy (New York: plenum), 1979.
- 103.Elissalde,C. and Ravez, J., "Ferroelectric Ceramics: Defects and Dielectric Relaxations", J. Mater. Chem. 11, 1957, 2001.

104. Isupov, V. A., "Properties of $\text{Pb}(\text{Ti}, \text{Zr})\text{O}_3$ Piezoelectric Ceramics and Nature of Their Orientational Dielectric Polarization. *Sov. Phys. Solid State* 10, 989–991, 1968.
105. King-Smith, R. D. and Vanderbilt, D., "Theory of Polarization of Crystalline Solids", *Phys. Rev. B* 47, 1651–1654, 1993.
106. Warren, W.L., Dimos, D., Pike, G.E., Vanheusden, K. and Ramesh, R., "Alignment of Defect Dipoles in Polycrystalline Ferroelectrics", *Appl. Phys. Lett.*, 67(12): p. 1689-1691, 1995.
107. Prisedsky, V. and Shishkovsky, V.I., "High Temperature Electrical Conductivity and Point Defects in Lead Zirconate Titanate", *Ferroelectrics* 17, 465, 1978.
108. [Srivastava, A.](#), et. al. "Investigations on structural, mechanical and dielectric properties of PVDF/ ceramic composites." *Journal of Engineering* Volume 2015 , Article ID 205490, <http://dx.doi.org/10.1155/2015/205490>, 2015.
109. Li, T., et.al. "Dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ –silicone rubber composite" [*Journal of Materials Science: Materials in Electronics*](#), Volume 26, [Issue 1](#), pp 312-316 ,2015.
110. Chamola, A, et.al. " Structural, dielectric and electrical properties of Lead Zirconate Titanate and $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramic composite." *Adv. Mat. Lett.*, vol. 2(1), pp. 26-31 , 2011.
111. Su ,Y. ,et.al. "Dielectric properties and electrical conductivity of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics doped with Zr^{4+} ".[*Journal of Wuhan University of Technology-Mater. Sci. Ed.*](#) Volume 28, [Issue 2](#), pp 343-346 , 2013.
112. Aza'roff, L.V., *Elements of X-ray Crystallography*, McGraw-Hill Book Company, 1968.
113. Choudhary, R N P. and Bhunia, U., "Structural, dielectric and electrical properties of $\text{ACu}_3\text{Ti}_4\text{O}_{12}$ (A = Ca, Sr and Ba)" . *Journal of Materials Science*, 37(24): 5177–5182. 2002

114. Onodera, A, Takesada, M, Kawatani, K. and Hiramatsu, S., "Dielectric properties and phase transition in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ at high temperatures". Japanese Journal of Applied Physics 47(9): 7753–7756, 2008
115. Rakesh A.K., Babu.S. and Govindan.A., "High dielectric constant of pure CCTO Ceramic and Silicone Resin Polymer-CCTO ceramic composites" IJET, vol 4, issue 1, pp228-230, (2014).
116. Shao S.F., Zhang J.L., Zhang P., Zhong W.L. and Wang C.L. "Microstructure and electrical properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics" Journal of applied physics 99, 084106, (2006)