

REFERENCES

- Aajoud, A., Raveton, M., Azrou-Isghi, D., Tissut, M. and Ravanel, P. (2008). How can the fipronil insecticide access phloem?. *Journal of Agricultural and Food Chemistry*. **56**: 3732-3737.
- Aebi, H. (1984). Catalase in vitro. *Methods in Enzymology*. **105**: 121-126.
- Ahammed, G.J., Zhou, Y.H., Xia, X.J., Mao, W.H., Shi, K. and Yu, J.Q. (2013). Brassinosteroid regulates secondary metabolism in tomato towards enhanced tolerance to phenanthrene. *Biologia Plantarum*. **57**: 154-158.
- Akbulut, G.B. and Yigit, E. (2010). The changes in some biochemical parameters in *Zea mays* cv. "Martha F1" treated with atrazine. *Ecotoxicology and Environmental Safety*. **73**: 1429-1432.
- Akoijam, R. and Singh, B. (2014). Persistence and metabolism of imidacloprid in rice. *Bulletin of Environmental Contamination and Toxicology*. **92**: 609-615.
- Aksoy, Ö., Deveci, A., Kızıllırmak, S. and Akdeniz, G.B. (2013). Phytotoxic effect of quizalofop-p-ethyl on soybean (*Glycine max* L.). *Journal of Biological and Environmental Sciences*. **7**: 49-55
- Ali, B., Hayat, S. and Ahmad, A. (2005). Response of germinating seeds of *Cicer arietinum* to 28-homobrassinolide and/or potassium. *General and Applied Plant Physiology*. **31**: 55-63.
- Ali, Q., Athar, H. and Ashraf, M. (2006). Influence of exogenously applied brassinosteroids in the mineral nutrient status of two wheat cultivars grown under saline conditions. *Pakistan Journal of Botany*. **38**:1621-1632.
- Alla, M.M.N. and Hassan, N.M. (2014). Alleviation of isoproturon toxicity to wheat by exogenous application of glutathione. *Pesticide Biochemistry and Physiology*. **112**: 56-62.
- Alla, M.N. and Hassan, N.M. (2006). Changes of antioxidants levels in two maize lines following atrazine treatments. *Plant Physiology and Biochemistry*. **44**: 202-210.
- Alla, M.N., Badawi, A.M., Hassan, N.M., El-Bastawisy, Z.M. and Badran, E.G. (2008). Effect of metribuzin, butachlor and chlorimuron-ethyl on amino acid and protein formation in wheat and maize seedlings. *Pesticide Biochemistry and Physiology*. **90**: 8-18.

- Allen, D.J. and Ort, D.R. (2001). Impact of chilling temperatures on photosynthesis in warm-climate plants. *Trends in Plant Science*. **6**: 36-42.
- Allen, D.J., Mckee, I.F., Farage, P.K. and Baker, N.R. (1997). Analysis of limitation to CO₂ assimilation on exposure of leaves of two *Brassica napus* cultivars to UV-B. *Plant, Cell & Environment*. **20**: 633-640.
- Alsayed, H., Pascal-Lorber, S., Nallanthigal, C., Debrauwer, L. and Laurent, F. (2008). Transfer of the insecticide [14C] imidacloprid from soil to tomato plants. *Environmental Chemistry Letters*. **6**: 229-234.
- Andrews, C.J., Cummins, I., Skipsey, M., Grundy, N.M., Jepson, I., Townson, J. and Edwards, R. (2005). Purification and characterisation of a family of glutathione transferases with roles in herbicide detoxification in soybean (*Glycine max* L.); selective enhancement by herbicides and herbicide safeners. *Pesticide Biochemistry and Physiology*. **82**: 205-219.
- Anuradha, S., Rao, S.S.R. (2007). The effect of brassinosteroids on radish (*Raphanus sativus* L.) seedlings growing under cadmium stress. *Plant Soil and Environment*. **53**: 465-472.
- AOAC (Association of Official Analytical Chemists) 2007. Pesticide residues in foods by acetonitrile extraction and partitioning with magnesium sulfate, gas chromatography/mass spectrometry and liquid chromatography/tandem mass spectrometry first action 2007. Official Method 01. 2007. AOAC International, Maryland, USA.
- Arnon, D.I. (1949). Copper enzymes in isolated chloroplasts polyphenoloxidase in beta *Vulgaris*. *Plant Physiology*. **24**: 1-15.
- Asada, K. (2006). Production and scavenging of reactive oxygen species in chloroplasts and their functions. *Plant physiology*. **141**: 391-396.
- Asada, K. and Takahashi, M. (1987). Production and scavenging of active oxygen in photosynthesis. In: *Photoinhibition* (Eds. D.J. Kyle, C.B. Osmond and C.J. Arntzen) Elsevier, Amsterdam, **pp.** 227–287.
- Azzam, S., Yang, F., Wu, J.C., Geng, J. and Yang, G.Q. (2011). Imidacloprid-induced transference effect on some elements in rice plants and the brown plant hopper *Nilaparvata lugens* (Hemiptera: Delphacidae). *Insect Science*. **18**: 289–297.

- Badr, A., Zaki, H., Germoush, M.O., Tawfeek, A.Q. and El-Tayeb, M.A. (2013). Cytophysiological impacts of metosulam herbicide on *Vicia faba* plants. *Acta Physiologiae Plantarum*. **35**: 1933-1941.
- Bajguz, A. (2000). Effect of brassinosteroids on nucleic acid and protein content in cultured cells of *Chlorella vulgaris*. *Plant Physiology and Biochemistry* **38**: 209–215.
- Bajguz, A. and Tretyn, A. (2003). The chemical characteristic and distribution of brassinosteroids in plants. *Phytochemistry*. **62**: 1027-1046.
- Baraza, L.D., Joseph, C.C., Moshi, M.J. and Nkunya, M.H.H. (2007). Chemical constituents and biological activity of three Tanzanian wild mushroom species. *Tanzania Journal of Science*. **33**: 1-7.
- Bari, R. and Jones, J.D.G. (2009). Role of plant hormones in plant defence responses. *Plant Molecular Biology*. **69**: 473–488.
- Bartoli, C.G., Simontacchi, M., Tambussi, E., Beltrano, J., Montaldi, E. and Puntarulo, S. (1999). Drought and watering-dependent oxidative stress: effect on antioxidant content in *Triticum aestivum* L. leaves. *Journal of Experimental Botany*. **50**: 375-383.
- Basantani, M., Srivastava, A. and Sen, S. (2011). Elevated antioxidant response and induction of tau-class glutathione S-transferase after glyphosate treatment in *Vigna radiata* (L.) Wilczek. *Pesticide Biochemistry and Physiology*. **99**: 111-117.
- Bashir, F., Mahmooduzzafar, Siddiqi, T.O. and Iqbal, M. (2007). The antioxidative response system in *Glycine max* (L.) Merr. exposed to deltamethrin, a synthetic pyrethroid insecticide. *Environmental Pollution*. **147**: 94-100.
- Bayram, D., Yigit, E., and Akbulut, G.B. (2015). The effects of salicylic acid on *Helianthus annuus* L. exposed to quizalofop-p-ethyl. *American Journal of Plant Sciences*. **6**: 2412-2425.
- Bhardwaj, R., Sharma, P., Arora, H.K. and Arora, N. (2008). 28-Homobrassinolide regulated Mn-uptake and growth of *Brassica juncea* L. *Canadian Journal of Pure & Applied Sciences*. **2**: 149-154.

- Biesaga-Koscielniak, J., Dziurka, M., Ostrowska, A., Mirek, M., Koscielniak, J. and Janeczko, A. (2014). Brassinosteroid improves content of antioxidants in seeds of selected leguminous plants. *Australian Journal of Crop Science*. **8**: 378-388.
- Bigot, A., Fontaine, F., Clément, C. and Vaillant-Gaveau, N. (2007). Effect of the herbicide flumioxazin on photosynthetic performance of grapevine (*Vitis vinifera* L.). *Chemosphere*. **67**: 1243-1251.
- Blum, R., Meyer, K.C., Wünschmann, J., Lenzian, K.J. and Grill, E. (2010). Cytosolic action of phytochelatin synthase. *Plant Physiology*. **153**: 159-169.
- Boger, Z. and Guterman, H. (1997). Knowledge extraction from artificial neural networks models. In: *Proceedings of the IEEE International Conference on Systems Man and Cybernetics, SMC'97*, Orlando, Florida, **pp.** 3030-3035.
- Boltner, D., Moreno-Morillas, S. and Ramos, J.L. (2005). 16S rDNA phylogeny and distribution of lin genes in novel hexachlorocyclohexane-degrading *Sphingomonas* strains. *Environmental Microbiology*. **7**: 1329-1338.
- Bonmatin, J.M., Marchand, P.A., Charvet, R., Moineau, I., Bengsch, E.R. and Colin, M.E. (2005). Quantification of imidacloprid uptake in maize crops. *Journal of Agricultural and Food Chemistry*. **53**: 5336-5341.
- Bowler, C., Montagu, M.V. and Inze, D. (1992). Superoxide dismutase and stress tolerance. *Annual Review of Plant Physiology and Plant Molecular Biology*. **43**: 83-116.
- Canero, A.I., Cox, L., Redondo-Gómez, S., Mateos-Naranjo, E., Hermosín, M.C. and Cornejo, J. (2011). Effect of the herbicides terbuthylazine and glyphosate on photosystem II photochemistry of young olive (*Olea europaea*) plants. *Journal of Agricultural and Food Chemistry*. **59**: 5528-5534.
- Carlberg, I. and Mannervik, B. (1975). Purification of the flavoenzyme glutathione reductase from rat liver. *The Journal of Biological Chemistry*. **250**: 5475-5480.
- Carrozza, S.E., Li, B., Wang, Q., Horel, S. and Cooper, S. (2009). Agricultural pesticides and risk of childhood cancers. *International Journal of Hygiene and Environmental Health*. **212**: 186-195.
- Ceremonie, H., Boubakri, H., Mavingui, P., Simonet, P. and Vogel, T.M. (2006). Plasmid-encoded γ -hexachlorocyclohexane degradation genes and insertion

- sequences in *Sphingobium francense* (ex-*Sphingomonas paucimobilis* Sp+). *FEMS Microbiology Letters*. **257**: 243-252.
- Chahil, G.S., Mandal, K., Sahoo, S.K., Battu, R.S. and Singh, B. (2014). Risk assessment of β -cyfluthrin and imidacloprid in chickpea pods and leaves. *Ecotoxicology and Environmental Safety*. **101**: 177-183.
- Champa, W.A.H., Gill, M.I.S., Mahajan, B.V.C., Arora, N.K. and Bedi, S. (2015). Brassinosteroids improve quality of table grapes (*Vitis vinifera* L.) cv. flame seedless. *Tropical Agricultural Research*. **26**: 368 – 379.
- Chauhan, S.S., Agrawal, S. and Srivastava, A. (2013). Effect of imidacloprid insecticide residue on biochemical parameters in potatoes and its estimation by HPLC. *Asian Journal of Pharmaceutical and Clinical Research*. **6**: 114-117.
- Chen, M.C., Wang, M.K., Chiu, C.Y., Huang, P.M. and King, H.B. (2001). Determination of low molecular weight dicarboxylic acids and organic functional groups in rhizosphere and bulk soils of *Tsuga* and *Yushania* in a temperate rain forest. *Plant and Soil*. **231**: 37-44.
- Chen, X., Li, W., Lu, Q., Wen, X., Li, H., Kuang, T., Li, Z. and Lu, C. (2011). The xanthophyll cycle and antioxidative defense system are enhanced in the wheat hybrid subjected to high light stress. *Journal of Plant Physiology*. **168**: 1828-1836.
- Cheng, Y., Shi, Z.P., Jiang, L.B., Ge, L.Q., Wu, J.C. and Jahn, G.C. (2012). Possible connection between imidacloprid-induced changes in rice gene transcription profiles and susceptibility to the brown plant hopper *Nilaparvatalugens* Stål (Hemiptera: Delphacidae). *Pesticide Biochemistry and Physiology*. **102**: 213-219.
- Cherian, S. and Oliveira, M.M. (2005). Transgenic plants in phytoremediation: recent advances and new possibilities. *Environmental Science & Technology*. **39**: 9377-9390.
- Chew, O., Whelan, J. and Millar, A.H. (2003). Molecular definition of the ascorbate-glutathione cycle in *Arabidopsis* mitochondria reveals dual targeting of antioxidant defenses in plants. *Journal of Biological Chemistry*. **47**: 46869–46877.

- Choudhary, S.P., Kanwar, M., Bhardwaj, R., Yu, J.Q. and Tran, L.S.P. (2012). Chromium stress mitigation by polyamine-brassinosteroid application involves phytohormonal and physiological strategies in *Raphanus sativus* L. *PLoS One*. **7**: e33210.
- Choudhary, S.P., Yu, J.Q., Yamaguchi-Shinozaki, K., Shinozaki, K. and Tran, L.S.P. (2012). Benefits of brassinosteroid crosstalk. *Trends in Plant Science*. **17**: 594-605.
- Clouse, S.D. (1996). Molecular genetic studies confirm the role of brassinosteroids in plant growth and development. *Plant Journal*. **10**: 1-8.
- Clouse, S.D. (2011). Brassinosteroid signal transduction: from receptor kinase activation to transcriptional networks regulating plant development. *Plant Cell*. **23**: 1219-1230.
- Clouse, S.D. and Sasse, J.M. (1998). Brassinosteroids: essential regulators of plant growth and development. *Annual Review of Plant Physiology and Plant Molecular Biology*. **49**: 427-451.
- Coleman, J., Blake-Kalff, M. and Davies, E. (1997). Detoxification of xenobiotics by plants: chemical modification and vacuolar compartmentation. *Trends in Plant Science*. **2**: 144-151.
- Cui, J., Zhang, R., Wu, G.L., Zhu, H.M. and Yang, H. (2010). Salicylic acid reduces napropamide toxicity by preventing its accumulation in rapeseed (*Brassica napus* L.). *Archives of Environmental Contamination and Toxicology*. **59**: 100-108.
- Dalton, D.A., Russell, S.A., Hanus, F.J., Pascoe, G.A. and Evans, H.J. (1986). Enzymatic reactions of ascorbate and glutathione that prevent peroxide damage in soybean root nodules. *Proceedings of the National Academy of Sciences of the United States of America*. **83**: 3811-3815.
- Das, S.K., Mukherjee, I. and Das, S.K. (2012). Dissipation of flubendiamide in/on okra [*Abelmoschus esculenta* (L.) Moench] fruits. *Bulletin of Environmental Contamination and Toxicology*. **88**: 381-384.
- De Kok, L.J. and Stulen, I. (1993). Role of glutathione in plants under oxidative stress. In: *Sulfur Nutrition and Assimilation in Higher Plants: Regulatory Agricultural*

- and Environmental Aspects*, (Eds. L.J. De Kok, I. Stuten, H. Rennenberg, C. Brunold and W.E. Rauser), SPB Academic Publishing, The Hague, **pp.** 125–138.
- De, A., Bose, R., Kumar, A. and Mozumdar, S. (2014). Worldwide pesticide use. In: *Targeted Delivery of Pesticides Using Biodegradable Polymeric Nanoparticles* (Eds. A. De, R. Bose, A. Kumar and S. Mozumdar), Springer, New Delhi, India, **pp.** 5–6.
- Deluc, L.G., Grimplet, J., Wheatley, M.D., Tillett, R.L., Quilici, D.R., Osborne, C., Schooley, D.A., Schlauch, K.A., Cushman, J.C. and Cramer, G.R. (2007). Transcriptomic and metabolite analyses of Cabernet Sauvignon grape berry development. *BMC Genomics*. **8**: 429-471.
- Dewar, A.M., Haylock, L.A. and Ecclestone, P.M.J. (1996). Strategies for controlling aphids and virus yellows in sugar beet. *Brighton Crop Protection Conference: Pests and Diseases*. **1**: 185-190.
- Dhaubhadel, S., Browning, K.S., Gallie, D.R. and Krishna, P. (2002). Brassinosteroid functions to protect the translational machinery and heat-shock protein synthesis following thermal stress. *The Plant Journal*. **29**: 681-691.
- Directorate of Agriculture, Government of Punjab. http://agripb.gov.in/plant_protection/pdf/management_of_pes.pdf (downloaded on 30-08-2016).
- Doganlar, Z.B. (2012). Physiological and genetic responses to pesticide mixture treatment of *Veronica beccabunga*. *Water, Air, and Soil Pollution*. **223**: 6201-6212.
- Domagalska, M.A., Sarnowska, E., Nagy, F. and Davis, S.J. (2010). Genetic analyses of interactions among gibberellin, abscisic acid, and brassinosteroids in the control of flowering time in *Arabidopsis thaliana*. *PLoS One*. **5**: e14012. Doi:10.1371/journal.pone.0014012.
- Donald, P.F. (2004). Biodiversity impacts of some agricultural commodity production systems. *Conservation Biology*. **18**: 17-37.
- Donnarumma, L., Pulcini, P., Pochi, D., Rosati, S., Lusco, L. and Conte, E. (2011). Preliminary study on persistence in soil and residues in maize of imidacloprid. *Journal of Environmental Science and Health, Part B*. **46**: 469-472.

- Du, L. and Poovaiah, B.W. (2005). Ca^{2+} /calmodulin is critical for brassinosteroid biosynthesis and plant growth. *Nature*. **437**: 741-745.
- Edwards, R., Dixon, D.P. and Walbot, V. (2000). Plant glutathione S-transferases: enzymes with multiple functions in sickness and in health. *Trends in Plant Science*. **5**: 193-198.
- El-Awadi, M.E. and Hassan, E.A. (2011). Improving growth and productivity of fennel plant exposed to pendimethalin herbicide: stress–recovery treatments. *Nature and Science*. **9**: 97-108.
- El-Mashad, A.A.A. and Mohamed, H.I. (2012). Brassinolide alleviates salt stress and increases antioxidant activity of cowpea plants (*Vigna sinensis*). *Protoplasma*. **249**: 625–635.
- El-Naggar, J.B. and Zidan, N.E.H.A. (2013). Field evaluation of imidacloprid and thiamethoxam against sucking insects and their side effects on soil fauna. *Journal of Plant Protection Research*. **53**: 375-387.
- Environmental Protection Agency. (2014). Protection of environment tolerances and exemptions for pesticide chemical residues in food. Part 180.472. <https://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol24/xml/CFR-2014-title40-vol24-part180.xml#seqnum180.472>.
- Escobar-Restrepo, J. M., Huck, N., Kessler, S., Gagliardini, V., Gheyselinck, J. and Yang, W.C. (2007). The feronia receptor-like kinase mediates male-female interactions during pollen tube reception. *Science*. **317**: 656–660.
- Ezaki, B., Suzuki, M., Motoda, H., Kawamura, M., Nakashima, S. and Matsumoto, H. (2004). Mechanism of gene expression of *Arabidopsis* glutathione S-transferase, AtGST1, and AtGST11 in response to aluminum stress. *Plant Physiology*. **134**: 1672-1682.
- Fariduddin, Q., Ahmad, A. and Hayat, S. (2003). Photosynthetic response of *Vigna radiata* to pre-sowing seed treatment with 28- homobrassinolide. *Photosynthetica*. **41**: 307-310.
- Fariduddin, Q., Yusuf, M., Ahmad, I. and Ahmad, A. (2014). Brassinosteroids and their role in response of plants to abiotic stresses. *Biologia Plantarum*. **58**: 9-17.

- Farkas, M.H., Berry, J.O. and Aga, D.S. (2007). Chlortetracycline detoxification in maize via induction of glutathione S-transferases after antibiotic exposure. *Environmental Science & Technology*. **41**: 1450-1456.
- Farooq, M., Wahid, A., Basra, S.M.A. and Din, I. (2009). Improving water relations and gas exchange with brassinosteroids in rice under drought stress. *Journal of Agronomy and Crop Science*. **195**: 262-269.
- Fayez, K.A. (2000). Action of photosynthetic diuron herbicide on cell organelles and biochemical constituents of the leaves of two soybean cultivars. *Pesticide Biochemistry and Physiology*. **66**: 105-115.
- Fayez, K.A., Radwan, D.E.M., Mohamed, A.K. and Abdelrahman, A.M. (2014). Fusilade herbicide causes alterations in chloroplast ultrastructure, pigment content and physiological activities of peanut leaves. *Photosynthetica*. **52**: 548-554.
- Fayez, K.A., Radwan, D.E.R., Mohamed, A.K. and Abdelrahman, A.M. (2011). Herbicides and salicylic acid applications caused alterations in total amino acids and proline contents of peanut cultivars. *Journal of Environmental Studies*. **6**: 55-61.
- Finlayson, D.G. and MacCarthy, H.R. (1973). Pesticides residues in plants. In: *Environmental Pollution by Pesticides* (Eds. C. A. Edwards), Plenum Press, London and New York, **pp.** 57-86.
- Flohé, L. and Günzler, W.A. (1984). Assays of glutathione peroxidase. *Methods in Enzymology*. **105**: 114-21.
- Foyer, C.H., Lopez-Delgado, H., Dat, J.F. and Scott, I.M. (1997). Hydrogen peroxide and glutathione associated mechanisms of acclimatory stress tolerance and signalling. *Physiologia Plantarum*. **100**: 241-254.
- Fu, F.Q., Mao, W.H., Shi, K., Zhou, Y.H., Asami, T. and Yu, J.Q. (2008). A role of brassinosteroids in early fruit development in cucumber. *Journal of Experimental Botany*. **59**: 2299-2308.
- Führ, F. (1991). Radiotracers in pesticide studies-advantages and limitations. *Ciencia e Cultura*. **43**: 211-216.

- Fujii, S. and Saka, H. (2001). Distribution of assimilates to each organ in rice plants exposed to low temperature at the ripening stage and effect of brassinolide on the distribution. *Plant Production Science*. **4**: 134-136.
- Fujioka, S. and Sakurai, A. (1997). Biosynthesis and metabolism of brassinosteroids. *Physiologia Plantarum*. **100**: 710-715.
- Gajbhiye, V.T., Gupta, S. and Gupta, R.K. (2004). Persistence of imidacloprid in/on cabbage and cauliflower. *Bulletin of Environmental Contamination and Toxicology*. **72**: 283-288.
- Galan, B., Diaz, E., Prieto, M.A. and Garcia, J.L. (2000). Functional analysis of the small component of the 4-hydroxyphenylacetate 3-monooxygenase of *Escherichia coli* W: a prototype of a new flavin: NAD(P)H reductase subfamily. *Journal of Bacteriology*. **182**: 627-636.
- Gar'kova, A.N., Rუსyaeva, M.M., Nushtaeva, O.V., Aroslankina, Y.N. and Lukatkin, A.S. (2011). Treatment with the herbicide granstar induces oxidative stress in cereal leaves. *Russian Journal of Plant Physiology*. **58**: 1074-1081.
- Gervais, J.A., Luukinen, B., Buhl, K. and Stone, D. (2010). Imidacloprid technical fact sheet. National Pesticide Information Center, Oregon State University Extension Services. <http://npic.orst.edu/factsheets/imidacloprid.pdf>.
- Girolami, V., Mazzon, L., Squartini, A., Mori, N., Marzaro, M., Greatti, M., Giorio, C. and Tapparo, A. (2009). Translocation of neonicotinoid insecticides from coated seeds to seedling guttation drops: a novel way of intoxication for bees. *Journal of Economic Entomology*. **102**: 1808-1815.
- Goebel, G., Gorbach, S., Knauf, W., Rimpau, R.H. and Huttenbach, H. (1982). Properties, effects, residues, and analytics of the insecticide endosulfan. *Residue Reviews*. **83**: 1-165.
- Goh, W.L., Yiu, P.H., Wong, S.C. and Rajan, A. (2011). Safe use of chlorpyrifos for insect pest management in leaf mustard (*Brassica juncea* L. Coss.). *The Journal of Food, Agriculture and Environment*. **9**: 1064-1066.
- Gomes, M.M.A., Campostrini, E., Leal, N.R., Viana, A.P., Ferraz, T.M., Siqueira, L.N., Rosa, R.C.C., Netto, A.T., Nuñez-Vázquez, M. and Zullo, M.A.T. (2006).

- Brassinosteroid analogue effects on the yield of yellow passion fruit plants (*Passiflora edulis* f. *flavicarpa*). *Scientia Horticulturae*. **110**: 235-240.
- Gonzalez-Garcia, M., Vilarrasa-Blasi, J., Zhiponova, M., Divol, F., Mora-Garcia, S., Russinova, E. and Cano-Delgado, A. (2011). Brassinosteroids control meristem size by promoting cell cycle progression in *Arabidopsis* roots. *Development*. **138**: 849–859.
- Grove, M.D., Spencer, G.F., Rohwedder, W.K., Mandava, N., Worley, J.F., Warthen, J.D., Steffens, G.L., Flippen-Anderson, J.L. and Cook, J.C. (1979). Brassinolide, a plant growth-promoting steroid isolated from *Brassica napus* pollen. *Nature*. **281**: 216-217.
- Habig, W.H. and Jakoby, W.B. (1981). Glutathione S-transferases (rat and human). *Methods in Enzymology*. **77**: 218-31
- Hacham, Y., Holland, N., Butterfield, C., Ubeda-Tomas, S., Bennett, M.J., Chory, J. and Savaldi-Goldstein, S. (2011). Brassinosteroid perception in the epidermis controls root meristem size. *Development*. **138**: 839–848.
- Haddad, R., Morris, K. and Buchanan-Wollaston, V. (2009). Molecular characterization of free radicals decomposing genes on plant developmental stages. *International Journal of Biological, Biomolecular, Agricultural, Food and Biotechnological Engineering*. **3**: 77-83.
- Hajjar, M.J., Alsaikhan, M.S. and Soliman, A.M. (2014). The phytotoxic effects of methomyl and imidacloprid insecticides on tomato local variety in Al-Hassa, Saudi Arabia. *Annual Research & Review in Biology*. **4**: 4181-4189.
- Hao, J., Yin, Y. and Fei, S.Z. (2013). Brassinosteroid signaling network: implications on yield and stress tolerance. *Plant Cell Reports*. **32**: 1017-1030.
- Harborne, J. B. (1980). Plant phenolics. In: *Encyclopedia of Plant Physiology* (Eds. E.A. Bell and B.V.Charlwood), Springer-Verlag, Berlin Heidelberg, New York, pp. 329–395.
- Harpaz-Saad, S., Azoulay, T., Arazi, T., Yaakov, E.B., Mett, A., Shibolet, Y.M., Hörtensteiner, S., Gidoni, D., Gal-On, A., Goldschmidt, E.E. and Eyal, Y. (2007). Chlorophyllase is a rate-limiting enzyme in chlorophyll catabolism and is post translationally regulated. *The Plant Cell*. **19**: 1007–1022.

- Hassan, N.M. and Alla, M.M.N. (2005). Oxidative stress in herbicide-treated broad bean and maize plants. *Acta Physiologiae Plantarum*. **27**: 429-438.
- Hassanzadeh, N., Esmaili Sari, A. and Bahramifar, N. (2012). Dissipation of imidacloprid in greenhouse cucumbers at single and double dosages spraying. *Journal of Agricultural Science and Technology*. **14**: 557-564.
- Hatzios, K.K. (2001). Functions and regulations of glutathione S-transferases. In: *Pesticide Biotransformation in Plants and Microorganisms: Similarities and Divergences*. (Eds. J.C. Hall, R.E. Hoagland and R.M. Zoblutowicz). ACS symposium series 777, Washington, DC, **pp.** 218-239.
- Hayat, S. and Ahmad, A. (2003). 28-Homobrassinolide induced changes favoured germinability of wheat grains. *Bulgarian Journal of Plant Physiology*. **29**: 55-62.
- Hayat, S., Ahmad, A., Mobin, M., Fariduddin, Q. and Azam, Z.M. (2001). Carbonic anhydrase, photosynthesis, and seed yield in mustard plants treated with phytohormones. *Photosynthetica*. **39**: 111-114.
- Hayat, S., Ahmad, A., Mobin, M., Hussain, A. and Fariduddin, Q. (2000). Photosynthetic rate, growth and yield of mustard plants sprayed with 28-homobrassinolide. *Photosynthetica*. **38**: 469-471.
- Hayat, S., Ali, B., Hasan, S.A. and Ahmad, A. (2007). Brassinosteroid enhanced the level of antioxidants under cadmium stress in *Brassica juncea*. *Environmental and Experimental Botany*. **60**: 33-41.
- Hayat, S., Hasan, S.A., Yusuf, M., Hayat, Q. and Ahmad, A. (2010). Effect of 28-homobrassinolide on photosynthesis fluorescence and antioxidant system in the presence or absence of salinity and temperature in *Vigna radiata*. *Environmental and Experimental Botany*. **69**: 105-112.
- Hayat, S., Khalique, G., Wani, A. S., Alyemeni, M. N. and Ahmad, A. (2014). Protection of growth in response to 28-homobrassinolide under the stress of cadmium and salinity in wheat. *International Journal of Biological Macromolecules*. **64**: 130-136.

- He, J.X., Gendron, J.M., Sun, Y., Gampala, S.S., Gendron, N., Sun, C.Q. and Wang, Z.Y. (2005). BZR1 is a transcriptional repressor with dual roles in brassinosteroid homeostasis and growth responses. *Science*. **307**: 1634-1638.
- Heath, R.L. and Packer, L. (1968). Photoperoxidation in isolated chloroplasts. I. Kinetics and stoichiometry of fatty acid peroxidation. *Archives of Biochemistry and Biophysics*. **125**: 189-198.
- Heatherington, P.J. and Bolton, B.J.G. (1992). Pest control and crop establishment in sugar beet using an imidacloprid-based seed treatment. *Aspects of Applied Biology*. **32**: 65-79.
- Hoagland, R.E. and Zablotowicz R.M. (2001). The role of plant and microbial hydrolytic enzymes in pesticide metabolism. In: *Pesticide Biotransformation in Plants and Microorganisms: Similarities and Divergences* (Eds. J.C. Hall, R.E. Hoagland and R.M. Zoblutowicz), ACS symposium series 777, Washington DC, **pp.** 58-88.
- Hoffmann, E.J. and Castle, S.J. (2012). Imidacloprid in melon guttation fluid: a potential mode of exposure for pest and beneficial organisms. *Journal of Economic Entomology*. **105**: 67-71.
- Honnerova, J., Rothova, O., Hola, D., Kocova, M., Kohout, L. and Kvasnica, M. (2010). The exogenous application of Brassinosteroids to *Zea mays* (L.) stressed by long term chilling does not affect the activities of photosystem 1 or 2. *Journal of Plant Growth Regulation*. **29**: 500–505.
- Horbowicz, M., Sempruch, C., Kosson, R., Koczkodaj, D. and Walas, D. (2013). Effect of fluazifop-p-butyl treatment on pigments and polyamines level within tissues of non-target maize plants. *Pesticide Biochemistry and Physiology*. **107**: 78-85.
- Huang, H. and Xiong, Z.T. (2009). Toxic effects of cadmium, acetochlor and bensulfuron-methyl on nitrogen metabolism and plant growth in rice seedlings. *Pesticide Biochemistry and Physiology*. **94**: 64-67.
- Huck, N., Moore, J.M., Federer, M. and Grossniklaus, U. (2003). The *Arabidopsis* mutant *feronia* disrupts the female gametophytic control of pollen tube reception. *Development*. **130**: 2149–2159.

- Huiyun, P.A.N., Xiaolu, L.I., Xiaohua, X.U. and Shixiang, G.A.O. (2009). Phytotoxicity of four herbicides on *Ceratophyllum demersum*, *Vallisneria natans* and *Elodea nuttallii*. *Journal of Environmental Sciences*. **21**: 307-312.
- Iriti, M., Rossoni, M., Borgo, M., Ferrara, L. and Faoro, F. (2005). Induction of resistance to gray mold with benzothiadiazole modifies amino acid profile and increases proanthocyanidins in grape: primary versus secondary metabolism. *Journal of Agricultural and Food chemistry*. **53**: 9133-9139.
- Janicka, U., Mioduszevska, H., Kielak, E., Klocek, J. and Horbowicz, M. (2008). The effect of haloxyfop-ethoxyethyl on antioxidant enzyme activities and growth of wheat leaves (*Triticum vulgare* L.). *Polish Journal of Environmental Studies*. **17**: 485-490.
- Jiang, L. and Yang, H. (2009). Prometryne-induced oxidative stress and impact on antioxidant enzymes in wheat. *Ecotoxicology and Environmental Safety*. **72**: 1687-1693.
- Jiang, L., Ma, L., Sui, Y., Han, S.Q., Wu, Z.Y., Feng, Y.X. and Yang, H. (2010). Effect of manure compost on the herbicide prometryne bioavailability to wheat plants. *Journal of Hazardous Materials*. **184**: 337-344.
- Jiang, Z., Ma, B., Erinle, K.O., Cao, B., Liu, X., Ye, S. and Zhang, Y. (2016). Enzymatic antioxidant defense in resistant plant: *Pennisetum americanum* (L.) K. Schum during long-term atrazine exposure. *Pesticide Biochemistry and Physiology*. Doi.org/10.1016/j.pestbp.2016.03.003.
- Jones, P.J. (2002). Clinical nutrition: 7. Functional foods--more than just nutrition. *Canadian Medical Association Journal*. **166**: 1555-1563.
- Jyot, G., Mandal, K., Battu, R.S. and Singh, B. (2013). Estimation of chlorpyrifos and cypermethrin residues in chilli (*Capsicum annuum* L.) by gas-liquid chromatography. *Environmental Monitoring and Assessment*. **185**: 5703-5714.
- Kadam, D.R., Deore, B.V. and Umate, S.M. (2014). Residues and dissipation of imidacloprid in pomegranate fruits. *Asian Journal of Bio Science*. **9**: 246-250.
- Kalinich, J.F., Mandava, N.B. and Todhunter, J.A. (1985). Relationship of nucleic acid metabolism to brassinolide-induced responses in beans. *Journal of Plant Physiology*. **120**: 207-214.

- Kaňa, R., Špundová, M., Ilik, P., Lazár, D., Klem, K., Tomek, P., Nauš, J. and Prášil, O. (2004). Effect of herbicide clomazone on photosynthetic processes in primary barley (*Hordeum vulgare* L.) leaves. *Pesticide Biochemistry and Physiology*. **78**: 161-170.
- Kang ,Y.Y. and Guo, S.R. (2011). Role of brassinosteroids on horticultural crops. In: *Brassinosteroids: A Class of Plant Hormone*. (Eds. S. Hayat and A. Ahmad), Springer, Netherlands, **pp.** 309-344.
- Kanwar, M.K., Poonam, and Bhardwaj, R. (2015). Arsenic induced modulation of antioxidative defense system and brassinosteroids in *Brassica juncea* L. *Ecotoxicology and Environmental Safety*. **115**:119-125.
- Kapoor, D., Kaur, S. and Bhardwaj, R. (2014). Physiological and biochemical changes in *Brassica juncea* plants under Cd-induced stress. *BioMed Research International*. Doi.org/10.1155/2014/726070.
- Karthikeyan, S.C., Velmurugan, S., Donio, M.B.S., Michaelbabu, M. and Citarasu, T. (2014). Studies on the antimicrobial potential and structural characterization of fatty acids extracted from Sydney rock oyster *Saccostrea glomerata*. *Annals of Clinical Microbiology and Antimicrobials*. **13**: 332. Doi:10.1186/s12941-014-0057-x.
- Kato, M. and Shimizu, S. (1985). Chlorophyll metabolism in higher plants VI. Involvement of peroxidase in chlorophyll degradation. *Plant & Cell Physiology*. **26**: 1291–1301.
- Kawahigashi, H., Hirose, S., Ohkawa, H. and Ohkawa, Y. (2005). Transgenic rice plants expressing human CYP1A1 remediate the triazine herbicides atrazine and simazine. *Journal of Agricultural and Food Chemistry*. **53**: 8557-8564.
- Kawahigashi, H., Hirose, S., Ohkawa, H. and Ohkawa, Y. (2006). Phytoremediation of the herbicides atrazine and metolachlor by transgenic rice plants expressing human CYP1A1, CYP2B6, and CYP2C19. *Journal of Agricultural and Food Chemistry*. **54**: 2985-2991.
- Kawahigashi, H., Hirose, S., Ohkawa, H. and Ohkawa, Y. (2007). Herbicide resistance of transgenic rice plants expressing human CYP1A1. *Biotechnology Advances*. **25**: 75-84.

- Kaya, A. and Doganlar, Z.B. (2016). Exogenous jasmonic acid induces stress tolerance in tobacco (*Nicotiana tabacum*) exposed to imazapic. *Ecotoxicology and Environmental Safety*. **124**: 470-479.
- Kaya, A. and Yigit, E. (2012). Interactions among glutathione s-transferase, glutathione reductase activity and glutathione contents in leaves of *Vicia faba* L. subjected to flurochloridone. *Fresenius Environmental Bulletin*. **21**: 1635-1640.
- Kaya, A. and Yigit, E. (2014). The physiological and biochemical effects of salicylic acid on sunflowers (*Helianthus annuus*) exposed to flurochloridone. *Ecotoxicology and Environmental Safety*. **106**: 232-238.
- Kerle, E.A., Jenkins, J.J. and Vogue, P.A. (2007). Understanding pesticide persistence and mobility for groundwater and surface water protection. Oregon State University Extension Service, Oregon, USA, EM8561-E.
- Khan, T.A., Fariduddin, Q. and Yusuf, M. (2015). *Lycopersicon esculentum* under low temperature stress: an approach toward enhanced antioxidants and yield. *Environmental Science and Pollution Research*. **22**: 14178-14188.
- Khripach, V., Zhabinskii, V.N. and De Groot, A. (2000). Twenty years of brassinosteroids: steroidal plant hormones warrant better crops for the XXI century. *Annals of Botany*. **86**: 441-447.
- Khripach, V.A., Zhabinskii, V.N. and Groot, A.E. (1999). Brassinosteroids: a new class of plant hormones. *Plant Growth Regulation*. **28**: 73-75.
- Kilic, S., Duran, R.E. and Coskun, Y. (2015). Morphological and physiological responses of maize (*Zea mays* L.) seeds grown under increasing concentrations of chlorantraniliprole insecticide. *Polish Journal of Environmental Studies*. **3**: 1069-1075.
- Kim, Y., You, Y.J., Nam, N.H. and Ahn, B.Z. (2002). 2, 3-Dibenzylbutyrolactones and 1, 2, 3, 4-tetrahydro-2-naphthoic acid γ nes: structure and activity relationship in cytotoxic activity. *Archives of Pharmacal Research*. **25**: 240-249.
- Ko, A.Y., Musfiqur-Rahman, M., Abd El-Aty, A.M., Jang, J., Park, J.H., Cho, S.K. and Shim, J.H. (2014). Development of a simple extraction and oxidation procedure for the residue analysis of imidacloprid and its metabolites in lettuce using gas chromatography. *Food Chemistry*. **148**: 402-409.

- Kono, Y. (1978). Generation of superoxide radical during autooxidation of hydroxylamine and an assay for superoxide dismutase. *Archives of Biochemistry and Biophysics*. **186**: 189-195.
- Kooner, R., Sahoo, S.K., Singh, B. and Battu, R.S. (2010). Dissipation kinetics of flubendiamide and thiacloprid on tomato (*Lycopersicon esculentum* Mill) and soil. *Quality Assurance and Safety of Crops & Foods*. **2**: 36-40.
- Korkina, L.G. (2007). Phenylpropanoids as naturally occurring antioxidants: from plant defence to human health. *Cellular and Molecular Biology*. **53**: 15-25.
- Krischik, V.A., Landmark, A.L. and Heimpel, G.E. (2007). Soil-applied imidacloprid is translocated to nectar and kills nectar-feeding *Anagyrus pseudococci* (Girault) (Hymenoptera: Encyrtidae). *Environmental Entomology*. **36**: 1238-1245.
- Krishna, P. (2003). Brassinosteroid-mediated stress responses. *Journal of Plant Growth Regulation*. **22**: 289-297.
- Kulaeva, O.N., Brkhanova, E.A., Fedina, A.B., Khokhlova, V.A., Bokebayeva, G.A., Vorbrodt, H.M. and Adam, G. (1991). Effect of brassinosteroids on protein synthesis and plant cell ultrastructure under stress conditions. In: *Brassinosteroids: Chemistry, Bioactivity and Applications* (Eds. H.G. Cutler, T. Yokota and G. Adam). ACS Symposium, American Chemical Society, Washington DC, pp. 141–155.
- Kular, J. and Kumar, S. (2011). Quantification of avoidable yield losses in oilseed *Brassica* caused by insect pests. *Journal of Plant Protection Research*. **51**: 38-43.
- Kumar, A., Paul, S., Kumari, P., Somasundaram, S.T. and Kathiresan, K. (2014). Antibacterial and phytochemical assessment on various extracts of *Ipomoea pes-caprae* (L.) R. Br through FTIR and GC-MS Spectroscopic analysis. *Asian Journal of Pharmaceutical and Clinical Research*. **7**: 134-138.
- Kumar, H.N.K. and Jagannath, S. (2015). Seed germination and morphological behavior of maize (NAC-6002, NAC-6004 and NAH-2049) seedlings under abiotic stress (Alachlor) condition. *International Journal of Life Sciences*. **9**: 10-15.

- Kumar, K.S., Choo, K.S., Yea, S.S., Seo, Y. and Han, T. (2010). Effects of the phenylurea herbicide diuron on the physiology of *Saccharina japonica* aresch. *Toxicology and Environmental Health Sciences*. **2**: 188-199.
- Kumar, R. and Dikshit, A.K. (2001). Assessment of imidacloprid in *Brassica* environment. *Journal of Environmental Science and Health, Part B*. **36**: 619-629.
- Lascano, H.R., Gomez, L.D., Casano, L.M. and Trippi, V.S. (1998). Changes in glutathione reductase activity and protein content in wheat leaves and chloroplasts exposed to photooxidative stress. *Plant Physiology and Biochemistry*. **36**: 321-329.
- Laurent, F.M. and Rathahao, E. (2003). Distribution of [14C] imidacloprid in sunflower (*Helianthus annuus* L.) following seed treatment. *Journal of Agricultural and Food Chemistry*. **51**: 8005-8010.
- Lawrence, J.F. (1990). Determination of total xanthophyll and marigold oleoresin. *Journal of the Association of Official Analytical Chemists*. **2**: 970-975.
- Lefebvre, S., Lawson, T., Fryer, M., Zalchleniuk, O.K., Lloyd, J.C. and Raines, C.A. (2005). Increased sedoheptulose-17-bisphosphatase activity in transgenic tobacco plants stimulates photosynthesis and growth from an early stage in development. *Plant Physiology*. **138**: 451-460.
- Lehninger, A.L., Nelson, D.L. and Cox, M.M. (2008). *Lehninger Principles of Biochemistry* (5th ed.). W.H. Freeman: New York.
- Li, M., Li, P., Wang, L., Feng, M. and Han, L. (2015). Determination and dissipation of fipronil and its metabolites in peanut and soil. *Journal of Agricultural and Food Chemistry*. **63**: 4435-4443.
- Li, X., Wu, T., Huang, H. and Zhang, S. (2012). Atrazine accumulation and toxic responses in maize *Zea mays*. *Journal of Environmental Sciences*. **24**: 203-208.
- Li, X.F., Ma, J.F. and Matsumoto, H. (2000). Pattern of aluminum-induced secretion of organic acids differs between rye and wheat. *Plant Physiology*. **123**: 1537-1544.
- Liang, L., Lu, Y.L. and Yang, H. (2012). Toxicology of isoproturon to the food crop wheat as affected by salicylic acid. *Environmental Science and Pollution Research*. **19**: 2044-2054.

- Liu, H., Huang, R., Xie, F., Zhang, S. and Shi, J. (2012). Enantioselective phytotoxicity of metolachlor against maize and rice roots. *Journal of Hazardous Materials*. **217**: 330-337.
- Livak, K.J. and Schmittgen, T.D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the $2^{-\Delta\Delta CT}$ method. *Methods*. **25**: 402-408.
- Lowry, O.H., Rosebrough, N.H., Farr, A.L. and Randall, R.J. (1951). Protein measurement with the folin phenol reagent. *The Journal of Biological Chemistry*. **193**: 265-275.
- Luan, L.Y., Zhang, Z.W., Xi, Z.M., Huo, S.S. and Ma, L.N. (2013). Brassinosteroids regulate anthocyanin biosynthesis in the ripening of grape berries. *South African Journal for Enology and Viticulture*. **34**: 196-203.
- Lukatkin, A.S., Garkova, A.N., Bochkarjova, A.S., Nushtaeva, O.V. and da Silva, J.A.T. (2013). Treatment with the herbicide TOPIK induces oxidative stress in cereal leaves. *Pesticide Biochemistry and Physiology*. **105**: 44-49.
- Luo, X.Y., Sunohara, Y. and Matsumoto, H. (2004). Fluazifop-butyl causes membrane peroxidation in the herbicide-susceptible broad leaf weed bristly starbur (*Acanthospermum hispidum*). *Pesticide Biochemistry and Physiology*. **78**: 93-102.
- Ma, J.F. (2000). Role of organic acids in detoxification of aluminum in higher plants. *Plant & Cell Physiology*. **41**: 383-390.
- Maclachlan, C. and Zalik, S. (1963). Plastid structure chlorophyll concentration and free amino acid composition of a chlorophyll mutant of barley. *Canadian Journal of Botany*. **41**: 1053-1062.
- Mancinelli, A.L. (1984). Photoregulation of anthocyanin synthesis VIII effects of light pretreatments. *Plant Physiology*. **75**: 447-453.
- Mandal, K. and Singh, B. (2014). Persistence and metabolism of fipronil in sugarcane leaves and juice. *Bulletin of Environmental Contamination and Toxicology*. **92**: 220-224.
- Mandal, K., Chahil, G.S., Sahoo, S.K., Battu, R.S. and Singh, B. (2010). Dissipation kinetics of β -cyfluthrin and imidacloprid in brinjal and soil under subtropical

- conditions of Punjab, India. *Bulletin of Environmental Contamination and Toxicology*. **84**: 225-229.
- Mandava, N.B. (1988). Plant growth promoting brassinosteroids. *Annual Review of Plant Physiology and Plant Molecular Biology*. **39**: 25-52.
- Martinek, R.G. (1964). Method for determination of vitamin E (total tocopherols) in serum. *Clinical Chemistry*. **10**: 1078-1086.
- Mateos-Naranjo, E. and Perez-Martin, A. (2013). Effects of sub-lethal glyphosate concentrations on growth and photosynthetic performance of non-target species *Bolboschoenus maritimus*. *Chemosphere*. **93**: 2631-2638.
- Mittler, R. (2002). Oxidative stress, antioxidants and stress tolerance. *Trends in Plant Science*. **7**: 405-410.
- Mitton, F.M., Ferreira, J.L.R., Gonzalez, M., Miglioranza, K.S. and Monserrat, J.M. (2016). Antioxidant responses in soybean and alfalfa plants grown in DDTs contaminated soils: Useful variables for selecting plants for soil phytoremediation?. *Pesticide Biochemistry and Physiology*. **130**: 17-21.
- Mohapatra, S., Ahuja, A.K., Deepa, M., Sharma, D., Jagadish, G.K. and Rashmi, N. (2010). Persistence and dissipation of flubendiamide and des-iodo flubendiamide in cabbage (*Brassica oleracea* Linne) and soil. *Bulletin of Environmental Contamination and Toxicology*. **85**: 352-356.
- Mohapatra, S., Ahuja, A.K., Sharma, D., Deepa, M., Prakash, G.S. and Kumar, S. (2011). Residue study of imidacloprid in grapes (*Vitis vinifera* L.) and soil. *Quality Assurance and Safety of Crops & Foods*. **3**: 24-27.
- Moldes, C.A., Medici, L.O., Abrahao, O.S., Tsai, S.M., and Azevedo, R.A. (2008). Biochemical responses of glyphosate resistant and susceptible soybean plants exposed to glyphosate. *Acta Physiologiae Plantarum*. **30**: 469-479.
- Moore, M.T. and Kröger, R. (2010). Effect of three insecticides and two herbicides on rice (*Oryza sativa*) seedling germination and growth. *Archives of Environmental Contamination and Toxicology*. **59**: 574-581.
- Moore, M.T. and Locke, M.A. (2012). Phytotoxicity of atrazine, s-metolachlor, and permethrin to *Typha latifolia* (Linnaeus) germination and seedling growth. *Bulletin of Environmental Contamination and Toxicology*. **89**: 292-295.

- Morant, M., Bak, S., Lindberg-Moller, B. and Werck-Reichhart, D. (2003). Plant cytochromes P450: tools for pharmacology, plant protection and phytoremediation. *Current Opinion in Biotechnology*. **14**: 151-162.
- Morimura, Y., Ohya, T. and Ikawa, T. (1996). Presence of ascorbate-peroxidizing enzymes in roots of *Brassica campestris* L. cv. Komatsuna. *Plant Science*. **117**: 55-63.
- Mujeeb, F., Bajpai, P. and Pathak, N. (2014). Phytochemical evaluation, antimicrobial activity, and determination of bioactive components from leaves of *Aegle marmelos*. *BioMed Research International*. Doi.org/10.1155/2014/497606.
- Mukherjee, I., and Gopal, M. (2000). Environmental behaviour and translocation of imidacloprid in eggplant, cabbage and mustard. *Pest Management Science*. **56**: 932-936.
- Mukherjee, I., Gopal, M. and Mathur, D.S. (2007). Behavior of β -cyfluthrin after foliar application on chickpea (*Cicer arietinum* L.) and pigeon pea (*Cajanus cajan* L.). *Bulletin of Environmental Contamination and Toxicology*. **78**: 85-89.
- Mwevura, H. (2000). Study on the levels of organochlorine pesticide residues from selected aquatic bodies of Tanzania. M.Sc. thesis, University of Dar es Salaam, Tanzania.
- Nair, V.D., Jaleel, C.A., Gopi, R., Gomathinayagam, M. and Panneerselvam, R. (2009). Antioxidant potential of *Ocimum sanctum* under growth regulator treatments. *EurAsian Journal of BioSciences*. **3**: 1-9.
- Nakabayashi, R., Yonekura-Sakakibara, K., Urano, K., Suzuki, M., Yamada, Y., Nishizawa, T., Matsuda, F., Kojima, M., Sakakibara, H., Shinozaki, K., Michael, A.J., Tohge, T., Yamazaki, M. and Saito, K. (2014). Enhancement of oxidative and drought tolerance in *Arabidopsis* by over accumulation of antioxidant flavonoids. *The Plant Journal*. **77**: 367–379.
- Nakano, Y. and Asada, K. (1981). Hydrogen peroxide is scavenged by ascorbate specific peroxidase in spinach chloroplasts. *Plant and Cell Physiology*. **22**: 867-880.
- Nakashita, H., Yasuda, M., Nitta, T., Asami, T., Fujioka, S., Arai, Y., Sekimata, K., Takatsuto, S., Yamaguchi, I., Yoshida, S. (2003). Brassinosteroid functions in a

- broad range of diseases resistance in tobacco and rice. *The Plant Journal*. **33**: 887-898.
- Nasr, H.M., Abbassy, M.A., Marzouk, M.A. and Mansy, A.S. (2014). Determination of imidacloprid and tetraconazol residues in cucumber fruits. *Journal of Pollution Effects and Control*. **2**: 107. Doi:10.4172/jpe.1000107.
- Nogues, S. and Baker, N.R. (2000). Effect of drought on photosynthesis in Mediterranean plants grown under enhanced UV-B radiation. *Journal of Experimental Botany*. **51**: 1309-1317.
- Ogweno, J.O., Song, X.S., Shi, K., Hu, W.H., Mao, W.H., Zhou, Y.H. and Yu, J.Q. (2008). Brassinosteroids alleviate heat induced inhibition of photosynthesis by increasing carboxylation efficiency and enhancing antioxidant systems in *Lycopersicon esculentum*. *Journal of Plant Growth Regulation*. **27**: 49-57.
- Oh, M.H., Kim, H.S., Wu, X., Clouse, S.D., Zielinski, R.E. and Huber, S.C. (2012). Calcium/calmodulin inhibition of the *Arabidopsis* brassinosteroid-insensitive 1 receptor kinase provides a possible link between calcium and brassinosteroid signalling. *Biochemical Journal*. **443**: 515–523.
- Okwu, D.E. and Ighodaro, B.U. (2010). GC-MS evaluation of bioactive compounds and antibacterial activity of the oil fraction from the leaves of *Alstonia boonei* De Wild. *Der Pharma Chemica*. **2**: 261-272.
- Oppen, S.V., Masuh, H., Licastro, S., Zerba, E. and Audino, P.G. (2013). Behavioral effect of *Lobularia maritima* volatiles on *Aedes aegypti*. <https://www.chemecol.org/programs/2013%20abstracts.pdf>
- Ozdemir, F., Bor, M., Demiral, T. and Turkan, I. (2004). Effects of 24-epibrassinolide on seed germination, seedling growth, lipid peroxidation, proline content and antioxidative system of rice (*Oryza sativa* L.) under salinity stress. *Plant Growth Regulation*. **42**: 203-211.
- Paramasivam, M. and Banerjee, H. (2012). Persistence and dissipation of the insecticide flubendiamide and its metabolite desiodo flubendiamide residues in tomato fruit and soil. *Bulletin of Environmental Contamination and Toxicology*. **88**: 344-348.

- Paramasivam, M., Selvi, C. and Chandrasekaran, S. (2014). Persistence and dissipation of flubendiamide and its risk assessment on gherkin (*Cucumis anguria* L.). *Environmental Monitoring and Assessment*. **186**: 4881-4887.
- Parida, A., Dam, A.B. and Dam, P. (2002). NaCl stress causes changes in photosynthetic pigments, proteins, and other metabolic components in the leaves of a true Mangrove, *Bruguiera parviflora*, in hydroponic cultures. *Journal of Plant Biology*. **45**: 28–36.
- Parida, A.K., Das, A.B., Mitra, B. and Mohanty, P. (2004). Salt-stress induced alterations in protein profile and protease activity in the mangrove *Bruguiera parviflora*. *Zeitschrift für Naturforschung C*. **59**: 408-414.
- Parween, T., Jan, S. and Fatma, T. (2011). Alteration in nitrogen metabolism and plant growth during different developmental stages of green gram (*Vigna radiata* L.) in response to chlorpyrifos. *Acta Physiologiae Plantarum*. **33**: 2321-2328.
- Parween, T., Jan, S. and Fatma, T. (2012). Evaluation of oxidative stress in *Vigna radiata* L. in response to chlorpyrifos. *International Journal of Environmental Science and Technology*. **9**: 605-612.
- Parween, T., Jan, S. and Fatma, T. (2016). Variation in elemental composition as influenced by chlorpyrifos application in mung bean (*Vigna radiata* L.). *Saudi Journal of Biological Sciences*. Doi:10.1016/j.sjbs.2016.01.006.
- Passardi, F., Cosio, C., Penel, C. and Dunand, C. (2005). Peroxidases have more functions than a Swiss army knife. *Plant Cell Reports*. **24**: 255-265.
- Patterson, B.D., Mackae, E.A. and Mackae, I. (1984). Estimation of hydrogen peroxide in plants extracts using titanium (IV). *Analytical Biochemistry*. **139**: 487-492.
- Peleg, Z., Reguera, M., Tumimbang, E., Walia, H. and Blumwald, E. (2011). Cytokinin-mediated source/sink modifications improve drought tolerance and increase grain yield in rice under water-stress. *Plant Biotechnology Journal*. **9**: 747-758.
- Pereira, R.C., Monterroso, C. and Macías, F. (2010). Phytotoxicity of hexachlorocyclohexane: effect on germination and early growth of different plant species. *Chemosphere*. **79**: 326-333.
- Pilati, S., Perazzolli, M., Malossini, A., Cestaro, A., Demattè, L., Fontana, P., Ri, A.D., Viola, R., Velasco, R. and Moser, C. (2007). Genome-wide transcriptional

- analysis of grapevine berry ripening reveals a set of genes similarly modulated during three seasons and the occurrence of an oxidative burst at vèraison. *BMC Genomics*. **8**: 428-450.
- Pollack, P. (2011). *Fine Chemicals: the Industry and the Business* (2nd ed.). John Wiley and Sons, New Jersey.
- Pramanik, S.K., Bhattacharyya, J., Dutta, S., Dey, P.K. and Bhattacharyya, A. (2006). Persistence of acetamiprid in/on mustard (*Brassica juncea* L.). *Bulletin of Environmental Contamination and Toxicology*. **76**: 356–360.
- Press Information Bureau, Ministry of Agriculture, Government of India. (2015). <http://pib.nic.in/newsite/PrintRelease.aspx?relid=124853>(downloaded on 30-08-2016).
- Putter, J. (1974). Peroxidase. In: *Methods of Enzymatic Analysis*. (Ed. H.U. Bergmeyer), Verlag Chemie, Weinhan, **pp.** 685-690.
- Qian, H., Lu, T., Peng, X., Han, X., Fu, Z. and Liu, W. (2011). Enantioselective phytotoxicity of the herbicide imazethapyr on the response of the antioxidant system and starch metabolism in *Arabidopsis thaliana*. *PLoS One*. **6**: e19451. Doi:10.1371/journal.pone.0019451.
- Radwan, D.E.M. (2012). Salicylic acid induced alleviation of oxidative stress caused by clethodim in maize (*Zea mays* L.) leaves. *Pesticide Biochemistry and Physiology*. **102**: 182-188.
- Rajashekar, N. and Murthy, T.S. (2012). Seed germination and physiological behavior of maize (cv. Nac-6002) seedlings under abiotic stress (Pendimethalin) condition. *Asian Journal of Crop Science*. **4**: 80-85.
- Rao, S.S.R., Vardhini, B.V., Sujatha, E. and Anuradha, S. (2002). Brassinosteroids- A new class of phytohormones. *Current Science*. **82**: 1239-1245.
- Rattan, A., Kapoor, D., Kapoor, N. and Bhardwaj, R. (2014). Application of Brassinsteroids Reverses the Inhibitory Effect of Salt Stress on Growth and Photosynthetic Activity of *Zea mays* Plants. *International Journal of Theoretical and Applied Sciences*. **6**: 13-22.

- Rengel, Z. and Wheal, M.S. (1997). Kinetic parameters of Zn uptake by wheat are affected by the herbicide chlorsulfuron. *Journal of Experimental Botany*. **48**: 935-941.
- Roe, J. and Kuether, C.A. (1943). The determination of ascorbic acid in whole blood and urine through the 2, 4 dinitropheny 1 hydrazine derivative of dehydroascorbic acid. *The Journal of Biological Chemistry*. **147**: 399-407.
- Romeh, A.A., Mekky, T.M., Ramadan, R.A. and Hendawi, M.Y. (2009). Dissipation of profenofos, imidacloprid and penconazole in tomato fruits and products. *Bulletin of Environmental Contamination and Toxicology*. **83**: 812-817.
- Rosy, B.A. and Rosakutty, P.J. (2012). GC-MS analysis of methanol wild plant and callus extracts from three *Cissus* species, Family Vitaceae. *Journal of Chemical and Pharmaceutical Research*. **4**: 3420-3426.
- Rouchaud, J., Gustin, F. and Wauters, A. (1994). Soil biodegradation and leaf transfer of insecticide imidacloprid applied in seed dressing in sugar beet crops. *Bulletin of Environmental Contamination and Toxicology*. **53**: 344-350.
- Saladin, G. and Clément, C. (2005). Physiological side effects of pesticides on non-target plants. In: *Agriculture and Soil Pollution: New Research*, (Ed. J.V. Livingston), Nova Science Publishers Inc., New York, **pp.** 53-86.
- San Miguel, A., Faure, M., Ravanel, P. and Raveton, M. (2012). Biological responses of maize (*Zea mays*) plants exposed to chlorobenzenes. Case study of monochloro-, 1, 4-dichloro-and 1, 2, 4-trichloro-benzenes. *Ecotoxicology*. **21**: 315-324.
- Sandermann Jr, H., Hertkorn, N., May, R.G. and Lange, B.M. (2001). Hydrolytic and conjugative enzymes involved in pesticide detoxification-6 bound pesticidal residues in crop plants: chemistry, bioavailability, and toxicology. In: *Pesticide Biotransformation in Plants and Microorganisms: Similarities and Divergences* (Eds. J.C. Hall, R.E. Hoagland and R.M. Zoblutowicz), ACS symposium series, Washington DC, **pp.** 119-128.
- Sanyal, D., Chakma, D. and Alam, S. (2008). Persistence of a neonicotinoid insecticide, acetamiprid on chili (*Capsicum annum* L.). *Bulletin of Environmental Contamination and Toxicology*. **81**: 365-368.

- Sarkar, M.A., Roy, S., Kole, R.K. and Chowdhury, A. (2001). Persistence and metabolism of imidaclopridin different soils of West Bengal. *Pest Management Science*. **57**: 598-602.
- Sarmamy, O.I. and Khidir, M. (2013). Effects of some soil treated pesticides on growth characteristics of faba bean and wheat plants. *International Journal of Emerging Technologies in Computational and Applied Sciences*. **5**: 7-20.
- Sasse, J.M. (2003). Physiological actions of brassinosteroids: an uptake. *Journal of Plant Growth Regulation*. **22**: 276-288.
- Sasse, J.M., Smith, R. and Hudson, I. (1995). Effect of 24-epibrassinolide on germination of seeds of *Eucalyptus camaldulensis* in saline conditions. *Proceedings of Plant Growth Regulation Society of America*. **22**: 136-141.
- Scandalios, J. G., Guan, L. and Polidoros, A. N. (1997). Catalases in plants: gene structure, properties, regulation and expression. In: *Oxidative Stress and the Molecular Biology of Antioxidant Defences* (Ed. J.G. Scandalios), Cold Spring, Harbor Laboratory Press, New York, **pp.** 343-406.
- Schmidt, J., Yokota, T., Adam, G. and Takahashi, N. (1991). Castasterone and brassinolide in *Raphanus sativus* seeds. *Phytochemistry*. **30**: 364-365.
- Schmidt, J., Yokota, T., Spengler, B. and Adam, G. (1993). 28-Homoteasterone, a naturally occurring brassiosteroid from seeds of *Raphanus sativus*. *Phytochemistry*. **34**: 391-392.
- Scott, C., Pandey, G., Hartley, C.J., Jackson, C.J., Cheesman, M.J., Taylor, M.C., Pandey, R., Khurana, J.L., Teese, M., Coppin, C.W., Weir, K.M., Jain, R.K., Lal, R., Russell, R.J. and Oakeshott, J.G. (2008). The enzymatic basis for pesticide bioremediation. *Indian Journal of Microbiology*. **48**: 65-79.
- Sedlak, J. and Lindsay, R.H.C. (1968). Estimation of total, protein bound and non-protein sulfhydryl groups in tissue with Ellmann's reagent. *Analytical Biochemistry*. **25**: 192-205.
- Senaratna, T., Mackay, C.E., McKersie, B.D. and Fletcher, R.A. (1988). Uniconazole-induced chilling tolerance in tomato and its relationship to antioxidant content. *Journal of Plant Physiology*. **133**: 56-61.

- Sergieiev, I.G., Alexieiva, V.S., Ivanov, S.V., Moskova, I.I. and Karanov, E.N. (2006). The phenylurea cytokinin 4PU-30 protects maize plants against glyphosate action. *Pesticide Biochemistry and Physiology*. **85**: 139-146.
- Serna, M., Hernandez, F., Coll, F., Collc, Y. and Amorosa, A. (2013). Effects of brassinosteroid analogues on total phenols, antioxidant activity, sugars, organic acids and yield of field grown endive (*Cichorium endivia* L.). *Journal of the Science of Food and Agriculture*. **93**: 1765–1771.
- Shanmugapriya, A.K., Sivakumar, T. and Panneerselvam, R. (2013). Difenconazole and tricyclazole induced changes in photosynthetic pigments of *Lycopersicon esculentum*. L. *International Journal of Agricultural and Food Science*. **3**: 72-75.
- Sharma, A., Bhardwaj, R., Kumar, V. and Thukral, A.K. (2016c). GC-MS studies reveal stimulated pesticide detoxification by brassinolide application in *Brassica juncea* L. plants. *Environmental Science and Pollution Research*. **23**: 14518-14525.
- Sharma, A., Kumar, V., Bhardwaj, R. and Thukral, A.K. (2016d). Seed pre-soaking with 24-epibrassinolide reduces the imidacloprid pesticide residues in green pods of *Brassica juncea* L. *Toxicological & Environmental Chemistry*. Doi. 10.1080/02772248.2016.1146955.
- Sharma, A., Kumar, V., Singh, R., Thukral, A.K., and Bhardwaj, R. (2016b). Effect of seed pre-soaking with 24-epibrassinolide on growth and photosynthetic parameters of *Brassica juncea* L. in imidacloprid soil. *Ecotoxicology and Environmental Safety*. **133**: 195-201.
- Sharma, A., Kumar, V., Thukral, A.K. and Bhardwaj, R. (2016a). Epibrassinolide-imidacloprid interaction enhances non-enzymatic antioxidants in *Brassica juncea* L. *Indian Journal of Plant Physiology*. **21**: 70-75.
- Sharma, I., Bhardwaj, R. and Pati, P.K. (2012). Mitigation of adverse effects of chlorpyrifos by 24-epibrassinolide and analysis of stress markers in a rice variety Pusa Basmati-1. *Ecotoxicology and Environmental Safety*. **85**: 72-81.

- Sharma, I., Bhardwaj, R. and Pati, P.K. (2013). Stress modulation response of 24-epibrassinolide against imidacloprid in an elite indica rice variety Pusa Basmati-1. *Pesticide Biochemistry and Physiology*. **105**: 144-153.
- Sharma, I., Bhardwaj, R. and Pati, P.K. (2015). Exogenous application of 28-homobrassinolide modulates the dynamics of salt and pesticides induced stress responses in an elite rice variety Pusa Basmati-1. *Journal of Plant Growth Regulation*. **34**: 509-518.
- Sharma, I., Pati, P.K. and Bhardwaj, R. (2010). Regulation of growth and antioxidant enzyme activities by 28-homobrassinolide in seedlings of *Raphanus sativus* L. under cadmium stress. *Indian Journal of Biochemistry and Biophysics*. **47**: 172-177.
- Sharma, I., Pati, P.K. and Bhardwaj, R. (2011). Effect of 24-epibrassinolide on oxidative stress markers induced by nickel-ion in *Raphanus sativus* L. *Acta Physiologiae Plantarum*. **33**: 1723-1735.
- Sharma, P. and Bhardwaj, R. (2007). Effect of 24-epibrassinolide on seed germination, seedling growth and heavy metal uptake in *Brassica juncea* L. *General and Applied Plant Physiology*. **33**: 59-73.
- Sharma, S. and Singh, B. (2014). Persistence of imidacloprid and its major metabolites in sugarcane leaves and juice following its soil application. *International Journal of Environmental Analytical Chemistry*. **94**: 319-331.
- Siddiqui, Z.S. and Ahmed, S. (2006). Combined effects of pesticide on growth and nutritive composition of soybean plants. *Pakistan Journal of Botany*. **38**: 721-733.
- Siefermann-Harms, D. (1987). The light harvesting and protective functions of carotenoids in photosynthetic membranes. *Physiologia Plantarum*. **69**: 561-568.
- Simon-Delso, N., Amaral-Rogers, V., Belzunces, L.P., Bonmatin, J.M., Chagnon, M., Downs, C., Furlan, L., Gibbons, D.W., Giorio, C., Girolami, V., Goulson, D., Kreuzweiser, D.P., Krupke, C., Liess, M., Long, E., McField, M., Mineau, P., Mitchell, E.A.D., Morrissey, C.A., Noome, D.A., Pisa, L., Settele, J., Stark, J.D., Tapparo, A., Van Dyck, H., Van Praagh, J., Van der Sluijs, J.P., Whitehorn, P.R. and Wiemers, M. (2015). Systemic insecticides (neonicotinoids and fipronil):

- trends, uses, mode of action and metabolites. *Environmental Science and Pollution Research*. **22**: 5-34.
- Singariya, P., Kumar, P. and Mourya, K.K. (2013). Antimicrobial activity and identification of 4, 22-stigmastadiene-3-one and some other compounds in motha dhaman grass *Cenchrus setigerus* from tribal area of Western Rajasthan. *Proceedings of the National Academy of Sciences, India Section B: Biological Sciences*. **83**: 415-421.
- Singh, G., Sahoo, S.K., Takkar, R., Battu, R.S., Singh, B. and Chahil, G.S. (2011). Residual behaviour and risk assessment of flubendiamide on chickpea (*Cicer arietinum* L.). *Chemosphere*. **84**: 1416-1421.
- Singh, H., Singh, N.B., Singh, A., Hussain, I. and Yadav, V. (2016). Physiological and biochemical effects of salicylic acid on *Pisum sativum* exposed to isoproturon. *Archives of Agronomy and Soil Science*. Doi: 10.1080/03650340.2016.1144926.
- Singh, N.B., Yadav, K. and Amist, N. (2012). Mitigating effects of salicylic acid against herbicidal stress. *Journal of Stress Physiology & Biochemistry*. **8**: 27-35
- Singh, P.P., Singh, B. and Battu, R.S. (1990). Residues of cypermethrin, fenvalerate and deltamethrin on cauliflower. *Phytoparasitica*. **18**: 153-158.
- Singh, S.P., Pramila, P., Kumar, M., Singh, S. and Srivastva, D. (2013). Growth and biochemical responses of wheat (*Triticum aestivum* L.) to different herbicides. *African Journal of Agricultural Research*. **8**: 1265-1269.
- Singh, V.P., Kumar, J., Singh, S. and Prasad, S.M. (2014). Dimethoate modifies enhanced UV-B effects on growth, photosynthesis and oxidative stress in mung bean (*Vigna radiata* L.) seedlings: implication of salicylic acid. *Pesticide Biochemistry and Physiology*. **116**: 13-23.
- Singleton V.L. and Rossi, J.A. (1965). Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *American Journal of Enology and Viticulture*. **16**: 144-158.
- Sinha, S. and Gopal, M. (2002). Evaluating the safety of β -cyfluthrin insecticide for usage in eggplant (*Solanum melongena* L.) crop. *Bulletin of Environmental Contamination and Toxicology*. **68**: 400-405.

- Somtrakoon, K. and Pratumma, S. (2012). Phytotoxicity of heptachlor and endosulfan sulfate contaminants in soil to economic crops. *Journal of Environmental Biology*. **33**: 1097-1101.
- Song, N.H., Le Yin, X., Chen, G.F. and Yang, H. (2007). Biological responses of wheat (*Triticum aestivum*) plants to the herbicide chlorotoluron in soils. *Chemosphere*. **68**: 1779-1787.
- Sonoki, T., Kajita, S., Ikeda, S., Uesugi, M., Tatsumi, K., Katayama, Y. and Iimura, Y. (2005). Transgenic tobacco expressing fungal laccase promotes the detoxification of environmental pollutants. *Applied Microbiology and Biotechnology*. **67**: 138-142.
- Štajner, D., Popović, M. and Štajner, M. (2003). Herbicide induced oxidative stress in lettuce, beans, pea seeds and leaves. *Biologia Plantarum*. **47**: 575-579.
- Steinrücken, H.C. and Amrhein, N. (1980). The herbicide glyphosate is a potent inhibitor of 5-enolpyruvylshikimic acid-3-phosphate synthase. *Biochemical and Biophysical Research Communications*. **94**: 1207–1212.
- Sur, R. and Stork, A. (2003). Uptake, translocation and metabolism of imidacloprid in plants. *Bulletin of Insectology*. **56**: 35-40.
- Sutherland, T.D., Horne, I., Weir, K.M., Russell, R.J. and Oakeshott, J.G. (2004). Toxicity and residues of endosulfan isomers. *Reviews of Environmental Contamination and Toxicology*. **183**: 99-113.
- Symons, G.M., Davies, C., Shavrukov, Y., Dry, I.B., Reid J.B. and Thomas, M.R. (2006). Grapes on steroids: Brassinosteroids are involved in grape berry ripening. *Plant Physiology*. **140**: 150-158.
- Taiz, L. and E. Zeiger. (2003). Solute transport. In: *Plant Physiology* (3rd ed.) Panima Publisher, New Dehli, India.
- Tan, W., Li, Q. and Zhai, H. (2012). Photosynthesis and growth responses of grapevine to acetochlor and fluoroglycofen. *Pesticide Biochemistry and Physiology*. **103**: 210-218.
- Tan, W., Liang, T., Li, Q., Du, Y. and Zhai, H. (2014). The phenotype of grape leaves caused by acetochlor or fluoroglycofen, and effects of latter herbicide on grape leaves. *Pesticide Biochemistry and Physiology*. **114**: 102-107.

- Tanaka, K., Asami, T., Yoshida, S., Nakamura, Y., Matsuo, T. and Okamoto, S. (2005). Brassinosteroid homeostasis in *Arabidopsis* is ensured by feedback expressions of multiple genes involved in its metabolism. *Plant Physiology*. **138**: 1117–1125.
- Thao, N.P. and Tran, L.S. (2012). Potentials toward genetic engineering of drought tolerant soybean. *Critical Reviews in Biotechnology*. **32**: 349-362.
- Theodolou, F. (2000). Plant ABC transporters. *Biochimica et Biophysica Acta*. **465**: 79–103.
- Thurman, E.M., Ferrer, I., Zavitsanos, P. and Zweigenbaum, J.A. (2013). Identification of imidacloprid metabolites in onion (*Allium cepa* L.) using high-resolution mass spectrometry and accurate mass tools. *Rapid Communications in Mass Spectrometry*. **27**: 1891-1903.
- Timpa, J.D., Burke, J.J., Quisenberry, J.E. and Wendt, C.W. (1986). Effects of water stress on the organic acid and carbohydrate compositions of cotton plants. *Plant Physiology*. **82**: 724-728.
- Tomer N. (2013). Determination of chlorinated pesticide in vegetables, cereals and pulses by gas chromatography in east national capital region, Delhi, India. *Research Journal of Agriculture and Forestry Sciences*. **1**: 27 – 28.
- Udgire, M.S. and Pathade, G.R. (2013). Evaluation of antimicrobial activities and phytochemical constituents of extracts of *Valeriana wallichii*. *Asian Journal of Plant Science and Research*. **3**: 55-59.
- United Nations. (2004). Available from: www.un.org/esa/population/publications/.../WorldPop2300final.pdf
- Untiedt, R. and Blanke, M.M. (2004). Effects of fungicide and insecticide mixtures on apple tree canopy photosynthesis dark respiration and carbon economy. *Crop Protection*. **23**: 1001-1006.
- Vardhini, B.V. and Anjum, N.A. (2015). Brassinosteroids make plant life easier under abiotic stresses mainly by modulating major components of antioxidant defense system. *Frontiers in Environmental Science*. **2**: 67. Doi: 10.3389/fenvs.2014.00067.

- Vardhini, B.V. and Rao, S.S.R. (1998). Effect of brassinosteroids on growth, metabolite content and yield of *Arachis hypogaea*. *Phytochemistry*. **48**: 927-930.
- Vardhini, B.V. and Rao, S.S.R. (2002). Acceleration of ripening of tomato pericarp discs by brassinosteroids. *Phytochemistry*. **61**: 843-847.
- Vettakkorumakankav, N.N., Deshpande, S., Walsh, T.A. and Hall, J.C. (2002). Physiological effect of clopyralid on corn as determined by bioassay and light-scattering spectroscopy. *Weed Science*. **50**: 713-720.
- Wachman, M.B., Lopez, E.M., Ramirez, J.A., Galagovsky, L.R. and Cota, C.E. (2004). Antiviral effect of brassinosteroids against herpes virus and arena virus. *Antiviral Chemistry and Chemotherapy*. **11**: 71-77.
- Wang, J., Rajakulendran, N., Amirsadeghi, S. and Vanlerberghe, G.C. (2011). Impact of mitochondrial alternative oxidase expression on the response of *Nicotiana tabacum* to cold temperature. *Physiologia Plantarum*. **142**: 339–351.
- Wang, M. and Zhou, Q. (2006). Effects of herbicide chlorimuron-ethyl on physiological mechanisms in wheat (*Triticum aestivum*). *Ecotoxicology and Environmental Safety*. **64**: 190-197.
- Wang, Q., Li, C., Zheng, R. and Que, X. (2016). Phytoremediation of chlorpyrifos in aqueous system by riverine macrophyte, *Acorus calamus*: toxicity and removal rate. *Environmental Science and Pollution Research*. **23**: 16241–16248.
- Wang, Q., Que, X., Li, C. and Xiao, B. (2014). Phytotoxicity of atrazine to emergent hydrophyte, *Iris pseudacorus* L. *Bulletin of Environmental Contamination and Toxicology*. **92**: 300-305.
- Wang, Q., Que, X., Zheng, R., Pang, Z., Li, C. and Xiao, B. (2015). Phytotoxicity assessment of atrazine on growth and physiology of three emergent plants. *Environmental Science and Pollution Research*. **22**: 9646-9657.
- Wang, X., Wu, N., Guo, J., Chu, X., Tian, J., Yao, B. and Fan, Y. (2008). Phytodegradation of organophosphorus compounds by transgenic plants expressing a bacterial organophosphorus hydrolase. *Biochemical and Biophysical Research Communications*. **365**: 453-458.
- Wang, Z.Y., Nakano, T., Gendron, J., He, J., Chen, M., Vafeados, D., Yang, Y., Fujioka, S., Yoshida, S., Asami, T. and Chory, J. (2002). Nuclear-localized

- BZR1 mediates brassinosteroid-induced growth and feedback suppression of brassinosteroid biosynthesis. *Developmental Cell*. **2**: 505-513.
- Weir, K.M., Sutherland, T.D., Horne, I., Russell, R.J. and Oakeshott, J.G. (2006). A single monooxygenase, Ese, is involved in the metabolism of the organo chlorides endosulfan and endosulfate in an *Arthrobacter sp.* *Applied and Environmental Microbiology*. **72**: 3524-3530.
- Westwood, F., Bean, K.M., Dewar, A.M., Bromilow, R.H. and Chamberlain, K. (1998). Movement and persistence of [14C] imidacloprid in sugar-beet plants following application to pelleted sugar-beet seed. *Pesticide Science*. **52**: 97-103.
- Wu, G.L., Cui, J., Tao, L. and Yang, H. (2010). Fluroxypyr triggers oxidative damage by producing superoxide and hydrogen peroxide in rice (*Oryza sativa*). *Ecotoxicology*. **19**: 124-132.
- Xavier, G., Chandran, M., George, T., Beevi, S.N., Mathew, T.B., Paul, A., Arimboor, R., Vijayasree, V., Pradeepkumar, G.T. and Rajith, R. (2014). Persistence and effect of processing on reduction of fipronil and its metabolites in chilli pepper (*Capsicum annum* L.) fruits. *Environmental Monitoring and Assessment*. **186**: 5429-5437.
- Xi, Z.M., Zhang, Z.W., Huo, S.S., Luan, L.Y., Gao, X. and Ma, L.N. (2013). Regulating the secondary metabolism in grape berry using exogenous 24-epibrassinolide for enhanced phenolics content and antioxidant capacity. *Food Chemistry*. **141**: 3056-3065.
- Xia, X.J., Huang, L.F., Zhou, Y.H., Mao, W.H., Shi, K., Wu, J.X., Asami, T., Chen, Z. and Yu, J.Q. (2009b). Brassinosteroids promote photosynthesis and growth by enhancing activation of Rubisco and expression of photosynthetic genes in *Cucumis sativus*. *Planta*. **230**: 1185-1196.
- Xia, X.J., Huang, Y.Y., Wang, L., Huang, L.F., Yu, Y.L., Zhou, Y.H. and Yu, J.Q. (2006). Pesticides induced depression of photosynthesis was alleviated by 24-epi-brassinolide pre-treatment in *Cucumis sativus* L. *Pesticide Biochemistry and Physiology*. **86**: 42-48.

- Xia, X.J., Zhang, Y., Wu, J.X., Wang, J.T., Zhou, Y.H., Shi, K., Yu, Y.L. and Yu, J.Q. (2009a). Brassinosteroids promote metabolism of pesticides in cucumber. *Journal of Agricultural and Food Chemistry*. **57**: 8406-8413.
- Xie, L., Yang, C. and Wang, X. (2011). Brassinosteroids can regulate cellulose biosynthesis by controlling the expression of CESA genes in *Arabidopsis*. *Journal of Experimental Botany*. **62**: 495–506.
- Xiong, Y., Contento, A.L., Nguyen, P.Q. and Bassham, D.C. (2007). Degradation of oxidized proteins by autophagy during oxidative stress in *Arabidopsis*. *Plant Physiology*. **143**: 291-299.
- Yamada, T., Ishige, T., Shiota, N., Inui, H., Ohkawa, H. and Ohkawa, Y. (2002) Enhancement of metabolizing herbicides in young tubers of transgenic potato plants with the rat CYP1A1 gene. *Theoretical and Applied Genetics*. **105**: 515-520.
- Ye, H., Li, L. and Yin, Y. (2011). Recent advances in the regulation of brassinosteroid signaling and biosynthesis pathways. *Journal of Integrative Plant Biology*. **53**: 455-468.
- Yin, X.L., Jiang, L., Song, N.H. and Yang, H. (2008). Toxic reactivity of wheat (*Triticum aestivum*) plants to herbicide isoproturon. *Journal of Agricultural and Food Chemistry*. **56**: 4825-4831.
- Yin, Y., Vafeados, D., Tao, Y., Yoshida, S., Asami, T. and Chory, J. (2005). A new class of transcription factors mediates brassinosteroid-regulated gene expression in *Arabidopsis*. *Cell*. **120**: 249-259.
- Yin, Y.L., Zhou, Y., Zhou, Y.H., Shi, K., Zhou, J., Yu, Y., Yu, J.Q. and Xia, X.J. (2016). Interplay between mitogen-activated protein kinase and nitric oxide in brassinosteroid-induced pesticide metabolism in *Solanum lycopersicum*. *Journal of Hazardous Materials*. **316**: 221-231.
- Yokota, T. (1997). The structure, biosynthesis and function of brassinosteroids. *Trends in Plant Science*. **2**: 137-143.
- Yu, J.Q., Huang, L.F., Hu, W.H., Zhou, Y.H., Mao, W.H., Ye, S.F. and Nogués, S. (2004). A role of brassinosteroids in the regulation of photosynthesis in *Cucumis sativus*. *Journal of Experimental Botany*. **55**: 1135-1143.

- Yuan, L.B., Peng, Z.H., Zhi, T.T., Zho, Z., Liu, Y., Zhu, Q., Xiong, X.Y. and Ren, C.M. (2015). Brassinosteroid enhances cytokinin induced anthocyanin biosynthesis in *Arabidopsis* seedlings. *Biologia Plantarum*. **59**: 99-105.
- Zhang, J.J., Lu, Y.C., Zhang, J.J., Tan, L.R. and Yang, H. (2014). Accumulation and toxicological response of atrazine in rice crops. *Ecotoxicology and Environmental Safety*. **102**: 105-112.
- Zhang, M., Zhai, Z., Tian, X., Duan, L. and Li, Z. (2008). Brassinolide alleviated the adverse effect of water deficits on photosynthesis and the antioxidant of soybean (*Glycine max* L.). *Plant Growth Regulation*. **56**: 257-264.
- Zhang, Q., Zhao, M., Qian, H., Lu, T., Zhang, Q. and Liu, W. (2012). Enantioselective damage of diclofop acid mediated by oxidative stress and acetyl-CoA carboxylase in nontarget plant *Arabidopsis thaliana*. *Environmental Science & Technology*. **46**: 8405-8412.
- Zhang, Z., Ramirez, J., Rebutier, D., Brault, M., Trouverie, J., Pennarun, A.M., Amiar, Z., Biligui, B., Galagovsky, L. and Rona, J.P. (2005). Brassinosteroids regulate plasma membrane anion channels in addition to proton pumps during expansion of *Arabidopsis thaliana* cells. *Plant and Cell Physiology*. **46**: 1494–1504.
- Zhao, R., Guo, P.Y., Yuan, X.Y., Wang, J.Y., and Han, M.Q. (2010). Effect of paraquat on the antioxidative enzyme activities and lipid peroxidation in opium poppy (*Papaver somniferum* L.). *Journal of Plant Diseases and Protection*. **117**: 55-59.
- Zhou, Q., Xu, C., Zhang, Y. and Liu, W. (2009). Enantioselectivity in the phytotoxicity of herbicide imazethapyr. *Journal of Agricultural and Food Chemistry*. **57**: 1624-1631.
- Zhou, X.Y., Song, L. and Xue, H.W. (2013). Brassinosteroids regulate the differential growth of *Arabidopsis* hypocotyls through auxin signaling components IAA19 and ARF7. *Molecular Plant*. **6**: 887–904.
- Zhou, Y., Xia, X., Yu, G., Wang, J., Wu, J., Wang, M., Yang, Y., Shi, K., Yu, Y., Chen, Z., Gan, J. and Yu, J. (2015). Brassinosteroids play a critical role in the regulation of pesticide metabolism in crop plants. *Scientific Reports*. **5**: 9018. Doi:10.1038/srep09018.

References

Zhu, W., Wang, H., Fujioka, S., Zhou, T., Tian, H. and Tian, W. (2013). Homeostasis of brassinosteroids regulated by DRL1, a putative acyltransferase in *Arabidopsis*. *Molecular Plant*. **6**: 546–558.

Zobiole, L.H., Kremer, R.J., Oliveira, R.S. and Constantim, J. (2011). Glyphosate affects chlorophyll, nodulation and nutrient accumulation of “second generation” glyphosate-resistant soybean (*Glycine max* L.). *Pesticide Biochemistry and Physiology*. **99**: 53-60.

www.alanwood.net/pesticides/ (downloaded on 30-08-2016).

[www.zauba.com \(https://www.zauba.com/exportanalysis-imidacloprid-report.html,](https://www.zauba.com/exportanalysis-imidacloprid-report.html)
downloaded on 10-09-2016).