

## BIBLIOGRAPY

- Adamu, A. K. and Aliyu, H. (2007).** Morphological effects of sodium azide on tomato (*Lycopersicon esculentum* Mill). *Science of World Journal*, **2**: 9-12.
- Agarwal, R. L. (1996).** Seed technology, oxford and TBH publishing Co. Pvt. Ltd. New Delhi. **2**: 829p.
- Ahloowalia, B. S. and Maluzynski, M. (2001).** Induced Mutation. A new paradigm in plant breeding. *Euphytica*, **118** (2): 167-173.
- Ahloowalia, B. S; Maluszynski, M. and Nichterlin, K. (2004).** Global impact of mutation derived varieties. *Euphytica*, **135**: 187-204.
- Ahmad, K. and John, S. (1996).** Induced pollen and seed fertility in blackgram. *Madras Agricultural Journal*, **83** (5):321-322.
- Ahmad, K. and Yaqub, P. (1993).** Performance and comparison of micro mutation selection of greengram (*Vigna radiata* L. Wilczek) in advanced mutation generations for yield and physiological attributes. *Indian Journal of Genetics*, **53** (4): 445-447.
- Ahmadi J., Vaezi B., Pour-Aboughadareh A. (2014).** Assessment of heritability and relationships among agronomic characters in grass pea (*Lathyrus sativus* L.) under rain fed conditions. *Biharean Biologist*, (1-17).
- Altenberg, E. (1928).** The limit of radiation frequency effective in producing mutations. *American Natural*, **62**: 540-545.
- Amitava, P. and Singh, D. P. (2005).** Frequency, spectrum and segregation pattern of chlorophyll and macro mutations in field pea (*Pisum sativum*). *Journal of Legume Research*, **28** (2): 94-98.
- Anbarasan, K., Rajendran, R., Sivalingam, D., Anbazhagan, M. and Chidambaram, AL. A. (2013).** Effect of gamma radiation on seed germination and seedling growth of Sesame (*Sesamum indicum* L.) Var.TMV3. *International Journal of Research in Botany*, **3** (2): 27-29.
- Anonymous, (2013).** National seed project (crops). *Annual Reports*, 2012-13, p. 242.
- Aney, A. (2013).** Effect of gamma irradiation on yield attributing characters in two varieties of pea (*Pisum sativum* L.). *International Journal of Life Sciences*, vol., **1** (4): 241-247.
- Aparna, M., Anurag, C. , Sreedhar, M., Kumar, D. P., Venu-Babu, P. and Singhal, R. K. (2013).** Impact of gamma rays on the seed germination and seedling parameters of groundnut (*Arachis hypogaea* L.). *Asian Journal of Experimental Biology Sciences*, **4** (1): 61-68.
- Arati, P. (2000).** Influence of containers and seed treatments on storability of chickpea. M. Sc. (Agri.) Thesis, University of Agriculture Sciences, Dharwad, India.

- Araus, J. L., Amaro, T., Voltas, J., Nakkoul, H. and Nachit, M. M. (1998).** Chlorophyll fluorescence as a selection criterion for grain yield in durum wheat under Mediterranean conditions. *Field Crops Research*, **55**: 209–223.
- Araus, J. L., Slafer, G. A., Reynolds, M. P. and Royo, C. (2002).** Plant breeding and drought in C-3 cereals: what should we breed for? *Annals Botany*, **89** : 925–940.
- Ariraman, M., Gnanamurthy, S., Dhanavel, D., Bharathi T. and Murugan, S. (2014).** Mutagenic effect on seed germination, seedling growth and seedling survival of pigeon pea (*Cajanus cajan* (L.) Millsp.). *International Letters of Natural Sciences*, vol., **21**, 41-49.
- Arora, P. P. (1991).** Genetic variability and its relevance in chickpea. *International Chickpea Newsletters*, **25**: 9-10.
- Arora, P. P. and Jeena, A. S. (2000).** Variability in relation to response to selection in chickpea. *Agriculture Science Digest*, **20**: 267-298.
- Arshad, M., Bakhsh, A. and Abdul, G. (2004).** Path coefficient analysis in chickpea (*Cicer arietinum* L.) under rain fed conditions. *Pakistan Journal of Botany*, **36**(1): 75-81.
- Arulbalachandran, D. and Mullainathan, L. (2009).** Chlorophyll and morphological mutants of blackgram of (*Vigna mungo* L. hepper) derived by gamma rays and EMS. *Journal of Phytology*, **1**: 236-241.
- Arulbalachandran, D., Mullainathan, L., Velu, S. and Thilagavathi, C. (2010).** Genetic variability, heritability and genetic advance of quantitative traits in black gram by effects of mutation in field trail. *African Journal of Biotechnology*, vol., **9** (19), pp. 2731-2735.
- Arulnandhy, V. and Senanayake, Y. D. A. (1991).** Changes in viability, vigour and chemical composition of soybean seeds stored under the humid tropical conditions. *Legume Research*, **14** (3): 135-144.
- Azad, S. A. (2010).** Estimates of genetic parameters for yield and yield components in mungbean variety asha. *Indian Journal of Science Research*, **1**(2) : 37-39.
- Badami, P. S. and Bhalla, J. K. (1992).** Mutagenic effectiveness and efficiency of gamma rays, magnetic fields and sodium azide in cluster bean. *Plant Science*, **5**: 534-541.
- Bahal, J. R. and Gupta, P. K. (1982).** Promising mutant in mungbean (*Vigna radiate* L. Wilczek). *Mutation Breeding News Letter*, 20:13.
- Banu, M. R., Kalamani, A. and Ashok, S. (2002).** Induced mutations in cowpea (*Vigna unguiculata* (L.) Walp.) frequency and spectrum of viable mutations. *Research on Crops*, **3**(2):421-425.

- Barshile, J. D., Auti, S. G., Delve, S. C., and Apparao, B. J. (2006).** Mutagenic sensitivity studies in chickpea employing SA, EMS and gamma rays. *Indian Journal of Pulses Research*, **19** (1): 43-46.
- Bashir, S. (2012).** Studies on the induction of mutations in fenugreek. M. Phil. Thesis, University of Kashmir, Kashmir.
- Bassi, G., Singh, M. and Brar, P. S. (2007).** Determination of relative seed storage potential using natural and accelerated ageing in pea (*Pisum sativum* L.). *Seed Research*, **35**(2): 198-201.
- Berger, U. and Turner, N. C. (2000).** Yield related traits in water stressed chickpea. In: *3<sup>rd</sup> International Crop Science Congress*, 2000, 17-22 August, 2000, Hamburg, Germany, p. 2.
- Bertagne- Sagnard, B., Fouilloux, G. and Chupeau, Y. (1996).** Induced albino mutations as a tool for genetic analysis and cell biology in flax (*Linum usitatissimum*). *Journal of Experimental Botany*, **47**: 189-194.
- Beveridge, C. A., Batge, S. L., Ross, J. J. and Murfet, I. C. (2001).** Hormone physiology of pea mutants prevented from flowering by mutations *gi* or *veg 1*. *Physiologia Plantarum*, **113**(2):285-291.
- Bhadra, S. K. (1982).** Studies on the genetic improvement of black gram (*Vigna mungo* L. Hepper) through induced mutation. Ph.D. Thesis, IARI, New Delhi.
- Bhadru, D. (2010).** Correlation and path analysis for yield and its attributing traits in white coated pigeon pea (*Cajanus cajan* (L.) Mill sp). *Legume Research*, **33** (3): 196 – 200.
- Bhambota, S. K., Sood, B. C. and Garton, S. L. (1994).** Contribution of different characters towards seed yield in chickpea. *Indian Journal of Genetics*, **54**: 381-388.
- Bharathi, R. R., Ganesamurthy, K., Angappan, K. and Gunasekaran, M. (2014).** Mutagenic effectiveness and efficiency of gamma rays in sesame (*Sesamum indicum* L.). *Global Journal of Molecular Sciences*, **9** (1): 1-6.
- Bharathi, R. R., Ganesamurthy, K., Angappan, K. and Gunasekaran, M. (2014).** Evaluation of effect of gamma rays on sesame genotype ttvs 51 and ttvs 19 in M<sub>1</sub> generation. *International Journal of Development Research*, vol., **4** (2) 273-277.
- Bhardwaj, R.K. and Kohli, W.K. (1999).** Character association and path analysis in garden pea (*Pisum sativum* L.). *Horticulture Journal*, **12** (2): 61-65.
- Bhatia, C. R. and Swaminathan, M. S. (1962).** Induced polygenic variability in bread wheat and its bearing on selection procedures. *Z. Planeerucht*, **48**: 317-326.
- Bhatia, Y. S. Singh, B. N and Lal, S. (1993).** Variability and inter relationship of yield and its attributes in chickpea. *Indian Journal of Pulses Research*, **6** (1): 1-5.

- Bhosale, R. S. and More, A. D. (2013).** Effect of mutagen on pollen sterility in *Withania somnifera* dunal. (Ashwagandha). *International Journal of Life Sciences*, vol., **1** (3): 226-227.
- Bhosale, U. P., Hallale, B. V. and Dubhashi, S. V. (2013).** M<sub>1</sub> generation studies in urdbean (*Vigna mungo* (L.) Hepper). *Advances in Applied Science Research*, **4** (3): 95-97.
- Bhosle, S. S. and Kothekar, V. S. (2010).** Mutagenic efficiency and effectiveness in cluster bean (*Cyamopsis tetragonoloba* (L.) taub.). *Journal of Physiology*, **2**(6): 21–27.
- Bhoyta, S. B., Ater, A. H. and Rathor, T. H. (1994).** Genetic variability and association of some yield contributing attributes in chickpea. *Journal of Soils and Crops*, **4** (1): 78-82.
- Blum, A. and Ebercon, A. (1981).** Cell membrane stability as a measure of drought and heat tolerance in wheat. *Crop Science*, **21**: 43–47.
- Blum, A. and Ebercon, A. (1988).** Cell membrane stability as a measure of drought and heat tolerance in wheat. *Crop Sciences*, **21**:43-47.
- Bolbhat, S. N. and Dhumal, K. N. (2012).** Effect of mutagens on quantitative characters in M<sub>2</sub> and M<sub>3</sub> generation of horse gram (*Macrotyloma uniflorum*(Lam) verdc). *International Journal of Scientific and Research Publications*, **2**: 10: 1-7
- Bolbhat, S. N. and Dhumal, K. N. (2009).** Induced macro mutations in horsegram (*Macrotyloma Uniflorum* (Lam.) Verdc). *Legume Research*, **32** (4): 278-281.
- Bolbhat, S. N. Bhoge Vikram D. and Dhumal, K. N. (2012).** Effect of mutagens on seed germination, plant survival and quantitative characters of horse gram (*Macrotyloma uniflorum* (Lam.) Verdc). *International Journal of Life Science and Pharma Research*, 129-136.
- Bolbhat, S. N., Bhoge, V. D. and Dhumal, K. N. (2012).** Induced mutations in horsegram (*Macrotyloma uniflorum* (Lam.)Verdc), chlorophyll mutations, mutagenic efficiency and effectiveness. *International Journal of Life Science and Pharma Research*, vol., **2**(4), 159-168.
- Bolbhat, S. N., Gawade, B. B., Bhoge, V. D., Wadavkar, D. S., Shendage, V. S. and Dhumal, K. N. (2012)** Effect of mutagens on frequency and spectrum of viable mutations in horsegram (*Macrotyloma uniflorum* (Lam.) Verdc). *Journal of Agriculture and Veterinary Science*, vol., **1**, 45-55.
- Boranayaka, M. B., Ibrahim, S. M., Ananda Kumar, C. R., Rajavel, D. S., Shadakshari, T.V. and Ragesha, G. (2010).** Studies on heritability and genetic advance in mutant populations of sesame (*Sesamum indicum* L.). *International Journal of Agricultural Sciences*, vol. **6**, 508-512.

- Borojevic (1965).** Effect of single and combination treatment of gamma rays and EMS on the M<sub>2</sub> fertility and M<sub>2</sub> chlorophyll mutation in *Vieta faba*. *Egypt Journal of Genetics Cytology*, **3**: 246-258.
- Boureima, S., Abdallah, O., Macoumba, D., Ndiaga, C., Patrick V. D. (2012).** Screening for drought tolerance in mutant germplasm of sesame (*Sesamum indicum*) probing by chlorophyll a fluorescence. *Environmental and Experimental Botany*, **81**, 37– 43.
- Brij, B. S., Vinod, K. S., Mahesh, K. D. and Shailaja, P. (2014).** Combining ability and gene action studies for horticultural traits in garden pea. *International Journal of Fruit and Vegetable Sciences*, **1** (1): 7-13.
- Brock, R. D. (1967).** Quantitative variation in *Arabidopsis thalina* induced by ionizing radiations. *Radiation of Botany*, **7**:193-203.
- Burli, A. V., More, S. M., Gare, B. N. and Dodake, S. S. (2004).** Studies on genetic variability and heritability in chickpea under residual soil moisture condition. *Journal Maharashtra Agriculture University*, **29** (3): 353-354.
- Burton, G. W. (1952).** Quantitative inheritance in Grasses. Proc. 6<sup>th</sup> Int. Grassland Congress; **1**: 227 - 283.
- Burton, G. W. and De vane (1953).** Estimating heritability in all fescue from replicated clonal material. *Journal of Agronomy*, **45** (3): 474 - 481.
- Byregowda, J., Shunthala, J. and Chandanparakash, M. (1997).** Estimates of genetic variability and heritability in blackgram (*Vigna mungo* L.). *Crop Research*, **13**(2):369-372.
- Cairns, J. E., Namuco, O. S., Torres, R., Simborio, F. A., Courtois, B., Aquino, G. A. and Johnson, D.E. (2009).** Investigating early vigour in upland rice (*Oryza sativa* L.): Part II. Identification of QTLs controlling early vigour under greenhouse and field conditions. *Field Crops Research*, **113**: 207–217.
- Canci, H. and Toker, C. (2014).** Yield components in mung bean (*Vigna radiata* (L.) Wilczek). *Turkish Journal of Field Crops*, **19**(2), 258-261.
- Ceyhan, E., Kahraman, A., Ates, M. K. and Karadas, S. (2012).** Stability analysis on seed yield and its components in peas. *Bulgarian Journal of Agricultural Science*, **18** (6) 905-911.
- Chahal, G. S. and Gosal, S. S. (2002).** *Principles and Procedures of Plant Breeding*. pp. 399-412. Oxford; Alpha science International Ltd.
- Chakrabarti, S. N. (1995).** Mutation breeding in India with particular reference to PNR rice varieties. *Journal of Nuclear Agriculture Biology*, **24**: 73-82.

- Chand, H., Srivastav, L. S. and Trahen, K. B. (1995).** Estimates of genetic parameters, correlation co-efficient and path co-efficient analysis in gram (*Cicer arietinum* L). *Madras Agricultural Journal*, **62**: 178-181.
- Charjan, S. K. U. and Tarar, J. L. (1994).** Relative effectively of bruchids (*Callosobruchus sp.*) infestation on seed quality of chickpea (*Cicer arietinum* L.) during storage. *Annals of Plant Physiology*, **8**(1): 63-65.
- Chaudhary, D. K. and Sharma, R. R. (2003).** Genetic variability, correlation and path analysis for green pod yield and its components in garden pea. Division of Vegetable Crops, IARI, New Delhi **60** (3): 251-256.
- Chauhan, M. P. and Singh, I. S. (2000).** Variability estimates and identifying chickpea genotypes for yield and yield attributes in salt affected soil. *Legume Research*, **23**: 199-200.
- Chavan, V. W., Patil, H. S. and Rasal, P. N. (1994).** Genetic variability correlation studies and their implications in selection of high yielding genotypes of chickpea, *Madras Agriculture Journal*, **81**: 463 - 465.
- Chopra, V. L. (2005).** Mutagenesis: Investigating the process and processing the outcome for crop improvement. *Current Science*, vol., **89**, No.2.
- Choudhary, B. D., Singh, P., Kumar, A. and Singh, D. P. (1992).** Correlation and multiple regression analysis in chickpea. *Crop Improvement*, **15** (2): 180-186.
- Ciais, P., Reichstein, M., Viovy, N., Granier, A., Oge, J., Allard, V., Aubinet, M., Buchmann, M. (2005).** Europe-wide reduction in primary productivity caused by the heat and drought in 2003. *Nature*, **237**:529–533.
- Ciftci, C. Y., Turkan, A. D., Khawar, K. M., Atak, M., Ozcan, S. (2006).** Use of gamma rays to induce mutations in four pea cultivars. *Turkish Journal of Biology*, **30**(1): 29-37.
- Congshu, C. U. I. (1996).** Method for monitoring the seed viability of pea in the national gene bank. *Crop Genetic Resources*, **1**: 23-25.
- Costa, N. P. da, Franca Neto, J. de B., Krzyzanowski, F. C. and Henning, A. A. (2007).** An alternative method for applying the tetrazolium test to soyabean seeds - Seed Series. *Circular Tecnica - Embrapa Soja, Brazil*, (8):39-7.
- Courtois, B., Ahmadi, N., Perin, C., Luquet, D. and Guiderdoni, E. (2009).** The rice root system: from QTLs to genes to alleles. In: Serraj, R. *et al.* (eds) *Drought Frontiers in Rice: Crop Improvement for Increased Rainfed Production*. World Scientific Publishing, Singapore, pp. 171–188.

- Cui, J.H., Xing, Y., Yu, S., Xu, C. and Peng, S. (2008).** Mapping QTLs for seedling characteristics under different water supply conditions in rice (*Oryza sativa*). *Journal of Plant Physiology* **132**, 53–68.
- Das, B. K., Barua, I. C. and Dey, S. C. (1998).** Effect of packing material, storage condition and duration of storage on seed viability, vigour and seedling survivability in Rajmah (*Phaseolus vulgaris* L.). *Legume Research*, **21**(2): 91-95.
- Das, S. V. and Chakraborty, S. (1998).** Genetic variation for seed yield and its components in green gram (*Vigna radiata* L. Wilczek). *Plant Sciences*, **11**: 271-273.
- Dasgupta, Oslam, M. O., Gayen, P. (1992).** Genetic variability and analysis of yield components in chickpea. *Annals of Agriculture Research*, **13** (2) : 157-160.
- Deepalakshmi, A. J. and Kumar, C. R. A. (2003).** Efficiency and effectiveness of physical and chemical mutagens in urdbean (*Vigna mungo* L. Hepper). *Madras Agricultural Journal*, **90**: 485-489.
- Degefa, I., Yohannes Petros and Mebeaselassie A. (2014)** Genetic variability, heritability and genetic advance in mung bean (*Vigna radiata* L. Wilczek) accessions. *Plant Science Today* **1**(2): 94-98.
- Dewey, D. R. and Lu, K.H. (1959).** A correlation and path coefficient analysis of crested wheat grass seed production. *Agronomy Journal*, **51**: 515-518.
- Dhulgande, G. S., Ghogare, D. S., Dhale, D. A. and Satpute, R. A. (2010).** Mutagenic effect of gamma rays and EMS on frequency and spectrum of chlorophyll mutations in pea (*Pisum sativum* L.) *Journal of Eco biotechnology*, **2/ 8**: 04-07.
- Dhanavel, D., Gnanamurthy, S., Pavadai, P., Bharathi, T. and Thirumal, R. (2012).** Induction of yield, biochemical and genetic variability by using gamma rays on soybean (*Glycine max* (L.) Merr.). *International Journal of Research in Biological Sciences*, **2**(3): 113-115.
- Dharmalingam, C. (1995).** Halogenation of seed to control and seed declaration. *Kisan World*, **1**: 38-39.
- Dhasarathan, M., Meenakshiganesan, N. and Geetha, S. (2014).** The effect of gamma rays on M<sub>1</sub> population of black gram (*Vigno mungo* L. Hepper). *Life Science leaflets*, vol. **56**, 27-33.
- Dhulgande, G. S., Dhale, D.A., Pachkore, G. L. and Satpute, R. A. (2011).** Mutagenic effectiveness and efficiency of gamma rays and ethyl methane sulphonate in pea (*Pisum sativum* L.). *Journal of Experimental Sciences*, vol. **2** (3), 07-08.
- Donald, C. M. and Hamblin (1976).** The biological yield and harvest index of cereal on agronomic and plant breeding criteria. *Advance of Agronomy*, **28**:361-405.

- Dubey, A. K., Yadav, J. R. and Singh, B. (2007).** Studies on induced mutations by gamma irradiation in okra (*Abelmoschus esculentus* L. Monch.). *Journal of Progressive Agriculture*, **7**(1/2): 46-48.
- Dubey, K. K. and Srivastava, S. B. L. (2007).** Study of direct selection in chickpea (*Cicer arietinum* L.). *Plant Archives*, **7** (1): 211-212.
- Earl, H. J. and Davis, R. F. (2003).** Effect of drought stress on leaf and whole canopy radiation use efficiency and yield of maize. *Agronomy Journal*, **95**: 688–696.
- Egli, D.B. (2008).** Soybean yield trends from 1972 to 2003 in mid-western USA. *Field Crops Research*, **106**: 53–59.
- Ekanayake, I. J., O’Toole, J. C., Garrity, D. P. and Masajo, T. M. (1985).** Inheritance of root characters and their relations to drought resistance in rice. *Crop Science*, **25**: 927-933.
- Ellyfa, K., Osumanu, H. A., Shaharudin, S. and Nik, Md. Ab. M. (2007).** Gamma radio sensitivity study on long bean (*Vigna sesquipedalis*). *American Journal of Applied Sciences*, **4** (12): 1090-1093.
- Fadia, El. S., Salah, K., Ezzat, G., Nashwa, S. and Khaled, R. (2011).** The effect of gamma irradiation on enhancement of some economic traits and molecular changes in (*Hibiscus sabdariffa* L.). *Journal of Life Science*, **8** (3):220-229.
- Fardous, A., Minisi, Moh. E., El-mahrouk, Magd El-Din F. R. and Mary N. Nasr (2013).** Effects of gamma radiation on germination, growth characteristics and morphological variations of *Moluccella laevis* L. *American-Eurasian Journal Agriculture and Environmental Science*, **13** (5): 696-704.
- Filippetti, A. (1990).** Variability of plant and seed characterization in a collection of chickpea. *Legume Research*, **13** (1): 36-46.
- Fischer, K. S. and Wood, G. (1981).** Breeding and selection for drought tolerance in tropical maize. In: *Proc. Symp. On Principles and methods in crop improvement for drought resistant with emphasis on rice*, IRRI, Philippines, 25-25<sup>th</sup> May.
- Fisher, R. A. and Yates, A. H. (1938).** Statistical tables for biological, agricultural and medical research. *Olivar and Boyd*. Edinburgh; pp 134 - 135.
- Fisher, R.A. (1939).** The design of experiment I<sup>st</sup> edition oliver and Bayed, London.
- Ganapathy, S., Nirmalakumari, A., Senthil, N., Souframanien, J. and Raveendran, T. S. (2008).** Isolation of macro mutations and mutagenic effectiveness and efficiency in little millet varieties. *World Journal of Agricultural Sciences*, **4** (4): 483-486.
- Gaul, H. (1961).** Use of induced mutation in seed propagated spp. In mutation and plant breeding, NAS-NRC., **891**: 206-251.



- Gaul, H. (1964).** Mutation of plant breeding. *Radiation Genetics*, **4**:155-232.
- Gaul, H. (1965).** The concept of macro and micro mutation and result on induced micro mutations in barely. *Radiation Botany*, **5**:407-428.
- Gaul, H. (1970).** Mutagen effect observable in the first generation sterility. In : manual on mutation breeding. FAO/IAEA, Vienna, Austria. Pp 95-99.
- Gaul, H. and Astveli, K. (1996).** Induced variability of clump length in different genotypes of hexaploid wheat following gamma irradiation and EMS treatment. *Contreras Agriculture*, **11**(12): 263-276.
- Gautam, A. S. and Mittal, R. K. (1998).** Induced mutation in black gram (*Vigna mungo* L. Hepper). *Crop Research*, **16**(3):344-348.
- Gautam, A. S., Sood, K. C. and Ricarria, A. K. (1992).** Mutagenic effectiveness and efficiency of gamma rays, ethylmethane sulphonate and their synergistic effect in blackgram (*Vigna mungo* L.). *Cytologia*, **57**: 85-89.
- Gautam, A. S., Sood, K. C. and Richharia, A. K. (1992).** Mutagenic effectiveness and efficiency of gamma rays, EMS and their synergistic effects in blackgram (*Vigna mungo* L.). *Cytologia*, **51**(1):85-89.
- Geletu, B., Van Rheenen, H. A., Jagadish, C. A. and Onkar Singh (1995).** Correlation between yield and its components in segregating populations of different generations of chickpea (*Cicer arietinum* L.). *Legume Research*, **14**: 87 -91.
- Ghareeb El, I. M. (2006).** Gamma rays mutagen influence in development pea agronomic and biochemical characters. *Annals of Agricultural Science*, Moshtohor, **44**(2): 637-652.
- Giri, S. P, Tambe, A. B. and Apparao, B. J. (2010).** Induction of a novel, high yielding mutant of pigeon pea. *Asian Journal of Experimental Biological Sciences*, 152-155.
- Girija, M. and Dhanavel, D. (2009).** Mutagenic effectiveness and efficiency of gamma rays ethyl methane sulphonate and their combined treatments in cowpea (*Vigna unguiculata* L. Walp). *Global Journal of Molecular Sciences*, **4** (2): 68-75.
- Girija, M. and Dhanavel, D. (2013).** Induced chlorophyll mutation in cowpea (*Vigna unguiculata* L. Walp.). *International Journal Current Transgenic Research*, **2** (1): 136-140.
- Girija, M., Dhanavel, D. and Gnanamurthy, S. (2013).** Gamma rays and EMS induced flower color and seed mutants in cowpea (*Vigna unguiculata* L. Walp). *Advances in Applied Science Research*, **4**(2):134-139.
- Gohil, D. P. and Patel, J. D. (2010).** Character association and path analysis in chickpea (*Cicer arietinum* L.) under conserved soil moisture. *Legume Research*, **33** (4): 283 – 286.

- Golaszowski, J. and Idzkowska, M. P. (1996).** Path analysis in estimation of inter dependence of some seed yield components of edible field pea. *Biriuletyn-Institute-Hodowli-i-Aklimaty Roslin* No. **200**, 317-322.
- Good speed, T. H. (1928).** The effects of X-rays and radium on species of genus *Nicotiana*. *Journal of Heredity*, **20**: 243-259.
- Govardhan, G. and Lal, G. M. (2013).** Mutagenic effectiveness and efficiency of gamma rays in fieldpea (*Pisum sativum* L.). *Indian Journal of Plant Sciences*, vol., **2** (3)73-76.
- Govardhan, G., Lal G. M., Vinoth, R. and Ashok Reddy, P. (2013).** Character association studies in M<sub>2</sub> generation of fieldpea (*Pisum sativum* var. *arvense* L.). *International Journal of Applied Biology and Pharmaceutical Technology*, 161-163.
- Govorov, J. V. (1928).** The peas of Afganistan (A contribution to the problem of the origin of cultivated peas). *Bulletin Applied Botany Genetic and Plant Breeding*, **19**(2): 497-522.
- Grafius, J.E. (1959).** Genetic and environmental relationship of components of yield, maturity and height in F<sub>2</sub>-F<sub>3</sub> soybean populations, *Iowa State Coll. Journal of Sciences*, **30**: 373-374.
- Gran, W. F. and Owens, E. T. (2001).** Chromosome aberration assays in *Pisum* for the study of environmental mutagens. *Mutation Research, Reviews in Mutation Research*, **488**(2):93-118.
- Gregory, W.C. (1965).** Radio sensitivity studies peanuts. *Proc. International Genetic Symposium*, Japan. Pp. 243-247.
- Guler, M., Adak, M. S. and Ulukan, H. (2001).** Determining relationships among yield and some yield components using path coefficient analysis in chickpea (*Cicer arietinum* L.). *European Journal of Agronomy*, 14 (2) : 161-166.
- Gupta, M. K., Singh, J. P. and Mishra, V. K. (1998).** Heritability, genetic advance and correlation analysis in pea (*Pisum sativum* L.). *Crop Research, Hisar*. **16**: 202-204.
- Gustafsson, A. (1940).** The mutation system of chlorophyll apparatus. Lundan University, Australia, **36**: 1-40.
- Gustafsson, A. (1941).** Mutation experiments in barley. *Hereditas*, **27**: 225- 242.
- Hamid, R. S., Mostafa A., Mahmud L., M. A. and Shiva, A. (2013).** Morphological characteristics evaluation of induced mutant lines of stock var. centum white. *Annals of Biological Research*, **4** (4):152-157.
- Harris, D. (1996).** The effects of manure, genotype, seed priming, depth and date of sowing on the emergence and early growth of *Sorghum bicolor* (L.) Moench in semi-arid Botswana. *Soil and Tillage Research*, 40: 73–88.

- Hassan, M., Atta, B. M., Tariq M. Shah, Muhd, Ahsanul Haq, H., Syed and Alam, S. S. (2005).** Correlation and path coefficient studies in induced mutants of chickpea (*Cicer arietinum* L.). *Pakistan Journal of Botany*, **37**(2): 293-298.
- Hayatu, M., Muhammad, S.Y., and Habibu, U. A. (2014).** Effect of water stress on the leaf relative water content and yield of some cowpea (*Vigna unguiculata* (L) walp.) genotype. *International Journal of Scientific & Technology Research*, vol., **3**,148-152.
- Hemavathi, A. T. and Ravindran, G. R. (2006).** Mutagenic effects of gamma rays on frequency and spectrum of chlorophyll mutations in urdbean (*Vigna mungo* L. Hepper). *Madras Agricultural Research*, **92**: 325-327.
- Hipziba, S. J. and Subramaniam, M. (2002).** Induced macro mutant in M<sub>3</sub> and M<sub>4</sub> generations of blackgram (*Vigna mungo* L. Hepper.). *Crop Research*, Hisar, **24**(1):63-66.
- Hiscox, J. D. and Israelstam, G.F. (1979).** A method for the extraction of chlorophyll from leaf tissue without maceration. *Canada Journal of Botany*, **57**:1332-1334.
- Hochholdinger, F. and Tuberosa, R. (2009).** Genetic and genomic dissection of maize root development and architecture. *Current Opinions in Plant Biology*, **12**: 172–177.
- Hodge, A. (2009).** Root decisions. *Plant Cell Environment*, **32**: 628–640.
- Hugo, De Varies (1901).** Die mutations theories Leipzig (Suited). Difco laboratories, 1953. Difco manual 9<sup>th</sup> edition. Difco laboratorial Inc. Detroit. p. 350.
- Hussain, N., Aslam, M., Ghaffar, A., Irshad, M. and Naeem-ud-Din (2015).** Chickpea genotypes evaluation for morpho-yield traits under water stress conditions. *The Journal of Animal and Plant Sciences*, **25**(1): 206-211.
- Idress, A., Sadiq, M.S., Hanif, M., Abbas, G. and Haider, S. (2006).** Genetic parameters and path co-efficient analysis in mutated generation of mungbean, (*Vigna radiata* L. Wilczek). *Journal of Agriculture Research*, **44**(3): 181-191.
- Ignacimuthu, S. and Babu, C. R. (1992).** Induced variation in pod and seed traits of wild and cultivated beans. *Journal of Nuclear Agriculture Biology*, **21** (4): 286-292.
- Ines, B., Yassine, M., Kamel, C., Philippe, D., Philippe, S. and Omrane, B. (2014).** Induced mutagenesis through gamma radiation in chickpea (*Cicer arietinum* L.): developmental changes and improved resistance to the parasitic weed *Orobanche foetida* Poir. *International Journal of Advanced Research*, **2** (11) 670-684.
- Iqbal, M. Dil Muhd , Zia-Ul-Haq, Y. Jamil, and Ahmad, M. R. (2012).** Effect of pre-sowing magnetic field treatment to garden pea (*Pisum sativum* L.) seed on germination and seedling growth. *Pakistan Journal of Botany*, **44**(6): 1851-1856.

- Irshad, M. (2013).** Genetic mechanism of some physio morphological traits of bread wheat under normal and heat stress conditions. Ph. D. Thesis, UAF, Faisalabad, Pakistan.
- ISTA (1999).** International rules for seed testing. *Seed Science and Technology, Supplement Rules*, **37**: 705-708.
- Itefa, D., Yohannes, P. and Mebeasselassie, A. (2014).** Genetic variability, heritability and genetic advance in mung bean (*Vigna radiata* L. Wilczek) accessions. *Plant Science Today*, **1**(2): 94-98.
- Jabeen, N. and Mirza, B. (2002).** Ethyl methane sulfonate enhances genetic variability in *Capsicum annuum*. *Asian Journal of Plant Sciences*. Vol., **1** (4): 425-428.
- Jackson, M. L. (1973).** Soil chemical analysis. Prentice Hall of India Pvt. Ltd., New Delhi, India.
- Jahagirdar, J. E., Patil, R. A. and Khare, P. R. (1994).** Genetic variability and its relevance in contributing traits in F<sub>2</sub> and F<sub>3</sub> population in chickpea. *Int. chickpea and pigeonpea Newsletter*, **2**: 11-13.
- Jain, S. K., Madaria, S. K., Rao, B. K. and Nigam, R. K. (1995).** Analysis of yield factor in lentil. *Indian Journal of Agriculture Research*, **29** (4):173-180.
- James, A. T., Lawn, R. J. and Cooper, M. (2008).** Genotypic variation for drought stress response traits in soybean. I. variation in soybean and wild *Glycine* spp. for epidermal conductance, osmotic potential, and relative water content. *Australian Journal of Agricultural Research*, **59**: 656– 669.
- Jana, M. K. and Roy, K. (1973).** Induced quantitative mutation in rice. *Radiation Botany*, **13**:245-257.
- Jirali, D., Panchal, Y. C., Janagouder, B. S. and Patil, B. C. (1994).** Studies on the growth pattern and yield in chickpea genotypes under receding soil moisture conditions. *Indian Journal of Plant Physiology*, **37**: 275-276.
- Jivani, J.V., Mehta, D. R., Vaddoria, M. A. and Lata, R. (2013).** Correlation and path coefficient analysis in chickpea (*Cicer arietinum* L.). *Electronic Journal of Plant Breeding*, **4**(2): 1167-1170.
- John, S. A. (1995).** Effectiveness and efficiency of gamma rays in blackgram. *Madras Agricultural Journal*, **84**(6-8) 428-431.
- John, S.A. (1995).** Genetic of seed yield in blackgram (*Vigna mungo* L. Hepper). *Madras Agricultural Journal*, **83**.
- John, S.A. (1996).** Induced pollen and seed fertility of blackgram (*Vigna mungo* (L.) Hepper). *Madras Agricultural Journal*, **83**.

- John, S.A. (1997).** Effect of gamma irradiation on segregation ration and mutation frequency in urdbean. *Madras Agricultural Journal*, 83.
- Johnson, H. W., Robinson, H. F. and Comstock, R. E. (1955).** Genotypic and phenotypic correlations in soyabean and their implications in selections. *Agronomy Journal*, 477 - 483.
- Jones, M. M., Osmond, C. B. and Turner, N. C. (1980).** Accumulation of solutes in leaves of sorghum and sunflower in response to water deficits. *Australia Journal of Plant Physiology*, 7: 181-192.
- Justin Mudibu, Kabwe K. C. Nkongolo, Adrien Kalonji-Mbuyi, and Roger V. Kizungu (2012).** Effect of Gamma Irradiation on Morpho-Agronomic Characteristics of Soybeans (*Glycine max* L.). *American Journal of Plant Sciences*, 3: 331-337.
- Kalajbundi, B.M., Dahade, R.S., Ghadge, P.M. and Bhagat, V. (2003).** Effect of GA, NAA and Potasium nitrate on germination and growth of Kagzi lime. *Annals of Plant Physiology*, 17 (1): 84 87.
- Kaloo, G., Rai, M., Singh, J., Verma, A., Kumar, R., Rai, G. K. and Vishwanathan (2005).** Morphological and biochemical variability in vegetable pea (*Pisum sativum* L.) *Vegetable Science*, 32(1):19-23.
- Kamoshita, A., Babu, R. C., Boopathi, N. M. and Fukai, S. (2008).** Phenotypic and genotypic analysis of drought-resistance traits for development of rice cultivars adapted to rainfed environments. *Field Crops Research*, 109: 1–23.
- Kanzak, C. F., Niknejad, M. J. Wickham, I. and Donalclson, E. (1975).** Mutagenic interaction of sodium azide and mutation induced in barley seed treated with diethyl sulphate or N-methyl N nitroso urea. *Mutation Research*, 30:55-62.
- Karim, K. M. R., Islam, A. K. M. R., Hossain, M. M., Azad H. M. S. and Rahman M. W. (2008).** Effect of gamma rays on yield and yield attributes of large seeded chickpea. *Journal Soil Nature*, 2 (2):19-24.
- Kartika, R. and Subbalakshmi, B. (2006).** Effect of gamma rays and EMS on two varieties of soybean. *Asian Journal of Plant Sciences*, 5(4): 721-724.
- Katiyar, P. K., Sachan, C. P., Kanaujia, V. P. and Singh, S. K. (2004).** Effect of packaging materials, moisture content and seed treatment on storage and longevity of soybean (*Glycine max* (L.) Merrill.), *Farm Science Journal*, Kanpur, 13: 2, 183-184.
- Kavitamani, D., Kalamani, A., Vanniarajan, C., and Uma, D. (2008).** Mutagenic effectiveness and efficiency of gamma rays and EMS in soybean (*Glycine max* L. Merril.). *Madras Agricultural Journal*, 95 (7-12): 448-451.

- Kawai, T. (1969).** Relative effectiveness of physical and chemical mutagens. *Induced mutagens in plant*, IAEA, Vienna. 137.
- Khan, H. R., Paull, J. G., Siddique, K. H. M. and Stoddard, F. L. (2010).** Faba bean breeding for drought-affected environments: A physiological and agronomic perspective. *Field Crops Research*, **115**: 279–286.
- Khan, M. H. and Tyagi, S. D. (2009).** Cytological effects of different mutagens in soybean (*Glycine max* L. Merrill). *Front Agriculture, China*, **3**: 397-401.
- Khan, M. H. and Tyagi, S. D. (2010).** Studies on effectiveness and efficiency of gamma rays, EMS and their combination in soybean (*Glycine max* L. Merrill). *Journal of Plant Breeding and Crop Science*, **2**: 55-58.
- Khan, M. M., Javed Iqbal, M., Abbas, M. and Usman, M. (2003).** Effect of ageing on viability, vigour and chromosomal damage in pea (*Pisum sativum* L.) seeds. *Pakistan Journal of Agriculture Science*, **40**(1-2): 50-55.
- Khan, M. N. (1999).** Mutagenic effectiveness and efficiency of EMS, Gamma rays and their combination in blackgram (*Vigna mungo* L. Hepper). *Advances in Plant Science*, **12**: 203-205.
- Khan, M. R. and Qureshi, A. S. (2001).** Quantitative variations induced by gamma irradiation and gibberellic acid in M<sub>1</sub> generation of chickpea. *Sarhand Journal of Agriculture*, **17**(3):367-371.
- Khan, M., Iqbal, A. and Rizwi, M. A. (1989).** A pentafoliate leaf mutant of blackgram (*Vigna mungo* (L.) Hepper). *Mutation Breeding Newsletter*, **34**: 20.
- Khan, S, Siddiqui, B. A. and Nadeem, M. (1994).** Variation in quantitative characters of Mungbean after seed treatment with DES. *Advance in Plant Sciences*, **7**: 41-45.
- Khan, S. and Goyal, S. (2009).** Improvement of mungbean varieties through induced Mutations. *African Journal of Plant Science*, vol., **3** (8), 174-180.
- Khan, S. and Siddiqui, B. A. (1995).** Mutation genetic studies in mungbean. I. Variability components and genetic parameters. *Thailand Journal of Agriculture*, **28**: 113-124.
- Khan, S. and Wani, M. R. (2005).** Comparison on the effect of chemical mutagens on mungbean. *Advance in Plant Science*, **18**: 533-535.
- Khan, S. and Wani, M. R. (2006).** Induced mutations for yield contributing traits in greengram. *International Journal of Agriculture and Biology*. **4**: 528-530.
- Khan, S. H. and Siddidui, B. A. (1993).** Chlorophyll mutations in *Vigna radiate* L. Wilczek. *Pakistan Journal of Botany*, **25**(2): 161-166.
- Khan, S., Siddiqui, B. A. and Rehman, M. U. (1999).** Mutation genetic studies in Mungbean III. Screening of high yielding mutants. *Journal of Cytology Genetics*, **34**: 75-78.

- Khanna, V. K. (1991).** Effect of gamma irradiation of seeds on deoxyribonucleic acid content in chickpea. *Indian Journal of Pulses Research*, **4**: 1-3.
- Kharakwal, M. C. (2000).** Induced mutation in chickpea (*Cicer arietinum*). *Indian Journal of Genetics*, **59**:451-461.
- Kharakwal, M. C. (2003).** Performance and composition of micromutation selections of greengram (*Vigna radiata*) in advance mutation generation for yield and physiological attributes. *Indian Journal of Genetics*, **53**(4):445-447.
- Kharakwal, M. C., Pandey, R. N. and Pawar, S. E. (2004).** Mutation breeding for crop improvement. *Plant Breeding Mundelein to Molecular Approaches*, 601-645.
- Kharat, M., Gil, J. and Cubero, J. I. (1991).** Genetics of grain yield components in chickpea. *Journal Genetics and Breeding*, **45** (2): 87-91.
- Kharakwal, M. C., Panday, R. N. and Pawar, S. E. (2004).** Mutation breeding for crop improvement 601-945. In: *Plant Breeding- Mendelian to Molecular Approaches* (H. K. Jain and M.C. Karkwal, eds). Narosa publishing House P. Ltd. New Delhi.
- Khatun, A., Bhuiyan, and Ud-deen, M. M. (2009).** The effect of stage of harvest and storage on the seed quality of chickpea (*Cicer arietinum* L.). *Bangladesh Journal of Scientific and Industrial Research*, vol., 44, No 3.
- Koli, N. R. and Ramakrishna, K. (2002).** Frequency and spectrum of induced mutations and mutagenic effectiveness and efficiency in fenugreek (*Trigonella foenum-graecum* L.). *Indian Journal of Genetics*, **62**: 365-366.
- Konzak, C. F., Nilan, R. A., Froese Gerten, E. E. and Foster, R. J. (1965).** Factors affecting the biological action of mutagens. In: *Proc. Symposium on Induction of mutation and the mutation process*, Prague pp. 123-132.
- Koornneef, M. (2002).** Classical mutagenesis in higher plants, p. 1-11, In Philip Gilmartin, M. and Chris Bowler, eds. *Molecular Plant Biology*, vol. 1. Oxford University Press.
- Kousar, M., Suresh, B. G., Lavanya, G. R. and Kumari, A. (2013).** Study of chlorophyll and macro mutations induced by gamma rays and sodium azide in urd bean (*Vigna mungo* L. Hepper). *African Journal of Agricultural Research*, vol. **8** (47), 5958-5961.
- Kulkarni, G. B. and Mogle, U. P. (2013).** Effects of mutagen on chlorophyll mutation in horse gram (*Macrotyloma uniflorum* (Lam) Verdcourt), *Bioscience Discovery*, **4** (2):214-219.
- Kulthe, M. P. and Mogle, U. P. (2014).** Study of mutagenic efficiency of Ethyl methane sulphonate in Winged Bean. *Science Research Reporter*, **4** (1): 106-108.
- Kumar, A., Mishra, M. N. and Kharkwal, M. C. (2007).** Induced mutagenesis in blackgram (*Vigna munga* L.Hepper). *Indian Journal of Genetics*, **67** (1):41-46.

- Kumar, D., Kumari, R., Suresh and Kumar, S. (1999).** Correlation studies for quantitative traits in dwarf and tall pea (*Pisum sativum* L.). *Annals of Biology*, Ludhiana, **11** (1-2): 69-72.
- Kumar, D., Malik, B. P. S. and Lakh, R. (1998).** Genetic variability and correlation studies in field pea (*Pisum sativum* L.). *Legume Research*, **21** (1): 23-29.
- Kumar, D., Malik, B. P. S. and Sharma, S. K. (1995).** Correlation and path-coefficient analysis in peas. *Annals of Biology*, **11** (1-2): 69-72.
- Kumar, K., Prasad, Y., Mishra, S. B., Pandey, S. S. and Kumar, R. (2013).** Study on genetic variability, correlation and path analysis with grain yield and yield attributing traits in green gram (*Vigna radiata* (L.) Wilczek). *The Bioscan*, **8** (4): 1551-1555.
- Kumar, R., Solankey, S. S. and Singh, M. (2012).** Breeding for drought tolerance in vegetables. *Vegetable Sciences*, **39** (1): 1-15.
- Kumar, R., Solankey, S. S. and Singh, M. (2012).** Breeding for drought tolerance in vegetables. *Vegetable Science*, **39** (1) : 1-15.
- Kumar, S., Arora, P. P. and Jeena, A. S. (2001).** Genetic variability studied for quantitative traits in chickpea. *Agriculture Science Digest*, **21**: 263 -265
- Kumar, V., Salimath, P. M., Gowda, J. V. and Parmeshwarappa, R., (1991).** Genetic variability and GxE interaction in chickpea. *Journal Maharashtra Agriculture University*, **16** (1): 37-39.
- Kumar, Y. and Mishra, V. K. (1999).** Effect of gamma rays and diethyl sulphate of germination, growth, fertility and yield in greengram (*Vigna radiata* L. Wilczek.). *Annals of Agriculture Research*, **20** (2): 144-147.
- Kumari, R. and Singh, Y. (1996).** Effect of gamma rays and EMS on seed germination traits and plant survival of *Pisum sativum* L. and *Lens culinaris* Medic. *Neo Botanica*, **4** (1): 25-29.
- Kurdikeri, M. B. (1991).** Studies on seed quality in hybrid maize (*Zea mays* L.). Ph. D. Thesis, University of Agriculture Sciences, Bangalore (India).
- Lal, G. M, Toms, B. and Lal, S. S. (2009).** Mutagenic sensitivity in early generation in blackgram. *Asian Journal of Agriculture Sciences*, **1**: 9-11.
- Larik, A. S., Memon, S. and Soomro, Z. A. (2009).** Radiation induced polygenic mutations in variability for grain yield improvement in chickpea. *International Journal of Agriculture Biology*, **4**: 148 –149.
- Lawlor, D.W. and Cornic, G. (2002).** Photosynthetic carbon assimilation and associated metabolism in relation to water deficits in higher plants. *Plant Cell Environment*, **25**: 275–294.



- Leakey, A. D. B., Uribeharrea, M., Ainsworth, E. A., Naidu, S. L., Rogers, A., Ort, D. R. and Long, S. P. (2006).** Photosynthesis, productivity and yield of *Zea mays* are not affected by open-air elevation of CO<sub>2</sub> concentration in the absence of drought. *Plant Physiology*, **140**: 779–790.
- Leonardis, A. M. D., Petrarulo, M., Vita, P. D. and Mastrangelo, A. M. (2012).** Genetic and molecular aspects of plant response to drought in annual crop species. *In: Advances in Selected Plant Physiology Aspects*, Giuseppe M and B Dichio (eds.). In-Tech Publisher. 45 - 74 pp.
- Linsley, R. K., Kohler, M. A. and Paulhus, J. L. H. (1959).** Applied hydrology. McGraw-Hill, New York.
- Luo, L. (2010).** Breeding for water-saving and drought-resistance rice in China. *Journal of Experimental Botany*, **61**: 3509–3517.
- Lush, J. L. (1949).** Inter-se, correlation and regression of characters proceeding of American Society of Animal Production; **33**: 293 - 301.
- Madanpal, Sharma, A. and Sengupta, V. K. (1995).** Effect of UV-B radiation on germination and seedling growth in mungbean (*Vigna radiate* L. Wilczek). *Indian Journal of Plant Physiology*, **38** (4):293-297.
- Maduli, K. C. and Mishra (2007).** Efficacy of mutagenic treatment in producing useful mutants in finger millets (*Eleusine corocana* Gaertn.), *Indian Journal of Genetics*, **67** (3): 232-237.
- Magure, J. D. (1962).** Speed of germination aid in selection an evaluation for seedling emergence and vigour. *Crop Science*, **2**: 176-177.
- Mahalakshmi, V., Bidinger, F. R. and Raju, D. S. (1987).** Effects of timing of stress in pearl millet (*Penniset ummercanum* (L.) Leeke). *Field Crops Research* **15**: 327–339.
- Mahamune, S. E. and Kothekar, V. S. (2011).** Gamma ray induced flower colour and seed mutants in french bean (*Phaseolus vulgaris* L.). *Recent Research in Science and Technology*, **3**(5): 33-35.
- Mahamune, S. E. and Kothekar, V. S. (2012).** Induced chemical and physical mutagenic studies in M<sub>1</sub> generation of French bean (*Phaseolus vulgaris* L.). *Current Botany*, **3** (3): 17-21.
- Mahamune, S. E. and Kothekar, V. S. (2012).** Induced mutagenic frequency and spectrum of chlorophyll mutants in french bean. *International Multidisciplinary of Research Journal*, **2**(3):30-32.
- Mahana, S. K. and Bhargava, A. (1990).** Alkaline azide mutagenicity in cowpea (*Vigna unguiculata* L.) Walp. *Mutation Breeding News Letter*, **36**:6-7.

- Mahana, S. K., Garg, R. and Parvateesam, M. (1990).** Nodulation studies with induced mutation of blackgram (*Vigna radiate* L.). *Mutation Breeding News Letter*, **36**:9-10.
- Mahandjiev, A., Noveva, S., Kosturkova, G. (2006).** Induced mutations and their application in genetic improvement of pea. *Pisum Genetics*, **31**:24-26.
- Mahandjiev, A., Kosturkova, G. and Mihov, M. (2001).** Enrichment of *Pisum sativum* gene resources through combined use of physical and chemical mutagens. *Israel Journal of Plant Science*, **49**(4): 279-284.
- Mai Kodomi, Y., Singh, B. B., Terao, T., Myess, J. O., Yopp, J. H. and Gibson, P. J. (1999).** *Indian Journal of Genetics*, **59**: 317-323.
- Majeed, A., Asif Ur Rehman Khan, Habib Ahmad and Zahir Muhammad (2010).** Gamma irradiation effects on some growth parameters of *Lepidium sativum* L. *ARPJN Journal of Agricultural and Biological Sciences*, pp 39-42.
- Makeen, K. (2009).** Induced variability in urdbean (*Vigna mungo* L. Hepper) through sodium azide and gamma radiation. Ph.D. Thesis, SHIATS, Allahabad.
- Makeen Kousar, B. G., Suresh and Lavanya, G. R. (2007).** Effect of mutagens in M<sub>1</sub> population of urdbean. *Journal of food Legumes*, **20** (1): 109-110.
- Makeen, K. and Suresh, G. B. (2010).** Mutagenic effectiveness and efficiency of gamma rays, sodium azide and their synergistic effects in urdbean (*Vigna mungo* L.). *World Journal of Agricultural Sciences* **6** (2): 234-237.
- Makeen, K., G. Babu Suresh, Lavanya, G. R. and Kumari, A. (2009).** Genetic divergence and character association in micro mutants of urdbean (*Vigna mungo* L.) variety T 9. *Academic Journal of Plant Sciences*, **2** (3): 205-208.
- Malik, G. K. Kar, C.S. De, C. and Mahapatra, S. (1999).** EMS induced chlorophyll mutations in green gram (*Vigna radiate* L. Wilczek). *Environmental Ecology*, **17**(1): 143-145.
- Maluszynski, M., Nichterlein, K., Van Zanten, L. and Ahloowalia, B. S. (2000).** Officially released mutant varieties. The FAO/IAEA Data Base. *Mutation Breeding Review*, **12**: 1-84.
- Manapure, P., Patil, S., Bhaoyer, H. S. and Pallia, B. (1998).** Induced mutagenic changes in quantitative characters blackgram (*Vigna mungo*). *Journal of Soil and Crops*, **8**: 204-206.
- Manga, V. K. and Yadav, O. P. (1995).** Effect of seed size on developmental traits and ability to tolerate drought in pearl millet. *Journal of Arid Environments*, **29**: 169–172.
- Manjit, T. P. and Apparao, B. J. (2009).** Induced mutation in cowpea (*Vigna unguiculenta* L. walp). Proc. 96<sup>th</sup> *Indian Science Congress*, pp, 108.

- Mathews, H., Rao, P. S. and Bhatia, C. R. (1991).** Increased mutations frequencies in the M<sub>2</sub> generation derived from irradiated in (*Vigna radiata* L. Wilczek). *Mutation Breeding, News letter*, **38**: 6-7.
- Maurel, C., Simonneau, T. and Sutka, M. (2010).** The significance of roots as hydraulic rheostats. *Journal of Experimental Botany*, **61**: 3191–3198.
- Maynez, M., Moreno, M. T. and Gill, J. (1993).** Desi x Kabuli intergression for yield improvement in chickpea. *Journal of Genetics*, **47** (1): 61-64.
- Mazik-Tokel, K. and Furedi, J. (1991).** Studies on quantitative characters of pea varieties affected by acta and recurrent gamma irradiation. *Acta Agronomica Hungarica*, **40**(1-2) 129-139.
- Mehra, S. S., Mahajan, C. R., Ghatge, R. D., Dhumal, P. M. (1994).** Induced genetic variability and character association in soybean. *Crop Research, Hisar*. **8** (2): 348-353.
- Mehraj Ud- Din, Bahar, Siddiqui, A., Khan Samiullah and Mujeeb- ur-Rehman (1999).** Induced mutations in mungbean (*Vigna radiata* L.) efficiency and effectiveness of chemical mutagens. *Legume Research*, **22**(4): 245-248.
- Menjkova, K. A. (1954).** The results of crossing the garden pea (*Pisum sativum* L.) with the field pea (*Pisum arvense*) and rye (*S. cereale*) with Bromus (*B. secalinus*). *Trud. Institute Genetics*, **21**: 179-182.
- Meshram, M. P. Ali, R. I., Patil, A. N. and Sunita, M. (2013).** Variability studies in M<sub>3</sub> generation in black gram (*Vigna mungo* (L.) Hepper). *The Bioscan*, **8**(4): 1357-1361.
- Miller, F. R. (1968).** Inheritance of white stripe and rolled leaf characteristic in *Sorghum bicolor* L. Moench. *Crop Science*, **8**: 769-777.
- Mirzaei, A., Rahim, N., Parvaneh, V. and Meysam, M. (2014).** Effects of drought stress on qualitative and quantitative traits of mungbean. *International Journal of Biological, Food, Veterinary and Agricultural Engineering*, vol., **8**, 144-148.
- Mishra, A. K., Raghu, J. S., Patnak, S. A., Ali and Ghurraya, R. S., (1994).** Genetic parameters and relationship analysis in chickpea (*Cicer arietinum*. L.). *Crop Science*, **8**: 109 -111.
- Mishra, D. and Singh, B. (2012).** Genetic divergence and character association in micromutants of green gram (*Vigna radiata* (L.) Wilczek) variety sujata. *Academic Journal of Plant Sciences*, **5** (2): 40-44.
- Mishra, D. and Singh, B. (2013).** Prediction of M<sub>2</sub> macro and micro-mutation frequency based on M<sub>1</sub> effect in green gram (*Vigna radiata* (L.) Wilczek). *Journal of Agriculture and Veterinary Sciences*, vol., **2**(1): 1-4.

- Mishra, D., Singh, B. and Sahu, R. (2013).** Gamma ray induced macro-mutations in greengram (*Vigna radiata* (L.) Wilczek). *International Journal of Agriculture and Forestry*, **3**(3): 105-109.
- Mishra, D., Singh, B., Sahu, R. (2013).** Gamma ray induced macro-mutations in green gram (*Vigna radiata* (L.) Wilczek). *International Journal of Agriculture and Forestry*, **3**(3): 105-109.
- Mishra, M. N., Qadri Hina and Mishra, S. (2007).** Micro and Macro mutations, in gamma rays induced M<sub>2</sub> populations of okra (*Abelmoschus esculentus* L. Monch.). *International Journal of Plant Science*, **2**(1): 44-47.
- Mishra, R. C. (1991).** Stability of heritability, genetic advance and character association estimates in chickpea. *International Chickpea Newsletters*, **25**: 10-11.
- Mishra, R. C. and Momin, B. W. (2004).** Induced variability, character association and path-coefficient analysis in mutant cultures of green gram. *Environment Ecology*, **22**(3):608-611.
- Mishra, T. K. and Pradan, B. (2006).** Genetic divergence and character association in micro mutation of mung bean variety sujata. *Indian Journal of Pulses Research*, **19** (2): 184-186.
- Mitra, P. K. and Bhowmik, G. (1999).** Studies on the frequency and segregation of induced chlorophyll mutations in *Nigella sativa* L. *Advance in Plant Science*, **12**: 125-129.
- Mittal, R. K., Meharchandani, N., Singh, M. and Gautam, A. S. (2001).** Induced morphological variations in greengram (*Vigna radiata* (L.) Wilczek). *Annals of Biology*, **17**(2):159-163.
- Momin, B.W. and Mishra, R. C. (2004).** Efficacy of mutagenic treatment with gamma-rays, EMS and NG in producing superior mutants in green gram. *Environment Ecology*, **22**(3):598-602.
- Moot, D. J. and McNeil, D. I. (1995).** Yield components harvest index and plant type in relation to yield differences in field pea genotypes. *Euphytica*, **86**: 31-40.
- Morgan, T.H. (1911).** The origin of nine wing mutations in Drosophila. *Sciences*, **33**: 396-499.
- Moussa, H. R. (2011).** Low dose of gamma irradiation enhanced drought tolerance in soybean. *Romanian Journal Biology – Plant Biology*, vol. **56**, 2, 109–121.
- Mullainathan, L. and Ambli, K. (2015).** Induced chlorophyll mutation in pearl millet (*Pennisetum typhoides* (burn.) Stapf. var. Co (cu) -9. *Journal of Chemical, Biological and Physical Sciences*, vol. **5** (1) 340-346.
- Mullainathan, L. and Umavathi, S. (2014).** Induced mutagenesis in *Cicer arietinum*. *International Letters of Natural Sciences*, **7**, 1-4.

- Mullainathan, L., and Ambli, K. (2014).** Induced chlorophyll mutation in pearl millet (*Pennisetum typhoides*) (burn.) stapf. var. Co (cu) -9. *Journal of Chemical, Biological and Physical Sciences*, vol., **5** (1): 340-346.
- Muller, M. J. (1927).** Artificial transmutation of the gene. *Sciences*, **66**: 84.
- Muralidharan, G. and Rajendran, R. (2013).** Effect of gamma rays on germination, seedling vigour, survival and pollen viability in M<sub>1</sub> and M<sub>2</sub> generation of bhendi (*Abelmoschus esculentus* (L.)). *Journal of Environment and Current Life Science*, vol. **1**, 41- 45.
- Murugan, S. and Subramanian, M. (1993).** Variability studies of the degree of M.Sc. in Agronomy. Washington State University, Pullman, Washington.
- Murugan, S., Subramanian, M. and Pilai, M. M. (1995).** Correlation studies in M<sub>3</sub> and M<sub>4</sub> generation of cowpea (*Vigna unguiculata* L.). *Legume Research*, **18** (3/4):235-240.
- Naidu, N. V., Stayanarayan, A. and Ramaiah, D. K. (1991).** Yield component in green gram. *Annals of Agriculture Research*, **12**:238-243.
- Naidu, S. N., Satyanarayan, A. and Anantsyana, A. (1991).** Studies on estimation of genetic parameter under different environments in greengram (*Vigna radiata* L. Wilczek). *Indian Journal of Pulses Research*, **4**(1): 19-22.
- Nair, R. and Mehta, A. K. (2014).** Induced genetic variability in cowpea (*Vigna unguiculata* (L.)Walp) var. pusa komal. *The Bioscone*, **9** (2), 829-933.
- Nandanwar, R. S., Patil, A. N. and Wakode, M. M. (2001).** Mutagenic effectiveness and efficiency of gamma rays, ethyl methane sulphonate and hydroxylamine in mung bean (*Vigna radiata* (L.) Wilczek.) in M<sub>2</sub> generation. *Journal of Soils Crops*, **11**(2):223-225.
- Nandlal and Mishra, R. (2006).** Induced genetic variability and divergence in M<sub>3</sub> generation in mungbean. *Indian Journal of Pulses Research*, **19**(1) 47-49.
- Narayana, N. H. S. and Reddy, N. S. R. (2002).** Correlations and path analysis in chickpea. *Journal Research*, Acharya N. G. Ranga Agricultural University, **30** (1): 29-33.
- Narayanaswamy, S., Ravikumar, M. and Sreerama, R. (2000).** Storability of soybean (*Glycine max* (L.) Merrill) seed as influenced by packaging. *Mysore Journal of Agricultural Sciences*, Bangalore, **34** (3): 227-232.
- Naseem, B. A., Rehman, A. S. B. and Iqbal, T. (1995).** Evaluation of kabuli chickpea germplasm. *International chickpea and Pigeon pea Newsletters*, **2**: 13-14.
- Nichterlein, K. (1999).** The role of induced mutations in the improvement of common beans (*Phaseolus vulgaris* L.). MBNL. **44**: 6-9.
- Nilan, R. A., Konzak, C.F., Warner, J. and Legault, R. R. (1967).** Effectiveness and efficiency of radiation for inducing genetic and cytogenetic changes. The use of induced mutation in plant breeding. *Radiation of Botany*, (Suppl.), 5:71.

- Nozzolillo, C. and Lorenzetti, F. (1998).** Viability of pea seeds in storage. *Pisum Genetics*, **30**: 15-21.
- O'Toole, J. C. and Moya, T. B. (1978).** Genotypic variation in maintenance of leaf water potential in rice. *Crop Science*, **18**: 873-876.
- Odeigh, P.G.C., Osanyienpeju, A.O. and Mayer, G.O. (1998).** Induced mutation in cowpea (*Vigna unguiculata* L. Walp). *Revista de Biologic Tropical*, **46** (3): 579-586.
- Ogbuagu U. U., Mfonobong I. N., and Chibuzor, U. O. (2014).** Optimizing induced mutation technique for the improvement of agronomic traits in pigeon pea (*Cajanus cajan* (L.) Millsp.) landraces. *Comunicata Scientiae*, **5** (3): 267-278.
- Padilha, L., Reis, M. S., Sedyama, C. S., Rocha, V. S. and Araujo, E. F. (1998).** Effect of packages on the vigour of stored soybean (*Glycine max* (L.) Merrill) seeds with different initial moisture content. *Revista Brasileira de Sementes*, Brazil, **20**: 1, 120-125.
- Pallavi, A. Singh and K. K. Pandey (2013).** Estimation of heritability on pea (*Pisum sativum* L.). *Advances in BioResearch*, **4**(4) 89-92.
- Panse, V. G. (1957).** Genetics of quantitative characters in relation to plant breeding. *Journal of Genetics*, **17**: 318-28.
- Panse, V. G. and Sukhatme, P. V. (1978).** Statistical method for agricultural workers, ICAR, New Delhi, 235-247.
- Paramesh, M., Reddy, D. M., Shanthi, M. P., Sudhakar, P. and Narasimhulu, R. (2014).** Analysis of genetic parameters for morph physiological traits in mungbean (*Vigna Radiata* L. Wilczek). *Indian Journal of Plant Sciences*, vol. **3** (2) 1-6.
- Parveen, K. (2006).** Mutation studies with early generation selection for polygenic variability in chickpea (*Cicer arietinum* L.). Ph. D. Thesis, Aligarh Muslim University, Aligarh.
- Patel, P. J., Patel, N. H., Prajapati, B.H., Tikka, S. B. S. and Patel, P. T. (2006).** Correlation and path-analysis in field pea. *Indian Journal of Pulses Research*, **19** (1): 109-110.
- Pathak, S. and Pandey, K. M. (2010).** Experimental investigation on morphological aberrations of the peas with variation in doses of pesticides. *Journal of Environmental Research and Development*, vol. **4** (3), 713-726.
- Pathirana, R. (1990).** Increased efficiency of selection for yield in gamma irradiated populations of groundnut and sesame through yield component analysis. *In: Proc. International Symposium on Plant mutation breeding for crop improvement*, IAEA. Vienna.
- Patil, S. B., (1996).** Variability studies in segregating populations of chickpea. *Legume Research*, **13**: 36-46.

- Paul, A. and Mondal, P. (2012).** Effect of gamma radiation on mutagen sensitivity and mutability in field pea (*Pisum sativum* L.). *Journal of Crop and Weed*, **8**(2):132-136.
- Paul, A. and Singh, D. P. (2002).** Induced chlorophyll mutants in lentil (*Lens culinaris* Medik.). *Indian Journal of Genetics*, **62**(3)263-264.
- Paul, A. and Singh, D. P. (2005).** Frequency, spectrum and segregation pattern of chlorophyll and macro-mutations in field pea (*Pisum sativum* L.). *Legume Research*, **28**: (2): 94-98.
- Pavadai, P., Girija, M. and Dhanavel, D. (2010).** Effect of gamma rays on some yield parameters and protein content of soybean in M<sub>2</sub>, M<sub>3</sub> and M<sub>4</sub> generation. *Journal of Experimental Sciences*, vol. **1**, 08-11.
- Pegah, R. and Anil, D. M. (2013).** Study of biological damage in grass pea (*Lathyrus sativus* L.) in M<sub>1</sub> Generation. *Trends in Life Sciences*, 6-10.
- Pegah, R. and More, A. D. (2014).** Induced chlorophyll mutation in grass pea (*Lathyrus sativus* Linn.). *International of Journal Current Microbiology and Applied Sciences*, **3**(2): 619-625.
- Perez, T. S. (2002).** Study of gamma radiosensitivity of asparagus bean (*Vigna sesquipedalis*).] Estudio de la radiosensibilidad gamma de habichuela China (*Vigna sesquipedalis*). *Alimentaria*, **39** (336):45-47.
- Perry, D. A. (1977).** Seed vigour and field establishment. *Horticulture Abstract*, **42**: 334-342.
- Powell, A. A., Ferguson, A. J. and Matthews, S. (1997).** Identification of vigour differences among combining pea (*Pisum sativum* L.) seed lots. *Seed Science and Technology*, **25** (3): 443-464.
- Premachandra, G. S., Saneoka, H., Kanaya, M. and Ogata, S. (1991).** Cell membrane stability and leaf surface wax content as affected by increasing water deficits in maize. *Journal of Experimental Botany*, **42**: 167-171.
- Pushpa, K. R., Vikram, N. R. and Geetha, V. L. (1993).** Varietal variation in growth pattern of soybean. *Legume Research*, **16** (2): 63-66.
- Pushparajan, G., Sanoop, S. and Harinarayanan, M. K. (2014).** Effect of gamma rays on yield attributing characters of Okra (*Abelmoschus esculentus* (L.) Moench). *International Journal of Advanced Research*, vol. **2** : (5) 535-540.
- Quizenberry, J. E. (1982).** Breeding for drought resistance and plant use efficiency. In: Breeding plants for less favourable environments, Christianses MN and Lewis CF) (eds.). 193- 212.

- Rahimi, M. M. and Bahrani, A. (2011).** Effect of gamma irradiation on qualitative and quantitative characteristics of canola (*Brassica napus* L.). *Middle-East Journal of Scientific Research*, **8** (2): 519-525.
- Rajib, R. , Sudipta, D. , Parineeta, G. , Jagatpati, T. (2012).** Analysis of genetic parameters on mutant populations of mungbean (*Vigna radiata* L.) after ethyl methane sulphonate treatment. *Notulae Scientia Biologicae*, **4** (1):137-143.
- Rajib, R., Sudipta, D. , Parineeta, G. and Jagatpati, T. (2012).** Analysis of genetic parameters on mutant populations of mungbean (*Vigna radiata* L.) after ethyl methane sulphonate treatment. *Notulae Scientia Biologicae*, **4** (1):137-143.
- Ram, Ch., Kumar, S., Yadav, Y. Ch. and Kumar, A (2010).** Correlation coefficient and path analysis in garden pea (*Pisum sativum* var *hortens*. *Progressive Agriculture*, **10** (1): 119-123.
- Ram, T. and Singh, S. (1993).** Genetic analysis of yield and its component in urdbean. *Indian Journal of Pulses Research*, **6**: 194-196.
- Ramani, G. M. and Jodan, B. S. (1995).** Induced variability in ground nut in M<sub>2</sub> generation. *Gujarat Agriculture University of Research Journal*, **16**(2):23-26.
- Ramezani, P. and More, A. D. (2014).** Induced chlorophyll mutation in grass pea (*Lathyrus sativus* Linn.). *International of Journal Current Microbiology and Applied Sciences*, **3**(2): 619-625.
- Ramya, B. Nallathambi, G. and Ganesh, R. S. (2014).** The effect of mutagens on M<sub>1</sub> population of black gram (*Vigna mungo* L. Hepper). *African Journal of Biotechnology*, **13**(8)951-956.
- Ramya, B., Nallathambi, G. and Ganesh Ram, S. (2014).** Genetic variability, heritability and genetic advance in induced mutagenesis black gram (*Vigna mungo* L. Hepper). *Plant Archives*, vol. **14** (1), 139-141.
- Ramya, B., Nallathambi, G. and Ganesh, R. S. (2014).** The effect of mutagens on M<sub>1</sub> population of black gram (*Vigna mungo* L. Hepper). *African Journal of Biotechnology*, vol. **13**(8): 951-956.
- Ramzane, P. and More, A. D. (2014).** Induced chlorophyll mutation in grasspea (*Lathyrus sativus* Linn.). *International Journal Current Microbiology and Applied Science*, **3**(2): 619-625.
- Rana, O. P. S, Maherchandani, N and Singh, K. P. (1996).** Studies on nodulation and it's components in chickpea. *Crop Research*, **9** (2): 324-329.
- Ranga, R., Rao, G., Koteware, Y. and Mallikar, R. (2006).** Genetic divergence in mungbean. *Indian Journal of Pulses Research*, **19**(1):61-63.



- Rao, S. K. (1998).** Ideotype of parents and their segregating populations in chickpea. *Agriculture Science Digest*, **18** (1): 7-8.
- Rao, S. K. and Kumar, K. S. (2000).** Analysis of yield factors in short duration chickpea (*Cicer arietinum* L.). *Agriculture Science Digest*, **20**: 65 – 67.
- Rao, S. S., Singh, R., and Das, G. K. (1994).** Genetic variability, heritability, expected genetic advance and correlation studies in chickpea. *Indian Journal Pulse Research*, **7** (1): 25-27.
- Rastegar, Z., Mohd Sedghi and Khomari, S. (2011).** Effects of accelerated aging on soybean seed germination indexes at laboratory conditions. *Nature Science of Biology*, **3**(3):126-129.
- Rathi, R.S. and Dhaka, R. P. S. (2007).** Genetic variability, correlation and path analysis in pea (*Pisum sativum* L.). *Journal of Plant Genetic Resources*, vol. **20**, (2) 126-131.
- Ravi, P., Minocha, J. L. and Singh, A. (1980).** Induce mutation for quantitative traits in lentil. In: *Proc. Symp. On induced Mutation in Crop Improvement*, Hyderabad pp. 414-419.
- Rebetzke, G. J. and Richards, R. A. (1999).** Genetic improvement of early vigour in wheat. *Australian Journal of Agricultural Research*, **50**: 291–302.
- Reena, N. and Mehta, A. K. (2014).** Induced genetic variability in cowpea (*Vigna unguiculata* (L.)Walp) var. Pusa Komal. *The Bioscan*, **9** (2): 829-833.
- Rekha, K. and Langer, A. (2007).** Induction and assessment of morphobiochemical mutants in *Artemisia pallens*. *Genet. Resour. Crop Evaluation*, **54**: 437-443.
- Renukadevi, P. and Subbalakshmi, B. (2006).** Correlations and path coefficient analysis in chickpea. *Legume Research*, **29** (3): 201 – 204.
- Ronde, J. A. and Spreeth, M. H. (2007).** Development and evaluation of drought resistant mutant germplasm of *Vigna unguiculata*. *Water SA* (Special Edition). **33**(3): 381-386.
- Roshanlal, Bhangu, B. K. and Gupta, V. P. (1993).** Variability, correlation and path analysis in gram. *Haryana Agriculture University Journal Research*, **23** (1): 1-3.
- Rybnski, B. Szot, and L. Pokora (2004).** Estimation of genetic variation of traits and physical properties of seeds for grass pea mutants (*Lathyrus sativus* L.). *International Agrophysics*, **18**: 261-267.
- Sagade, B. and Apparao, B. J. (2011).** M<sub>1</sub> generation studies in urdbean (*Vigna mungo* (L.) Hepper). *Asian Journal Experimental Biological Sciences*, vol., **2**(2) 372-375.
- Salimath, P. M. and Patil, S. S., (1990).** Genetic study in F<sub>3</sub> and F<sub>4</sub> generations of chickpea. *Indian Journal of Genetics*, **50** (4): 378-381.

- Sandhu, T. S., Gumber, R. K. and Bhullar, B. S. (1991).** Correlated response of grain yield and protein content in chickpea. *Legume Research*, **14** (1): 45-49.
- Sanjai, G., E., Sri Devi, A. and Mullainathan, L. (2012).** Morphological and Biochemical evaluation of black gram (*Vigna mungo* (L.) Hepper) in M<sub>5</sub> generation. *International Journal of Research in Botany*, **2**(1): 5-8.
- Sareen, S. and Kaul, A. K. (1999).** Mutation breeding in improvement of *Plantago Ovata* Forsk. *Indian Journal of Genetic and Plant Breeding*, **59**: 334-337.
- Sato, M. and Gaul, H. (1967).** Effect of EMS of fertility of barley. *Radiation of Botany*, **7**:7-15.
- Satpute, R. A. and Fultambkar, R. V. (2012).** Mutagenic effectiveness and efficiency of gamma rays and EMS in soybean (*Glycine max* (L.) Merrill). *Current Botany*, **3**(2): 18-20.
- Satpute, R. A. and Fultambkar, R. V. (2012).** Effect of mutagenesis on germination, survival and pollen sterility in M<sub>1</sub> generation of soybean (*Glycine max* (L.) Merrill). *International Journal of Recent Trends in Science and Technology*, vol. **2**:30-32.
- Saxena, N. P. and Toole, J. C. O. (2002).** Field screening for drought tolerance in crop plants with emphasis on rice: proceedings of an international workshop on field screening for drought tolerance in rice, 11–14 Dec 2000, ICRISAT, Patancheru, India. Patancheru 502 324, Andhra Pradesh, India, and the Rockefeller Foundation, New York, New York 10018-2702, USA. 208 pp.
- Schuab, S. R. P., Braccini, A. de L. E., Franca Neto, J. de B., Scapim, C. A. and Meschede, D. K. (2002).** *Revista Brasileira de Sementes*, Brazil. **24**: 2, 90-95.
- Scossiroli, R.E. (1968).** Selection experiments in a population of *Triticum durum* irradiate with X- rays. *In Proc. Mutation in Plant Breeding II*, IAEA. Vienna, 205-217.
- Selvam, Y. A., Elangaimannan, R, Venkatesan, M., Karthikeyan, P. and Palaniraja, K. (2010).** Chemically induced mutagenesis in black gram (*Vigna mungo* (L.) Hepper). *Electronic Journal of Plant Breeding*, **1**(4): 921-924.
- Shagufta, B., Aijaz A. W. and Irshad A. N. (2013).** Mutagenic sensitivity of Gamma rays, EMS and sodium azide in *Trigonella foenum-graecum* L. *Science Research Reporter*, **3**(1):20-26.
- Shah, A. and Lal, S.D. (1992).** Path analysis of yield components in pea. *Progressive Horticulture*, **24** (1-2): 1-5.
- Shaikh, M. A. Q. (1991).** Pulses improvement through nuclear and conventional technique. In: advances in pulses research in Bangladesh (*Proc. II Nat. Workshop on pulses* Joydebpur, Bangladesh) pp.35-41.

- Shamim, A. A. (2010).** Estimates of genetic parameters for yield and yield components in mungbean variety asha. *Indian Journal of Science Research*, **1** (2): 37-39
- Sharma, A. K. Singh, V.P. and Singh, R. M. (2006).** Efficiency and effectiveness of gamma rays, EMS and their combinations in urd bean. *Indian Journal of Pulses Research*, **19**(1): 111-112.
- Sharma, A. N., Bhatnagar, P.S. and Singh, R. N. (1996).** Radiation induced variability for stem fly resistance, yield and maturity in soybean (*Glycine maxicana* L.). *Indian Journal of Agriculture Sciences*, **66** (8): 497-501.
- Sharma, B. D. Sood, B. C. Malhotra, V. V. (1990).** Studies on variability and genetic advance in chickpea. *Indian Journal of Pulse Research*, **3** (1): 1-6.
- Sharma, C. M., Haque, M. F. and Sinha, P. K. (1991).** Induced bold pod mutant in mungbean. In: Proc Golden Jubilee Symposium on Genetical Research and Education: Current trend and the next fifty years, Indian society of genetic and plant breeding, IARI, New Delhi, India. 715.
- Sharma, D. (1998).** Induced variability following single combined and recurrent doses of EMS and gamma rays in greengram (*Vigna radiata* L. Wilczek). *Journal of Nuclear Agriculture Biology*, **27** (1): 35- 43.
- Sharma, D.K. and Bala, A. (1997).** Correlation and path in pea (*Pisum sativum* L.). *Indian Journal of Hill Science Farming*, **10** (1-2): 56-59.
- Sharma, R., Singh, V. P., Srivastava, A. and Sharma, S. K. (1995).** The influence of copper on the mutagenic efficiency of EMS in mungbean. *Journal of Indian Botany Society*, **74**: 83-84.
- Sharma, S. K. (1977).** Induction of mutagenesis for qualitative and quantitative characters in lentil. Ph.D. Thesis, IARI, New Delhi.
- Sharma, S. K., Ritu Sood and Pandey, D. P. (2005).** Studies on mutagen sensitivity, effectiveness and efficiency in urdbean (*Vigna mungo* L. Hepper). *Indian Journal of Genetics*, **65**(1): 20-22.
- Sharma, S. K., Sood, R. and Pandey, D. P. (2005).** Studies on mutagens sensitivity, effectiveness and efficiency in urd bean (*Vigna mungo*). *Indian Journal of Genetics*, **65**:20-22.
- Sharma, S.S. (1987).** Nature of induced early flowering mutant genes in macro sperma lentils. In: Proc. 1<sup>st</sup> Symposium on Crop improvement in India. Crop improvement Society of India, Ludhina. 114-115.

- Shaukatali, Maher, A. B., Anwar, M. and Haqqani, A. M. (2002).** Exploitation of genetic variability for grain yield improvement in chickpea. *International Journal Agriculture Biology*, **4**: 148 –149.
- Shinde, K. G., Lawande, K. E., Patil, B. T. and Nirmal, S. V. (1998).** Correlation studies in pea (*Pisum sativum* L.). *Advances in Plant Sciences*, **11** (2): 179-180.
- Shinde, M. S. and More, A. D. (2010).** Study of pollen sterility in clusterbean (L.) Taub. through mutagenesis *Cyamopsis Tetragonoloba*. *Asian Journal of Experimental Biology Sciences*, 31-34.
- Shukla, P. S. and Prasad, R. (2009).** Seed vigour studies in relation to position of pod in pea. *Trends in Biosciences*, **2** (2): 68-69.
- Shukla, Y. R., Kohli, U. K. and Rastogi, K. B. (1994).** Seed vigour and its significance in garden pea cultivars. *South Indian Horticulture*, **42** (6): 388-389.
- Singh, A. and Gupta, D. K. (2003).** Effect of storage parameters on infection of pigeon pea grain and dhal. *Legume Research*, **26**(3): 157-165.
- Singh, C. (2002).** Modern technique of raising field crop. Oxford and IBH Publishing Co. Pvt. New Delhi.
- Singh, A. K. and Singh, R.M. (2001).** Mutagenic effectiveness of efficiency of gamma rays EMS & their contribution in mung bean (*Vigna radiata* L. radiata). *Crop Improvement*, **28**(2): 260-266.
- Singh, B. R., Mahapatra, B. K. and Nanda, P. R. (1997).** Multivariate techniques in detection of micro- mutational changes in black gram. *Indian Journal of Genetics and Plant Breeding*, **57**:475-477.
- Singh, P. (2009).** Essentials of plant breeding. Kalyani publisher, New delhi, 195-196.
- Singh, B., Singh, K., Pandita, M. L. and Malik, Y.S. (1995).** Association between laboratory and field laboratory and field vigour tests in vegetable pea. *Agricultural Science Digest, Karnal*, **15**(1/2): 69-72.
- Singh, G. and Singh, S. P. (2003).** Genetic divergence in pea (*Pisum sativum* L.). *Legume Research*, **26** (2): 131-133.
- Singh, G., Sareen, P. K., Saharan, R. P. and Singh, A. (2001).** Induced variability in mungbean (*Vigna radiata* (L.) Wilczek). *Indian Journal of Genetics*, **61**(3)281-282.
- Singh, K. B., Bejiga, G. and Malhotra, R. S. (1990).** Association of some characters with seed yield in chickpea. *Euphytica*, **49**: 83-88.
- Singh, M., Singh, V. P. and Singh, M. A. (2001).** Genetic analysis of certain mutant lines of urdbean for yield and quality traits in M<sub>4</sub> generation. *Indian Journal of Pulses Research*, **14**(1):60-62.

- Singh, P., Nalini, T., Katiyar, P. K., Thakur, D. and Vaish, C. P. (2001).** Storability of soybean (*Glycine max* Merr.) seeds in different containers under ambient conditions. *Society for Recent Development in Agriculture, Rawatpur, India, Progressive Agriculture*, (1) 90-93.
- Singh, P., Tiwari, N., Vaish, C. P. and Maurya, C. L. (2007).** Effect of treatment, container and storage period on longevity of lentil (*Lens culinaria medic*) seeds. *Seed Science Research*, **35**(1): 53-57.
- Singh, R. C. and Malik, B. P. S. (1994).** Correlation and path-coefficient analysis for yield and its attributes in peas. *Indian Journal of Pulses Research*, **7** (2):168-171.
- Singh, R. K. and Rao, S. K. (1991).** Heritability and genetic advance in segregating populations of chickpea. *Research Development Report*, **8**: 21-26.
- Singh, R.K. (1996).** Gamma rays induced bold seed mutant in (*Vigna mungo* L.). *Indian Journal of Genetics and Plant Breeding*, **56**: 104-108.
- Singh, S. P., Singh, N. K., Singh, R. P. and Prasad, J. P. (2007).** Effect of mutagens on mutation frequency and spectrum in lentil. *Journal of Food Legumes*, **20** (1): 33-37.
- Singh, S. P., Singh, N. K., Singh, R. P., Prasad, J. R. (2007).** Effect of mutagens on mutation frequency and spectrum in lentil. *Journal of Food Legume*, **34**: 331-48.
- Singh, S. P., Singh, R. P., Prasad, J. P., Agrawal, R. K. and Shahi, J. P. (2006).** Induced genetic variability for protein content, yield and yield components in micro sperma lentil (*Lens culinaris* Medik). *Madras Agricultural Journal*, **93**: 155-159.
- Singh, S., Hussan, M. A and Gupta, A. K. (1995).** Correlation studies among yield and yield contributing traits in F2 and F3 population in chickpea. *Int. chickpea and pigeonpea Newsletter*, **2**: 11-13.
- Singh, S.P. (1999).** Correlation and genetic divergence over environments in pea (*Pisum sativum* L.). *Legume Research*, **22**: 2, 104-108.
- Singh, V. P. and Singh, M. (2001).** Efficiency and effectiveness of single and combination treatment of gamma rays, EMS and SA in urdbean. In poster abstract of diamond jubilee symposium, 15GPB, New Delhi, Nov. 6-9, 222.
- Singh, V. P. and Yadav, R. D. S. (1991).** Induced mutation for qualitative and quantitative traits in green gram (*Vigna radiata* L. Wilczek), cv744. *Journal of Genetics and Breeding*, **45**(1):1-5.
- Singh, V. P. and Yadav, R. D. S. (1993).** Induction of chlorophyll chimeras and chlorophyll mutations in mung bean (*Vigna radiate* L.) cv, T44. *Process of Natures Academic Science India* (B), **63**(2): 261-264.

- Singh, V. P. and Yadav, R. D. S. (1993).** Induction of chlorophyll chimeras and chlorophyll mutations in mungbean (*Vigna radiata*) cv. T44. *Proc. Natural Academic Science, India*,(B) **63**(2):261-264.
- Singh, V. P., Singh, M. and Lal, J. P. (1999).** Mutagenic effect of gamma rays and EMS on frequency and Spectrum and chlorophyll and macro mutation in urdbean (*Vigna mungo* L. Hepper). *Indian Journal of Genetics*, **59** (2): 203-210.
- Singh, V. P., Singh, M., and Lal, J. P. (1999).** Mutagenic and spectrum of chlorophyll and macro mutation in urdbean (*Vigna mungo* L.). *Indian Journal of Genetics and Plant Breeding*, **59**(2):203-210.
- Sinha, R. P. and Bharati, R. C. (1990).** Variability in mutant population of urdbean (*Vigna mungo* L.). *Journal of Nuclear Agriculture Biological*, **19**(1): 44-46.
- Sivritepe, H. O. and Dourado, A. M. (1995).** The effect of seed moisture content and viability on the susceptibility of pea seeds to soaking injury. *Sciatica Horticulture*, **61**, 185-191.
- Smykal, P. (2014).** Pea (*Pisum sativum* L.) in biology prior and after Mendel's discovery. *Czech Journal Genetics Plant Breeding*, **50**: 52–64.
- Sneep, J. (1977).** Selection for yield in early generation of self fertilizing crop. *Euphytica*, **26**:27-30.
- Solanki, I. S. and Sharma, B. (1994).** Mutagenic effectiveness and efficiency of gamma rays, ethyleneimine and N- nitoso-N-ethyl urea in macrosperma lentil (*Lens culinaris* Medik). *Indian Journal of Genetics*, **54**: 72-76.
- Solanki, I.S. and Sharma, B. (2001).** Early generation selection of polygenic mutations in lentil (*Lens culinaris* Medik.). *Indian Journal of Genetics*, **61**(4):330-334.
- Solanki, I.S. and Sharma, B. (2002).** A new screening technique for micromutations in lentil (*Lens culinaris* Medik.). *National Journal Plant Improvement*, **4** (1):12-16.
- Somya sharma and Singh, D. P. (2001).** Studies on diverse plant types in chickpea. *Indian Journal Pulses Research*, **14**: 107 – 111.
- Sonia, M., Yassine, M., Marie, V., Philippe, D., Philippe, S., Mouldi, S. and Omrane B. (2012).** Variation in quantitative characters of faba bean after seed irradiation and associated molecular changes. *African Journal of Biotechnology*, **11**(33): 8383-8390.
- Sood, B. C. and Garten, S. L. (1994).** Variability and characters association in undbean. *Indian Journal of Pulses Research*, **7**:56-58.
- Srinivas, T. R. and Veerabhadhiraan, P. (2010).** Efficiency and effectiveness of physical and chemical mutagens and their combination in inducing chlorophyll mutations in M<sub>2</sub> generation of Lablab (*Lablab purpureus* (L.) Sweet var. Typicus). *Electronic Journal of Plant Breeding*, **1**(4): 752-757.

- Stadler, L. J. (1928).** Mutation in barley induced by X-rays and radium. *Sciences*, **68**: 186-187.
- Subhash chandra, Ram Dhari, Ramkumar and Kumar, R. (2001).** Variation in selected recombinant inbred lines of two crosses in chickpea. *Annals of Biology*, **17**: 29–34.
- Sugha, S. K., Kapoor, A. S. and Sharma, O. P. (1994).** Effect of different fungicides on seed viability in pea. *Himachal Journal of Agricultural Research*, **20** (1/2): 81-83.
- Suhub, S. R. P., Lucca E. Braccini, A. de, Franca Neto, J.de B., Scapim, C.A. and Meschede, D. K. (2006).** Soybean physiological seed potential and the relationship with seedlings emergence in field. *Acta Scientiarum – Agronomy, Brazil*, **28**: 4, 553-561.
- Sunita, S. B. and Vijay S. K. (2010).** Mutagenic efficiency and effectiveness in cluster bean (*Cyamopsis tetragonoloba* (L.)Taub.). *Journal of Phytology*, **2**(6): 21–27.
- Swaminathan, M. S. (1965).** The experimental manipulation of genes. *Current Sciences*, **34**: 108-111.
- Swaminathan, M. S. (1968).** Mutation breeding. *In Proc. XII Int. Congr. Genet.*, Tokya **3**:327-347.
- Syeda, N. and Bakht, R. K. (2000).** The effect of storage temperature, storage period and seed moisture content on seed viability of soybean. *Pakistan Journal of Biological Sciences*, vol., 3, 12.
- Tabasum, A., Muhammad Saleem and Irum Aziz (2010).** Genetic variability, trait association and path analysis of yield and yield components in mungbean (*Vigna Radiata* (L.) wilczek). *Pakistan Journal of Botany*, **42**(6): 3915-3924.
- Tah, P. R. and Saxena, S. (2009).** Induced synchrony in pod maturity in mungbean (*Vigna radiata*). *International Journal of Agriculture and Biology*, **11**, 3: 321-324.
- Tahara, M., Carver, B. F., Johnson, R. C. and Smith, E. L. (1990).** Relationship between relative water-content during reproductive development and winter wheat grain yield. *Euphytica*, **49**: 255–262.
- Talebi, R., Ensafi, M. H. Baghebani, N., Karami, E. and Mohammadi, K. (2013).** Physiological responses of chickpea (*Cicer arietinum* L.) genotypes to drought stress. *Environmental Experimental of Biological*, **11**: 9–15.
- Talukdar, D. (2009).** Association of seed yield components along with seed neurotoxin content in different varieties and induced mutant lines of grass pea (*Lathyrus sativus* L.). *International Journal of Plant Sciences*, **4** (2): 378-380.
- Talukdar, D. and Biswas, A. K. (2008).** Variability, heritability and scope of selection for some quantitative traits in induced mutant lines of grass pea (*Lathyrus sativus* L.). *International Journal of Plant Sciences*, vol. **3** (2): 528-530.

- Tammangouda, P. (2002).** Influence of organics on seed yield, quality and storability studies in green gram Cv. Chinamung. M. Sc. (Agri) Thesis University of Agriculture Sciences, Dharwad, (India).
- Tan, M.Z., Wu, Q., Gu, W.X. (1990).** The effect of gamma rays treatment on pea (*Pisum sativum* L.). *Journal of Shanghai Agricultural College*, **8** (3): 229-233.
- Thagana, W. M., Ndirangu, C. M., Omolo, E. O. and Riungu, T. C. (2013).** Variability in M<sub>2</sub> generations and characteristics of advanced mutant lines of rapeseed (*Brassica napus* L.). *Journal of Agriculture Sciences*, **4**(2): 83-86.
- Thilagavathi, C. and Mullainathan, L. (2009).** Isolation of macro mutants and mutagenic effectiveness, efficiency in black gram (*Vigna mungo* (L.) Hepper). *Global Journal of Molecular Sciences*, **4** (2): 76-79.
- Thilagavathi, C. and Mullainathan, L. (2011).** Influence of physical and chemical mutagens on quantitative characters of *Vigna mungo* (L. Hepper). *International Multidisciplinary Research Journal*, **2** (1/1):06-08.
- Thimmaiah, S., Mahadeva, K. P., Srinivasappa, K. N. and Shankara, A. N. (1998).** Effect of gamma irradiation on seed germination and seedling vigour in cowpea. *Journal of Nuclear Agriculture Biology*, **24** (2): 142:145.
- Toker, C. and Cagirgan, M. I. (2004).** Spectrum and frequency of induced mutations in chickpea. *International Chickpea and Pigeonpea Newsletter*, No. **11**, 8-10.
- Tripathi, A. and Dubey, D. K. (1992a).** Frequency and spectrum of mutations induced by separate and simultaneous application of gamma rays and EMS in two lentil varieties. *LENS.*, **19** (1): 9-13.
- Tripathi, A. and Dubey, D.K. (1992).** Effect of separate and simultaneous application of gamma rays and NMU on germination, growth, fertility and yield of two lentil varieties of lentil. *LENS.*, **19** (1):3-8.
- Tripathi, S. K. (1990).** Effect of mutagenic treatment on micro mutations in mungbean (*Vigna radiate* L. Wilczek). *Orissa Journal of Agriculture Research*, **3**(3-4): 284-287.
- Tripathy, J. N., Zhang, J., Robin, S., Nguyen, T. T. and Nguyen, H. T. (2000).** QTLs for cell-membrane stability mapped in rice (*Oryza sativa* L.) under drought stress. *Theoretical and Applied Genetics*, **100**: 1197–1202.
- Tshilenge-Lukanda, L., Kalonji-Mbuyi, A., Nkongolo, K. K. C. and Kizungu, R. V. (2013).** Effect of gamma irradiation on morpho-agronomic characteristics of groundnut (*Arachis hypogaea* L.). *American Journal of Plant Sciences*, **4**: 2186-2192.
- Tyagi, B. S. and Gupta, P. K. (1991).** Induced macro mutations in lentil. *ELNS*, **18**(1):3-7.



- Tyagi, M. K. and Srivastava, C. P. (2002).** Genetic variability and correlation among yield and yield characters over two environments in pea. *Indian Journal of Agriculture Research*, **36** (1): 53-56.
- Uddin, S., Shahnaj, P. and Awal, M. A. (2013).** Morpho-physiological aspects of mung bean (*Vigna radiata* L.) in response to water stress. *International Journal of Agricultural Sciences and Research*, vol., **3**, 137-148.
- Udensi, O. and Valentine, O. N. (2013).** Evaluating the performance of amiprofos methyl and  $\gamma$ -irradiated seeds on growth and yield traits of pigeon pea. *International Journal of Agriculture and Biology*, **15** (5): 885-890.
- Ulemale, C. S., Mate, S. N. and Deshmukh, D. V. (2013).** Physiological indices for drought tolerance in chickpea (*Cicer arietinum* L.). *World Journal of Agricultural Sciences*, **9** (2): 123-131.
- Umavathi, S. and Mullainathan, L. (2014).** Mutagenic effect of gamma rays and EMS on seed germination, seedling height reduction and survivability of chick pea (*Cicer arietinum* L.) var. Co-4. *International Letters of Natural Sciences*, **11**(1) 38-43.
- Upadhaya, H. D., Ortiz, R., Bramel, P. J. and Singh, S. (2002).** Phenotypic diversity for morphological characteristics in chickpea core collection. *Euphytica*, **12**: 333-342.
- Vales, M. I., Ranga Rao, Sudini, G.V. H., Patil, S. B. and Murdock, L. L. (2014).** Effective and economic storage of pigeon pea seed in triple layer plastic bags. *Journal of Stored Products Research*, **58**, 29-38.
- Van, Harten, A. M. (1998).** *Mutation breeding, Theory and Practical Applications*. Cambridge, United Kingdom. pp. 127-140.
- Van, R. W., Den-Bulk; Loffer, H. J. M; Lindhout, W. H. and Koornneef, M. (1990).** Somaclonal variation in tomato; effect of explants source and a comparison with chemical mutagenesis. *Theoretical Applied Genetics*, **80**: 817-825.
- Vanaiarajan, C. and Das, L.D.V. (1997).** Induced variation for seed protein content in blackgram. *Madras Agricultural Research*, **84**(2): 114-115.
- Vandana, S. (1991).** Studies on mutations induced by EMS and DES in faba bean: 1. Chlorophyll and sterile mutations. FABIS. pp: 11-13.
- Vange, T. and Moses, O. E. (2009).** Studies on genetic characteristics of pigeon pea germplasm at otobi, benue state of nigeria. *World Journal of Agricultural Sciences*, **5** (6): 714-719.
- Vanisree, S. and Sreedhar, M. (2014).** Genetic analysis of yield and yield components and determination of selection criteria in pigeon pea germplasm. *Journal of Food Legumes*, **27**(1): 68-70.

- Vanniarajan, C., Vivekanandan, P. and Ramalingam, J. (1993).** Spectrum and frequency of chlorophyll and viable mutation in M<sub>2</sub> generation of blackgram. *Crop Improvement*, **20** (2): 215-218.
- Vanniarajan, C., Vivekanandan, P., Ramalingam, J. and Arumugampillai, M. (1994).** Mutagenic effects of gamma rays and EMS in M<sub>1</sub> generation of blackgram (*Vigna mungo* L. Hepper). *Journal of Mendel*, **11**: 25-26.
- Verma, O. and Gupta, P. C. (2003).** Chickpea seed storage as influenced by genotype and container. *Seed Research*, **31**(2): 154-160.
- Verma, R. P., Srivastava, G. K. and Kumar, G. (1999).** Comparative radio cytological studies in three varieties of *Lens culinaris*. *Journal of Cytology Genetics*, **34**: 49-56.
- Verma, S. (1993).** Correlation and path-coefficient studies in field pea under mid hills sub-humid conditions of Himachal Pradesh. *Indian Journal of Hill Farming*, **6** (2): 217-220.
- Vijayalaxmi, N. V. S., Jagdesh Kumar and Nageshwar Rao, T. (2000).** Variability and correlation studies in desi, kabuli and intermediate chickpea. *Legume Research*, **23**(4): 232-236.
- Vinod and Sharma, B. (1998).** Primary mutagenic damage and mutagenic effectiveness in dwarf peas. *Crop Research*, Hisar, **16** (3): 340-343.
- Vyas, G. D. and Chauhan, G. S. (1994).** Estimates of variability, heritability and correlation for yield and its components in *Vigna radiata* L. Wilczek. *Journal of Indian Botany Society*, **73**: 125-126.
- Waghmare, V. N., Waghmare, D. N. and Mehra, R. B. (2001).** An induced fascinated mutant in grasspea (*Lathyrus sativus* L.). *Indian Journal of Genetics*, **61**(2):155-157.
- Waghmare, V.K. and Mahere, R.B. (2001).** Induced chlorophyll mutations, mutagenic effectiveness and efficiency in *Lathyrus sativas*. *Indian Journal of Genetics*, **61**:53-56.
- Wani M. R., Lone, M. A., Sheikh, S.A., Dar, M. S., Tak, M. A., Ahmad, P. and Khan, S. (2012).** Induction and assessment of genetic variability for yield and yield contributing traits of chickpea (*Cicer arietinum* L.). *Journal of Plant Genomics*, vol. **2**:28-33.
- Wani, A. A. and Anis, M. (2008).** Gamma Rays and EMS induced bold seeded high yielding mutants in chickpea (*Cicer arietinum* L.). *Turkies Journal of Biology*, **32**: 161-166.
- Wani, A. A. (2011).** Induced polygenic variability for quantitative traits in chickpea var. Pusa-372. *Comunicata Scientiae*, **2**(2): 100-106.
- Wani, M. R. (2007).** Studies on the induction of mutations in mungbean (*Vigna radiata* L. Wilczek). Ph. D. Thesis, Aligarh Muslim University, Aligarh.

- Wanjari, K. B., Patil, A. J. and Ghawghawe, P. B. (1996).** Genetic variability in F5 progenies derived from bulk populations in chickpea. *Annual of Plant Physiology*, **10**: 83 – 86.
- Warghat, A. R., Nandkishor, H. R., Prashant, W. (2011).** Effect of sodium azide and gamma rays treatments on percentage germination, survival, morphological variation and chlorophyll mutation in musk okra (*Abelmoschus moschatus* L.). *International Journal of Pharmacy and Pharmaceutical Sciences*, vol., **3** (5): 483-486.
- Weatherly, P. E. (1950).** Studies in water relations of cotton plants. I. The field measurement of water deficit in leaves. *New Phyto.* **49**: 81-87.
- Wongpiyasatid, A., Chotechuen, S., Hormchan, P., Ngampongsi, S., Lamseejan, S. and Pichitporn, S. (1998).** Mutant mungbean lines from radiation and chemical induction. *Kasetsarl Journal of Natural Science*, **32**(2): 203-212.
- Yadav, R. K. (1990).** Path analysis in segregating population of chickpea. *Indian Journal of Pulses Research*, **3**: 107-110.
- Yamaguchi, M. and Sharp, R. E. (2010).** Complexity and coordination of root growth at low water potentials: recent advances from trans criptomic and proteomic analyses. *Plant Cell and Environment*, **33**: 590–603.
- Yaqoob, M. and Rashid, Abdur (2001).** Induced mutation studies in some mung bean (*Vigna radiata* L.) Wilczek cultivars. *Journal of Biology Sciences*, **1**: 805-808.
- Yaqoob, M., Ahmad, B., Khan, N., Ashraf, M. Z. and Lal, H. A. (2010).** Studies on heritability and genetic advance in chickpea (*Cicer arietinum* L.). *Science Technology & Development*, vol. **29** (3) 10-23.
- Zahra, G., Seyed, K. K. and Hamid, N. Z. (2013).** Effect of gamma irradiation on morphological traits of three varieties of sesame crop in M<sub>1</sub> generation (*sesamum indicum* L.), *International journal of Advanced Biological and Biomedical Research*, **1**: (12)1679-1685.
- Zaid, I. U., Iftikhar, H. Khalil and S. Khan (2012).** Genetic variability and correlation analysis for yield components in mung bean (*Vigna radiata* L. Wilezek). *ARPN Journal of Agricultural and Biological Science*, vol. **7**(11) 885-892.
- Zaka, R., Chenal, C. and Misset, M.T. (2002).** Study of external low irradiation dose effects on induction of chromosome aberrations in *Pisum sativum* root tip meristem. *Mutation Research, Genetic Toxicology and Environment Mutagenesis*, **517** (1/2):87-99.
- Zheng Zuoxing and Shetty Kalidas (2000).** Enhancement of pea (*Pisum sativum*) seedling vigour and associated phenolic content by extracts of apple pomace fermented with *Trichoderma* spp. *Process Biochemistry*, **36**, 79–84.