

## *Bibliography*

## BIBLIOGRAPHY

- Abraham, Z and **P.N.Prasad**.1979. Occurrence of triploidy in *Aloe vera* tourn ex Linn. **Current Science. 48(2): 1001-1002.**
- Agarwal, O.P. 1985. Prevention of antheromatous heart disease. **Angiology. 36:485-492.**
- Agarwal, O.P.1985. Prevention of atheraianous heart disease. *Angiology.* 36:485-492.
- Aini, Z and P. Vimala. 2002. Research and development of organic crop production in Malaysia. Paper presented at 'Expert Group Workshop on preparation of Technical Guidelines on organic cultivation of tropical and subtropical fruits', 22-26 July 2002, INTAN Bukit Klara, Kuala Lumpur.
- Ajeetkumar, B., R. Maurya and **P.K.Mishra**. 2007. Worms for composting (Vermicomposting). **Agricultural Update. 2(3): 26-27.**
- Alagukannan, G. and S. Ganesh. 2006. Variation and correlation studies in *Aloe vera* L. ecotypes. *Madras Agric. X*, 93 (7-12): 279-282.
- Alagukannan, G. and S. Ganesh. 2009. Genetic variability for economic traits in *Aloe vera* L. *Journal of Medicinal and Aromatic Plant Sciences.* 31: 25-28.
- Alderson, J. W. 1958. An introduction to multivariate statistical analysis. Willey New York. pp. 374.
- Allard R.W.1970. Principles of Plant Breeding. John Wiley and Sons.Inc., U.S.A.
- Allen, O.N. 1957. Experiments in soil bacteriology. Burgess publications, **Minneapolis**, Min. pp. 69-70.
- Amanov, M.A. 1970. The physiological characteristics of drought resistant in cereals under condition of unirrigated agriculture in Uzbekistan, *Plant Breed*, **abstr.**, 43: 8613.
- Amirthalingam, S. 1988. Studies on the effect of *Azospirillum*, nitrogen and NAA on growth and yield of Chilli (*Capsicum annum*) cv. Ki. M.Sc (Hort) Thesis submitted to TamilNadu Agricultural University, Coimbatore, India.
- Amujoyegbe , B.J., J.G. Opabode and A. Olayinka. 2007. Effect of organic and inorganic fertilizers on yield and chlorophyll content of maize and Sorghum. **African J. of Biotechnology. 6(16): 1869-1873.**
- Anderson, B.C. 1983. *Aloe vera* juice: A veterinary medicament? **The compendium** on continuing education for the practicing veterinary. 5:5364-5368.
- Anonymous, 1959. Wealth of India. Vol. 1A. pp. 191-193.

- Anonymous. 1962. Wealth of India. Raw materials. Vol. 6 . Council for Scientific and-  
Industrial Research, New Delhi, India. pp.439-444. / ^
- Anonymous. 1983. Aloes. BEPUA Bulletin No. 12. p. 129.
- Anonymous. 1985. Wealth of India. Raw materials LA. (revised edition). Courifell  
Scientific and Industrial Research, New Delhi, pp191-193.
- Anonymous, 1998. Estimation of aloin form aloes. Indian herbal Pharmacopoeia, Vol.  
I, pp. 15, Regional Research Laboratory, Jammu Tawi and Indian Drug  
manufacturers Association, Mumbai.
- Anonymous, 2002. *Aloe vera* - A profitable Medicinal plant. Agro India Publishers,  
Bangalore, pp: 20,
- Arivuiiannan, S. 1982. Biometrical studies in drought tolerant varieties of Rice  
(*Oryza saliva* L.). M.Sc (Agri) Thesis submitted to the Tamilnadu Agricultural  
University, Coimbatore, India.
- Arora, D., N.P.S. Dhillon and A.S. Sidhu. 2005. Genetic diversity studies in cluster  
bean (*Cyamopsis tetragonaloba* L.) germplasm collection. **Crop Improve.** 32:  
86-91.
- Arumugam, T., A. Doraipandian, V. Premalakshmi and M. Vijayakumar. 2001.  
Studies on the effect of biofertilizers on biomass production in Senna (*Cassia  
angustifolia*). **South Indian Horticulture.** 49(special): 178-180.
- Ashok, K., R. Singh and R.K. Chi liar. 2001. Influence of nitrogen and potassium  
application on the growth, yield and nutrient uptake by onion (*Allium cepa* L.).  
**Indian Agron.** 46: 742-746.
- Ateeque, M. and G.V. Malewar. 1992. Effect of nitrogen and phosphorous in field  
crops. **J.Soil Crops,** 2: 12-14.
- Ayyangar,** R.K and R. Sampatha Kumar. 1976. Studies on the cytology of *Aloe  
barbadensis* Mill., *Aloe vera* Linn Webb, and Benth. **Proc. Indian ScL Cong.**  
(63<sup>rd</sup> session), pp. 123.
- Babu, L. 1980. Studies on drought resistance of tomato (*Lycopersicon esculentum*).  
M.Sc (Agri) thesis submitted to the Tamilnadu Agricultural University,  
Coimbatore, India.
- Bagehi, G.D., P.K. Choudhurim and Sushil Kumar. 1999. Registration of a cultivar of  
the medicinal plant *Phyllanthus amarus*. **Journal of Medicinal and Aromatic  
Plant Sciences.**21:51.

- Bagyaraj, D.J. 1990. Biological interaction between vesicular arbuscular mycorrhizal fungi and other beneficial soil organism. In: proceedings of National conference on Mycorrhiza, pp. 76-79.
- Bailey, L.H. 1939. (Reprinted 1963). Standard Encyclopedia of Horticulture. 225. NewYork.
- Balakrishnan, K. 2002. Laboratory procedures for estimation of plant constituents. Published by TamilNadu Agricultural University, Coimbatore
- Balakumbahan, R., A. Sadasakthi, S. Kumar and A. Saravanan. 2005. Effects of inorganic and biofertilizers on biomass and alkaloid yield of Keelaneli (*Phyllanthus amarus*). Journal of medicinal and Aromatic Plants. 27(3); 478-482.
- Balashanmugam, P.V. 1994. Studies on the influence of *Azospirillum* and Phosphobacteria on growth, yield and quality of Turmeric (*Curcuma domes tica*) cv. BSR-1. Ph.D Thesis submitted to TamilNadu Agricultural University, Coimbatore, India.
- Balasubramani, P. 1998. Effects of *Azospirillum* and nitrogen on growth and yield of Bhendi cv. Pusa sawani. M.Sc (Hort) Thesis submitted to TamilNadu Agricultural University, Coimbatore, India.
- Balyan, S.S. and S.N. Sobti. 1990. Effect of inter and intra row spacing on growth, yield and eugenol content in *Ocimum gratissimum*. **Indian perfumer**. 34(3): 217-224.
- Bano, K., R.D. Kale and G.N. Gajanan. 1987. Culturing of earthworms *Eudrilus eugeniae* for cast production and assessment of worm cast as biofertilizers. **J. Soil BioLEcoL**, 7: 98-105.
- Barathkumar, T.R., K. Manivannan and P. Chezian. 2001a. Studies on the effect of Phosphobacteria and plant growth regulators on growth, yield and alkaloid content of Ashwagandha (*Withania somnifera*). **Research on crops**. 2(3): 351-358.
- Barathkumar, T.R., K. Manivannan and P. Murali Arthanari. 2001b. Influence of biofertilizers on growth and herbage yield of Ashwagandha (*Withania somnifera*). **J. Environ. Res.**,11(1): 35-38.
- Bastide, B., D. Sipes., J. Hann and I.P. Ting. 1993. Effect of water stress on aspect of crassulacean acid metabolism *in Xeropsycyos*. **Plant Physoil.**, 103: 1089-1096.

- Basumatary, S. K., M, Ahmed and A. Rahman. 2005. Rhizosphere and non-rhizospheric micro flora of medicinal plants *Nayontora (Vinca rosea)*. *Plant Archives*. 5 : 313-314.
- Bates, L.S., R.P. Waldren and I.D. Tlieare. 1973. Rapid determination of free proline for water stress studies. *Plant Soil*. 39: 205-207.
- Bharucha, F.R. and G.V. Joshi. 1957. Effect of prolonged darkness on acid metabolism in the leaves of *Aloe vera* Linn. *Science and Culture*. 22:389-390.
- Bhavsar, G.C., M.G. Chauhan and U.M. Upadyay. 1990. Evaluation of Indian Aloes. *Indian J. Nat Prod* (6 ): 11-13.
- Biswas, T.D., B.L. Jain and S.C. Mandal. 1977. Cumulative effect of different levels of manures on the physiological properties of soil. *Indian Soc. Soil ScL*, 19; 31-37.
- Biswas, B.C., 2010. Cultivation of medicinal plants - Success stories of two fanners. *Fertilizers Marketing News*. 41(3): 1-4 & 20.
- Blim, A. and A. Ebercon. 1976. Genotypic response in Sorghum to drought stress. III. Free proline in drought resistance. *Crop ScL*, 16: 428-431.
- Bogges, S.F., D. Aspinall and L.G. Paleg. 1976. Role of proline and other amino acids in adaptation to water stress. *Aust. J. plant **physiol.***, 3:315-316.
- Bouchy, G.D and G. Gjerstad.1969. Chemical studies of *Aloe vera* juice. *Quarterly Journal of Crude Drug Research*. 9:1445-1453.
- Bradley, P.R. 1992. *British Herbal Compendium*. Vol.I. Dorset:British Herbal Medicine Association.
- Bremner, C. 1965. Inorganic forms of soil nitrogen. In: *methods of soil analysis*, part E. American Society for Agronomy, Medison, Wisconsin, pp. 1149-1176.
- Bruneton, J.1995. *Pharmacognosy, phytochemistry, medicinal plants*. Paris: Lavoisier Publishing.
- Burton GW. 1952. Quantitative inheritance in grasses. In: *Proc.6<sup>th</sup> Int. Grassland Cong.*, 1:277-283.
- Chadha, A.P.S., S.V.S. Rathore and R.K. Ganesh. 1999. Influence of N and P fertilization and ascorbic acid on growth and flowering of African marigold. *South Indian Hort*. 47(1-6): 342-344.
- Chalapathi, M.V., S. Thimmegowda, G. Gangadhar Eswar Rao, N. Devakumar and J. Chandraprakash. 1999. Influence of fertilizer levels on growth, yield and

- nutrient uptake of ratoon crop of Stevia. *Journal of Medicinal and Aromatic Plant Sciences*. 21: 947-949.
- Chandrashekar, K.R., and S. Sandhyarani. 1996. Salinity induced chemical changes in *Crotalaria str lata* De. plants. **Ind.J. Plant Physiol.** NS. 1: 44-48.
- Chandre Gowda, M., Baby Madineni and A.P.Mallikarjuna Gowda. 2007. Evaluation of garlic (*Allium sativum* L.) genotypes for growth, yield and quality. *Crop Res.* 33(1,2 &3): 141-143.
- Chauhan, H.S., S. Aparbal, H.P. Singh, A.K. Singh, A. Chattopadhyay, Raj Kumari and A. Prasad. 2005. Influence of FYM and NPK fertilizers on growth and yield of safed musli (*Chlorophytum borivilianum*) production. *Journal of medicinal and Aromatic Plants*. 27(2): 280-282.
- Chellamuthu, S., G.V. Kothandaraman and P. Duraisamy. 1988. Effect of FYM and ammonium sulphate on the available nutrient content of soil. *Madras Agrlc. J.*, 75(5-6): 196-199.
- Chezhiyan, N., S. Saraswathy and R. Vasumathi. 2003. Studies on organic manures, biofertilizers and plant density on growth, yield and alkaloid content of Bhumyamalaki (*Phyllanthus amarus*). *South Indian Hort.*, 51(1-6): 96-101.
- Choi, S.W. and M.H.Chung. 2003. A review on the relationship between *Aloe vera* components and their biological effects. *Seminars in Integrative Medicine*. 1(1):53-62.
- Chopra, R, S.L. Nayar and I.C, Chopra. 1956. Glossary of Indian Medicinal plants. Council of Scientific and Industrial Research, New Delhi, pp. 146.
- Chowdhury, A.K., M.A. Newaz, S.C. Samanta, S. Huda and M. Ali. 1998. Response of lentil genotypes to cultural environments on nodulation, growth and yield. *Bangladesh Journal of Scientific and Industrial Research*. 33(2): 258-262.
- Christopher, J.T and J.A.M. Holtum.1996. Patterns of carbon partitioning in leaves of Crassulacean acid metabolism species during deacidification. *Plant-physiology*.il2 (1):393-399.
- Confalone, P.N, M.H. Edward, N.G. Patel.1983. The isolation, structure determination and synthesis of pluridone: a noval insecticide fro *Aloe pluridens*. **Tetrahedron Letters**. 24(50):5563-5566.
- Cole, H.N and K.K,Chen. 1943. *Aloe vera* in oriental dermatology. *Archives of Dermatology and Syphiology* 47:250.

- Collins, C.E and Collins C. 1935. Roentgen dermatitis is treated with whole fresh leaves of *Aloe vera*. American Journal of Roentgenology. 33:396-397.
- Cowling, R.M. 1982. Patterns of plant endemism in the south east Cape. The **Naturalist (27): 17-36.**
- Dagne, E, A. Yenesew, S. Asmellash, S. Demissew and S. Mvii, 1994. Anthraquinones, preanthraquinones and isoeleutherol in the roots of *Aloe* species. **Phytochemistry**. 35:401-406.
- Dagne, E, D. Bisrat , A. Viljoen and B.E. Van Wyk. 2000. Chemistry of *Aloe* species. **Current Organic Chemistry**. 4:1055-1078.
- Dahlgren, R.M.T, H. Clifford and P.F.Yeo. 1985. The families of the monocotyledons: structure, evolution and taxonomy. Ed. Springer Berlin Heidelberg, pp. 181-193.
- Das, A.K., M.G. Som, M.K. Sadhu and T.K. Bose. 1985. Response to varying level of N, P and K on growth and yield of multiple clove Garlic (*Allium sativum* L.). **Indian Agric.**, 29(3): 183-189.
- Das, N. and R.N. Chattopadhyay. **2004**. Commercial cultivation of *Aloe*. **Natural Product Radiance**. 3(2): 85-87.
- Dastur, I.F.**1962**. *Aloe barbadensis* Mill In; **Medicinal plants of India and Pakistan**. D.B. Taraporevala Sons & Co.Pvt.Ltd, Bombay, pp.16-17.
- Davis, R.H, J.J.Didonato, G.M. Hartman and R.C. Haas. 1994. Anti-inflammatory and wound healing activity of a growth substances in *Aloe vera*. **Journal of American Pediatric medical Association**. 84(2):77-81.
- Davis, R.H. 1997. *Aloe vera* : A scientific approach. Vantage Press, New York.55-79.
- Desh Raj, R.L., H.C. Mishra, Saini and S.R. Dohare. 1998. Correlation and path coefficient studies in Gladiolus over different environments. **Journal of ornamental Horticulture (1): 26-31.**
- Dewey, D.R. and K.H. Lu. 1959. A correlation and path coefficient analysis of components of crested wheat grass seed production. **Agron. J.**, 51: 515-518.
- Dexter, A.R.1988. Advances in characterization of soil structure. **Soil and Tillage Research**. 11: 199-238.
- Dhama, A.K. 2003. Organic Farming for sustainable Agriculture. 2<sup>nd</sup> edition, Agrobios (India), Jodhpur, pp. 91-124.

- Dhankar, J.S., V. Kumar and S.P.S. Karwasra. 1992. Effect of N and S application on yield, N uptake and grain quality of Ray (*Brassica juncea* L.). **Agrochemica.**, XXXV: 427-436.
- Dixit, S.K., Sanjay Kumar, M.L. Meena and R.B. Ram. 2007. A Review: Biofertilizers may be a substitute of chemical fertilizer. **The Asian journal of Horticulture.** 2(2): 298-300.
- Dominguez, €, A. Edwards and S. Subler. 1997. Comparing vermicompost and composts. **Biocycle.** 15: 57-59.
- Dutta, J.P. and R. Seemanthini. 1993. Effect of *Azospirillum* on physiology of Chillies and Tomato at nursery stage. Golden Jubilee Symposium on Horticultural Research - Changing scenario, Bangalore, May 24-28.
- Dwivedi, D.K. and S.P. Singh. 2007. Effect of nutrient integrated biofertilizers, vermicompost and mustard oil cake and inorganics on Betelvine (*Piper bettle*) crop. **The Asian J. of Horticulture.** 2(1): 102-105.
- Enyi, B.A.C. 1962. Comparative growth rates of upland and swamp rice varieties. **Ann. Bot.** 26: 467-487.
- Falcon, M.A., E. Corominas, M.L. Perez and F. Perestelo. 1987. Aerobic bacterial population and environmental factors involved in the composting of agricultural and forest wastes of the Canary island. **Biol. Wastes.** 20: 89-99.
- Falconer, D.S. 1967. Introduction to quantitative genetics. Oliver and Boyd. Ltd., London. W.I.:365.
- Farooqi, A.A. and B.S. Sreeramu. 2001, Book on cultivation of medicinal and aromatic crops. Universities press (India) Ltd. p. 115-120.
- Farooqi, A.A., K.A. Devaiah, M. Vasundhara and N.D. Dasharatha Rao. 1990. Influence of planting season and plant density on growth, yield and essential oil in Davana. **Indian perfumer,** 34(4): 274-277.
- Femenia, A, E.S. Sanchez, S.Simal and C.Rossello. 1999. Compositional features of polysaccharides from *Aloe vera* plant tissue. **Carbohydrate polymers.** 39:109-117.
- Femenia, A, P. Garcia-Pascual, S. Simal amd C. Rossello. 2003. Effects of heat treatment and dehydration on bioactive polysaccharide acemannan and cell wall polymers from *Aloe barbadensis* Miller. **Carbohydrate polymers.** 51: 397-405.



- Fischer, R. A. and F, Yates. 1963. Statistical tables for biological, agricultural and medical research. Longman, England.
- Gandhikumar, P. 1996. Studies on the effect of plant density, nitrogen and *Azospirillum* on growth, herbage and essential oil yield of *Davana (Artemisia pattens')*. M.Sc (Hort) Thesis submitted to TamilNadu Agricultural University, Coimbatore, India.
- Ganesh. S. and G. Alagukannan. 2009. Growth, yield and quality of ecotypes of *Aloe vera* L. **Madras Agric. J.**, 96 (1-6): 88-94.
- Glatzle, A. and P. Martin. 1979. Some interaction between *Azospirillum* spp and grass seedlings. Chapter IV. In: Associative N<sub>2</sub> fixation (Eds.) P.B. Vose and A.P. Ruschel.
- Gaur, A.C. 1990. Phosphate solubilizing microorganisms as biofertilizers. Omega Scientific Publishers, NewDelhi, pp. 39.
- Gavrilov, K. 1962. Role of earthworms in the enrichment of soil by biologically active substances. *Veprosy Ekologil Vysshauya Shakola Moscow.* 7: 34.
- Ghate, V.S., S. Nagarkar and H. Sane. 2002. Floral polymorphism and fruiting in Kumari (*Aloe vera*). **Journal of Medicinal and Aromatic Plant Sciences.** 24:698-702.
- Ghosh, M.L. and Chatterjee, S.K. 1978. Effects of planting time and spacing on growth and essential oil content of *Mentha* spp. In Burdwan, West Bengal. **Indian perfumer.** 22(1): 26-29.
- Gill, B.S., R.S. Randhawa, G.S. Randhawa and J. Singh. 1999. Response of Turmeric (*Curcuma longa* L.) to nitrogen in relation to application of FYM and straw mulch. **J. Spices and Aromatic Crops.**, 8(2): 211-214.
- Gjestard, G.1969. An appraisal of the *Aloe vera* juice. **American Perfumer and Cosmetics.** 84: 43-46.
- Gnanavadivel, M. 2004. Studies on the effect of FYM and graded levels of nitrogen and sulphur on growth, yield and gel recovery in *Aloe vera*. M.Sc (Hort.) Thesis submitted to Pandit Jawaharlal Nehru College of Agriculture and Research Institute, Karaikal, India.
- Gnanavel, I and R.M. Kathiresan. 2006. Effect of propagation material, N, P and K fertilizers and spacing on *Coleus aromaticus*. **Journal of Medicinal and Aromatic Plant Sciences.** 28: 535-538.

- Govindan, M, and R. Vikraman Nair. 1983. Studies on the occurrence of nitrogen fixing bacteria, *Azospirillum* in the root environment of Cocoa, PLACROSYM -VI. 255-260.
- Govindan, M. and R.R. Nair. 1986. *Azospirillum rhizocoenosis* in pepper. National seminar on microbial ecology. Jan,22-24, 1986. TamilNadu Agricultural University, Coimbatore, India
- Gowda, D.C, B. Neelisiddaiah and Y.V.Anjanyaalu. 1979. Structural studies of polysaccharides from *Aloe vera*. Carbohydrate Res 72:201-205.
- Graf, A.B. 1978.'Exotic plant manual. Roehrs Company, New Jersey, USA.
- Graf, A.B. 1981. Tropica - Coloured Cyclopedia of Exotic Plants and Trees. Roehrs Company, New Jersey, USA.
- Gramatica, P, D. Monti, G. Speranza and P. Manitto. 1982. *Aloe* revisited - the structure of aloeresin A. **Tetrahedron Letters**. 23:2423-2424.
- Grindlay, D and T. Reynolds. 1986. The *Aloe vera* phenomenon : A review of the properties and modern uses of the leaf parenchyma gel. **J.Ethnopharmacol** 16:117-151.
- Groenewald, E.G., A. Koeleman and D. G. J. Jimenz. 1975. Callus formation and plant regeneration from seed tissue of *Aloe pretoriensis* Pole Evans, Z. **Pflanzenphysiol**. 81: 369-373.
- Groom, Q.J. and T. Reynolds. 1987. Barbaloin in *Aloe* species. **Planta Medica**. 53(4):345-348.
- Gupta, R. 1971. Senna has a growing export market. **Indian Farming**. 21(8): 29-32.
- Hamada, A.M. 2000. Amelioration of drought stress by ascorbic acid, thiamine or aspirin in wheat plants. **Ind.J. Plant Physiol**. 5: 358-364.
- Hamblin, A.P. 1985. The influence of soil moisture on water movement, crop root growth and water uptake. **Advances in Agronomy**. 38: 95-152.
- Haq, Q.N and A.Hannan. 1981. Studies on glucogalactomannan from the leaves of *Aloe vera* Toum. (Ex Linn); **Bangladesh J Sci Ind Res** 16:68-72.
- Harding, T.B.C.1979. Aloes of the world: A checklist index and code; Excelsa. 9:57-94.
- Hazra, C.R. 2007. Organic manures for sustainable agriculture. **J. Agril. Issues**. 12(1): 1-10.
- Hegde, D.M. 1985. Studies on spacing requirement of Periwinkle (*Catharanthes roseus*). **Herba Hungarico**. 24(2 & 3): 61-67.

- Helkiah, J., T.S.Manickam and K **Nagalakshmi**. 1981. Influence of organic manures alone and in combination with inorganics on properties of a black soil and jowar yield. *Madras Agric.J.*, 6 8 (6 ): 360-365.
- Hernandez-Cruz, L.R., R. Rodriguez-Garcia, D. Jasso de Rodriguez and J.L. Angulo-Sanchez. 2002. *Aloe vera* response to plastic mulch and nitrogen. In:J. Janick and A. Whipkey (eds), Trends in new crops and new uses. ASHS Press, Alexandria, VA. pp. 570-574,
- Hernandez, A.J., A.M. Ferrer, A. Jimenez, R.A. Barcel and S. Francisea. 2001. Antioxidant system and O<sub>2</sub> /H<sub>2</sub> O<sub>2</sub> production in the apoplast of pea leaves. Its relation with salt-induced necrotic lesions in minor vines. *Plant Physiol.* 127: 817-831.
- Hotelling, 1954. Multivariate analysis in statistics and mathematics in biology. Kempthorne, T.A. Baneroff, J.W. Gowman and T.L. Lush (Ed.). Iowa state college Press. Amer, Iowa. pp. 67-80.
- Hussain, S and **D.K.** Hore. 2007. Collection and conservation of major medicinal plants of Darjeeling and Sikkim Himalayas. *Indian Journal of Traditional Knowledge.* 6(2): 352-357.
- Ilangovan, R., R. Subbiah and S. Natarajan. 1991. Influence of spacing, nitrogen and phosphorus on sennoside content in senna (*Cassia angustifolia*). **South Indian Horticulture.** **39(2):113-116.**
- Ilangovan, R., R.Subbiah and S. Natarajan. 1990. Effect of spacing, nitrogen and phosphorous on certain growth parameters of Senna (*Cassia angustifolia*). *South Indian Hort.*, 28(1): 53-54.
- Jackson, M.X. 1973. Soil chemical analysis. Prentice Hall of India (Pvt) Ltd., New Delhi. II Indian Reprint. 498p.
- Jain, J.P.1982. Statistical Techniques in Quantitative Genetics. Tata Me Graw Hill, New Delhi.
- Jain, **S.K.**, N.S. Dodiya and A. Joshi. 2006. Genetic variability and character association in *Opium poppy*. *Journal of Medicinal and Aromatic Plant Sciences.* 28(2): 190-193.
- Jain, S.K., P.C.Bordia and A. Joshi. 2007. Genetic diversity in Ashwagandha (*Withania somnifera*). **Journal of Medicinal and Aromatic Plant Sciences.****29:11-15.**

- Jhonson, H.W., H.F. Robinson and R.F. Comstock. 1955. Estimates of genetic and environmental variability in soybeans. **Agron. J.**, 47:314-318.
- Joseph Thomas. 1993. Biofertilizers: Prospects and Problems. *Fertilizer News*, 38(4):63-65.
- Joshi, S.P. 1998. Chemical constituents and biological activity of *Aloe barbadensis* - A review. *Journal of Medicinal and Aromatic Plants Sciences*. 20:768-773.
- Kale, R.D., K. Bano, M.N. Sreenivas and D.J. Bagyaraj. 1987. Influence of worm cast on the growth and mycorrhizal colonization of two ornamental plants. **South Indian Hort**, 35: 433-437.
- Kaloyereas, S.A. 1958. A new method of determining drought resistance. **Plant physiol.**, 33: 232.
- Kamble. S.Y. 1977. Cyto-embryology and anatomy of the genus *Aloe* L. and cytology of ferns of Western India. Ph.D Thesis (Unpublished).
- Kamboj, V.P. 2000. Herbal Medicine. **Current Science**. 78(1): 35-39.
- Kang, B.T and A. Ojo. 1996. Nutrient availability of earthworm casts collected under selected woody agro forestry species. **Plant and Soil**. 178: 113-119.
- Kapulnik, Y., Yokan and Y. Henis. 1985. Changes in root morphology of wheat caused by *Azospirillum* inoculation. **Can. J. Microbiol.**, 31: 881-897.
- Karthikeyan, B. and M.D. Sundaram. 2006. Microbial diversity of some medicinal plants. **In: National Conference on Agro biodiversity held during 12-15 Feb.** Organized by National Biodiversity Authority, Chennai, TamilNadu. pp. 243-344.
- Karthikeyan, B., K Muthuselvam, R. Parthasarathi and M. Deiveekasundaram. 2007. Studies on rhizosphere, non-rhizosphere and diazotrophic microbial populations of some commercially grown medicinal plants. **Crops Res.** 33 (1,2 & 3): 244-247.
- Karuthamani, M. 1995. Studies with *Azospirillum* and Phosphobacteria on growth, yield and quality of pumpkin (*Cucurbita mosehata*) cv. CO2 . M.Sc (Hort) Thesis submitted to TamilNadu Agricultural University, Coimbatore, India.
- Kavitha, C., E. Vadivel, C. Thangamani and K. Rajamani. 2007. Variability studies for morphological traits in *Coleus forskohlii*. *Journal of Medicinal and Aromatic Plant Sciences*. 29:60-62.
- Kemble, A. R. and H.T. MacPherson. 1954. Liberation of amino acids in perennial rye grass during wilting. **Biochem. J.**, 58: 46-49.

- Khaim, K.N. and D. More. 1984. Long -term effect of tillage operations and FYM application on soil properties and crop yield in vertisols. *J. Indian Soc. Soil Sci*, 32:392-393.
- Kirckham, H. 1985. Losses, plant uptake and utilization of manure nitrogen during a production cycle. *Acta. Agric Scand. Supplementum*, 24, Stockholm, **Sweden**,
- Krishnamoorthy, V and M.B. Madalageri. 2002, Variability and correlation studies in Ajowan (*Trachyspermum ammi*). *Journal of Medicinal and Aromatic Plant Sciences*. 24:364-370.
- Krogdahl, A and B. Dahlsgard. 1981. Estimation of nitrogen digestibility in poultry. Content and distribution of major urinary nitrogen compounds in excreta. *Poultry Sci*, 60:2480-2485.
- Kulkarni, J.H. 2000. Importance of N fixing bacteria as a source of biofertilizers in crop production. Lecture delivered on the occasion of summer school on organic farming - An approach for sustainable agriculture production held at University of Agricultural Sciences, Dharwad from 19<sup>th</sup> June to 10<sup>th</sup> July, 2000.
- Kumar, S.G., A. Mattareddy, A. and C. Sudhakar. 2003. NaCl effects on proline metabolism in two high yielding genotypes of mulberry (*Moms alba* L.) with contrasting salt tolerance. *Plant Sci.*, 165:1245-1251.
- Kumarasamy, D. and B.D. Madalageri. 1990. Effects of Azotobacter inoculation in Tomato. *South Indian Hort.*, 38(6): 345-346.
- Kuzuya, K, I. Tamai, H. Beppu, K. Shimp and Chihara. 2001. Determination of aloenin, barbaloin and isobarbaloin in *Aloe* species by Micellar electro kinetic chromatography. *Journal of Chromatography*. B752:91-97.
- Lakshminpathaiah, O.R., J. Shivanna, A.A. Farooqi, H.S. Surendra and B.S. Sreeramu. 2007. Character association and path coefficient analysis among economic traits in Mucuna (*Mucuna pruriens*). *Mysore J. Agric, Sci.*, 41 (2): 176-180.
- Lakshmisarasimhan and B.D. Sharma. 1991. The flora of Nasik District. **Botanical Survey of India**, Howrah.
- Lai, R.K., J.R. Sharma and S. Sharma. 1999. Genetic diversity in germplasm of Isabgol (*Plantago ovata* L). *J. Herbs Spices Med Plants*. 6: 73-80.
- Lawlor, D.W. 2002. Limitation to photosynthesis in water stressed leaves: Stomata Vs metabolisms and role of ATP. *Ann Boi*, 89: 871-885.

- Lin, W., Y. Okon and R.W.F. Hardy. 1983. Enhanced mineral uptake by *Zea mays* and *Sorghum bicolor* roots inoculated with *Azospirillum brasilense*. *Appl. Envir. Microbiol.*, 45: 1775-1779.
- Loquet, M., T. Bhatnagar, M.S. Bouche and J. Rouelle. 1977. Estimation of the ecological influence of earthworms on microorganism. *Pedobiologica*. 17: 400-417.
- Lueng, A.Y. 1978. *Aloe vera* in cosmetics. *Excelsa*. 8:65-68
- Mahadevan, V.C. 1998. Effect of foliar nutrition of NPK on Banana cv. Nendran (AAB). M.Sc (Hort) Thesis submitted to Tamilnadu Agricultural University, Coimbatore, India.
- Mahalanobis, P.C. 1919. Historical note on  $D^2$  statistics. ***Sankhya*, 19: 237-239.**
- Mahendran, P.P and N. Kumar. 1996. A note on the effect of bio-fertilizers in garlic (*Allium sativum* L.). ***South Indian Hort.*, 44: 170-171.**
- Maheshwari, S.K., R.K. Sharma, S.K. Gangrade and P.K. Mishra. 2002. Response of Kalmegh (*Andrographis paniculata*) to organic and inorganic sources of nitrogen in a shallow black soil. *Extended Summaries Vol.1: 2<sup>nd</sup> International Agronomy Congress*, Nov.26-30, New Delhi, India.
- Maheshwari, S.K., R.K. Sharma and S.K. Gangrade. 2000. Response of Ashwagandha (*Withania somnifera*) to organic manures and fertilizers in a shallow black soil under rainfed condition. ***Indian J. Agronomy*. 45(1): 214-216.**
- Maheswarappa, H.P., H.V. Nanjappa, M.R. Hegde and S.R. Prabhu. 1999. Influence of planting material, plant population and organic manures on yield of East Indian Galangal, Soil physico-chemical and biological properties. ***Indian J. of Agron.* 44(3): 651-657.**
- Maheswarappa, H.P., H.V. Nanjappa and M.R. Hegde. 2001. Effect of planting material, plant population and organic manures on growth components and yield of galangal (*Kaempferia galanga*) when grown as intercrop in coconut garden. ***Indian Journal of Agricultural Sciences*. 71(3):183-186.**
- Maheswari, S.K., R.K. Sharma and S.K. Gangrade. 1998. Response of Palmarosa (*Cymbopogon martini* var. *motia*) to biofertilizers, nitrogen and phosphorous in a shallow black soil under field condition. ***Indian J. of Agron.*, 43 (1): 175-178.**

- Maheswari, S.K., S. Yadav, S.K. G'angrade, S.K. Pareek and R.Gupta. 1989. Effect of sowing date and spacing on herb and alkaloid yield of black henbane. *Indian J. Agron.*, 34(1): 104-105.
- Maheswari, S.K., S.K. Gangradi, R.K. Sharma and O.P. Mishra. 1999. Response of vetiver (*Veteveria zizanoides*) to nitrogen, phosphorous and biofertilizers in a shallow black cotton soils. **Indian J. of Agron.**, 44(3):647-650.
- Mandal, G and A. Das. 1980(a). Structure of the D-galactan isolated from *Aloe barbadensis* Miller. *Carbohydrate Res.* 86:247-257.
- Mandal, G and A. Das. 1980(b). Structure of the glucomannan isolated from *Aloe barbadensis* Miller. *Carbohydrate Res.* 87:249-256.
- Manitto, P, D. Monti and G. Speranza. 1990. Studies on *Aloe*, Part6 ; Conformation and absolute configuration of aloin A and B and related 10-C-glucosyi-9-anthrones; *J.Chem Soc Perk I*; 1297-1300.
- Manjunatha, R., A.A. Farooqi, M. Vasundhara and K.N. Srinivasappa. 2002. Effect of biofertilizers on growth and essential oil content in Patchouli (*Pogostemon cablin* Pelllet). *Indian Perfumer.* 46(2): 97-104.
- Marschner,H. 1998. Mechanism of of manganese acquisition by roots from soils. In: Manganese in soils and plants (Eds. By R.D. Graham, R. H. Hannan and N.C. Uren), Kluwer Academic publishers, London, pp. 191-204.
- Martin, P. 1981. The role of the nutrient element in plants potash Review. *Journal of Abridged from fruits.* 33(7-8): 521-529.
- Masih, M.R., R.L. Choudhary, Banani Singh and Baldeo Singh. 2009. Liquid organic manures is a boon for organic cultivation of crops. *International Journal of Agricultural Sciences.* 5(1): 8-10.
- Mathur, A. 2003. Who owns Traditional Knowledge? Working paper No. 96, Indian Council for Research on International Economic Relations: pp 1-33.
- Matthew, K.M. 1983. The flora of Tamilnadu Carnatic. 3; 1639. Thiruchirapalli.
- Mayalagu, K., A. Rajagopal and T. Raveendran. 1983. Influence of different soil amendmets on the physical properties of a heavy black soils and yield of Ground nut TMV-7 in the Periyar - Vaigai command area. In: proceedings of National seminar on utilization of organic wastes. March 24-25 (ed.) U.S. Sree Ramalu, Tamilnadu Agricultural University, Coimbatore.
- Maze, G., R.N.Terpolilli and M. Lee. 1997. *Aloe vera* extract prevents aspirin induced acute gastric mucosal injury in rats. *Medical Science Research*, 25 ; 765-766.

- Mbagwk, J.S.C. 1992, Improving the productivity of a degraded ultisol in Nigeria using organic and inorganic amendments. Part 2, Changes in physical properties. **Bioresource Technol**, 42 (3): 167-175.
- Me Analley, B.H. 1990. Process for preparation of aloe products, products produced thereby and compositions thereof. United States Patent. No.4917890.
- Meadows, T.P. 1980. Aloe as a humectant in new skin preparations. **Cosmetics and Toiletries**. 95:51-56.
- Meelu, O.P., B. Singh, T.S. Khera and K. Kumar. 1995. Temperature rice-achievements and potential. Proc 2, p; 605-613, Yanco, Australia.
- Meenakshi, N., G.S. Sulikeri and V. Krishnamoorthy. 2001. Influence of planting materials and different levels of phosphorus and potassium combinations on nutrient uptake under northern transitional zone and Karnataka. **Indian Perfumer**, 45: 159-165.
- Merestala, T. 1996. Abstract Bibliography of researches of bio and organic fertilizers at Benguet State University 1975-1996. La Trinidad, Benguet. pp. 53.
- MerinaPremkumari, S. and A. Balasubramani an. 1993. Effect of combined inoculation of VAM and *Azospirillum* on the growth and nutrient uptake by Coffee seedlings. **Indian Coffee**, 56 (12): 5-11.
- Mirza, H., Kamal Uddin Ahamed, K.M. Khalequzzamam, A.M.M. Shamusuzzaman and Kamrun Nahar. 2008. Plant characteristics, growth and leaf yield of *Aloe vera* as affected by organic manure in pot culture. **Australian Journal of Crop Science**. 2(3): 159-163.
- Mischustin, E.N and A.N. Naumova. 1962. Bacterial fertilizers, their effectiveness and mode of action, *Mikrobiologiya*, 31: 543-555.
- Mishra, S.N. 1998. Quick methods of estimation of total alkaloid. All India coordinated Research Project on Medicinal and Aromatic Plants, Presentation of trial data at C.C.S. Haryana Agriculture University, Hissar (October, 27-30).
- Mohanalakshmi, M and E. Vadivel. 2008. Influence of organic manures and bioregulators on growth and yield of Ashwagandha. **Internat. J. Agric.Sci.**, 2: 429-432.
- Mondini, C., R. Chiumenti, F. Da. Borso, L. Leita and M. De. Nobili. 1996. Changes during processing in the organic matter of composted and air-dried poultry manure. **Bioresource Technol.**, 55:243-249.



- Morton, J. F. 1961. Folk uses and commercial exploitation of *Aloe* leaf pulp. *Economic Botany*. 15:311-319.
- Mountney, G.J. 1983. Poultry products technology. The AVI publishing Co, INC.
- Munnu, S and S. Ramesh. 2002. Response of sweet basil (*Ocimum basilicum*) to organic and inorganic fertilizer in semi-arid tropical conditions. **Journal of Medicinal and Aromatic Plant Sciences**. 24:947-950.
- Muthuvel, P., R. Sivasamy, V. Subramaniam and U.S. Sree Ramulu. 1990. Soil fertility under continuous rational cropping of cotton pearl millet in a dryland vertisol. **Madras Agric. J.**, 77(1): 48-50.
- Nageswari. K. 1991. Studies on the effect of nitrogen, phosphorous and *Azospirillum* on growth, yield and quality of Coleus (*Coleus parviflorus*) cv. Coj. M.Sc (Hort) Thesis submitted to TamilNadu Agricultural University, Coimbatore, India.
- Narayan, P. and D. Arabinda. 2008. Biofertilizers: Prospects and applications. **Agricultural Update.**, 2(4): 93-95.
- Naruka, I.S. and R.S. Dhaka. 2004. Correlation studies in garlic (*Allium sativum* L.). **Progressive Horticulture**. 36(1): 128-131.
- Nath, A. K., S. Kumari and D.R. Sharma. 2005. *In vitro* selection and characterization of water stress tolerant cultures of bell pepper. **Indian J. Plant Physiol**. 10, 14-19.
- Ni, Y, D. Turner, K.M. Yates and I. Tizard. 2004. Isolation and characterization of structural components of *Aloe vera* L. leaf pulp. **International Immunopharmacology**. 4:1745-1755.
- Nicholson, F.A., B.J. Chambers and K.A. Smith. 1996. Nutrient composition of poultry manure in England and Wales. **Bioresource Technol.**, 58:279-284.
- Nikhila, K. 2007. Studies on variability, divergence, hybridization and adaptability of Robusta Coffee. Ph.D Thesis submitted to the University of Calicut, India.
- Nirmalatha, J.D., G.R. Sulekha and B.K. Jayachandran. 2010. Effect of organic manures on yield attributes of Curcuma aromatic. **Plant Archives**. 101(2): 745-748.
- Nirupama, L., A.K. Shasany, R.K. Lai, M.P. Darokar, S. Rajkumar, V. Sundaresan and S.P.S. Khanuja. 2003. Diversity analysis of vetiver (*Vetiveria zizanioides*) gene bank accessions using RAPD and AFLP analysis. **Journal of Medicinal and Aromatic Plant Sciences**. 25:25-32.

- Nodoushan, H.M., A. Shariat, M.B. Rezaie and K. Sartavi. 2004. Investigations on chromosome behaviors in several populations of *Aloe littoralis* and *Aloe vera*. Iranian Journal of Rangelands and forests - Plant breeding and genetic Research. 12(1): 51-65.
- Okamura, N, M.Asai, N. Hine and A. Yagi. 1996. High performance liquid chromatographic determination of phenolic compounds in *Aloe* species. Journal of Chromatography. 746(2): 225-231.
- Okamura, N, N. Hine, Y. Tateyama, M. Nakazawa, T. Fujioka, K. Mihashi and A. Yagi. 1998. Five chromones from *Aloe vera* leaves. Phytochemistry, **49(1): 219-223.**
- Okyar, A, A.Can and N. Akev. 2000. Effect of *Aloe vera* leaves on blood glucose levels in type I and type II diabetic rat models. Phytotherapy Research. 15:157-161.
- Olsen, S.R., C.V.Cole, F.S. Watanable and L.A.Dean. 1954. Estimation of available phosphorus in soil by extraction with sodium bi-carbonate. USDA circ. No. 939. :
- Opara, N.C and J.E.Asieghu. 1996. Nutrient content of poultry manure and the optimum rate for egg plant for yield in a weathered tropical alfisols. Biol. Agric, Hort., 13: 341-350.
- Ovodova, R.G., V.F. Lepchik and Y.S. Ovodov.1975. Polysaccharides in *Aloe arborescens*. **Khimija prirodnykh Soedinenii.** 11:3-5.
- Paez, M.S., G.M. Gebre, M.E. Gonzalez, T.J. Tschaplinski. 2000. Growth, soluble carbohydrates and aloin concentration of Aloe vera plants exposed to three irradiance levels. **Environmental and Experimental Botany.** **44(2): 133-149.**
- Palaniappan, S.P and K. Annadurai. 1999. Biological nitrogen fixation. In: Organic farming theory and practices. Scientific Publishers, Jodhpur, India.
- Panchalingam, 1983. Studies on drought tolerance in Brinjal (*Solanum melongena* L.). M.Sc (Agri) Thesis submitted to the Tamilnadu Agricultural University, Coimbatore, India.
- Panda, H. 2006. *Aloe vera* - Hand book: Cultivation, Research findings, products, Formulations, Extraction and Processing. Ed: Asia pacific Business Press Inc., Delhi, pp. 16.
- Panse V.G. 1957. Genetics of quantitative characters in relation to plant breeding. Indian J. Genet., 17:318-329.

- Panse, V.G. and P.V. Sukhatme. 1978. Statistical methods for Agricultural workers. ICAR, NewDelhi. P. 134-192.
- Panse, V.G. and P.V. Sukhatme. 1985. Statistical methods for agricultural workers. Indian council of Agricultural Research, NewDelhi, India.
- Pareek, O.P. and Inder Mohan. 1995. Indian *Aloe* - Wealth from Thar desert. Indian Horticulture. Oct-Dec, 1995. Cover page 02 and 29.
- Pareek, O.P., B.D. Sharma, N.Vishal, R.S. Singh and R. Bhargava. 1999a. Effect of nitrogen and phosphorous fertilizers and organic manures on growth and yield of Indian *Aloe* (*Aloe barbadensis* Mill). **Annals of arid zone**. 38(1):85-86.
- Pareek, O.P., N. Vishal, R.S. Singh and R. Bhargava. 1999b. Grow Indian *Aloe* in arid regions. **Intensive Agriculture**, July-August. 21-23.
- Park, M.K, J.H. Park, N.Y. Kin, Y.G. Shin, Y.S. Choi, J.G. Lee, K.H. Kim and S.K. Lee. 1998. Analysis of 13 phenolic compounds in *Aloe* species by high performance liquid chromatography. **Phytochemistry Annual**. 9:186-191.
- Patel, D.H., N.V. Upadhyay, M.A. patel, S.J. Macwan and S. Sriram. 2008. Effect of organic manures and spacings on fasciculated root yield of safed musli. Indian J. Agric. Res., 42(1): 31-36.
- Patrude, J.T., S.G. Wankhade, P.P. Khode and A.H. Khan. 2002a. Performance of Arka mahima (Tetraploid) and Arka Sanjeevini (Diploid) varieties of wild brinjal (*Solanum viarum* Dunal) under different plant spacings and fertility levels. Agricultural **Science Digest**. 22(1):67-68.
- Paturde, J.T., S.G. Wankhade, P.P. Khode, P.U. Chatol, D.D. Deo and S.A. Bhuyar. 2002b. Effect of organic manures and plant population on yield of safed musli (*Chlorophytum borivallianum*). **Agric. Sci. Digest**. 22(1)51-52.
- Paulsen, B.S., E. Fagerheim and E. Oyerbye. 1978. Structural studies of the polysaccharides from *Aloe plicatalis* Miller. **Carbohydrate Research**. 60:345-351.
- Pera, A., G. vallini, I. Sireno, M.L. Bianchin and M. Betlodi. 1983. Effect of organic matter on rhizosphere microorganisms and development of sorghum plants in two different soils. **Plant and Soil**, 74: 3-18.
- Piper, C.S. 1966. Soil and plant analysis. Inter Science publication, New york, p,368.
- Ponni, C., and A. Shakila. 2007. Effect of certain organic manures and bio stimulants on growth and yield of *Phyllanthus niruri*. **The Asian Journal of Horticulture**. 2(2): 148-150.

- Poongodi, P. 2003. Integrated nutrient management of *Mucuna pruriens* for growth and yield. M.Sc (Hort) Thesis submitted to TamilNadu Agricultural University, Coimbatore, India.
- Prakasa Rao, E.V.S., K. Puttanna and S. Ramesh. 2001. Effect of organic and inorganic sources of nutrients 0 1 1 *Tagetes minuta* grown in a red sandy loam soil in a semi-arid tropical climate. **Journal of medicinal and Aromatic plant sciences.** 23: 50-52.
- Prasad, B and A.P. Singh. 1980. Changes in soil properties with long-term use of fertilizer, lime and FYM. *J. Indian Soc. Soil Sci.*, 32: 519-521.
- Protsenko, D.F., L.G. Shmatko and E.A. Rabanyk. 1968. Drought hardiness of winter varieties as related to their amino acid composition. *Sov. Plant Physio.*, 15: 567-573.
- Puttanna, K., E.V.S. Prakasa Rao and R.S. Ganesha Rao. 2006. Effect of inorganic and organic sources of nutrients on yield and nutrition of *Centella asiatica*. *Journal of Medicinal and Aromatic Plant Sciences.* 28:527-530.
- Radjabi, F., C. Amar and E.Vikas.1983. Structural studies of the glucomannan from *Aloe vahombe*. **Carbohydrate Research.** 116:166-170.
- Raina, M.K.1982. *Aloe*. In : Cultivation and utilization of medicinal Plants (C.K. Atal and B.M. Kapur, eds.), RRL (CSIR), Jammu.p.368-374.
- Rajamani, K and R.S. Azhakiyamanavalan. 2000. Hand book on cultivation of medicinal and aromatic plants. Harshini publication, pp: 28-32.
- Rajasekar, G. 1995. Studies on organic and inorganic farming in Bhendi (*Abelmoschus esculentus* L.). M.Sc (Hort) Thesis submitted to Tamilnadu Agricultural University, Coimbatore, India.
- Raju, R.A. 1979. Response of dwarf indica rice to various levels and sources of N on sandy loam soils. *Int. Rice. Comm. News!*, 28(2): 32-34.
- Ramesh, G., M.B. Shivanna and A. Santaram. 2011. Interactive influence of organic manures and inorganic fertilizers on growth and yield of *Andrographis paniculata* Nees. *International Res. J., of Plant Sciences.* 2(1): 16-21
- Ramesh Babu, T.I. 1996. Nutritional studies in Ashwagandha. M.Sc (Hort) Thesis submitted to Tamilnadu Agricultural University, Coimbatore, India
- Randhawa, G.S. and B.S. Gill. 1982. The effect of row spacing and nitrogen levels on growth and yield of Fennel. Paper presented at the Fourth Workshop 0 1 1 Medicinal and Aromatic plants, Madurai, 1982.

- Rao, C.R. 1952. Advanced statistical methods in biometrics research. John Wiley and Sons, New York. 390p.
- Rao, D.L.N. 2007. Microbial diversity, soil health and sustainability. *Journal of the Indian Society of Soil Science*. 55(4): 392-403.
- Ravikumar, R.V. and **K.K.** Krishnamoorthy, 1980. Effect of soil amendments on the chemical properties of vertisols and yield of finger millet. *Madras Agric. J.*, 67 : 369-374.
- Ravikumar, R.V. and K.K. Krishnamoorthy. 1975. Effect of recycling of organic wastes on plant growth and physiological properties of soil. In: **Annual report of all Indian Co-ordinated Research Project for the improvement of soil physical conditions to increase agricultural production of problem soils**, Coimbatore, **pp.91-94**.
- Ravindran, P.N. and M.A. Menon. 1982. Laboratory screening of Cocoa genotypes for drought tolerance. **Planter (Malaysia)**, 58: 334 -339.
- Rawat, R.B.S. and G.P. Garg. 2005. Medicinal plants: trade and commerce opportunities with India. *The Indian Forester*, 131 (3):275-287.
- Ray,P.K. 1999. Orchard management. Bose T.K. editors. Naya prokash publishers, Calcutta, India, p.43-45.
- Raychoudhuri, S.P. 1977. Integrated nutrient supply for increased soil productivity. **Indian Soc. Soil ScL**, 24: 444-456.
- Rebecca, W, O. Kayser, H. Hagels, Karl-FI Zessin, M. Madundo and Nkwengulila Gamba. 2003. The phytochemical profile and identification of main phenolic compounds from the leaf exudates of *Aloe secundiflora* by high-performance liquid chromatography-mass spectroscopy: **Phytochemical Analysis**, 14(2):83-86.
- Reynolds.G.W.1950. The aloes of South Africa: Aloes of South Africa book fund. Johannesburg.
- Reynolds, G.W. 1966. The Aloe of tropical Africa and Madagascar. The Aloes Book Fund, Wsaziland.
- Reynolds, T and A.C. Dweek. 1999. *Aloe vera* leaf gel: A review update. **Journal of Ethno Pharmacology**. 68:3-37.
- Reynolds, T.1985a. The compounds in *Aloe vera* leaf exudates: A review. **Botanical Journal of the Kinn Society**. 90:15-159.

- Reynolds, T. 1985b. The compounds in aloe leaf exudates: a review. *Botanical Journal of the Linnean Society*. 90:157-177.
- Richards, R.A. 1978. Manipulation of leaf area and its effects on grain yield in draughted Wheat. *Aust. J. Agric. Res.*, 34: 23-31.
- Robinson, N.F. 1966. Quantitative genetics in relation to breeding on the continual of Mendelism. *Indian J. Genet PL Breed.*, 26: 171-187.
- Rodriguez-Garcia, R., D. Jasso de Rodriguez, J.A. Gil-Marin, J.L. Angulo-Sanchez and R.H. Lira-Saldivar. 2007. Growth, stomatal resistance and transpiration of *Aloe vera* under different soil water potentials. *Industrial Crops and Products*. 25: 123-128.
- Ronde, J. A., A.V. Mescht and H.S.F. Steyn. 1999. Proline accumulation in response to drought and heat stress in cotton, African Crop **Sci. Soc.** 1-11.
- Rowe, R.D and L.M. Parks. 1941. Phytochemical study of *Aloe vera* leaf. *Journal of the American pharmaceutical Association*. 30:262-266.
- Ruth Beulah Rani, A. 1999. Studies on the evaluation of random mating population of Cassava (*Manihot esculenta*). M.Sc (Hort) Thesis submitted to the Tamilnadu Agricultural University, Coimbatore, Tamilnadu, India.
- Saha,R, S. Patil, B.C. Ghosh and B.N. Mitra. 2005. Performance of *Aloe vera* as influenced by organic and inorganic sources of fertilizers applied through fertigation. *Acta Horticulturae*. 676:171-175.
- Saini, V, R.K. Goel, J.K. Bhatt and R. Rangdale. 2007. Good Agricultural Practices for medicinal plants. *International J. of Green Pharmacy*. 1(1): 7-11.
- Saikia, L.R and U. Sristisri. 2011. Antioxidants activity, phenol and flavonoid content of *Asparagus racemosus* - a medicinal plant grown using different organic manures. *Research J. of Pharmaceutical, Biological and Chemical Sciences*. 2(2): 457-463.
- Sakai, R., A.P. Singh, R.B. Singh and G.S. Bhogal. 2000. Annual progress reports, All India Coordinated Research Project on micro and secondary nutrients and pollutant elements in soil and plant. Dept. Soil Sci, R.A.V., Pusa, Samastipur, India.
- Samra, J.S., S.S. Saini and D.S. Bains. 1977. Influence of row spacing and N & P application on the fresh herb and oil yield of Palmarosa (*Cymbopogon martini* var. *motia*). *Indian perfumer*. 21(1): 44-46.

- Sanchita, C and M. Usha. 2001. *Aloe vera* L. micro propagation and characterization of its gel. *Phytomorphology*. 51(2); 155-157.
- Sandhu, R.S and O.P. Meelu. 1974. The effect of phosphorous, potassium and FYM on the build-up and depletion of nutrients in a fixed wheat-maize rotation. *J. Res. Ludhiana*, 11:182-186,
- Sankaran, K. 1977. Studies on comparative efficacy of certain organic manures on crop yield and nutrient uptakes. M.Sc (Agri) Thesis submitted to TamilNadu Agricultural University, Coimbatore, India.
- Santhi. V.P. 1996. Effect of plant density, N levels and biofertilizers on growth, herbage and essential oil yield of Palmarosa. M.Sc (Hort) Thesis submitted to TamilNadu Agricultural University, Coimbatore, India.
- Saravanakumar, M. 2000. Crop Improvement in Tuberose. M.Sc (Hort) Thesis submitted to the Tamilnadu Agricultural University, Coimbatore, India.
- Saravanan, T. 2007. Effect of bioinoculants in combination with organic manure and inorganic fertilizers on growth, yield and quality of Mandarin orange (*Citrus reticulata*). M.Sc (Hort) Thesis submitted to TamilNadu Agricultural University, Coimbatore, India.
- Sekharan and Sarathi. 1975. Cytogenetics and plant breeding. Ed: P. Varadhachary & Co., Madras.
- Selvakumari, G. 1981. Studies on the effect of P, K and FYM on soil properties, nutrition and yields of crops viz., sorghum and bajra in a fixed rotation. Ph. D Thesis submitted to TamilNadu Agricultural University, Coimbatore, India.
- Senthilkumar , T., V Swamunathan, A. Sadasakthi and R. Balasubramanian. 2006. Influence of nitrogen and phosphorous along with biofertilizers on yield, constituents of essential oil and soil available nutrients of Davana (*Artemisia pallens*). **Journal of Medicinal and Aromatic Plant Sciences**. 28: 182-186.
- Shanmugam, A.S. 1983. Genetic diversity for fodder characteristics in cluster bean. **Andhra Agric. J.**, 30 (1): 38-42.
- Sharma, B.B., R. Singh and Y.K. Sharma. 1974. Effect of foliar application of some nutrients on the mineral composition and chlorophyll contents of Sweet orange. **Indian J. Hort**, 27: 21-24.
- Sharma, B.D., S. Karthikeyan and N.P. Sing. 1996. The Flora of Maharashtra State - Monocotyledons: 115. Botanical **Survey of India**, Howrah.

- Sharma, J.P., A.K. Singh, Sateshkumar and N.Sharma. 2006. Correlation and path studies for selection parameters in Okra. Haryana J. **Hortic. Sci.**, 35(1&2): 166-169.
- Sharma, R.P., N. Dah and K.P. Sharma. 2003. Combined application of nitrogen, phosphorous, potassium and FYM in onion (*Allium cepa* L.) under high hills, dry temperate conditions of north-western Himalayas. Indian J. Agric. Sci., 73: 225-227.
- Sharma, S.S. and V. Suri. 2005. Genetic divergence in relation to geographical origin/pedigree in wheat (*Triticum aestivum* L.). Crop **Improv.**, 32: 14-19.
- Shelton, R.M. 1991. *Aloe vera* its clinical and therapeutic properties. International Journal of **Deramatology**. 30(10):679-683.
- Sheteawi,S.A., K.M. Tawfik and Z.A. El-Gawad. 2001. Water relations, transpiration rate, stomatal behaviour and leaf sap pH of *Aloe vera* and *Aloe eru*. Egyptian **Journal of Biology**. 3 (Botany): 140-148.
- Shukla, S., P.K.Singh and V.K. Garg. 2003. Study on genetic variability and heritability in Fennel grown on sodic soils. Journal of Medicinal and Aromatic Plant Sciences.25:956-958.
- Simposn, K. 1986. Fertilizers and manures. Pub. Longman Group Ltd. Longaman house, England.
- Singh, T.N., D. Aspinall and L.G. Paleg. 1972. Proline accumulation and varietal adaptability to drought in Barley: A potential metabolic measure drought resistance. Nature new Biol., 236: 188-190.
- Singh, N.P., M.C.Saxena and N. Kewala. 1977. Effect of dates of planting, row spacings and rates of nitrogen application on the herb yield of *Mentha arvensis* L. Indian perfumer, 21(2): 83-85.
- Singh, N.P and K. Nand. 1979. Response of *Mentha citrata* to dates of planting and row spacing. Indian Perfumer. 23: 50-52.
- Singh, K.D., R.N.S. Verma and S.S. Lohia. 1980. Effect of continuous application of FYM and chemical fertilizer on some soil properties. J. Indian Soc. Soil **Sci.**, 28:170-172.
- Singh, B.P., M. Singh and V.C. Shula. 1983. Forms of potassium in some soils of different agro climatic regions of Eastern Haryana. J. Indian Soc. Soi. **Sci.**, 32:31-37.



- Singh, H.P., T.A.Singh and R.P. Pareek. 1985. Effects of phosphate solubilizers on the solubility of native phosphorous and applied rock phosphate in the soil. Proceedings of Soil Biology Symposium, Hissar: 149-154.
- Singh, R.K. and B.D. Choudhary, 1985. Biometrical methods in quantitative genetic analysis. Kalyani Publishers, New Delhi, India.
- Singh, B., Y Sing, U.S. Sadana and O.P. Meelu. 1992. Effect of green manure - wheat straw and organic manures on DTPA extractable Fe, Mn, Zn and Cu in a calcareous sandy soil at field capacity and under water logged conditions. **J. Indian Soc. Soil Sci.**, 40: 114-118.
- Singh, B.M, V.K. Srivastava, M.A. Kidwai, G. Veena, Rajendra Gupta. 1995. Advances in Horticulture Vol. II. Chadha KL, Rajendra Gupta editors. **Medicinal and Aromatic Plants**. Malhotra publishing house, New Delhi p:513-525.
- Singh, M. 1996. Effect of irrigation and plant spacing on herb and oil yields of Patchouli (*Pogostemon patchouli*) under semi- arid tropical conditions. J. Medicinal and **Aromatic Plant Sciences**. 18: **487-488**.
- Singh, G.R., K.S. Pandya, K.K, Choudhary and R.B. Sharma. 1997. Biofertilizers in crop production. **Indian Farming**, 46 (10):34-36.
- Singh, V.P., 2000. Standardization of cultural practices in *Phyllanthus amarus*. M.Sc (Hort) Thesis submitted to University of Agricultural Sciences, Bangalore, India.
- Singh, B. 2001. Genetic divergence in Black gram. **Legumes Res.**, 24: 54-56.
- Singh, S.P. and I.N. Das. 2003. Effect of nitrogen in increasing the yield of pine apple (*Ananas comosus*) cv. Kew. **The Orissa J. Hort.**, 31(2): 96-97.
- Singh, J.N., A.K. Singh, B.P. Singh and S.K. Singh. 2006. Studies on genetic variability, correlation and path analysis in Gladiolus. **Progressive Horticulture**. 38(2): 262-265.
- Sinha, N.C. and B.D. Patil. 1986. Screening Barley varieties for drought resistance. **Plant Breed.**, 97: 13-19.
- Sivasubramanian, K and M. Ganeshkumar. 2000. Influence of vermiwash on the growth attributes of Vanilla. In: Proceedings of the National level conference on eco-friendly techniques for sustainable development, 102p, PSG College of Arts of Science, Coimbatore, India

- Sivasitbramanian, S and P. Madhavamenon. 1973. Path analysis of yield components in Rice. *Madras Agricultural Journal*. 60: 1217-1221.
- Smith, G.F and B.E.Van-Wyk.1998. Asphodelaceae. In:Kubitzki K, Ed. The families and genera of vascular plants, Berlin: Springer-Verlag. 30:140.
- Smitha J.K., P.K. Sushama and P. Gopinath. 2007. Vermicomposting - A review of work done at Kerala. **Indian J. of Arecanut, Spices and Medicinal Plants**. 9(4): 179-185.
- Somani, L.L., S.C. Bhandari, S.N. Saxena and I.J. Gulabi. 1990. Phospho microorganisms. In: Biofertilizers, Scientific Publishers, Jodhpur, pp. 271-294.
- Sporke, D.G. and B.R. Ekins. 1980. *Aloe vera* : Fact or quackery? **Veterinary and human toxicology**. 22: 418-424.
- Sreeramu, B.S. and A.A. Farooqi. 1996. Influence of N levels and row spacing on seed yield and uptake of major nutrients in Roselle (*Hibiscus subderiffa*). **Indian J. Forestry**, 19(4): 349-354.
- Srinivasan, C.S. and A. Santaram. 1999. Coffee germplasm conservation and utilization in the Indian context. In Improvement or plantation crops. Ed: Nampoothiri, K.V.K, Central Plantation Crops Institute, Kasaragod, Kerala, India; 122-123.
- Srivastava, V.K., B.M. Singh, Veena Gupta, N.K.Chaudhari and R. Gupta. 1990. Variability in Indian Aloe. **Indian J .Plant Genet. Resources**. 3(2):93-96.
- Stanford, G. and L. English. 1949. Use of Flame photometer in rapid soil test for K and Ca. **Agron. J.**, **53**: 187.
- Stickler, F.C., S. Wearden and A.W. Pauli. 1961. Leaf area determination in grain sorghum. *Agron.J.*, 53:187.
- Subbarao, N.S., K.V.B.R. Tilak, M. Mahalakshmi and S.Singh. 1980. *Azospirillum* - A new bacterial fertilizer. **Indian Farming**, 30 (5): 3-5.
- Subbarao. N.S. 1981. Contribution of biofertilizers in supplementing nitrogen requirements. **Indian Farming**, 31 (7): 13-16.
- Subbiah, B.V. and G.E. Asija. 1956. A rapid procedure for the estimation of available nitrogen in soil. **Curr. Sci.**, 25: 259-260.
- Subramanian, N. 1977. Studies on drought tolerance in hybrid derivatives of Rice. M.Sc (Agri) thesis submitted to the Tamilnadu Agricultural University, Coimbatore, India.

- Sudha, S, 2002. Evaluation of ecotypes and standardization of agro techniques in Checkurmanis. M.Sc (Hort) thesis submitted to the Tamilnadu Agricultural University, Coimbatore, India.
- Sugito, Y. and Mahuchah. 1995. Influence of rates of FYM and Kel on growth, yield and quality of young ginger. *Agrivita*. 18(2): 67-73.
- Suleimanov, I.B., L.P. Khokhlova and K. Bezuglov. 1974. Methods of evaluating plant resistant to unfavourable environmental conditions. *Plant Breed. Abstr.*, 44: 4963.
- Sulochana and Alice Tirkey. 2006. Vermicompost - a useful organic manure. **Agricultural Update**. 1(3): 57.
- Suman, C.L., S.D. Wahi and S.K. Bhattacharj ee. 1984. Genetic divergence in Dahlia. **Indian J. of Hort.**, 41 (3 & 4): 299-303.
- Sundharaiya, K., V. Ponnuswamy and S. Velmurugan. 2003. Effect of FYM, sulphur and different sources on herbage and seed yield of sweet basil (*Ocimum basilicum*). **South Indian Hort**, (51(1-6): 93-95.
- Sunil, N.K and N. Manjula. **2009**. Role of Krishi Vigyan Kendra in technology transfer to crate awareness on vermicompost technology. **Agriculture Update**. **4(1 &2): 3-7**.
- Surendra, S., Tomar Mohd Abbas, Trilochan Singh and K.B. Nigam.1994. Effect of phosphate-solubilizing bacteria and phosphate in Opium poppy (*Papaver somniferum*). **Indian J. Agronomy**. 39(4):713-714.
- Suresh, M.J. 1997. Growth, yield and quality of garlic (*AUium sativum* L.) as influenced by spacing and manures. M.Sc (Agri) Thesis submitted to University of Agricultural Sciences, Dharwad, India.
- Taylor, H.M. and B. Klepper. 1978. The role of rooting characteristics in the supply of water in plants. **Advances in Agronomy**. 110: 5-11.
- Tchou, M.T. 1943. *Aloe vera* (Jelly leeks). **Archives of Dermatology and Syphiology** 47:249.
- Tewari, D.N. 2005. Report of the task Force on Conservation and Sustainable use of Medicinal Plants, Government of India, Planning Commission: 1-85.
- Thomas. G.V. and Santaram. 1984. In-situ cultivation and incorporation of green manure legumes in coconut basins. **Plant and Soil**. 80: 373-380.
- Tisdale, S.L. and W.L. Neslon.1956. Soil fertility and fertilizers. Third Ed. Collier Machmillan Publishers, London, p. 499.

- Tisdall, J.M. and J.M. Oades.1982. Organic matter and water-stable aggregates in soils. **Journal of Soil Science**. 33: 141-163.
- Tiwari, R.J and R.N.S.Banafar. 1995. Application of nitrogen and phosphorous increase seed yield and essential oil of coriander. *J.I.C.A.S: XLX (2): 51-55.*
- Trease, G.E. and W.C. Evans. 1983. *Pharmacognosy*, 11<sup>th</sup> ed. Brailliere, Tindall, London. Pp.404-408.
- Trivedi, K. (Editor). 1963. *Dhanvantari - Vanaushadhi Visheshank Part 2: 486-497*, Aligarh,
- Tyagi, I.D. 1978. Analysis of fodder yield components in cluster been. **Plant - Science**, 10: 33-37.
- Tyler, V. **1993.***The Honest Herbal: A sensible Guide to the use of herbs and Related Remedies*, third edition. Binghamton, NY: Pharmaceutical Products Press.
- Ugbaja, R.A.E. 1996. Growth and response of castor oil plant to sources and rates of organic manures in Ferralitic soils. **Biol. Agric. Hort.**, 13:291-299.
- Uyanoz, R., U. Cetin, M. Zengin and K.Gur. 2002. Effect of different organic wastes on nitrogen mineralization of and organic carbon contents of soil: International Conference on Sustainable land Use and Management, Canakkale, Turkey, pp. 223-228.
- Van Wyk, B.E., M. C.B. Van Rheede Van Oudtshoorn and G.F.Smith. 1995. Geographical variation in the major compounds of *Aloe ferox* leaf exudates. **Planta Medica**. 61:250-253.
- Vander Bank.M B.E. Van Wyk and H, Vander Bank. 1995. Biochemical genetic variation in four wild populations of *Aspalathus linearis* (Rooibos tea). **Biochemical Systematics and Ecology**. 23(3): 257-262.
- Varalakshmi, B., Y.N. Reddy and B.M. Reddy. 1994. Genetic diversity in ridge gourd (*Luffa accutangula* L.). **Indian. J. Gent**. 48: 131-134.
- Vasumathi, R. 2001. Effects of organic manures, biofertilizers and plant density on growth, herbage and alkaloid yield of *Phyllanthus amarus*. M.Sc (Hort) Thesis submitted to TamilNadu Agricultural University, Coimbatore, India.
- Velmurugan, M., N. Chezhiyan and M. Jawaharlal. 2007. Effect of organic manures and biofertilizers on nutrition content and nutrient uptake in Turmeric cv. BSR 2. *An Asian J. of Soil Science*, 2(2): 113-117.

- Venkatesha Gowda, T.N., A.A. Farooqi, S. Thilak and B. Raju. 1991. Influence of plant density, nitrogen and phosphorous on growth, yield and essential oil content of Chamomile (*Matricaria chamomilla* L.). Indian perfumers. 35(3): 168-172.
- Verma, M.P. and M.S.S.R. Kankc. 1969. Selection of intercrops for cotton in India. Exptl. Agric. 5: 223-230.
- Vijayabarathi. 2002. Integrated nutrient management of Ashwagandha (*Withania somnifera*. Dunal) for growth, yield and quality. M.Sc (Hort) Thesis submitted to Tamilnadu Agricultural University, Coimbatore, India.
- Vijayakumar, I., R. Chandrasekhar and M. Rajkumar. 2007. Effect of plant growth regulators and weight of the suckers oil establishment and subsequent growth of *Aloe vera*. J. Res. ANGRAU. 35(2): 23-27.
- Vijayanathan, K., M. Ganesh Kumar and D. Gopi. 2007. Effect of vermi-products on growth and biomass production of jasmine at different growth stages. Indian J. Hort. 64(1): 106-108.
- Vogler, B.K. and E.Ernst. 1999. *Aloe vera*: a systematic review of its clinical effectiveness. British Journal of General Practice. 49:823-828,
- Vyas, S.E. and A. Vyas. 1994. Potential biofertilizers in crop production in Indian Agriculture. In: Organic farming: Selected lectures (Eds.) Shroff, V.N., V.S. Rahore, N. Ray, H.K. Kliosla and K.K. Saxena. Organized by Government of India, Government of Madya Pradesh and JNAU, Jabalpur. College of Agriculture, Indore, M.P., pp. 10-26.
- Wahab, M.A and P.K. Gopalakrishnan. 1993. Genetic diversity in bitter gourd (*Momardica charantia* L.). **South Indian Hort.**, 41: 131-134.
- Wang, F. Z., Q.B. Wang, S.Y. Kwon, S.S. Kwak and W.A. Su. 2005. Enhanced drought tolerance of transgenic rice plants expressing a pea manganese superoxide dismutase. J. Plant Physiol. 162, 465-472.
- Wang, L.I., S. Zheng , L.I. Zhilin and G.U.Zhijian. 2001. A preliminary study on the polyploid induction and variation of *Aloe vera*. Acta Botanica **Yunnanica**. 23(4):493-496.
- Wang, Y.T and K.J. Strong. 1993. Monitoring physical and chemical properties of freshly harvested field grown *Aloe vera* leaves. A preliminary report; **Phytotherapy Research**. 7:51-54.

- Wang, Y.T. and K.J. Strong. 2002. Two year study monitoring several physical and chemical properties of field-grown *Aloe barbadensis* leaves, [www.iasc.org](http://www.iasc.org) - an official website of International Aloe Science Council.
- Wange, S.S. 1995. Response of garlic to combined application of bio-fertilizers and fertilizers. *J. Soils and Crops*. 5: 115-116.
- Wang-Li, Zheng-Sixiang, Li-Zhilin and Gu-Zhijian. 2002. A preliminary study on the polyploidy induction and variation in *Aloe vera*. **Acta-Botanica-Yunnanica**. 23(4): 493-496.
- Watson, D.J. 1956. Comparative physiological studies on the growth of field crops. I. Variation in net assimilation rate and leaf area between species and varieties and within and between years. **Ann, Bot**, 11: 41-76.
- Weatherley. 1950. Studies on the water relation of the cotton plant. The field measurement of water deficit in leaves. *New phytol*, 49: 81-97.
- Weil, R.R. and W. Kroontje. 1979. Physical conditions of Davidson clay loam after five years of poultry application. **J. Environ. Quai**, 8 : 387-392.
- Williams, R.F. 1946. The phenology of plant growth with special response to the concept of net assimilation rate. **Ann. Bot.**, 10: 41-72.
- Yadav, O.P., P.K. Verrna and C.S. Tyagi. 2007. Studies on variability, correlation and path coefficient in Safed musli. **Internal. J. Plant Sci**. 2(2):76-78.
- Yadav, S, K., N. Jyothi Lakshmi, M. Maheswari, M. Vanaja and B. Venkateswarlu. 2005. Influence of water deficit at vegetative, anthesis and grain filling stages on water relation and grain yield in sorghum. **Indian J. Plant Physiol**. 10, 20-24.
- Yagi, A, K.Makino, I. Nishioka and Y. Kuchino.1977. *Aloe* mannan polysaccharides from *Aloe arborescens* var. *natalensis*. **Lanta Medica**. 31:17-20.
- Yagi, A., K. Hamada, K. Mihashi, N.Harada and I. Nishioka.1984. Structure determination of polysaccharides in *Aloe saponaria* (Hill) Haw.(Liliaceae). **Journal of Pharmaceutical Sciences**. 73:62.
- Yancy, P.H., M.E. Clark, S.C. Hand, R.D. Bowlus and G.N. Somero. 1982. Living with water stress: evolution of osmolytes systems. **Science**. 217: 1214 - 1223.
- Yaron, A. 1993.Characterization of *Aloe vera* gel before and after auto degradation and stabilization of the natural fresh gel. **Phytother Res** 7. (Spe. Issue, procds. Of the int Congress of phytptherapy, 1991); S-11-S13 (in CA 120:116566-q,1994).

- Yepez, L.M., M.L. Diaz, E. Granadillo and F. Chacin. 1993. Optimum frequency of irrigation and fertilizer application in *Aloe vera* (L.). **Turrialba. 43(4):261-267.**
- Yogceswaran, G., S. Anbarasu and S. N. Karthick. 2005. *Aloe vera* : A miracle herb. Herbal Tech Industry. 1 (8 ): 17-22.
- Yoshida, S., D.A. Feme, J.K. Cook and K.A. Gomez. 1976. Laboratory manual for physiological studies of rice. IRRI, Los Banos, Philippines, pp. 6-18.
- Zhu J.K, 2002. Salt and drought stress signal transduction in plants. Ann. Rev. Plant Biol.53, 247-273.
- Zonta, F, P. Bogoni, P. Massoti and G. Micali. 1995. High performance liquid chromatographic profiles of *Aloe* constituents and determination of aloin in beverages with reference to the EEC regulation for flavouring substances. Journal of Chromatography. 718: 99-106.