

LIST OF TABLES

Table No.	Title	Page No.
1	Constituents of <i>Aloe vera</i> leaves	14
2	Origin or places of collection of accessions of <i>Aloe vera</i> and its code numbers	42
3	Procedures adopted for estimation of chemical properties of manures	64
4	Enumeration techniques of microbial populations in rhizosphere and non-rhizosphere soils	65
5	Characterization of twenty one accessions of <i>Aloe vera</i> by qualitative attributes	68
6	Plant height (cm) of different accessions of <i>Aloe vera</i> at different growth stages	74
7	Plant Spread (cm) (North – South) of different accessions of <i>Aloe vera</i> at different growth stages	75
8	Number of suckers plant ⁻¹ of different accessions of <i>Aloe vera</i> at different growth stages	76
9	Number of leaves plant ⁻¹ of different accessions of <i>Aloe vera</i> at different growth stages	77
10	Leaf length (cm) of different accessions of <i>Aloe vera</i> at different growth stages	80
11	Leaf width (cm) in different accessions of <i>Aloe vera</i> at different growth stages	81
12	Leaf thickness (cm), leaf volume (cm ³) and gel: peel ratio of different accessions of <i>Aloe vera</i> at 240 DAP	82
13	Mean leaf weight (g) of accessions of <i>Aloe vera</i> at different harvests	85
14	Number of leaves harvested plant ⁻¹ of accessions of <i>Aloe vera</i> at different harvests	86
15	Leaf yield plant ⁻¹ (g) of accessions of <i>Aloe vera</i> at different harvests	87
16	Leaf yield plot ⁻¹ (kg) of different accessions of <i>Aloe vera</i>	90
17	Leaf yield ha ⁻¹ (t) of different accessions of <i>Aloe vera</i>	91
18	Gel yield leaf ⁻¹ (g) of accessions of <i>Aloe vera</i> at different harvests	92
19	Gel yield plant ⁻¹ (g) of accessions of <i>Aloe vera</i> at different harvests	93

20	Gel yield plot ⁻¹ (kg) of different accessions of <i>Aloe vera</i> at different harvests	94
21	Gel yield ha ⁻¹ (t) of different accessions of <i>Aloe vera</i> at different harvests	95
22	Wet latex yield leaf ⁻¹ (g) of accessions of <i>Aloe vera</i> at different harvests	98
23	Wet latex yield plant ⁻¹ (g) of accessions of <i>Aloe vera</i> at different harvests	99
24	Wet latex yield plot ⁻¹ (g) of accessions of <i>Aloe vera</i> at different harvests	101
25	Wet latex yield ha ⁻¹ (kg) of accessions of <i>Aloe vera</i> at different harvests	102
26.a	Quality parameters of different accessions of <i>Aloe vera</i>	104
26.b	Quality parameters of different accessions of <i>Aloe vera</i>	105
27	Chlorophyll content (mg g ⁻¹) and Chlorophyll stability index (%) of different accessions of <i>Aloe vera</i>	108
28	Stomatal index, stomatal frequency and proline content of different accessions of <i>Aloe vera</i>	109
29	Relative water content and water saturation deficit of different accessions of <i>Aloe vera</i>	110
30	Range of variation in growth, yield and quality characters of twenty one <i>Aloe vera</i> accessions	113
31	Allied genetic parameters of different traits in accessions of <i>Aloe vera</i>	114
32	Correlation coefficients among growth characters with leaf yield plant ⁻¹ (g), gel yield plant ⁻¹ (g) and barbaloin content (%) of accessions of <i>Aloe vera</i>	118
33	Estimates of genotypic and phenotypic correlation coefficients among the different traits in <i>Aloe vera</i>	119
34	Clustering pattern of twenty one <i>Aloe vera</i> accessions collected across South Indian states	126
35	Inter and intra cluster distances and divergence (D ² values) among five clusters of <i>Aloe vera</i> accessions	127
36	Cluster means of accessions of <i>Aloe vera</i> for various characters	128
37	Contribution of individual characters towards genetic divergence in <i>Aloe vera</i>	129

38	Path coefficient analysis showing direct and indirect effects of different traits on leaf yield plant ⁻¹ of <i>Aloe vera</i>	132
39	Effect of different levels of spacing and forms of manures on plant height (cm) at different growth stages of <i>Aloe vera</i>	138
40	Effect of different levels of spacing and forms of manures on plant spread (cm) (north-south) at different growth stages of <i>Aloe vera</i>	139
41	Effect of different levels of spacing and forms of manures on number of leaves plant ⁻¹ at different growth stages of <i>Aloe vera</i>	140
42	Effect of different levels of spacing and forms of manures on leaf length (cm) at different growth stages of <i>Aloe vera</i>	141
43	Effect of different levels of spacing and forms of manures on leaf width (cm) at different growth stages of <i>Aloe vera</i>	142
44	Effect of different levels of spacing and forms of manures on leaf thickness (cm) at different growth stages of <i>Aloe vera</i>	143
45	Effect of different levels of spacing and forms of manures on leaf volume (cm ³) at different growth stages of <i>Aloe vera</i>	144
46.a	Effect of different levels of spacing and forms of manures on leaf area (cm ²) at different growth stages of <i>Aloe vera</i>	150
46.b	Effect of different levels of spacing and forms of manures on leaf area (cm ²) at different growth stages of <i>Aloe vera</i>	151
47.a.	Effect of different levels of spacing and forms of manures on leaf area index at different growth stages of <i>Aloe vera</i>	152
47.b.	Effect of different levels of spacing and forms of manures on leaf area index at different growth stages of <i>Aloe vera</i>	153
48	Effect of different levels of spacing and forms of manures on total chlorophyll content of leaves (mg 100g ⁻¹) at different growth stages of <i>Aloe vera</i>	155
49.a	Effect of different levels of spacing and forms of manures on shoot fresh weight (g) at different growth stages of <i>Aloe vera</i>	156
49.b	Effect of different levels of spacing and forms of manures on shoot fresh weight (g) at different growth stages of <i>Aloe vera</i>	157
50	Effect of different levels of spacing and forms of manures on root fresh weight (g) at different growth stages of <i>Aloe vera</i>	158
51	Effect of different levels of spacing and forms of manures on shoot dry weight (g) at different growth stages of <i>Aloe vera</i>	161

52	Effect of different levels of spacing and forms of manures on root dry weight (g) at different growth stages of <i>Aloe vera</i>	162
53	Effect of different levels of spacing and forms of manures on dry matter produced (DMP) plant ⁻¹ (g) at different growth stages of <i>Aloe vera</i>	163
54	Effect of different levels of spacing and forms of manures on Relative Growth Rate (RGR) plant ⁻¹ (g g ⁻¹ day ⁻¹) at different growth stages of <i>Aloe vera</i>	164
55	Effect of different levels of spacing and forms of manures on Crop Growth Rate (CGR) plant ⁻¹ (g m ⁻² day ⁻¹) at different growth stages of <i>Aloe vera</i>	165
56	Effect of different levels of spacing and forms of manures on Net Assimilation Rate (NAR) plant ⁻¹ (g cm ⁻² day ⁻¹) at different growth stages of <i>Aloe vera</i>	166
57	Effect of different levels of spacing and forms of manures on number of leaves harvested plant ⁻¹ at different harvests of <i>Aloe vera</i>	174
58.a	Effect of different levels of spacing and forms of manures on mean leaf weight (g) at different harvests of <i>Aloe vera</i>	175
58.b	Effect of different levels of spacing and forms of manures on mean leaf weight (g) at different harvests of <i>Aloe vera</i>	176
59.a	Effect of different levels of spacing and forms of manures on leaf yield plant ⁻¹ (g) at different harvests of <i>Aloe vera</i>	179
59.b	Effect of different levels of spacing and forms of manures on leaf yield plant ⁻¹ (g) at different harvests of <i>Aloe vera</i>	180
60.a	Effect of different levels of spacing and forms of manures on number of leaves harvested plot ⁻¹ at different harvests of <i>Aloe vera</i>	182
61.b.	Effect of different levels of spacing and forms of manures on number of leaves harvested plot ⁻¹ at different harvests of <i>Aloe vera</i>	183
61.a	Effect of different levels of spacing and forms of manures on leaf yield plot ⁻¹ (kg) at different harvests of <i>Aloe vera</i>	184
61.b	Effect of different levels of spacing and forms of manures on leaf yield plot ⁻¹ (kg) at different harvests of <i>Aloe vera</i>	185
62.a	Effect of different levels of spacing and forms of manures on leaf yield ha ⁻¹ (t) at different harvests of <i>Aloe vera</i>	187

62.b	Effect of different levels of spacing and forms of manures on leaf yield ha ⁻¹ (t) at different harvests of <i>Aloe vera</i>	188
63.a	Effect of different levels of spacing and forms of manures on gel yield leaf ⁻¹ (g) at different harvests of <i>Aloe vera</i>	190
63.b	Effect of different levels of spacing and forms of manures on gel yield leaf ⁻¹ (g) at different harvests of <i>Aloe vera</i>	191
64.a	Effect of different levels of spacing and forms of manures on gel yield plant ⁻¹ (g) at different harvests of <i>Aloe vera</i>	193
64.b	Effect of different levels of spacing and forms of manures on gel yield plant ⁻¹ (g) at different harvests of <i>Aloe vera</i>	194
65.a	Effect of different levels of spacing and forms of manures on gel yield plot ⁻¹ (kg) at different harvests of <i>Aloe vera</i>	195
65.b	Effect of different levels of spacing and forms of manures on gel yield plot ⁻¹ (kg) at different harvests of <i>Aloe vera</i>	196
66.a	Effect of different levels of spacing and forms of manures on gel yield ha ⁻¹ (t) at different harvests of <i>Aloe vera</i>	198
66.b	Effect of different levels of spacing and forms of manures on gel yield ha ⁻¹ (t) at different harvests of <i>Aloe vera</i>	199
67.a	Effect of different levels of spacing and forms of manures on quality parameters of <i>Aloe vera</i>	201
67.b	Effect of different levels of spacing and forms of manures on quality parameters of <i>Aloe vera</i>	202
68	Effect of different levels of spacing and forms of manures on N, P and K content (%) of leaves of <i>Aloe vera</i>	203
69	Effect of different levels of spacing and forms of manures on total soil microbial population (x 10 ⁵ g ⁻¹ of soil) and <i>Azospirillum</i> population in non-rhizosphere and rhizosphere soils (x 10 ⁴ g ⁻¹ of soil)	204
70	Economics of different treatment combinations (spacing x forms of manure) in <i>Aloe vera</i>	205