

## References

- [1] Tresca, Memoire sur le rabotage, des Metaux, Bulletin de La Societe, Encouragement pour l' Industrie Nationale,(1873).
- [2] Thime, I., Memoir Sur Le Rabotage de Me taux St. Petersburg, Russia (1877).
- [3] Reuleaux, F. Uber den Taylor Whiteschen Werkzeugstahl, in Verein zur Beforderung des Gewerbefleisses in Preussen, Sitzungsberichte, vol. 79, p.179, (1900).
- [4] Taylor, F.W., On the art of metal cutting metals, Trans. ASME, vol.28,p.31, (1907).
- [5] Coker, E. G. and Chakko, K. C., An account of some experiments on the action of cutting tools, *Proc. Instn. Mech. Engrs*, April, 567-621, (1922).
- [6] Woxen, R., A theory and equation for the tool life of lathe tools, IVA Handlingar, Stockholm, 119, (1932).
- [7] Ernst H. and Merchant M. E., Chip Formation, Friction and Finish, Cincinnati Milling Machine Company, Cincinnati, Ohio, (1941).
- [8] Merchant M. E., Mechanics of the metal cutting process II, Plasticity conditions in orthogonal cutting., *J. Appl. Phys.*, 16, 318-324, (1945).
- [9] Pissipanen, V., Theory of formation of metal chips, *Journal of Applied Physics*, Vol.10, 10, 876, (1948).
- [10] Hill, R., *Mathematical Theory of Plasticity*, Oxford University Press, (1950).
- [11] Hill, R., On the state of stress in a plastic-rigid body at the yield point, *Phil. Mag.* 42 (7th series), 868-875, (1951).

- [12]Lee, E. H. and Shaffer, B. W., The theory of plasticity applied to a problem of machining, *Trans. ASME*, 73, 405-413, (1951).
- [13]Hendricksen, E. K., Chip breaking- a study of three-dimensional chip flow, *ASME* paper no, 53 s-9, (1953).
- [14]Green, A. P., On the use of hodographs in problems of plane plastic strain, *J. Mech. Phys. Solids.*, 2, 73, (1954).
- [15]Hill, R. On the limits set by plastic yielding to the intensity of singularities of stress, *Journal of Mechanics and Physics of solids*, 2: 278-285, (1954).
- [16]Hill, R., The mechanics of machining a new approach, *J. Mech. Phys. Solids*, 3, 47-53, (1954).
- [17]Finnie I. And Shaw M. C., The friction process in metal cutting, *Trans ASME* 78, 1649-1657, (1956).
- [18]Rosenberg, A. M. and Eremin, A. N., *Elements of theory of process of Metal cutting*, Mashgiz, Moscow, (1956).
- [19]Kattwinkel W., Untersuchungen an Schneiden Spanender Werkzeuge mit Hilfe der spannungsoptic, *Industr.-Anzeiger* 37, 29-33, (1957).
- [20]Andreev G. S., Photoelastic study of stresses in a cutting tool using cinematography, *Vestn. Mashinostroeniya* 38(5), 54-57, (1958).
- [21]Ota, T., Shindo, A. and Fukoaka, H., An investigation of the theories of orthogonal machining. *Trans. Jap. Soc. Mech. Engrs* 24, 484-493, (1958).
- [22]Colding, B. N., A three-dimensional tool life equation- Machining Economics, *ASME J. Eng. for Industry*, 239-250, (1959).

- [23]Eggleston DM, Herzog R, Thomsen EG, Observations on the angle relationships in metal cutting. *Trans. ASME, B-81*:263-279, (1959).
- [24]Okushima, K., Hoshi, T., Fujinawa, T., On the behavior of chip in steel cutting. The case of the parallel type chip-breaker, *Bull. Japan Soc. Mech. Eng.* 3(10) 109, (1960).
- [25]Usui, E. and Takeyama, H., A photo-elastic analysis of stresses: *Trans. ASME, Engng Ind.*, 82, 303-308, (1960).
- [26]Low, A. H, Effects of Initial conditions in metal cutting, N. E. L. Report no.49. 1962.
- [27]Nakayama, K., A study on chip-breaker, *Bull. JSME* 5(17), 142-150, (1962).
- [28]Shaw, M. C., Resume and critique of papers in part one. In Proc. Conf. Int. Res. in Production Engineering, p.3 *ASME*, New York , (1963).
- [29]Zorev NN, Interrelationship between shear process occurring along tool face and on shear plane in metal cutting. Proc. Conf. Int. Res. Production Engineering, 42 *ASME*, Newyork, (1963).
- [30]Wallace, P. W. and Boothroyd., G., Tool forces and tool-chip friction in Orthogonal machining, *J. Mech. Engg. Sci.*, 6(1), 74-87, (1964).
- [31]Usui, E., Kikuchi, K. and Hoshi, K., The theory of plasticity applied to machining with cut-away tools, *Trans. ASME B-86 Journal of Engineering fo industry*, 95-104, (1964).
- [32]Bhattacharya A. On the friction process in metal cutting, *Proceedings, 6<sup>th</sup> MTDR Conference*, Manchester, (1965).

- [33]Chandrasekaran, H. and Kapoor, D. V., Photoelastic analysis of tool-chip interface stresses, *Trans. ASME J. Engng Ind.*, 87, 495-502, (1965).
- [34]Kudo, H., Some new slipline solutions for two-dimensional steady-state Machining, *Int. J. Mech. Sci*, 7, 43-55, (1965).
- [35]Ponkshe, G. R. “ Experimental Investigation of Tool-chip contact-zone in metal cutting during orthogonal machining with big sizes of cut” Ph. D Thesis, Indian Institute of Technology, Bombay, (1965).
- [36]Subramanian, T.L., A. Bhattacharya, Mechanics of chip breaker, *Int. J. Prod. Res.* 4(1), 37-49, (1965).
- [37]Kronenberg, M., *Machining Science and Application, Theory and Practice for operation and development of machining process*, Pergmon press , (1966).
- [38]Rice, W. B., Salmon, R. and Syniuta, W. D., Photo-elastic determination of cutting tool stresses, *Trans. Engng Inst. Can.*4, 20-23, (1966).
- [39]Hill, R., On the vectorial superposition of Hencky-Prandtl nets, *J. Mech. Phys. Solids*, 15,255 , (1967).
- [40]Ewing, D. J. F., A series method for constructing plastic slipline fields, *J. Mech. Phys. Solids*, 15, 105, (1967).
- [41]Trim, A. R., and Boothryod, G.,Action of the obstruction type chip former, *Int. J. Prod. Res.* 6(3), 227-240, (1968).
- [42]Amini, E., Photoelastic analysis of stresses and forces in steady cutting, *J. Strain Analysis*, 3(3), 206-213, (1968).

- [43]Collins I. F., The algebraic-geometry of slipline fields with applications to boundary value problems, *Proc. Roy. Soc. A* 303, 317-338, (1968).
- [44]Roth, R. N., *Analysis of flow round tool cutting edge*. Ph D Thesis, University of New South Wales, (1969).
- [45]Childs, T.H.C., A new visio-plasticity technique and a study of curly chip formation, *Int. J. Mech. Sci.*, 13, 373-387, (1971).
- [46]Okushima, K., Kakino, Y., Hagihara, S. and Hashimoto, H., A stress analysis in the orthogonal cutting by photo-plasticity method, *Bull. Jpn Soc. Prec. Engng*, 5(1), 1-7, (1971).
- [47]Roth and P.L. B. Oxley, A slipline field analysis for orthogonal machining based on experimental flow fields, *J. Mech. Engg. Sci.* 14, 85-97, (1972).
- [48]Kato, S., Yamaguchi, and Yamanda, M., *Trans. ASME, J. Engng Ind.* 94, 683-689, (1972).
- [49]Dewhurst, P. and Collins, I. F. A matrix technique for constructing slipline field solutions to a class of plane-strain plasticity problems. *Int. J. Num. Meth. Engng* 7, 357-378, (1973).
- [50]Klamecki, B. E., *Incipient Chip Formation in Metal Cutting- A Three Dimensional Finite Element Analysis*" Ph. D. Dissertation, University of Illinois at Urbana-Champaign, Urbana, IL, (1973).
- [51]Kuester JL, Mize JH. *Optimization Techniques with FORTRAN*, Mc. Graw Hill, Newyork, (1973).
- [52]Childs, T. H. C., *Proc. I. Mech. E. London*, 186pt1, 717-727 , (1973).

- [53]Pearce DF, Richardson DB. Machining stability using controlled contact tools, *International Journal of Production Research* 13(1) 75-82, (1975).
- [54]Oxley P.L.B and Hastings, Minimum work as a possible for determining frictional conditions at the tool/chip interface in machining, *Phil. Trans. R. C. Lond. A.282*, 565-584,(1976).
- [55]Dewhurst P., On the non-uniqueness of the machining process, *Proc. Roy. Soc.*, A360, 587-610, (1978).
- [56]Rubenstein,C., An analysis of tool life based on flank face wear, Part I, *J. Eng. for Industry, ASME*,(1978).
- [57]Petryk, H., On slipline solutions for steady-state and self-similar problems with stress-free boundaries, *Archs Mech*, 31, 861, (1978).
- [58]Collins, I. F., The application of single perturbation techniques to the analysis of forming processes for strain hardening In: IUTAM symposium on Metal Forming Plasticity, Tutzing, Springer, Berlin, 227-243, (1979).
- [59]Dewhurst, P. The effects of chip breaker constraints on the mechanics of the machining processes, *Ann. CIRP* 28(1) 1-5, (1979).
- [60]Childs THC, Elastic effects in metal cutting chip formation, *International Journal of Mechanical Science*,22(8), 457-466, (1980).
- [61]Metcut Machining Data Hand book, Metcut Research Associates Inc., Cincinnati, OH, 3rd edn, (1980).

- [62]Barrow G., Graham W., Kurimoto, T. and Leong, Y. F., Determination of rake face stress distribution in orthogonal machining, *Int. J. Mach. Tool Des. Res.*22, 75-85, (1982).
- [63]Chiffre LD, Cutting tools with restricted contact, *International Journal of Machine Tool Design*,22(4), 321-332,(1982).
- [64]Usui, E. and Shirakashi T., Mechanics of machining - from descriptive to predictive theory, on the art of cutting metals- 75 years later, 13-35, PED 7, *ASME*, (1982).
- [65]Dewhurst, P., The coulomb friction boundary value problem in plane-strain slipline field theory, *Advanced Technology of Plasticity ; II*: 1085-1090, (1984).
- [66]Iwata, K., Osakada, K., and Terasaka, Y., Process Modeling of Orthogonal Cutting by the Rigid-Plastic Finite Element Method, *ASME Journal of Engineering Materials and Technology*, 106, 132-138, (1984).
- [67]Dewhurst, P., A general matrix operator for linear boundary value problems in slip-line field theory, *Int. J. for Numerical methods in Engg*, 21, 169-182, (1985).
- [68]Strenkowski, J. S. and Carroll, J. T., III, A Finite Element Model of Orthogonal Metal Cutting, *ASME Journal of Engineering for Industry*, 107, 349-354, (1985).
- [69]Juneja, B. L. and Sekhon, G. S., *Principles of Metal Cutting*, Indian Institute of Technology, Delhi, (1987).
- [70]Bagchi, A and Wright, P. K., stress analysis in machining with the use of sapphire tools, *Proc. R. Soc. Lond.* A409, 99-113, (1987).
- [71]Murakami T., A series method for non-linear boundary value problems in a slipline field theory. *International Journal of Mechanical Sciences*,30(6), 383-454, (1988).

- [72]Wang, B. P., Sadat, A.B. and Twu, M. J., Finite Element Simulation of Orthogonal Cutting-A Survey," *Materials in Manufacturing Processes, ASME MD-Vol. 8*, pp.87-91,(1988).
- [73]Ahmad MM, An application of the finite element method to the prediction of cutting tool performance, *International Journal of Machine Tools Manufacture*,29(2)197-206,(1989).
- [74]Childs, T. H. C. and Mahadi, M. I., On the stress distribution between the chip and tool during metal turning, *Ann. CIRP 38(1)*, 55-58, (1989).
- [75]Yang, H. T., Heinstein, M., and Shih, A. J., Adaptive 2D Finite Element Simulation of Metal Forming Processes, *Int. J. for Num. Methods in Eng.*, 28, 1409-1428, (1989).
- [76]Childs, T. H. C. and Maekawa K., Computer-aided simulation and experimental studies of chip flow and tool wear in the turning of low alloy steels by cemented carbide tools, *Wear*, 139, 235-250, (1990).
- [77] Shih, A. J., and Yang, H. T., Experimental and Finite Element Simulation Methods for Rate-Dependent Metal Forming Processes" *Int. J. for Num. Methods in Eng.*, Vol. 31, pp. 345-367, (1991).
- [78]Shi, T. and Ramalingam, S., slipline solution for orthogonal cutting with a chip breaker and flank wear, *Int. J. Mech. Sci.*33(9) , 689-774, (1991).
- [79]Trent, E. M., *Metal Cutting*, 3rd ed., Butterworth-Heinmann Ltd., London (1991).
- [80]Buryta, D., stress distributions on the rake face of a cutting tool during orthogonal machining. ME thesis, McMaster University, (1993).



- [81]Shi, T. and Ramalingam, S., Modeling chip formation with grooved tools, *Int. J. Mech. Sci.*33(9) , 689-774, (1991).
- [82]Buryta, D., Sowerby, R. and Yelloweley, I. Stress distribution on the rake face during orthogonal machining, *Int. J. Mach. Tools Manufact.* 34(5),721-739, (1994).
- [83]Shih, A. J., Finite Element Simulation of Orthogonal Metal Cutting, *Journal of Engineering for Industry, ASME*, 117, 84-91, 1995.
- [84]Lee, L. C., Liu, X. D. and Lan, K. Y., *Int. J. Mach. Tools Manufact.* 35, 373-382, 1995.
- [85]Certti, E., Fallbohmer, P., Wu, W. T. and Altan, T., Application of 2D FEM to Chip formation in orthogonal cutting, *Journal of Materials Processing Technology*, 59, 169-180, (1996).
- [86]Shih AJ. Finite element analysis of the rake angle effects in orthogonal metal cutting, *International Journal of Mechanical Science*, 38(1) ,1-17, (1996).
- [87]Maekawa, K., Kitagawa, T. and Childs, T.H.C., Friction characteristics at tool-chip interface in steel machining, *Elastohydrodynamics' 96/ D. Dowson et al.(Editors),23rd Leeds Lyon Symposium on Tribology* (1996).
- [88]Maity, K. P. and Das N. S., A slipline solution to Metal Machining using a cutting tool with a steptype chip-breaker, *Journals of Materials Processing Technology*, 79, 217-223, (1998).
- [89]Maity K. P. and Das N. S., A class of slipline field solutions for metal machining with elastic contact, *Journals of Materials Processing Technology*, 96, 1-3, 9-18,(1999).