

## Table of Contents

	<b>Page No.</b>
Declaration	iii
Project Approval page (Certificate)	iv
Originality Report Certificate	v
Ph. D. Thesis Non-Exclusive License to GTU	viii
Thesis Approval Form	x
Abstract	xi
Acknowledgement	xii
Table of Contents	xiii
List of Abbreviation	xvii
List of Figures	xviii
List of Tables	xxiii
List of Appendices	xxiv
References	xxv

<b>1. INTRODUCTION</b>	<b>1</b>
1.1 Energy Absorber	1
1.2 Damper or Shock Absorber	3
1.3 Controllable Fluid as an Energy Absorber	8
1.4 Motivation	9
1.5 Definition of the Problem	11
1.6 Research Objectives	11
1.7 Research Methodology and scope of work	12
1.8 Original Contribution by the Thesis	13
1.9 Outline	13
<b>2. BASICS OF VIBRATION</b>	<b>16</b>
2.1 Introduction	16
2.2 Types of Vibratory Motion	16
2.3 One degree of freedom (1-dof) Free Un-damped Vibration	18
2.4 One degree of freedom (1-dof) Free Damped Vibration	20
2.5 Vibration control system	28
2.5.1 Passive Control System	28
2.5.2 Semi Active Control System	29
2.5.3 Active Control System	30

<b>3. LITERATURE REVIEW</b>	<b>32</b>
3.1 Introduction	32
3.2 Controllable Fluids	32
3.3 MR fluid	33
3.3.1 Magnetisable Particles	37
3.3.2 Carrier Fluid	37
3.3.3 Additives	38
3.4 Magnetic properties of MR fluids	38
3.4.1 Off-state Viscosity	40
3.4.2 Yield Stress	41
3.4.3 B-H Relationship	43
3.4.4 Durability and In-Use-Thickening	43
3.5 Basics of Rheological Properties	44
3.5.1 Basic Principles of MR Fluids	48
3.5.2 Rheology of MR Fluids	50
3.5.3 Off- and On-State Rheology	51
3.5.4 Volume Fraction and Particle Size Factors	52
3.6 Operating Modes of MR-Fluids	54
3.6.1 Valve Mode	55
3.6.2 Direct Shear Mode	55
3.6.3 Squeeze Mode	55
3.6.4 Pinch Mode	55
3.7 Applications of MR Fluid	56
3.7.1 Dampers and shock absorbers	56
3.7.2 Brakes and Clutches	58
<b>4. QUASI-STATIC MODELING FOR MR DAMPERS</b>	<b>60</b>
4.1 Introduction	60
4.2 MR Fluid Flow in an Annular Duct	62
4.2.1 Modelling based on the Herschel-Bulkley model	63
4.2.2 Modelling based on the Bingham model	68
4.3 MR Fluid Flow in a Parallel Duct	69
4.3.1 Modelling based on the Herschel-Bulkley model	71
4.3.2 Modelling based on the Bingham model	72

4.4	Simple Geometry Design Considerations	74
4.4.1	Controlled force and dynamic range	74
4.4.2	Geometry constraints	75
<b>5.</b>	<b>MR DAMPER DESIGN AND FABRICATION</b>	<b>77</b>
5.1	MR Fluid for present investigation	77
5.2	MR Damper Design	79
5.2.1	MR Damper Geometry Design	80
5.2.2	MR Damper Magnetic Circuit Design	86
5.2.3	Considerations with Applied Design	92
5.2.3.1	MR damper piston centering	92
5.2.3.2	Voltage surge suppression	93
5.3	Fabrication of designed MR Damper	95
5.3.1	Complete Construction of the Designed MR Dampers	95
5.3.2	Fluid Paths in Conventional Mono-tube Dampers and MR Damper	96
5.3.3	Components of the Designed MR Dampers	97
5.3.4	Assembly of Damper	101
<b>6.</b>	<b>TESTING OF DEVELOPED MR FLUID BASE DAMPER</b>	<b>104</b>
6.1	Introduction	104
6.2	Experimental Setup	104
6.2.1	Electromechanical Tester	106
6.2.2	Design of Test Rig	106
6.3	Testing of developed MR Fluid Damper under Sinusoidal Displacement Excitations	113
6.3.1	Test with constant amplitude value of 0.5 cm (Stroke length 1.0 cm)	114
6.3.2	Test with constant amplitude value of 1.0 cm (Stroke length 2.0 cm)	119
6.3.3	Test with constant amplitude value of 1.5 cm (Stroke length 3.0 cm)	126
6.3.4	Test with constant amplitude value of 2.0 cm (Stroke length 4.0 cm)	132
6.4	Summery on experiment	138

<b>7. RESULTS AND DISCUSSION WITH DESIGN OF EXPERIMENT</b>	<b>140</b>
7.1 Introduction	140
7.2 Design of experiment	140
7.2.1 Experimental plan procedure	141
7.2.2 Results and discussion based on DOE	143
7.3 Results and discussion based on Experimental and mathematical modelling data.	149
7.3.1 MR fluid damper characteristic analysis	151
7.4 Achievements with respect to objectives	153
7.5 Conclusions	154
7.6 Future Scope	155

## **REFERENCES**