

## Bibliography

- [1] M. De Becker, “Astrochemistry: the issue of molecular complexity in astrophysical environments,” *arXiv preprint arXiv:1305.6243*, 2013.
- [2] P. Ehrenfreund, M. Spaans, and N. G. Holm, “The evolution of organic matter in space,” *Philosophical Transactions of the Royal Society of London A: Mathematical, Physical and Engineering Sciences*, vol. 369, no. 1936, pp. 538–554, 2011.
- [3] J. J. Thomson, “XI. cathode rays,” *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science*, vol. 44, no. 269, pp. 293–316, 1897.
- [4] J. Thomson, “Xlvii. on rays of positive electricity,” *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science*, vol. 13, no. 77, pp. 561–575, 1907.
- [5] E. Rutherford, H. Nagaoka, H. Schmidt, and H. Geiger, “Rutherford 1913,” *Phil. Mag*, vol. 21, p. 669, 1911.
- [6] S. D. Price, “Investigating the gas-phase chemical reactions of molecular dications,” *Physical Chemistry Chemical Physics*, vol. 5, no. 9, pp. 1717–1729, 2003.
- [7] R. Thissen, O. Witasse, O. Dutuit, C. S. Wedlund, G. Gronoff, and J. Lilensten, “Doubly-charged ions in the planetary ionospheres: a review,” *Physical Chemistry Chemical Physics*, vol. 13, no. 41, pp. 18 264–18 287, 2011.
- [8] M. T. D., “Fundamental aspects of electron impact ionization,” *Int. J. Massspectrom. Ion Phys.*, vol. 45, pp. 125–145, 1982.
- [9] M. E. Wacks and V. H. Dibeler, “Electron impact studies of aromatic hydrocarbons. i. benzene, naphthalene, anthracene, and phenanthrene,” *The Journal of Chemical Physics*, vol. 31, no. 6, pp. 1557–1562, 1959.

- [10] M. E. Wacks, "Electron-impact studies of aromatic hydrocarbons. ii. naphthacene, naphthaphene, chrysene, triphenylene, and pyrene," *The Journal of Chemical Physics*, vol. 41, no. 6, pp. 1661–1666, 1964.
- [11] R. J. Van Brunt and M. E. Wacks, "Electron-impact studies of aromatic hydrocarbons. iii. azulene and naphthalene," *The Journal of Chemical Physics*, vol. 41, no. 10, pp. 3195–3199, 1964.
- [12] M. A. Baldwin, Langley, and G. John, "Identification of two separate mechanisms for hcn loss from gas phase quinoline cations," *Journal of Mass Spectrometry*, vol. 21, no. 1, pp. 29–31, 1986.
- [13] M. A. Baldwin, J. Gilmore, and M. N. Mruzek, "Unexpected structural integrity of gas phase isoquinoline cations that eliminate hcn," *Journal of Mass Spectrometry*, vol. 18, no. 3, pp. 127–129, 1983.
- [14] P. Mishra, J. Rajput, C. Safvan, S. Vig, and U. Kadhane, "Velocity dependence of fragmentation yields in proton–naphthalene collision and comparison with electronic energy loss calculation," *Journal of Physics B: Atomic, Molecular and Optical Physics*, vol. 47, no. 8, p. 085202, 2014.
- [15] L. Andersen, P. Hvelplund, H. Knudsen, S. Møller, K. Elsener, K.-G. Rensfelt, and E. Uggerhøj, "Single and double ionization of helium by fast antiproton and proton impact," *Physical review letters*, vol. 57, no. 17, p. 2147, 1986.
- [16] R. DuBois, L. Toburen, and M. E. Rudd, "Multiple ionization of rare gases by h+ and he+ impact," *Physical Review A*, vol. 29, no. 1, p. 70, 1984.
- [17] A. de Barros, J. Lecointre, H. Luna, M. Shah, and E. Montenegro, "Energy distributions of h+ fragments ejected by fast proton and electron projectiles in collision with h<sub>2</sub>o molecules," *Physical Review A*, vol. 80, no. 1, p. 012716, 2009.
- [18] R. Browning and H. Gilbody, "Fragmentation of molecular gases by 5–45 kev protons," *Journal of Physics B: Atomic and Molecular Physics*, vol. 1, no. 6, p. 1149, 1968.

- [19] J.-P. Champeaux, P. Çarçabal, M. Sence, P. Moretto-Capelle, and P. Cafarelli, “A simple statistical approach for fragmentation studies of doubly ionized cytosine, thymine and uracil bases,” *Journal of Physics B: Atomic, Molecular and Optical Physics*, vol. 44, no. 4, p. 045205, 2011.
- [20] L. Chen, R. Bredy, J. Bernard, G. Montagne, A. Allouche, and S. Martin, “Fragmentation of singly charged adenine induced by neutral fluorine beam impact at 3 keV,” *The Journal of chemical physics*, vol. 135, no. 11, p. 114309, 2011.
- [21] B. Coupier, B. Farizon, M. Farizon, M. Gaillard, F. Gobet, N. de Castro Faria, G. Jalbert, S. Ouaskit, M. Carré, B. Gstyr *et al.*, “Inelastic interactions of protons and electrons with biologically relevant molecules,” *The European Physical Journal D-Atomic, Molecular, Optical and Plasma Physics*, vol. 20, no. 3, pp. 459–468, 2002.
- [22] S. Ptasińska, P. Candori, S. Denifl, S. Yoon, V. Grill, P. Scheier, and T. Märk, “Dissociative ionization of the nucleosides thymidine and uridine by electron impact,” *Chemical physics letters*, vol. 409, no. 4, pp. 270–276, 2005.
- [23] B. Boudaïffa, P. Cloutier, D. Hunting, M. A. Huels, and L. Sanche, “Resonant formation of dna strand breaks by low-energy (3 to 20 eV) electrons,” *Science*, vol. 287, no. 5458, pp. 1658–1660, 2000.
- [24] H. Abdoul-Carime, J. Langer, M. Huels, and E. Illenberger, “Decomposition of purine nucleobases by very low energy electrons,” *The European Physical Journal D-Atomic, Molecular, Optical and Plasma Physics*, vol. 35, no. 2, pp. 399–404, 2005.
- [25] T. Märk, “Cross section for single and double ionization of N<sub>2</sub> and O<sub>2</sub> molecules by electron impact from threshold up to 170 eV,” *The Journal of Chemical Physics*, vol. 63, no. 9, pp. 3731–3736, 1975.
- [26] F. Alvarado, S. Bari, R. Hoekstra, and T. Schlathölter, “Interactions of neutral and singly charged keV atomic particles with gas-phase adenine molecules,” *The Journal of chemical physics*, vol. 127, no. 3, p. 034301, 2007.

- [27] J. Postma, S. Bari, R. Hoekstra, A. Tielens, and T. Schlathölder, “Ionization and fragmentation of anthracene upon interaction with keV protons and  $\alpha$  particles,” *The Astrophysical Journal*, vol. 708, no. 1, p. 435, 2009.
- [28] D. Bordenave-Montesquieu, P. Moretto-Capelle, A. Bordenave-Montesquieu, and A. Rentenier, “Scaling of c60 ionization and fragmentation with the energy deposited in collisions with h<sup>+</sup>, h<sub>2</sub><sup>+</sup>, h<sub>3</sub><sup>+</sup> and he<sup>+</sup> ions (2-130 keV),” *Journal of Physics B: Atomic, Molecular and Optical Physics*, vol. 34, no. 5, p. L137, 2001.
- [29] B. Forsberg, J. D. Alexander, T. Chen, A. Pettersson, M. Gatchell, H. Cederquist, and H. Zettergren, “Ions interacting with planar aromatic molecules: Modeling electron transfer reactions,” *The Journal of chemical physics*, vol. 138, no. 5, p. 054306, 2013.
- [30] A. I. Holm, H. Zettergren, H. A. Johansson, F. Seitz, S. Rosen, H. T. Schmidt, A. Ławicki, J. Rangama, P. Rousseau, M. Capron *et al.*, “Ions colliding with cold polycyclic aromatic hydrocarbon clusters,” *Physical review letters*, vol. 105, no. 21, p. 213401, 2010.
- [31] S. Martin, L. Chen, R. Brédy, G. Montagne, C. Ortega, T. Schlathölder, G. Reitsma, and J. Bernard, “Statistical fragmentation of doubly charged anthracene induced by fluorine-beam impact at 3 keV,” *Physical Review A*, vol. 85, no. 5, p. 052715, 2012.
- [32] H. Jochims, E. Rühl, H. Baumgärtel, S. Tobita, and S. Leach, “Vuv peaks in absorption spectra and photoion yield curves of polycyclic aromatic hydrocarbons and related compounds,” *International journal of mass spectrometry and ion processes*, vol. 167, pp. 35–53, 1997.
- [33] I. Hertel, H. Steger, J. De Vries, B. Weisser, C. Menzel, B. Kamke, and W. Kamke, “Giant plasmon excitation in free c 60 and c 70 molecules studied by photoionization,” *Physical review letters*, vol. 68, no. 6, p. 784, 1992.
- [34] P. M. Mishra, J. Rajput, C. P. Safvan, S. Vig, and U. Kadhane, “Electron emission and electron transfer processes in proton-naphthalene collisions at intermediate velocities,” *Phys. Rev. A*, vol. 88, p. 052707, Nov 2013.

- [35] U. Kadhane, D. Misra, Y. Singh, and L. C. Tribedi, "Effect of collective response on electron capture and excitation in collisions of highly charged ions with fullerenes," *Physical review letters*, vol. 90, no. 9, p. 093401, 2003.
- [36] H. Jochims, H. Baumgärtel, and S. Leach, "Structure-dependent photostability of polycyclic aromatic hydrocarbon cations: Laboratory studies and astrophysical implications," *The astrophysical journal*, vol. 512, no. 1, p. 500, 1999.
- [37] G. Baldwin and G. Klaiber, "Photo-fission in heavy elements," *Physical Review*, vol. 71, no. 1, p. 3, 1947.
- [38] I. Kaplan, "Giant resonances in atoms, atomic clusters, fullerenes, condensed media, and nuclei," *Zeitschrift für Physik D Atoms, Molecules and Clusters*, vol. 40, no. 1, pp. 375–380, 1997.
- [39] I. G. Kaplan, "Comparative discussion of the giant resonance phenomenon in nuclei, atoms, atomic clusters, and condensed media," *Czechoslovak journal of physics*, vol. 48, no. 6-7, pp. 763–768, 1998.
- [40] G. F. Bertsch, A. Bulgac, D. Tománek, and Y. Wang, "Collective plasmon excitations in c 60 clusters," *Physical review letters*, vol. 67, no. 19, p. 2690, 1991.
- [41] Y. Ling and C. Lifshitz, "Plasmon excitation in polycyclic aromatic hydrocarbons studied by photoionization," *Chemical physics letters*, vol. 257, no. 5-6, pp. 587–591, 1996.
- [42] U. Kadhane, A. Kelkar, D. Misra, A. Kumar, and L. C. Tribedi, "Effect of giant plasmon excitations in single and double ionization of c 60 in fast heavy-ion collisions," *Physical Review A*, vol. 75, no. 4, p. 041201, 2007.
- [43] M. T. D., "Electron impact ionization, in gaseous ion chemistry and ms, futrell," *Int. J. Massspectrom. Ion Phys.*, pp. 61–93, 1986.
- [44] M. A. Baldwin and K. J. Welham, "Charge localization by molecular orbital calculations. i. urea and thiourea," *Rapid Communications in Mass Spectrometry*, vol. 1, no. 1, pp. 13–15, 1987.

- [45] W. Baldwin, Michael. A. and K. J., “Charge localization by molecular orbital calculations. ii. formamide, thioformamide and n-methylated analogues,” *Journal of Mass Spectrometry*, vol. 23, no. 5, pp. 425–428, 1988.
- [46] R. Weinkauff, F. Lehrer, E. Schlag, and A. Metsala, “Investigation of charge localization and charge delocalization in model molecules by multiphoton ionization photoelectron spectroscopy and dft calculations,” *Faraday discussions*, vol. 115, pp. 363–381, 2000.
- [47] S. Denifl, B. Sonnweber, J. Mack, L. Scott, P. Scheier, K. Becker, and T. Märk, “Appearance energies of singly, doubly, and triply charged coronene and corannulene ions produced by electron impact,” *International Journal of Mass Spectrometry*, vol. 249, pp. 353–358, 2006.
- [48] A. Ławicki, A. I. Holm, P. Rousseau, M. Capron, R. Maisonnay, S. Maclot, F. Seitz, H. A. Johansson, S. Rosén, H. T. Schmidt *et al.*, “Multiple ionization and fragmentation of isolated pyrene and coronene molecules in collision with ions,” *Physical Review A*, vol. 83, no. 2, p. 022704, 2011.
- [49] M. Gatchell, M. Stockett, P. Rousseau, T. Chen, K. Kulyk, H. Schmidt, J. Chesnel, A. Domaracka, A. Méry, S. Maclot *et al.*, “Non-statistical fragmentation of paphs and fullerenes in collisions with atoms,” *International Journal of Mass Spectrometry*, vol. 365, pp. 260–265, 2014.
- [50] M. H. Stockett, H. Zettergren, L. Adoui, J. Alexander, U. Bērziņš, T. Chen, M. Gatchell, N. Haag, B. Huber, P. Hvelplund *et al.*, “Nonstatistical fragmentation of large molecules,” *Physical Review A*, vol. 89, no. 3, p. 032701, 2014.
- [51] M. Stockett, L. Adoui, E. Anderson, T. Chen, J. Chesnel, N. De Ruelle, M. Gatchell, L. Giacomozzi, B. Huber, K. Kulyk *et al.*, “Non-statistical fragmentation of large molecules in collisions with atoms,” in *Journal of Physics: Conference Series*, vol. 635, no. 1. IOP Publishing, 2015, p. 012036.
- [52] T. Chen, M. Gatchell, M. H. Stockett, J. D. Alexander, Y. Zhang, P. Rousseau, A. Domaracka, S. Maclot, R. Delaunay, L. Adoui *et al.*, “Absolute fragmentation

- cross sections in atom-molecule collisions: scaling laws for non-statistical fragmentation of polycyclic aromatic hydrocarbon molecules,” *The Journal of chemical physics*, vol. 140, no. 22, p. 224306, 2014.
- [53] Y. A. Dyakov, C.-K. Ni, S. Lin, Y. Lee, and A. Mebel, “Ab initio and rrmk study of photodissociation of azulene cation,” *Physical Chemistry Chemical Physics*, vol. 8, no. 12, pp. 1404–1415, 2006.
- [54] J. Schirmer, L. Cederbaum, W. Domcke, and W. Von Niessen, “Strong correlation effects in inner valence ionization of n<sub>2</sub> and co,” *Chemical Physics*, vol. 26, no. 1, pp. 149–153, 1977.
- [55] J. Schirmer, L. S. Cederbaum, W. Domcke, and W. Von Niessen, “Complete breakdown of the quasiparticle picture for inner-valence electrons: Hydrogen cyanide and formic acid,” *Chemical Physics Letters*, vol. 57, no. 4, pp. 582–587, 1978.
- [56] L. Cederbaum and W. Domcke, “Theoretical aspects of ionization potentials and photoelectron spectroscopy: A green’s function approach,” *Adv. Chem. Phys.*, vol. 36, pp. 205–344, 1977.
- [57] L. Cederbaum, W. Domcke, J. Schirmer, W. Von Niessen, G. Diercksen, and W. Kraemer, “Correlation effects in the ionization of hydrocarbons,” *The Journal of Chemical Physics*, vol. 69, no. 4, pp. 1591–1603, 1978.
- [58] W. von Niessen, “Application of a green’s function method to the calculation of photoelectron spectra,” *Butlletí de les Societats Catalanes de Física, Química, Matemàtiques i Tecnologia*, pp. 227–262, 1991.
- [59] M. Alagia, P. Candori, S. Falcinelli, F. Pirani, M. S. P. Mundim, R. Richter, M. Rosi, S. Stranges, and F. Vecchiocattivi, “Dissociative double photoionization of benzene molecules in the 26–33 ev energy range,” *Physical Chemistry Chemical Physics*, vol. 13, no. 18, pp. 8245–8250, 2011.
- [60] P. Mishra, J. Rajput, C. Safvan, S. Vig, and U. Kadhane, “Electron emission and electron transfer processes in proton-naphthalene collisions at intermediate velocities,” *Physical Review A*, vol. 88, no. 5, p. 052707, 2013.

- [61] J. Ullrich, R. Moshhammer, R. Dörner, O. Jagutzki, V. Mergel, H. Schmidt-Böcking, and L. Spielberger, “Recoil-ion momentum spectroscopy,” *Journal of Physics B: Atomic, Molecular and Optical Physics*, vol. 30, no. 13, p. 2917, 1997.
- [62] R. Doerner, V. Mergel, L. Spielberger, M. Achler, K. Khayyat, T. Vogt, H. Bräuning, O. Jagutzki, T. Weber, J. Ullrich *et al.*, “Kinematically complete experiments using cold target recoil ion momentum spectroscopy,” *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, vol. 124, no. 2-3, pp. 225–231, 1997.
- [63] F. M. Penning, “Die glimmentladung bei niedrigem druck zwischen koaxialen zylindern in einem axialen magnetfeld,” *physica*, vol. 3, no. 9, pp. 873–894, 1936.
- [64] W. Paul and M. Raether, “Das elektrische massenfilter,” *Zeitschrift für Physik A Hadrons and Nuclei*, vol. 140, no. 3, pp. 262–273, 1955.
- [65] W. Paul, H. Reinhard, and U. Von Zahn, “Das elektrische massenfilter als massenspektrometer und isotopentrenner,” *Zeitschrift für Physik A Hadrons and Nuclei*, vol. 152, no. 2, pp. 143–182, 1958.
- [66] M. Guilhaus, “Special feature: Tutorial. principles and instrumentation in time-of-flight mass spectrometry. physical and instrumental concepts,” *Journal of Mass Spectrometry*, vol. 30, no. 11, pp. 1519–1532, 1995.
- [67] A. J. de Haas, J. Oomens, and J. Bouwman, “Time of flight mass spectrometer with improved resolution,” *Review of Scientific Instruments*, 1993.
- [68] A. G. Tielens, “Interstellar polycyclic aromatic hydrocarbon molecules,” *Annu. Rev. Astron. Astrophys.*, vol. 46, pp. 289–337, 2008.
- [69] H. Yu, “Environmental carcinogenic polycyclic aromatic hydrocarbons: photochemistry and phototoxicity,” *Journal of Environmental Science and Health, Part C*, vol. 20, no. 2, pp. 149–183, 2002.
- [70] V. Dryza, J. A. Sanelli, E. G. Robertson, and E. J. Bieske, “Electronic spectra of gas-phase polycyclic aromatic nitrogen heterocycle cations: Isoquinoline<sup>+</sup> and



- quinoline+,” *The Journal of Physical Chemistry A*, vol. 116, no. 17, pp. 4323–4329, 2012.
- [71] A. Mattioda, D. M. Hudgins, C. Bauschlicher, M. Rosi, and L. Allamandola, “Infrared spectroscopy of matrix-isolated polycyclic aromatic compounds and their ions. 6. polycyclic aromatic nitrogen heterocycles,” *The Journal of Physical Chemistry A*, vol. 107, no. 10, pp. 1486–1498, 2003.
- [72] H. A. Galué, O. Pirali, and J. Oomens, “Gas-phase infrared spectra of cationized nitrogen-substituted polycyclic aromatic hydrocarbons,” *Astronomy & Astrophysics*, vol. 517, p. A15, 2010.
- [73] B. Klærke, A. Holm, and L. H. Andersen, “Uv action spectroscopy of protonated pah derivatives-methyl substituted quinolines,” *Astronomy & Astrophysics*, vol. 532, p. A132, 2011.
- [74] Z. Peeters, O. Botta, S. Charnley, Z. Kisiel, Y.-J. Kuan, and P. Ehrenfreund, “Formation and photostability of n-heterocycles in space-i. the effect of nitrogen on the photostability of small aromatic molecules,” *Astronomy & Astrophysics*, vol. 433, no. 2, pp. 583–590, 2005.
- [75] S. Soorkia, C. A. Taatjes, D. L. Osborn, T. M. Selby, A. J. Trevitt, K. R. Wilson, and S. R. Leone, “Direct detection of pyridine formation by the reaction of ch (cd) with pyrrole: a ring expansion reaction,” *Physical Chemistry Chemical Physics*, vol. 12, no. 31, pp. 8750–8758, 2010.
- [76] J. E. Elsila, M. R. Hammond, M. P. Bernstein, S. A. Sandford, and R. N. Zare, “Uv photolysis of quinoline in interstellar ice analogs,” *Meteoritics & Planetary Science*, vol. 41, no. 5, pp. 785–796, 2006.
- [77] P. G. Stoks and A. W. Schwartz, “Nitrogen-heterocyclic compounds in meteorites: significance and mechanisms of formation,” *Geochimica et Cosmochimica Acta*, vol. 45, no. 4, pp. 563–569, 1981.
- [78] A. Landera and A. M. Mebel, “Mechanisms of formation of nitrogen-containing polycyclic aromatic compounds in low-temperature environments of planetary at-

- mospheres: A theoretical study,” *Faraday discussions*, vol. 147, pp. 479–494, 2010.
- [79] A. Tielens, “The molecular universe,” *Reviews of Modern Physics*, vol. 85, no. 3, p. 1021, 2013.
- [80] C. S. Hansen, S. J. Blanksby, and A. J. Trevitt, “Ultraviolet photodissociation action spectroscopy of gas-phase protonated quinoline and isoquinoline cations,” *Physical Chemistry Chemical Physics*, vol. 17, no. 39, pp. 25 882–25 890, 2015.
- [81] G. Portella, J. Poater, J. M. Bofill, P. Alemany, and M. Sola, “Local aromaticity of [n] acenes,[n] phenacenes, and [n] helicenes (n= 1- 9),” *The Journal of organic chemistry*, vol. 70, no. 7, pp. 2509–2521, 2005.
- [82] C. Koper, L. W. Jenneskens, and M. Sarobe, “Externally-fused cyclopenta moieties in non-alternant cp-pahs act as peri-substituents,” *Tetrahedron letters*, vol. 43, no. 21, pp. 3833–3836, 2002.
- [83] A. Jones, A. Tielens, D. Hollenbach, and C. McKee, “Grain destruction in shocks in the interstellar medium,” *The Astrophysical Journal*, vol. 433, pp. 797–810, 1994.
- [84] A. Jones, A. Tielens, and D. Hollenbach, “Grain shattering in shocks: The interstellar grain size distribution,” *The Astrophysical Journal*, vol. 469, p. 740, 1996.
- [85] E. Micelotta, A. Jones, and A. Tielens, “Polycyclic aromatic hydrocarbon processing in interstellar shocks,” *Astronomy & Astrophysics*, vol. 510, p. A36, 2010.
- [86] Y. Gotkis, M. Oleinikova, M. Naor, and C. Lifshitz, “Time-dependent mass spectra and breakdown graphs. xvii: Naphthalene and phenanthrene,” *Journal of physical chemistry*, vol. 97, no. 47, pp. 12 282–12 290, 1993.
- [87] B. West, C. Joblin, V. Blanchet, A. Bodi, B. Sztáray, and P. M. Mayer, “On the dissociation of the naphthalene radical cation: new ipepico and tandem mass spectrometry results,” *The Journal of Physical Chemistry A*, vol. 116, no. 45, pp. 10 999–11 007, 2012.

- [88] J. Poveda, A. Guerrero, I. Alvarez, and C. Cisneros, "Multiphoton ionization and dissociation of naphthalene at 266, 355, and 532nm," *Journal of Photochemistry and Photobiology A: Chemistry*, vol. 215, no. 2, pp. 140–146, 2010.
- [89] B. Lohmann, "Electron–auger electron coincidence experiments: Current status and future prospects," *Australian journal of physics*, vol. 49, no. 2, pp. 365–374, 1996.
- [90] B. Brehm and E. von Puttkamer, "Koinzidenzmessung von photoionen und photoelektronen bei methan," *Zeitschrift für Naturforschung A*, vol. 22, no. 1, pp. 8–10, 1967.
- [91] J. H. Eland, "Predissociation of triatomic ions studied by photo-electron-photoion coincidence spectroscopy and photoion kinetic energy analysis: I.  $\text{CO}_2^+$ ," *International Journal of Mass Spectrometry and Ion Physics*, vol. 9, no. 4, pp. 397–406, 1972.
- [92] P. Morin, M. Simon, C. Miron, N. Leclercq, and D. Hansen, "Electron-ion spectroscopy: a probe of molecular dynamics," *Journal of electron spectroscopy and related phenomena*, vol. 93, no. 1, pp. 49–60, 1998.
- [93] D. Céolin, C. Miron, M. Simon, and P. Morin, "Auger electron-ion coincidence studies to probe molecular dynamics," *Journal of electron spectroscopy and related phenomena*, vol. 141, no. 2, pp. 171–181, 2004.
- [94] E. Fainelli, F. Maracci, and R. Platania, "Auger electron–ion coincidence experiment on nitrogen molecule excited by electron impact," *The Journal of chemical physics*, vol. 101, no. 8, pp. 6565–6569, 1994.
- [95] E. Fainelli, F. Maracci, R. Platania, and L. Avaldi, "The fragmentation of  $\text{CCl}_4$  dications studied by auger electron-ion coincidence experiments," *Journal of Electron Spectroscopy and Related Phenomena*, vol. 119, no. 1, pp. 81–93, 2001.
- [96] M. Born and R. Oppenheimer, "Zur quantentheorie der molekeln," *Annalen der Physik*, vol. 389, no. 20, pp. 457–484, 1927.

- [97] K. Capelle, “A bird’s-eye view of density-functional theory,” *Brazilian Journal of Physics*, vol. 36, no. 4A, pp. 1318–1343, 2006.
- [98] P. Hohenberg and W. Kohn, “Inhomogeneous electron gas,” *Physical review*, vol. 136, no. 3B, p. B864, 1964.
- [99] A. Becke, “Density-functional thermochemistry. iii. the role of exact exchange,” *J. Chem. Phys.*, vol. 98, pp. 5648–5652, 1993.
- [100] J.-D. Chai and M. Head-Gordon, “Long-range corrected hybrid density functionals with damped atom–atom dispersion corrections,” *Physical Chemistry Chemical Physics*, vol. 10, no. 44, pp. 6615–6620, 2008.
- [101] Y. Zhao and D. G. Truhlar, “A new local density functional for main-group thermochemistry, transition metal bonding, thermochemical kinetics, and noncovalent interactions,” *The Journal of chemical physics*, vol. 125, no. 19, p. 194101, 2006.
- [102] S. Grimme, “Density functional theory with london dispersion corrections,” *Wiley Interdisciplinary Reviews: Computational Molecular Science*, vol. 1, no. 2, pp. 211–228, 2011.
- [103] M. Frisch, G. Trucks, H. Schlegel, G. Scuseria, M. Robb, J. Cheeseman, G. Scalmani, V. Barone, B. Mennucci, G. Petersson *et al.*, “Gaussian 09, revision d. 01,” 2009.
- [104] J. Bouwman, B. Sztal<sup>À</sup>Aray, J. Oomens, P. Hemberger, and A. Bodi, “Dissociative photoionization of quinoline and isoquinoline,” *The Journal of Physical Chemistry A*, vol. 119, no. 7, pp. 1127–1136, 2015.
- [105] M. J. Frisch, G. W. Trucks, H. B. Schlegel, G. E. Scuseria, M. A. Robb, J. R. Cheeseman, G. Scalmani, V. Barone, B. Mennucci, G. A. Petersson, H. Nakatsuji, M. Caricato, X. Li, H. P. Hratchian, A. F. Izmaylov, J. Bloino, G. Zheng, J. L. Sonnenberg, M. Hada, M. Ehara, K. Toyota, R. Fukuda, J. Hasegawa, M. Ishida, T. Nakajima, Y. Honda, O. Kitao, H. Nakai, T. Vreven, J. A. Montgomery, Jr., J. E. Peralta, F. Ogliaro, M. Bearpark, J. J. Heyd, E. Brothers, K. N. Kudin, V. N. Staroverov, R. Kobayashi, J. Normand, K. Raghavachari, A. Rendell, J. C. Burant,

- S. S. Iyengar, J. Tomasi, M. Cossi, N. Rega, J. M. Millam, M. Klene, J. E. Knox, J. B. Cross, V. Bakken, C. Adamo, J. Jaramillo, R. Gomperts, R. E. Stratmann, O. Yazyev, A. J. Austin, R. Cammi, C. Pomelli, J. W. Ochterski, R. L. Martin, K. Morokuma, V. G. Zakrzewski, G. A. Voth, P. Salvador, J. J. Dannenberg, S. Dapprich, A. D. Daniels, Ā. Farkas, J. B. Foresman, J. V. Ortiz, J. Cioslowski, and D. J. Fox, "GaussianĀĹij09 Revision E.01," gaussian Inc. Wallingford CT 2009.
- [106] K. D. Dobbs and W. Hehre, "Molecular orbital theory of the properties of inorganic and organometallic compounds. 6. extended basis sets for second-row transition metals," *Journal of computational chemistry*, vol. 8, no. 6, pp. 880–893, 1987.
- [107] P. J. Linstrom and W. G. Mallard, *NIST Chemistry WebBook, NIST Standard Reference Database Number 69*. Gaithersburg MD, 20899: National Institute of Standards and Technology, Jun. (2016).
- [108] A. Modelli and L. Mussoni, "Rapid quantitative prediction of ionization energies and electron affinities of polycyclic aromatic hydrocarbons," *Chemical physics*, vol. 332, no. 2, pp. 367–374, 2007.
- [109] P. Mishra and U. Kadhane, "Monte carlo simulation of electronic energy loss for proton impact on nucleobases," *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, vol. 336, pp. 12–18, 2014.
- [110] F. Elder, R. Langmuir, and H. Pollock, "Radiation from electrons accelerated in a synchrotron," *Physical Review*, vol. 74, no. 1, p. 52, 1948.
- [111] C. Pellegrini, "The history of x-ray free-electron lasers," *The European Physical Journal H*, vol. 37, no. 5, pp. 659–708, 2012.
- [112] D. R. Hamilton and L. Gross, "An electrostatic beta-spectrograph," *Review of Scientific Instruments*, vol. 21, no. 11, pp. 912–917, 1950.
- [113] J. A. Simpson, "Design of retarding field energy analyzers," *Review of Scientific Instruments*, vol. 32, no. 12, pp. 1283–1293, 1961.

- [114] M. Satir, F. Sik, E. Turkoz, and M. Celik, "Design of the retarding potential analyzer to be used with burfit-80 ion thruster and validation using pic-dsmc code," in *Recent Advances in Space Technologies (RAST), 2015 7th International Conference on.* IEEE, 2015, pp. 577–582.
- [115] G. Harrower, "Measurement of electron energies by deflection in a uniform electric field," *Review of Scientific Instruments*, vol. 26, no. 9, pp. 850–854, 1955.
- [116] J. Rubio-Zuazo and G. Castro, "First principle study of the properties of a cylindrical sector analyzer: Complete calculation of the electron trajectory," *Journal of Electron Spectroscopy and Related Phenomena*, vol. 184, no. 8, pp. 440–451, 2011.
- [117] J. S. Risley, "Design parameters for the cylindrical mirror energy analyzer," *Review of Scientific Instruments*, vol. 43, no. 1, pp. 95–103, 1972.
- [118] X. Zhou, C. Xu, Z. Wei, W. Liu, J. Li, X. Chen, J. Williams, and K. Xu, "Angle and energy dispersive multichannel electron energy spectrometer for surface analysis," *Journal of Electron Spectroscopy and Related Phenomena*, vol. 165, no. 1, pp. 15–19, 2008.
- [119] F. Toffoletto, R. Leckey, and J. Riley, "Design criteria for an angle resolved electron spectrometer of novel toroidal geometry," *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, vol. 12, no. 2, pp. 282–297, 1985.
- [120] S. Helmut and P. Wolfgang, "Apparatus for separating charged particles of different specific charges," Jun. 7 1960, uS Patent 2,939,952.
- [121] R. Ali, V. Frohne, and C. Cock, "M. st ockli, s. cheng, and l. raphaelian," *Phys. Rev. Lett*, vol. 69, p. 2491, 1992.
- [122] J. L. Wiza, "Microchannel plate detectors," *Nuclear Instruments and Methods*, vol. 162, no. 1-3, pp. 587–601, 1979.
- [123] L. M. Hirvonen and K. Suhling, "Wide-field tcspc: methods and applications," *Measurement Science and Technology*, vol. 28, no. 1, p. 012003, 2016.

- [124] J. G. Mainprize and M. J. Yaffe, “The effect of phosphor persistence on image quality in digital x-ray scanning systems,” *Medical physics*, vol. 25, no. 12, pp. 2440–2454, 1998.
- [125] M. Ameloot, B. Valeur, N. Boens *et al.*, “Pitfalls and their remedies in time-resolved fluorescence spectroscopy and microscopy,” *Journal of fluorescence*, vol. 15, no. 3, pp. 377–413, 2005.
- [126] P. Hoess and K. Fleder, “Response of very-fast-decay phosphors in image intensifier tubes for ccd readout devices,” in *24th International Congress on High-Speed Photography and Photonics*, vol. 4183. International Society for Optics and Photonics, 2001, pp. 127–133.
- [127] W. Augustyniak, W. Brown, and H. Lie, “A hybrid approach to two dimensional charged particle position sensing preserving energy resolution,” *IEEE Transactions on Nuclear Science*, vol. 19, no. 3, pp. 196–200, 1972.
- [128] M. Lampton and F. Paresce, “The ranicon: A resistive anode image converter,” *Review of Scientific Instruments*, vol. 45, no. 9, pp. 1098–1105, 1974.
- [129] M. Lampton and R. Malina, “Quadrant anode image sensor,” *Review of Scientific Instruments*, vol. 47, no. 11, pp. 1360–1362, 1976.
- [130] Y. Prokazov, E. Turbin, M. Vitali, A. Herzog, B. Michaelis, W. Zuschratter, and K. Kemnitz, “Reborn quadrant anode image sensor,” *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and associated Equipment*, vol. 604, no. 1, pp. 221–223, 2009.
- [131] K. Kemnitz, L. Pfeifer, R. Paul, and M. Coppey-Moisan, “Novel detectors for fluorescence lifetime imaging on the picosecond time scale,” *Journal of Fluorescence*, vol. 7, no. 1, pp. 93–98, 1997.
- [132] K. Kemnitz, L. Pfeifer, and M. Aimbund, “Detector for multichannel spectroscopy and fluorescence lifetime imaging on the picosecond timescale,” *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, vol. 387, no. 1-2, pp. 86–87, 1997.

- [133] C. Martin, P. Jelinsky, M. Lampton, R. Malina, and H. Anger, “Wedge-and-strip anodes for centroid-finding position-sensitive photon and particle detectors,” *Review of Scientific Instruments*, vol. 52, no. 7, pp. 1067–1074, 1981.
- [134] O. Siegmund, S. Clothier, J. Thornton, J. Lemen, R. Harper, I. Mason, and J. Culhane, “Application of the wedge and strip anode to position sensing with microchannel plates and proportional counters,” *IEEE Transactions on Nuclear Science*, vol. 30, no. 1, pp. 503–507, 1983.
- [135] H. Anger, “Survey of radioisotope cameras.” Univ. of California, Berkeley, Tech. Rep., 1966.
- [136] O. Jagutzki, V. Mergel, K. Ullmann-Pfleger, L. Spielberger, U. Spillmann, R. Dörner, and H. Schmidt-Böcking, “A broad-application microchannel-plate detector system for advanced particle or photon detection tasks: large area imaging, precise multi-hit timing information and high detection rate,” *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, vol. 477, no. 1, pp. 244–249, 2002.
- [137] A. Oelsner, O. Schmidt, M. Schicketanz, M. Klais, G. Schönhense, V. Mergel, O. Jagutzki, and H. Schmidt-Böcking, “Microspectroscopy and imaging using a delay line detector in time-of-flight photoemission microscopy,” *Review of Scientific Instruments*, vol. 72, no. 10, pp. 3968–3974, 2001.
- [138] O. Jagutzki, V. Dangendorf, R. Lauck, A. Czasch, and J. Milnes, “A position-and time-sensitive photon-counting detector with delay-line read-out,” *arXiv preprint physics/0703186*, 2007.
- [139] V. Sharma and B. Bapat, “An apparatus for studying momentum-resolved electron-impact dissociative and non-dissociative ionisation,” *The European Physical Journal D-Atomic, Molecular, Optical and Plasma Physics*, vol. 37, no. 2, pp. 223–229, 2006.
- [140] S. T. Manson and A. F. Starace, “Photoelectron angular distributions: energy dependence for s subshells,” *Reviews of Modern Physics*, vol. 54, no. 2, p. 389, 1982.



- [141] D. Gahl, “Simion 3d version 6.0,” ASMS, East Lansing, MI (United States), Tech. Rep., 1995.
- [142] K. Saha, S. Banerjee, and B. Bapat, “A combined electron-ion spectrometer for studying complete kinematics of molecular dissociation upon shell selective ionization,” *Review of Scientific Instruments*, vol. 84, no. 7, p. 073101, 2013.
- [143] S. Aksela, “Analysis of the energy distribution in cylindrical electron spectrometers,” *Review of Scientific Instruments*, vol. 42, no. 6, pp. 810–812, 1971.
- [144] R. Baker and B. Johnson, “Series operation of power mosfets for high-speed, high-voltage switching applications,” *Review of scientific instruments*, vol. 64, no. 6, pp. 1655–1656, 1993.
- [145] W. Jiang, “Fast high voltage switching using stacked mosfets,” *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 14, no. 4, 2007.
- [146] P. Chappell and K. Campden, “Switching performance of power mosfets with capacitive loads at high frequency and high voltage for square wave generators,” *Measurement Science and Technology*, vol. 3, no. 4, p. 356, 1992.
- [147] M. T. Bernius and A. Chutjian, “High-voltage, full-floating 10-mhz square-wave generator with phase control,” *Review of Scientific Instruments*, vol. 60, no. 4, pp. 779–782, 1989.
- [148] F. C. A. Pockels, *Lehrbuch der kristallogoptik*. BG Teubner, 1906, vol. 19.
- [149] W. She and W. Lee, “Wave coupling theory of linear electrooptic effect,” *Optics communications*, vol. 195, no. 1, pp. 303–311, 2001.
- [150] L. O. Werme, T. Bergmark, and K. Siegbahn, “The high resolution l2, 3 mm and m4, 5 nn auger spectra from krypton and m4, 5 nn and n4, 5 oo auger spectra from xenon,” *Physica Scripta*, vol. 6, no. 2-3, p. 141, 1972.
- [151] S. Biswas and L. Tribedi, “Plasmon-mediated electron emission from the coronene molecule under fast ion impact,” *Physical Review A*, vol. 92, no. 6, p. 060701, 2015.

- [152] S. Biswas, C. Champion, and L. C. Tribedi, "Differential electron emission from polycyclic aromatic hydrocarbon molecules under fast ion impact," *Scientific Reports*, vol. 7, 2017.
- [153] R. DuBois and M. E. Rudd, "Absolute doubly differential cross sections for ejection of secondary electrons from gases by electron impact. ii. 100-500-ev electrons on neon, argon, molecular hydrogen, and molecular nitrogen," *Physical Review A*, vol. 17, no. 3, p. 843, 1978.
- [154] P. J. Linstrom and W. Mallard, "Nist chemistry webbook; nist standard reference database no. 69," 2001.
- [155] Y.-K. Kim and M. E. Rudd, "Binary-encounter-dipole model for electron-impact ionization," *Physical Review A*, vol. 50, no. 5, p. 3954, 1994.
- [156] H. Deutsch, D. Margreiter, and T. Märk, "A semi-empirical approach to the calculation of absolute inner-shell electron impact ionization cross sections," *Zeitschrift für Physik D Atoms, Molecules and Clusters*, vol. 29, no. 1, pp. 31–37, 1994.
- [157] C. Vallance, P. W. Harland, and R. G. Maclagan, "Quantum mechanical calculation of maximum electron impact single ionization cross sections for the inert gases and small molecules," *The Journal of Physical Chemistry*, vol. 100, no. 37, pp. 15 021–15 026, 1996.
- [158] W. Hwang, Y.-K. Kim, and M. E. Rudd, "New model for electron-impact ionization cross sections of molecules," *The Journal of Chemical Physics*, vol. 104, no. 8, pp. 2956–2966, 1996.
- [159] B. Erk, D. Rolles, L. Foucar, B. Rudek, S. W. Epp, M. Cryle, C. Bostedt, S. Schorb, J. Bozek, A. Rouzee *et al.*, "Ultrafast charge rearrangement and nuclear dynamics upon inner-shell multiple ionization of small polyatomic molecules," *Physical review letters*, vol. 110, no. 5, p. 053003, 2013.
- [160] Y. Gotkis, M. Oleinikova, M. Naor, and C. Lifshitz, "Time-dependent mass spectra and breakdown graphs. xvii: Naphthalene and phenanthrene," *Journal of physical chemistry*, vol. 97, no. 47, pp. 12 282–12 290, 1993.

- [161] P. M. Mishra, L. Avaldi, P. Bolognesi, K. C. Prince, R. Richter, and U. R. Kadhane, "Valence shell photoelectron spectroscopy of pyrene and fluorene: Photon energy dependence in the far-ultraviolet region," *The Journal of Physical Chemistry A*, vol. 118, no. 17, pp. 3128–3135, 2014.
- [162] F. Salama and L. Allamandola, "Electronic absorption spectroscopy of matrix-isolated polycyclic aromatic hydrocarbon cations. i. the naphthalene cation (c<sub>10</sub>h<sub>8</sub>)," *The Journal of chemical physics*, vol. 94, no. 11, pp. 6964–6977, 1991.
- [163] J. Fulara, D. Lessen, P. Freivogel, and J. Maier, "Laboratory evidence for highly unsaturated hydrocarbons as carriers of some of the diffuse interstellar bands," *Nature*, vol. 366, no. 6454, pp. 439–441, 1993.
- [164] G. Reitsma, H. Zettergren, L. Boschman, E. Bodewits, R. Hoekstra, and T. Schlathölter, "Ion–polycyclic aromatic hydrocarbon collisions: kinetic energy releases for specific fragmentation channels," *Journal of Physics B: Atomic, Molecular and Optical Physics*, vol. 46, no. 24, p. 245201, 2013.
- [165] L. Sigaud, V. de Jesus, N. Ferreira, and E. Montenegro, "A novel double-focusing time-of-flight mass spectrometer for absolute recoil ion cross sections measurements," *Review of Scientific Instruments*, vol. 87, no. 8, p. 083112, 2016.
- [166] N. Ferreira, L. Sigaud, and E. Montenegro, "Molecular fragmentation by electron impact investigated using a time delayed spectroscopic technique," in *Journal of Physics: Conference Series*, vol. 488, no. 1. IOP Publishing, 2014, p. 012042.
- [167] W. C. Wiley and I. H. McLaren, "Time-of-flight mass spectrometer with improved resolution," *Review of Scientific Instruments*, vol. 26, pp. 39–441, 1993.
- [168] C. N. Burrous, A. J. Lieber, and V. T. Zaviantseff, "Detection efficiency of a continuous channel electron multiplier for positive ions," *Review of Scientific Instruments*, vol. 38, pp. 1477–1481, 1967.
- [169] A. Kumar, J. Rajput, T. Sairam, M. Jana, L. Nair, and C. Safvan, "Setup for measuring angular anisotropies in slow ion-molecule collisions," *International Journal of Mass Spectrometry*, vol. 374, pp. 44–48, 2014.

- [170] M. E. Rudd, T. Goffe, R. DuBois, and L. Toburen, "Cross sections for ionization of water vapor by 7–4000-keV protons," *Physical Review A*, vol. 31, no. 1, p. 492, 1985.
- [171] F. Gobet, B. Farizon, M. Farizon, M. Gaillard, M. Carré, M. Lezius, P. Scheier, and T. Märk, "Total, partial, and electron-capture cross sections for ionization of water vapor by 20–150 keV protons," *Physical review letters*, vol. 86, no. 17, p. 3751, 2001.
- [172] F. Gobet, S. Eden, B. Coupier, J. Tabet, B. Farizon, M. Farizon, M. Gaillard, M. Carré, S. Ouaskit, T. Märk *et al.*, "Ionization of water by (20–150)-keV protons: Separation of direct-ionization and electron-capture processes," *Physical Review A*, vol. 70, no. 6, p. 062716, 2004.
- [173] M. H. Stockett, M. Gatchell, J. D. Alexander, U. Bērziņš, T. Chen, K. Farid, A. Johansson, K. Kulyk, P. Rousseau, K. Støchkel *et al.*, "Fragmentation of anthracene c 14 h 10, acridine c 13 h 9 n and phenazine c 12 h 8 n 2 ions in collisions with atoms," *Physical Chemistry Chemical Physics*, vol. 16, no. 40, pp. 21 980–21 987, 2014.
- [174] P. Najeeb and U. Kadhane, "Delayed extraction time-of-flight mass spectrometer with electron impact for pah studies," *Journal of Instrumentation*, vol. 12, no. 03, p. P03009, 2017.
- [175] K. D. V. N. Bohr, "The penetration of atomic particles through matter," *Mat. Fys. Medd*, vol. 18 (8), p. 144, 1948.
- [176] S. Cheng, H. Berry, R. Dunford, H. Esbensen, D. Gemmell, E. Kanter, T. LeBrun, and W. Bauer, "Ionization and fragmentation of c 60 by highly charged, high-energy xenon ions," *Physical Review A*, vol. 54, no. 4, p. 3182, 1996.
- [177] P. K. Najeeb and U. Kadhane, "Relative stability of naphthalene, quinoline and isoquinoline under high energy electron impact," *International Journal of Mass Spectrometry*, vol. 414, no. 03, pp. 23–30, 2017.

- [178] T. Schlathölter, O. Hadjar, J. Manske, R. Hoekstra, and R. Morgenstern, “Electronic versus vibrational excitation in  $he^+$  collisions with fullerenes,” *International journal of mass spectrometry*, vol. 192, no. 1, pp. 245–257, 1999.
- [179] T. Schlathölter, O. Hadjar, R. Hoekstra, and R. Morgenstern, “Strong velocity effects in collisions of  $he^+$  with fullerenes,” *Physical review letters*, vol. 82, no. 1, p. 73, 1999.
- [180] Z. Tan, Y. Xia, X. Liu, and M. Zhao, “Proton inelastic mean free path in amino acids and protein over the energy range of 0.05–10mev,” *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, vol. 268, no. 17, pp. 2606–2610, 2010.
- [181] A. J. de Haas, J. Oomens, and J. Bouwman, “Facile pentagon formation in the dissociation of polyaromatics,” *Physical Chemistry Chemical Physics*, 2017.
- [182] J. Roithová and D. Schröder, “Bond-formation versus electron transfer: C–c-coupling reactions of hydrocarbon dications with benzene,” *Physical Chemistry Chemical Physics*, vol. 9, no. 6, pp. 731–738, 2007.
- [183] T. A. Field and J. H. Eland, “Lifetimes of metastable molecular doubly charged ions,” *Chemical physics letters*, vol. 211, no. 4-5, pp. 436–442, 1993.