

## List of Figures

Figure No.		Page No.
1.	A schematic energy profile representation of a two-state and three-state folder having hidden intermediates as described by the “Predetermined Pathway – Optional Error” method.	6
2.	Folding Funnel 2-D representation of the rugged energy landscape of protein folding. Q represents the fraction of structures formed with native-like contacts.	6
3.	2-D diagram of rugged “folding funnel” with plausible intermolecular interactions leading to various protein diseased-states.	8
4.	The cytochrome c maturation System I. The Ccm proteins (in blue) are all integral membrane proteins or are membrane-anchored with soluble domains in the periplasm (with the exception of CcmA, which hydrolyses ATP in the cytoplasm)	23
5.	Vector map of pBTR1 (WT). CYC1 codes for yeast iso-1- cytochrome <i>c</i> cloned between <i>Bam</i> HI sites are marked by #. CYC3 codes heme-lyase necessary for covalent attachment of heme with apoprotein.	34
6.	Cloning strategy adapted to incorporate restriction sites at the start and end of cyt- <i>c</i> gene. Fragment AB and CD were amplified separately using primes Ub-1, Ub-3 and Ub-2, Ub-4 respectively. Amplified fragments AB and CD were fused by denaturation and used as template in subsequent primer extension reaction using primers Ub-1 and Ub-4. Primers Ub-8 and Ub-7 carried <i>Mlu</i> I site and were used to delete the N-terminal residues TEF and TEFK respectively, from WT-cyt- <i>c</i>	35
7.	Vector map of pBTR1 <sup>SU</sup> (Shah Ubaid-ullah) having restriction sites <i>Mlu</i> I and <i>Xho</i> I at the start and end of CYC1 gene marked by *. <i>Bam</i> HI sites are marked by #	35
8.	Cartoon model of WT yeast iso-1-cyt- <i>c</i> showing interaction of extra five N-terminal residues with other proteins atoms. Five N-terminal residues (yellow), other protein atoms (green) and heme (cyan) are shown in ball and stick	51
9.	SDS PAGE of yeast iso-1-cyt- <i>c</i> at various steps of purification	52
10.	Spectroscopic characterization of WT, Δ(-5/-2) and Δ(-5/-3) yeast iso-1-cyt- <i>c</i> at pH 6.0 and 25 ± 0.1 °C	55
11.	Thermal denaturation of WT, Δ(-5/-2) and Δ(-5/-3) yeast iso-1-cyt- <i>c</i> monitored by (A) Δε <sub>405</sub> and (B) [θ] <sub>222</sub>	58
12.	DSC endotherm of WT, Δ(-5/-2) and Δ(-5/-3) iso-1-cyt- <i>c</i> in native buffer at pH 6.0	59

13.	Representative difference spectra of $\Delta(-5/-2)$ in presence of different concentration of GdmCl	62
14.	GdmCl-induced denaturation curve of WT yeast iso-1-cyt- <i>c</i> at pH 6.0 and 25 °C	63
15.	GdmCl-induced denaturation curve of $\Delta(-5/-2)$ yeast iso-1-cyt- <i>c</i> at pH 6.0 and 25 °C	64
16.	Representative difference spectra of $\Delta(-5/-3)$ in presence of different concentration of GdmCl	65
17.	GdmCl-induced denaturation curve of $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i> at pH 6.0 and 25 °C	66
18.	Normalized $f_D$ plots of GdmCl-induced denaturation of (A) WT (B) $\Delta(-5/-2)$ and (C) $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i>	67
19.	Thermal denaturation curves of $\Delta(-5/-2)$ yeast iso-1-cyt- <i>c</i> in the presence of different concentrations of GdmCl and plots of $T_m$ and $H_m$ versus [GdmCl]	70
20.	Thermal denaturation curves of $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i> in the presence of different concentrations of GdmCl and plots of $T_m$ and $H_m$ versus [GdmCl]	73
21.	Representative difference spectra of $\Delta(-5/-2)$ in presence of different concentration of urea	77
22.	Urea-induced denaturation curves of WT yeast iso-1-cyt- <i>c</i> at pH 6.0 and 25 °C	78
23.	Urea-induced denaturation curves of $\Delta(-5/-2)$ yeast iso-1-cyt- <i>c</i> at pH 6.0 and 25 °C	79
24.	Representative difference spectra of $\Delta(-5/-3)$ in presence of different concentration of urea	80
25.	Urea-induced denaturation curves of $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i> at pH 6.0 and 25 °C	81
26.	Normalized $f_D$ plots of urea-induced denaturation of (A) WT (B) $\Delta(-5/-2)$ and (C) $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i>	82
27.	Temperature dependence of properties of $\Delta(-5/-2)$ yeast iso-1-cyt- <i>c</i> at different concentration of urea	87
28.	Plots of $T_m$ and $H_m$ versus [urea] and $T_m$ versus $H_m$ for $\Delta(-5/-2)$ yeast iso-1-cyt- <i>c</i>	88
29.	Temperature dependence of properties of $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i> at different concentration of urea	89
30.	Plots of $T_m$ and $H_m$ versus [urea] and $T_m$ versus $H_m$ for $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i>	90

31.	LiCl-induced denaturation of WT yeast iso-1-cyt- <i>c</i> monitored by $\Delta\varepsilon_{405}$ at pH 6.0 and 25 °C	92
32.	LiCl-induced denaturation of $\Delta(-5/-2)$ yeast iso-1-cyt- <i>c</i> monitored by $\Delta\varepsilon_{405}$ at pH 6.0 and 25 °C	93
33.	LiCl-induced denaturation of $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i> monitored by $\Delta\varepsilon_{405}$ at pH 6.0 and 25 °C	94
34.	LiCl-induced denaturation of WT yeast iso-1-cyt- <i>c</i> monitored by change in $[\theta]_{222}$ at pH 6.0 and 25 °C	97
35.	LiCl-induced denaturation of $\Delta(-5/-2)$ yeast iso-1-cyt- <i>c</i> monitored by change in $[\theta]_{222}$ at pH 6.0 and 25 °C	98
36.	LiCl-induced denaturation of $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i> monitored by change in $[\theta]_{222}$ at pH 6.0 and 25 °C	99
37.	LiCl-induced denaturation of WT yeast iso-1-cyt- <i>c</i> monitored by $\Delta[\theta]_{409}$ at pH 6.0 and 25 °C	102
38.	LiCl-induced denaturation of $\Delta(-5/-2)$ yeast iso-1-cyt- <i>c</i> monitored by $\Delta[\theta]_{409}$ at pH 6.0 and 25 °C	103
39.	LiCl-induced denaturation of $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i> monitored by $\Delta[\theta]_{409}$ at pH 6.0 and 25 °C	104
40.	Normalized $f_I$ and $f_{II}$ versus LiCl concentration plots for (A) $\Delta(-5/-2)$ and (B) $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i>	105
41.	Plots of $\Delta G_I$ and $\Delta G_{II}$ versus LiCl concentration plots for (A) $\Delta(-5/-2)$ and (B) $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i>	105
42.	The far-UV CD spectra of the N, A, X and D states of (A) WT, (B) $\Delta(-5/-2)$ and (C) $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i>	107
43.	The Near-UV CD spectra of the N, A, X and D states of (A) WT, (B) $\Delta(-5/-2)$ and (C) $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i>	108
44.	The Soret CD spectra of the N, A, X and D states of (A) WT, (B) $\Delta(-5/-2)$ and (C) $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i>	109
45.	695-Absorption band of N, A, X and D states of $\Delta(-5/-2)$ (A) and (B) $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i>	110
46.	ANS binding of the different states of (A) $\Delta(-5/-2)$ and (B) $\Delta(-5/-3)$ yeast iso-1-cyt- <i>c</i>	111

