

# BIBLIOGRAPHY

- Abranches, J., Morais, P.B., Rosa, C.A., Mendonca-Hagler, L.C. and Hagler, H.N. (1997) The incidence of killer activity and extracellular proteases in tropical yeast communities. *Canadian Journal of Microbiology* **43**, 328–336.
- Abreu, F.A.P. (1997) Aspectos tecnológicos da gaseificação do vinho de caju (*Anacardium occidentale* L.). Master's Thesis, Universidade Federal do Ceará, Fortaleza, Brazil, p.95.
- Adebayo, C.O., Aderiye, B.I. and Akpor, O.B. (2014) Assessment of bacterial and fungal spoilage of some Nigerian fermented and unfermented foods. *African Journal of Food Science* **8**, 140-147
- Adebayo-Oyetoro, A.O., Oyewole, O.B., Obadina, A.O. and Omemu, M.A. (2013) Microbiological Safety Assessment of Fermented Cassava Flour “Lafun” Available in Ogun and Oyo States of Nigeria. *International Journal of Food Science* **2013**, Article ID 845324, 5 pages
- Aderiye, B.I. and Mbadiwe, U.V. (1993) Alcohol production in submerged cashew pomace. *Plant Foods for Human Nutrition* **43**, 273-278
- Adesioye, H.O. (1991) Production of wine from cocoa (*Theobroma cacao* L. Kuntze) juice using *Saccharomyces* sp. isolated from palm wine and cashew juice. Paper presented at the 15<sup>th</sup> Annual Conference of NIFST, Ota, Nigeria.
- Adou M., Kouassi D.A., Tetchi F.A. and Amani N.G. (2012b) Phenolic profile of Cashew (*Anacardium occidentale* L.) of Yamoussoukro and Korhogo, Cote d'Ivoire. *Journal of Applied Biosciences* **49**, 3331– 3338
- Adou, M., Tetchi, F.A., Gbane, M., Niaba, P.V.K.. and Amani, N.G., (2011) Minerals Composition of the Cashew Apple Juice (*Anacardium occidentale* L.) of Yamoussoukro, Côte d'Ivoire. *Pakistan Journal of Nutrition* **10**, 1109-1114
- Adou, M., Tetchii, F.A., Gbane, M., Kouassi, K.N. and Amani, N.G. (2012a) Physico-chemical characterization of cashew apple juice (*Anacardium occidentale*, l.) From Yamoussoukro (Cote d'Ivoire). *Innovative Romanian Food Biotechnology* **11**, 32-43.
- Adrio, J.L. and Demain, A.L. (2014) Microbial Enzymes: Tools for Biotechnological Processes. *Biomolecules* **4**, 117-139
- Afifi, M.M. (2011) Effective technological pectinase and cellulase by *Saccharomyces cerevisiae* utilizing food wastes for citric acid production. *Life Science Journal* **8**, 305-313
- Agrawal, N. and Prakash, A. (2013) Isolation of Lactic Acid Bacteria from Fermented Milk Products and Their Antimicrobial Activity against *Staphylococcus aureus*. *Internet Journal of Food Safety* **15**, 39-42

- Aguilera, F., Peinado, R.A., Millan, C., Ortega, J.M. and Mauricio, J.C. (2006) Relationship between ethanol tolerance, H<sup>+</sup>-ATPase activity and the lipid composition of the plasma membrane in different wine yeast strains. *International Journal of Food Microbiology* **110**, 34–42.
- Ahearn, D. G., Meyers, S. P. and Nichols, R. A. (1968) Extracellular proteinases of yeasts and yeast-like fungi. *Applied Microbiology* **16**, 1370-1374.
- Ahmed, S.A., El-Shayeb, N.M.A., Hashem, A.M., Saleh, S.A. and Abdel-Fattah, A.F. (2013) Biochemical studies on immobilized fungal  $\beta$ -glucosidase. *Brazilian Journal of Chemical Engineering* **30**, 747-758.
- Aiyer, P.V. (2005) Amylases and their applications. *African Journal of Biotechnology* **4**, 1525-1529.
- Akinwale, T.O. (2000) Cashew apple juice: Its use in fortifying the nutritional quality of some tropical fruits. *European Food Research and Technology* **211**, 205-207.
- Alana, A., Alkorta, I., Dorminguez, J.B., Llana, M.J. and Serra, J.L. (1990) Pectin lyase activity in *Penicillium italicum* strain. *Applied and Environmental Microbiology* **56**, 3755-3759.
- Albertin, W., Marullo, P., Aigle, M., Dillmann, C., de Vienne, D., Bely, M. and Sicard, D. (2011) Population Size Drives Industrial *Saccharomyces cerevisiae* Alcoholic Fermentation and Is under Genetic Control. *Applied and Environmental Microbiology* **77**, 2772-2784.
- Alcarde, A.R., de Souza, L.M. and Bortoletto, A.M. (2012) Ethyl carbamate kinetics in double distillation of sugar cane spirit. *Journal of the Institute of Brewing* **118**, 27-31.
- Alessandro, M. and F. Federico. (1980) Partial purification and characterization of a yeast extracellular acid protease. *Journal of Dairy Science* **63**, 1397-1402.
- Alexandre, H., Rousseux, I. and Charpentier, C. (1994) Ethanol adaptation mechanisms in *S. cerevisiae*. *Biotechnology and Applied Biochemistry* **20**, 173-183.
- Ali, M.N. and Khan, M.M. (2014) Screening, identification and characterization of alcohol tolerant potential bioethanol producing yeasts. *Current Research in Microbiology and Biotechnology* **2**, 316-324.
- Alimardani-Theuil, P., Gainvors-Claise, A. and Duchiron, F. (2011) Yeasts: An attractive source of pectinases-From gene expression to potential applications: A review. *Process Biochemistry* **46**, 1525-1537.
- Almeida, C., Branyik, T., Moradas-Ferreira, P. and Texeira, J. (2003) Continuous Production of Pectinase by Immobilized Yeast Cells on Spent Grains. *Journal of Bioscience and Bioengineering* **96**, 513-518.

- Alvarenga, R.M., Carrara, A.G., Silva, C.M. and Oliveira, E.S. (2011) Potential application of *Saccharomyces cerevisiae* strains for the fermentation of banana pulp. *Journal of African Biotechnology* **10**, 3608-3615.
- Alvarez, M. A. and Garcia, E. (1984) Componentes aromaticos en la fermentaci ! on alcoh ! olica del jerez. ! *Microbiologia Espanola* **37**, 37–45.
- Amanchukwu, S.C., Okpokwasili, G.C. and Obafemi, A. (1986) Evaluation of *Schzossacharomyces pombe* isolated from palm wine for single cell protein using hydrocarbon feedstock. In: Abstracts 14th Annual Conference, Nigerian Society for Microbiology, University of Calabar, Clabar, Nigeria, pp. 7-8.
- Ameh, J.B., Okagbue, R.N., Ahman, A.A. (1989) Isolation and characterization of local yeast strains for ethanol production. *Nigerian Journal of Technology and Research* **1**, 47-52.
- Amerine, A.M. and Cruess, W.V. (1960) The technology of winemaking. CT: AVI Publishing Company, Westport.
- Amerine, M. A. and Ough, C. S. (1974) Wine and must analysis. John Wiley and Sons, New York.
- Amerine, M.A., Kunkee, R.E., Ough, C.S., Singleton, V.L. and Webb, A.D. (1980) The Technology of Wine Making, AVI Publishing, Westport.
- Ampe, F., ben Omar, N., Moizan, C., Wachter, C. and Guyot, J.P. (1999) Polyphasic study of the spatial distribution of microorganisms in Mexican Pozol, a fermented maize dough, demonstrates the need for cultivation-independent methods to investigate traditional fermentations. *Applied and Environmental Microbiology* **65**, 5464 – 5473.
- Anderson, P.J., McNeil, K., Watson, K. (1986) High efficiency carbohydrate fermentation to ethanol at temperatures above 40°C by *Kluyveromyces marxianus* Var. *maxianus* isolated from sugar mill. *Applied and Environmental Microbiology* **51**, 1124-1129.
- Anfang, N., Brajkovich, M. and Goddard, M.R. (2009) Co-fermentation with *Pichia kluyveri* increases varietal thiol concentrations in Savignon Blanc. *Australian Journal of Grape Wine Research* **15**, 1–8.
- Anisa, S.K., Ashwini, S. and Girish, K. (2013) Isolation and Screening of *Aspergillus* spp. for Pectinolytic Activity. *Electronic Journal of Biology* **9**, 37-41.
- Antonelli, A., Castellari, L., Zambonelli, C. and Carnacini, A. (1999) Yeast influence on volatile composition of wines. *Journal of Agricultural and Food Chemistry* **47**, 1139-1144.
- Apine, O.A. and Jadhav, J.P. (2015) Fermentation of Cashew apple (*Anacardium occidentale*) juice into wine by different *Saccharomyces cerevisiae* strains: A comparative study. *Indian Journal of Research* **4**, 6-10

- Aragon, P., Atienza, J. and Climent, M. D. (1998) Influence of clarification, yeast type, and fermentation temperature on the organic acid and higher alcohols of Malaise and Muscatel wines. *American Journal of Enology and Viticulture* **49**, 211–216.
- Araujo, S.M., Silva, C.F., Moreira, J.J., Narain, N. and Souza, R.R. (2011) Biotechnological process for obtaining new fermented products from cashew apple fruit by *Saccharomyces cerevisiae* strains. *Journal of Industrial Microbiology and Biotechnology* **38**, 1161-1169.
- Archer, G.L. (1998) *Staphylococcus aureus*: a well-armed pathogen. *Clinical Infectious Diseases* **26**, 1179-1181.
- Arevalo, M., Ubeda, J.F. and Briones, A.I. (2007) Glucosidase activity in wine yeasts: Application in enology. *Enzyme and Microbial Technology* **40**, 420-425.
- Arevalo-Villena, M., Fernandez, M., Lopez, J. and Briones, A. (2011) Pectinases yeast production using grape skin as carbon source. *Advances in Bioscience and Biotechnology* **2**, 89-96.
- Arias, C.R., Burns, J.K., Friedrich, L.M., Goodrich, R.M. and Parish, M.E. (2002) Yeast Species Associated with Orange Juice: Evaluation of Different Identification Methods. *Applied and Environmental Microbiology* **68**, 1955-1961.
- Arroyo, T., Cordero-Bueso, G., Serrano, A. and Valero, E. (2011) Beta-Glucosidase production by non-Saccharomyces yeasts isolated from vineyard. In : Expression of Multidisciplinary Flavour Science: Proceeding of the 12<sup>th</sup> Weurman Symposium. pp. 359-362.
- Arroyo-Lopez, F.N., Duran-Quintana, M.C., Ruiz-Barba, J.L., Querol, A. and Garrido-Fernandez, A. (2006) Use of molecular methods for the identification of yeast associated with table olives. *Food Microbiology* **23**, 791–796.
- Arroyo-Lopez, F.N., Romero-Gil, V., Bautista-Gallego, J., Rodriguez-Gomez, F. and Jimenez-Diaz, R. (2012) Yeasts in table olive processing: Desirable or spoilage microorganisms? *International Journal of Food Microbiology* **160**, 42-49.
- Artırlıması, A.U.M.I.K.A. (2013) Isolation and Characterization of Amylase Producing Yeasts and Improvement of Amylase Production. *Turkish Journal of Biochemistry* **38**, 101–108.
- Assuncao, R. B. and Mercadante, A. Z. (2003) Carotenoids and ascorbic acid from cashew apple (*Anacardium occidentale* L.) variety and geographic effects. *Food Chemistry* **81**, 495–502.
- Atlas, R.M. and Parks, L.C. (1993) Handbook of Microbiological Media London: CRC Press.
- Attfield, P. V. (1997) Stress tolerance: the key to effective strains of industrial baker's yeast. *Nature Biotechnology* **15**, 1351-1357.
- Attri, B.L. (2009) Effect of initial sugar concentration on the physico-chemical characteristics and sensory qualities of cashew apple wine. *Natural Product Radiance* **8**, 374-379.

- Azad, K., Hossain, F. and Halim, M.A. (2013) Screening of cellulase, pectinase and xylanase activities and optimization of radial mycelial growth of two thermophilic fungi. *Bangladesh Journal of Botany* **42**, 207-213.
- Badolato, E.S.G. and Duran, M.C. (2000) Risco de intoxicação por metanol pela ingestão de bebidas alcoólicas. *Revista de Psiquiatria Clínica* **27**, 1-4.
- Bai, M., Qing, M., Gio, Z., Zhang, Y., Chen, X., Bao, Q., Zhang, H. and Sun, T.S. (2010) Occurrence and dominance of yeast species in naturally fermented milk from the Tibetan Plateau of China. *Canadian Journal of Microbiology* **56**, 707-714.
- Bajaj, B.K., Raina, S. and Singh, S. (2013) Killer toxin from a novel killer yeast *Pichia kudriavzevii* RY55 with idiosyncratic antibacterial activity. *Journal of Basic Microbiology* **53**, 645-656.
- Balat, M. and Balat, H. (2009) Recent trends in global production and utilization of bio-ethanol fuel. *Applied Energy* **86**, 2273-2282.
- Balcerek, M. and Szopa, J.S. (2006) Evaluation of the effect of carbamylphosphate synthetase and urease activities in selected strains of wine yeast on the production of ethyl carbamate. *Polish Journal of Food and Nutrition Sciences* **15/56**, 445-452.
- Baracat-Pereira, M.C., Coelho, J.L.C. and Silva, D.O. (1994) Production of pectin lyase by *Penicillium griseoroseum* cultured on sucrose and yeast extract for degumming of natural fibers. *Letters in Applied Microbiology* **18**, 127-129.
- Barbuddhe, S. B., Desai, A.R., Doijad, S.P. and Singh, N.P. (2013) Diversity of yeasts isolated from fermented products. In: *Microbial diversity and its applications*, Barbuddhe, S.B., Ramesh, R. and Singh, N.P. (Editors), New India Publishing Agency, New Delhi, pp. 129-140.
- Barbuddhe, S.B., Desai, A.R., Doijad, S.P. and Singh, N.P. (2011) Diversity of yeasts isolated from fermented Cashew apple juice. Paper presented at National Symposium on "Microbial Diversity and its applications in Health, Agriculture and Industry" organized by ICAR Research Complex for Goa, Old Goa during 4-5 March, 2011.
- Barghouthi, S.A. (2011) A universal method for the identification of bacteria based on general PCR primers. *Indian Journal of Microbiology* **51**, 430-444.
- Barnett, J. A., Ingram, M. and Swain, T. (1956) The use of beta-glucosides in classifying yeasts. *Journal of General Microbiology* **15**, 529-555.
- Barnett, J.A. and Pankhurst, R.J. (1974) A new key to yeasts. American Elsevier Publishing Co, New York, pp. 73-236.
- Barnett, J.A., Payne, R. W. and Yarrow, D. (1990) *Yeasts: Characteristics and Identification*, Cambridge University Press, Cambridge.

- Barnett, J.A., Payne, R.W. and Yarrow, D. (1983) *Yeasts Characteristics and Identification*, University Press, Cambridge, London, pp: 23–4.
- Barnett, J.A., Payne, R.W. and Yarrow, D. (2000) *Yeasts: Characteristics and Identification*. Cambridge University Press, Cambridge, pp. 23-38.
- Barros, E.M., Rodrigues, T.H.S., Pinheiro, A.D.T., Angelim, A.L., Melo, V.M.M., Rocha, M.V.P. and Goncalves, L.R.B. (2014) A yeast isolated from cashew apple juice and its ability to produce first and second generation ethanol. *Applied Biochemistry and Biotechnology* **174**, 2762-2776.
- Battcock, M. and Azam, S. (2001) Fermented fruits and vegetables: A global perspective. Food and agriculture organization United Nations (FAO), FAO agricultural services bulletin-134, Daya Publishing House, Delhi, p. 29.
- Bauer, F. F. and Pretorius, I. S. (2000) Yeast stress response and fermentation efficiency: how to survive the making of wine- a review. *South African Journal of Enology and Viticulture* **21**, 27-51.
- Bechem, E.E.T., Omoloko, C., Nwaga, D. and Titanji, V.P.K. (2007) Characterization of palm wine yeasts using osmotic, ethanol tolerance and isoenzyme polymorphism of alcohol dehydrogenase. *African Journal of Biotechnology* **6**, 1715-1719.
- Beech, F. W. and Davenport, R. R. (1971) Isolation, Purification and Maintenance of Yeast. In *Methods in Microbiology* **4**, 153.
- Bely, M., Stoeckle, P., Masnuef-Pomarede, I. and Dubourdieu, D. (2008) Impact of mixed *Torulasporea delbrueckii*–*Saccharomyces cerevisiae* culture on high-sugar fermentation. *International Journal of Food Microbiology* **122**, 312–320.
- Benitez, T., Del Castillo, L., Aguilera, A., Conde, J. and Oimedo, E.C. (1983) Selection of wine yeasts for growth and fermentation in the presence of ethanol and sucrose. *Applied and Environmental Microbiology* **45**, 1429-1436.
- Benkerroum, N. (2013) Traditional Fermented Foods of North African Countries: Technology and Food Safety Challenges With Regard to Microbiological Risks. *Comprehensive Reviews in Food Science and Food Safety* **12**, 54-89.
- Bey, M., Berrin, J.G., Poidevin, L. and Sigoillot, J.C. (2011) Heterologous expression of *Pycnoporus cinnabarinus* cellobiose dehydrogenase in *Pichia pastoris* and involvement in saccharification processes. *Microbial Cell Factory* **10**, 113.
- Bezerra-Bussoli, C., Baffi, M. A., Gomes, E. and Da-Silva, R. (2013) Yeast Diversity Isolated from Grape Musts During Spontaneous Fermentation from a Brazilian Winery. *Current Microbiology* **67**, 356-361.

- Bhadra, B., Begum, Z. and Sihivaji, S. (2008) *Pichia garciniae* sp. nov., isolated from a rotten mangosteen fruit (*Garcinia mangostana* L., *Clusiaceae*). *International Journal of Systematic and Evolutionary Microbiology* **58**, 2665-2669.
- Bhadra, B., Rao, S.R., Kumar, N.N., Chaturvedi, P., Sarkar, P.K. and Shivaji, S. (2007) *Pichia cecembensis* sp. nov. isolated from a papaya fruit (*Carica papaya* L., *Caricaceae*) *FEMS Yeast Research* **7**, 579–584.
- Bhakta, G.D. (2010) FENI Industry in Goa: Prospects and Constraints. In: Proceedings and recommendations of State level Seminar on New Challenges in Cashew production under current trends of climate changes, ICAR, Goa, pp. 16-17.
- Bharathi, N. and Meyyappan, R.M. (2015) Production of urease enzyme from ureolytic yeast cell. *International Journal of Engineering Research and General Science* **3**, 643-647.
- Bicalho, B. and Rezende, C.M. (2001) Volatile compounds of cashew apple (*Anacardium occidentale* L.). *Zeitschrift fur Naturforschung. C, Journal of BioSciences* **56**, 35-39.
- Bicalho, B., Pereira, A. S., Aquino Neto, F. R., Pinto, A. C. and Rezende, C. M. (2000) Application of high-temperature gas chromatographymass spectrometry to the investigation of glycosidically bound compounds related to cashew apple (*Anacardium occidentale* L. var *nanum*) volatiles. *Journal of Agricultural and Food Chemistry* **48**, 1167–1174.
- Biely, P. and Slavikova, E. (1994) New search for pectolytic yeasts. *Folia Microbiologica* **39**, 485-488.
- Bilinski, C.A. and Stewart, G.G. (1990) Yeasts proteases and brewing. In *Yeast Biotechnology and Biocatalysis*, Verachtert, H. and de Mot, R. (Editors), Marcel Dekker, New York, pp. 147–162.
- Bilinski, C.A., Russell, I. and Stewart, G. G. (1987) Applicability of yeast extracellular proteinases in brewing: physiological and biochemical aspects. *Applied and Environmental Microbiology* **53**, 495-499.
- Bindler, F., Voges, E. and Laugel, P. (1988) The problem of methanol concentration admissible in distilled fruit spirits. *Food Additives and Contaminants* **5**, 343-351.
- Birch, R.M. and Walker, G.M. (2000) Influence of magnesium ions on heat shock and ethanol stress responses of *Saccharomyces cerevisiae*. *Enzyme and Microbial Technology* **26**, 678–687.
- Bishop, L. R. (1975) Haze- and foam-forming substances in beer. *Journal of the Institute of Brewing* **81**, 444 449.
- Blanco, P., Sieiro, C. and Villa, T.G. (1999) Production of pectic enzymes in yeasts. *FEMS Microbiology Letters* **175**, 1–9.



- Blanco, P., Sieiro, C., Díaz, A., Reboredo, M. and Villa, T.G. (1997) Grape juice biodegradation by polygalacturonases from *Saccharomyces cerevisiae*. *International Biodeterioration and Biodegradation* **40**, 115-118.
- Boboye, B. and Dayo-Owoyemi, I. (2009) Comparative evaluation of the sensory properties of doughs fermented with yeasts isolated from orange. *Biotechnology* **8**, 389-392.
- Bolumar, T., Sanz, Y., Aristoy, M., Conception, A. and Toldra, F. (2005) Protease B from *Debaryomyces hansenii*: purification and biochemical properties. *International Journal of Food Microbiology* **98**, 167-177.
- Boonmak, C., Limtong, S., Jindamorakot, S., Amin, S., Yongmanitchai, W., Suzuki, K., Nakase, T. and Kawasaki, H. (2011) *Candida xylanilytica* sp. nov., a xylan-degrading yeast species isolated from Thailand. *International Journal of Systematic and Evolutionary Microbiology* **61**, 1230-1234.
- Brindha, J.R., Mohan, T.S., Immanuel, G., Jeeva, S. and Lekshmi, N.C.J.P. (2011) Studies on amylase and cellulase enzyme activity of the fungal organisms causing spoilage in tomato. *European Journal of Experimental Biology* **1**, 90-96.
- Brizzio, S., Turchetti, B., de Garcia, V., Libkind, D., Buzzini, P. and van Broock, M. (2007) Extracellular enzymatic activities of basidiomycetous yeasts isolated from glacial and subglacial waters of northwest Patagonia (Argentina). *Canadian Journal of Microbiology* **53**, 519–525.
- Brooks, A. A. (2008) Ethanol production potential of local yeast strains isolated from ripe banana peels. *African Journal of Biotechnology* **7**, 3749-3752.
- Bulawayo, B., Brochora, J.M., Muzondo, M.I. and Zvauya, R. (1996) Ethanol production by fermentation of sweet stem sorghum juice using various yeast strains. *World Journal of Microbiology and Biotechnology* **12**, 357-360.
- Bull, A.T. (2004) Microbial Diversity and Bioprospecting. American Society for Microbiology Press, United States of America, pp. 3-12.
- Bull, A.T., Goodfellow, M. and Slater, J.H. (1992) Biodiversity as a source of innovation in biotechnology. *Annual Review of Microbiology* **46**, 219–252.
- Burden, D.W. and Eveleigh, D.E. (1990) Yeasts — Diverse substrates and products. In *Yeast Technology*, Spencer, J.F.T. and Spencer, D.M. (Editors), Springer-Verlag, Berlin, pp. 199–227.
- Busse-Valverde, N., Gómez-Plaza, E., López-Roca, J.M., Gil-Muñoz, R. and Bautista-Ortín, A.B. (2011) The extraction of anthocyanins and proanthocyanidins from grapes to wine during fermentative maceration is affected by the enological technique. *Journal of Agricultural and Food Chemistry* **59**, 5450-5455.

- Buyuksirit, T. and Kuleasan, H. (2014) Antimicrobial agents produced by yeasts. *International Journal of Biological, Food, Veterinary and Agricultural Engineering* **8**, 1041-1044.
- Buzzini, P and Martini, A. (2002) Extracellular enzymatic activity profiles in yeast and yeast-like strains isolated from tropical environments. *Journal of Applied Microbiology* **93**, 1020-1025.
- Buzzini, P. and Vaughan-Martini, A. (2006) Yeast Biodiversity and Biotechnology. In *The Yeast Handbook Biodiversity and Ecophysiology of Yeasts*, Rosa, C. A. and P. Gabor (Editors), SpringerVerlag Inc, German, pp. 533-559.
- Buzzini, P., Turchetti, B. and Vaughan-Martini, A.E. (2007) The use of killer sensitivity patterns for biotyping yeast strains: the state of the art, potentialities and limitations. *FEMS Yeast Research* **7**, 749–760.
- Cabaroglu, T., Selli, S., Canbas, A., Lepoutre, J.P. and Gunata, Z. (2003) Wine flavor enhancement through the use of exogenous fungal glycosidases. *Enzyme and Microbial Technology* **33**, 581-587.
- Cabrera, M. J., Moreno, J., Ortega, J. M. and Medina, M. (1988) Formation of ethanol higher alcohols, esters, and terpenes by five yeast strains from Pedro Ximenez grapes in various degrees of ripeness. *American Journal of Enology and Viticulture* **39**, 283–287.
- Calderbank, J. and Hammond, J.R.M. (1994) Influence of Higher Alcohol Availability on Ester Formation by Yeast. *Journal of the American Society of Brewing Chemists* **52**, 84.
- Callon, C., Duthoit, F., Delbès, C., Ferrand, M., Le Frileux, Y., De Cremoux, R. and Montel, M.C. (2007) Stability of microbial communities in goat milk during a lactation year: molecular approaches. *Systematic and Applied Microbiology* **30**, 547–560.
- Campos, D.C.P., Santos, A.S., Wolkoff, D.B. and Matta, V.M. (2002) Cashew apple juice stabilization by microfiltration. *Desalination* **148**, 61–65.
- Canas, B.J., Havery, D.C., Robinson, L.R., Sullivan, M.P., Joe, F.L. and Diachenko, G.W. (1989) Ethyl carbamate levels in selected fermented foods and beverages. *Journal of Association of Official Analytical Chemistry* **72**, 873- 876.
- Capoor, M.R., Aggarwal, S., Raghvan, C., Gupta, D.K., Jain, A.K. and Chaudhary, R. (2014) Clinical and microbiological characteristics of *Rhodotorula mucilaginosa* infections in a tertiary-Care facility. *Indian Journal of Medical Microbiology* **32**, 304-309.
- Carlsen, H.N., Degn, H. and Llyod, D. (1991) Effects of alcohols on the respiration and fermentation of aerated suspensions of baker's yeast. *Journal of General Microbiology* **137**, 2879-2883.
- Carrasco, M., Rozas, J.M., Barahona, S., Alcaino, J., Cifuentes, V. and Baeza, M. (2012) Diversity and extracellular enzymatic activities of yeasts isolated from King George Island, the sub-Antarctic region. *BMC Microbiology* **12**, 251.

- Carvalho, C.M., Meirinho, S., Estevinho, M.L.F. and Choupina, A. (2010) Yeast species associated with honey: different identification methods. *Archives of Zootechnology* **59**, 103-113.
- Casey G.P., Pringle, A.T. and Erdmann, P.A. (1990) Evaluation of recent techniques used to identify individual stains of *Saccharomyces* yeasts. *Journal of the American Society of Brewing Chemists* **48**, 100–106.
- Castilhos, M.B.M., Conti-Silva, A.C. and Del Bianchi, V.L. (2012) Effect of grape pre-drying and static pomace contact on physicochemical properties and sensory acceptance of Brazilian (Bordô and Isabel) red wines. *European Food Research and Technology* **235**, 345-354.
- Castro, A.M.; Ferreira, M.C.; Cruz, J.C.; Pedro, K.C.N.R.; Carvalho, D.F.; Leite, S.G.F. and Pereira, N. (2010) High-yield endoglucanase production by *Trichoderma harzianum* IOC-3844. Cultivated in pretreated sugarcane mill byproduct. *Enzyme Research* **2010**, 1-8.
- Cavalcante, A. A. M., Rußbensam, G., Erdtmann, B., Brendel, M., and Henriques, J. A. P. (2005) Cashew (*Anacardium occidentale*) apple juice lowers mutagenicity of aflatoxin B1 in *S. typhimurium* TA 102. *Genetics and Molecular Biology* **28**, 328–333.
- Chagas, C.M., Honorato, T.L., Pinto, G.A., Maia, G.A. and Rodrigues, S. (2007) Dextranucrase production using cashew apple juice as substrate: effect of phosphate and yeast extract addition. *Bioprocess and Biosystems Engineering* **30**, 207-215.
- Chan, G.F., Gan, H.M., Ling, H.L. and Rashid, N.A.A. (2012) Genome sequence of *Pichia kudriavzevii* M12, a potential producer of bioethanol and phytase. *Eukaryotic Cell* **11**, 1300-1301.
- Chanchaichaovivat, A., Ruenwongsa, P. and Panijpan, B. (2007) Screening and identification of yeast strains from fruits and vegetables: Potential for biological control of postharvest chilli anthracnose (*Colletotrichum capsici*). *Biological Control* **42**, 326–335.
- Chandrasekharan, G. and Jeyakumar, M.R. (2014) A study on the export potential of cashew from India with special reference to Kerala. *International Journal of Economic and Business Review* **2**, 167-174.
- Chandrasena, G., Keerthipala, A.P. and Walker, G.M. (2006) Isolation and Characterization of Sri Lankan Yeast Germplasm and Its Evaluation for Alcohol Production. *Journal of the Institute of Brewing* **112**, 302-307.
- Chanprasartsuk, O., Prakitchaiwattana, C. and Sanguandeeikul, R. (2013) Comparison of Methods for Identification of Yeasts Isolated during Spontaneous Fermentation of Freshly Crushed Pineapple Juices. *Journal of Agricultural Science and Technology* **15**, 1479-1490.

- Charalambous, G. (1981) Involatile constituents of beer, In *Brewing science*, Pollock, J. R. A. (Editor), Academic Press, Inc., New York, pp. 167-254.
- Charoenchai, C., Fleet, G. H., Henschke, P. A. and Todd, B. (1997) Screening of non-*Saccharomyces* wine yeasts for the presence of extracellular hydrolytic enzymes. *Australian Journal of Grape and Wine Research* **3**, 2-8.
- Chatterjee, S., Ghosh, B. and Ray, R.R. (2011) Isolation and characterization of local yeast strains from waste fruit juices, jiggery and dahi samples. *International Journal of Chemical Science* **9**, 647-656.
- Chavan, P., Mane, S., Kulkarni, G., Shaikh, S., Ghormade, V., Nerkar, D.P., Shouche, Y. and Deshpande, M.V. (2009) Natural yeast flora of different varieties of grapes used for wine making in India. *Food Microbiology* **26**, 801-808.
- Chaves-Lopez, C., Serio, A., Grande-Tovar, C.D., Cuervo-Mulet, R., Delgado-Ospina, J. and Paparella, A. (2014) Traditional Fermented Foods and Beverages from a Microbiological and Nutritional Perspective: The Colombian Heritage. *Comprehensive Reviews in Food Science and Food Safety* **13**, 1031-1048.
- Chen, H. and Jin, S. (2006) Effect of ethanol and yeast on cellulase activity and hydrolysis of crystalline cellulose. *Enzyme and Microbial Technology* **39**, 1430-1432.
- Chen, P.J., Wei, T.C., Chang, Y.T. and Lin, L.P. (2004) Purification and characterization of carboxymethyl cellulase from *Sinorhizobium fredii*. *Botanical Bulletin-Academia Sinica Taipei* **45**, 111-118.
- Chen, S. and Xu, Y. (2010) The influence of yeast strains on the volatile flavor compounds of Chinese rice wine. *Journal of the Institute of Brewing* **116**, 190-196.
- Chen, Y.C., Eisner, J.D., Kattar, M.M., Rassoulian-Barnett, S.L., LaFe, K., Yarfitz, S.L., Limaye, A.P. and Cookson, B.T. (2000) Identification of medically important yeasts using PCR-based detection of DNA sequence polymorphisms in the internal transcribed spacer 2 region of the rRNA genes. *Journal of Clinical Microbiology* **38**, 2302-2310.
- Cheraiti, N., Guezenec, S. and Salmon, J.M. (2005) Redox interactions between *Saccharomyces cerevisiae* and *Saccharomyces uvarum* in mixed culture under enological conditions. *Applied and Environmental Microbiology* **71**, 255-260.
- Chi, Z., Chi, Z., Liu, G., Wang, F., Ju, L. and Zhang, T. (2009) *Saccharomycopsis fibuligera* and its applications in biotechnology. *Biotechnology Advances* **27**, 423-431.
- Chira, K., Pacella, N., Jourdes, M., Teissedre, P.L. (2011) Chemical and sensory evaluation of Bordeaux wines (Cabernet Sauvignon and Merlot) and correlation with wine age. *Food Chemistry* **126**, 1971-1977.

- Ciani, M. and Ferraro, L. (1998) Combined use of immobilized *Candida stellata* cells and *Saccharomyces cerevisiae* to improve the quality of wines. *Journal of Applied Microbiology* **85**, 247–254.
- Ciani, M., Beco, L. and Comitini, F. (2006) Fermentation behavior and metabolic interactions of multistarter wine fermentation. *International Journal of Food Microbiology* **108**, 239–245.
- Ciani, M., Comitini, F., Mannazzu, I. and Domizio, P. (2010) Controlled mixed culture fermentation: a new perspective on the use of non-*Saccharomyces* yeasts in winemaking. *FEMS Yeast Research* **10**, 123–133.
- Ciani, M., Ferraro, L. and Fatichenti, F. (2000) Influence of glycerol production on the aerobic and anaerobic growth of the wine yeast *Candida stellata*. *Enzyme and Microbial Technology* **15**, 698–703.
- Clemente-Jimenez, J.M., Mingorance-Cazorla, L., Martinez-Rodriguez, S., Las Heras-Vazquez, F.J. and Rodriguez-Vico, F. (2004) Molecular characterization and oenological properties of wine yeasts isolated during spontaneous fermentation of six varieties of grape must. *Food Microbiology* **21**, 149–155.
- Cohen, B. L., J. E. Morris, and H. Drucker. (1975) Regulation of two extracellular proteases of *Neurospora crassa* by induction and by carbon-, nitrogen- and sulfur-metabolite repressions. *Archives of Biochemistry and Biophysics* **169**, 324–330.
- Cole, V.C. and Nobel, A.C. (1997) Flavour chemistry and assessment, In: *Fermented beverage Production*, Lea, A.G.H. and Piggott, J.R. (Editors), Blakie Academic and Professional, London, pp. 361–385.
- Combina, M., Elia, A., Mercado, L., Catania, C., Ganga, A. and Martinez, C. (2005) Dynamics of indigenous yeast populations during spontaneous fermentation of wines from Mendoza, Argentina. *International Journal of Food Microbiology* **99**, 237–243.
- Combina, M., Elía, A., Mercado, L., Catania, C., Ganga, A. and Martinez, C. (2005b) Dynamics of indigenous yeast populations during spontaneous fermentation of wines from Mendoza, Argentina. *International Journal of Food Microbiology* **99**, 237–243.
- Combina, M., Mercado, L., Borgo, P., Elia, A., Jofre, V., Ganga, A. and Martinez, C. (2005a) Yeast associated to Malbec grape berries from Mendoza, Argentina. *Journal of Applied Microbiology* **98**, 1055–1061.
- Comitini, F., Gobbi, M., Domizio, P., Romani, C., Lencioni, L., Mannazzu, I. and Ciani, M. (2011) Selected non-*Saccharomyces* wine yeasts in controlled multistarter fermentations with *Saccharomyces cerevisiae*. *Food Microbiology* **28**, 873–882.

- Comstock, S.S., Robotham, J.M., Tawde, P., Kshirsagar, H., Sathe, S.K., Roux, K.H. and Teuber, S.S. (2008) Immunoglobulin E-reactive proteins in cashew (*Anacardium occidentale*) apple. *Journal of Agricultural and Food Chemistry* **56**, 5977-5982.
- Conterno, L. and Delfini, C. (1994) Peptidase activity and the ability of wine yeasts to utilise grape must proteins as sole nitrogen source. *Journal of Wine Research* **5**, 113- 126.
- Cordero Otero, R.R., Ubeda Iranzo, J.F., Briones Pe´rez, A.I., Potgieter, N., Are´valo Villena, M., Pretorius, I.S. and Van Rensburg, P. (2003) Characterization of the b-glucosidase activity produced by enological strain of non-*Saccharomyces* yeasts. *Journal of Food Science* **68**, 2564–2569.
- Costa, J.M.C., Felipe, F.M.F., Maia, G.J., Hernandez, F.F.F. and Brasil, I.M. (2009) Production and characterization of the cashew apple (*Anacardium occidentale* L.) and guava (*Psidium guajava* L.) fruit powders. *Journal of Food Processing and Preservation* **33**, 299–312.
- Costas, M., Dieve, F.J. and Longo, M.A. (2004) Lipolytic activity in submerged cultures of *Issatchenkia orientalis*. *Process Biochemistry* **39**, 2109-2114.
- Coulon, J., Husnik, J.I., Inglis, D.I., van der Merwe, G.K., Lonvaud, A., Erasmus, D.J., van Vuuren, H.J.J. (2006) Metabolic Engineering of *Saccharomyces cerevisiae* to Minimize the Production of Ethyl Carbamate in Wine. *American Journal of Enology and Viticulture* **57**, 113-124.
- Croitoru, M.D., Elena, T., Ibolya, F. and Erzsebet, F. (2013) A Survey on the Methanol Content of Home Distilled Alcoholic Beverages in Transylvania (Romania). *Acta Medica Marisiensis* **59**, 206-208.
- Cuadros-Inostroza, A., Giavalisco, P., Hummel, J., Eckardt, A., Willmitzer, L. and Pe˜na-Cortés, H. (2010) Discrimination of wine attributes by metabolome analysis. *Analytical Chemistry* **82**, 3573–3580.
- D’Annibale, A., Sermanni, G.G., Federici, F. and Petruccioli, M. (2006) A promising substrate for microbial lipase production. *Bioresource Technology* **97**, 1828-1833.
- Daenen, L, Saison, D., Sterckx, F., Delvaux, F.R., Verachtert, H. and Derdel, G. (2008a) Screening and evaluation of the glucoside hydrolase activity in *Saccharomyces* and *Brettanomyces* brewing yeasts. *Journal of Applied Microbiology* **104**, 478–488.
- Daenen, L., Sterckx, F., Delvaux, F.R., Verachtert, H. and Derdelinck, G. (2008b) Evaluation of the glycoside hydrolase activity of *Brettanomyces* strain on glycosides from sour cherry (*Prunus cerasus* L.) used in the production of special fruit beers. *FEMS Yeast Research* **8**, 1103–1114.

- Daenen, L., Vanderhaegen, B., Verachtert, H. and Derdlinckx, G. (2004) Flavour enhancement in beer by yeast beta-glucosidase activity. *Communications in Agricultural and Applied Biological Sciences* **69**, 73-76.
- Darias-Martin, J., Lobo-Rodrigo, G., Hernández-Cordero, J., Diaz-Diaz, E. and Díaz-Romero, C. (2003) Alcoholic Beverages obtained from Black Mulberry. *Food Technology and Biotechnology* **41**, 173–176.
- Dato, M.C.F., Junior, J.M.P. and Mutton, M.J.R. (2005) Analysis of the secondary compounds produced by *Saccharomyces cerevisiae* and wild yeast strains during the production of “cachaca”. *Brazilian Journal of Microbiology* **36**, 70-74.
- Daudt, C.E. and Ough, C.S. (1973) Variations in some volatile acetate esters formed during grape juice fermentation. Effects of fermentation temperature, SO<sub>2</sub>, yeast strain, and grape variety. *American Journal of Enology and Viticulture* **24**, 130-135.
- de Azeredo, L.A.I., Gomes, E.A.T., Mendonca-Hagler, L.C. and Hagler, A.N. (1998) Yeast communities associated with sugarcane in Campos, Rio de Janeiro, Brazil. *International Microbiology* **1**, 205-208.
- de Barros Lopes, M., Soden, A., Martens, A.L., Henschike, P.A. and Langridge, P. (1998) Differentiation and species identification of yeasts using PCR. *International Journal of Systematic Bacteriology* **48**, 279-286.
- de Barros Lopes, M., Soden, A., Martens, A.L., Henschke, P.A. and Langridge, P. (1996) PCR differentiation of commercial yeast strains using intron splice site primers. *Applied and Environmental Microbiology* **62**, 4514–4520.
- de Lima, A.C., Soares, D.J., da Silva, L.M., de Figueiredo, R.W., de Souza, P.H. and de Abreu Menezes, E. (2014) In vitro bioaccessibility of copper, iron, zinc and antioxidant compounds of whole cashew apple juice and cashew apple fibre (*Anacardium occidentale* L.) following simulated gastro-intestinal digestion. *Food Chemistry* **161**, 142-147.
- de Melo, D.L.F.M., Santos, F.C., Junior, A.M.B., Santos, P.O., Carnellosi, M.A.G. and de Cassia Trindade, R. (2007) Identification of yeasts isolated from the pulp in nature and the production of homemade “Umbu” wine. *Brazilian Archives of Biology and Technology* **50**, 887-892.
- de Mot, R. (1990) Conversion of starch by yeasts. In *Yeast Biotechnology and Biocatalysis*, Verachtert, H. and de Mot, R. (Editors), Marcel Dekker, New York, pp. 163–222.
- de Mot, R., Andries, K. and Verachtert, H. (1984) Comparative study of starch degradation and amylase production by ascomycete yeast species. *Systematic and Applied Microbiology* **5**, 106-118.
- de Souza, P.M. and Magalhaes, P.O. (2010) Application of microbial  $\alpha$ -amylase in industry – a review. *Brazilian Journal of Microbiology* **41**, 850-861

- de Vuyst, L., Vrancken, G., Ravyts, F., Rimaux, T. and Weckx, S. (2009) Biodiversity, ecological determinants, and metabolic exploitation of sourdough microbiota. *Food Microbiology* **26**, 666-675.
- Deak, T. (1995) Methods for the rapid detection and identification of yeasts in foods. *Trends in Food Science and Technology* **6**, 287-292.
- Deak, T. and Beuchat, L. R. (1993) Yeasts associated with fruit juice concentrates. *Journal of Food Protection* **56**, 777-782.
- Deak, T. and Beuchat, L. R. (1996) Handbook of Food Spoilage Yeasts. Boca Raton, FL: CRC Press.
- Deenanath, E. D., Iyuke, S. and Rumbold, K. (2012) The bioethanol industry in Sub-Saharan Africa: history, challenges, and prospects. *Journal of Biomedicine and Biotechnology* **2012**, Article ID 416491, 11 pages.
- Deenanath, E.D. (2014) Production and characterization of bioethanol derived from cashew apple juice for use in internal combustion engine. Electronic Thesis and Dissertations Ph.D Thesis.
- Deenanath, E.D., Rumbold, K. and Iyuke, S. (2013) The Production of Bioethanol from Cashew Apple Juice by Batch Fermentation Using *Saccharomyces cerevisiae* Y2084 and Vin13. *ISRN Renewable Energy* **2013**, Article ID 107851, 11 pages.
- Delcroix, A., Gunata, Z., Sapis, J.C., Salmon, J.M. and Bayonove, C. (1994) Glycosidase activities of three enological yeast strains during winemaking, effect on the terpenol content of Muscat wine. *American Journal of Enology and Viticulture* **45**, 291-296.
- Delfini, C. and Cervetti, F. (1987) Enquete experimentale sur la formation de grandes quantites d'acide acetique au cours de la fermentation alcoolique. *Rev. des Oenologues* **9**, 20-27.
- Demeter, L., D'Aquila, R., Weislow, O., Lorenzo, E., Erice, A., Fitzgibbon, J., Shafer, R., Richman, D., Howard, T. M., Zhao, Y., Fisher, E., Huang, D., Mayers, D., Sylvester, S., Arens, M., Sannerud, K., Rasheed, S., Johnson, V., Kuritzkes, D., Reichelderfer, P. and Japour, A. (1998) Interlaboratory Concordance of DNA Sequence Analysis to Detect Reverse Transcriptase Mutations in HIV-1 Proviral DNA. *Journal of Virological Methods* **75**, 93-104.
- Desai, E.D., Rumbold, K. and Iyuke, S. (2013) The production of bioethanol from cashew apple juice by batch fermentation using *Saccharomyces cerevisiae* Y2084 and Vin13. *ISRN Renewable Energy* **2013**, 1-11.
- Desai, M.V., Dubey, K.V., Vakil, B.V. and Ranade, V.V. (2012) Isolation, identification and screening of the yeast flora from indian cashew apple for sugar and ethanol tolerance. *International Journal of Biotechnology for Wellness Industries* **1**, 259-265.



- Dhar, P., Das, S., Banerjee, S. and Mazumder, S. (2013) Production of banana alcohol and utilization of banana residue. *International Journal of Research in Engineering and Technology* **2**, 466-470.
- Di Maro, E., Ercolini, D. and Coppola, S. (2007) Yeast dynamics during spontaneous wine fermentation of the Catalanesca grape. *International Journal of Food Microbiology* **117**, 201–210.
- Dias, D. R., Abreau, C. M. P., Silvestre, M. P. C and Schwan, R. F. (2010) In vitro protein digestibility of enzymatically pre-treated bean (*Phaseolus vulgaris* L.) flour using commercial protease and *Bacillus* sp. protease. *Ciência e Tecnologia de Alimentos* **30**, 94-99.
- Ding, J., Huang, X., Zhang, L., Zhao, N., Yang, D. and Zhang, K. (2009) Tolerance and stress response to ethanol in the yeast *Saccharomyces cerevisiae*. *Applied Microbiology and Biotechnology* **85**, 253-263
- Dizy, M. and Bisson, L.F. (2000) Proteolytic activity in yeast strains during grape juice fermentation. *American Journal of Enology and Viticulture* **51**, 155–167.
- Donalies, U.E., Nguyen, H.T., Stahl, U. and Nevoigt, E. (2008) Improvement of *Saccharomyces* yeast strains used in brewing, wine making and baking. *Advances in Biochemical Engineering and Biotechnology* **111**, 67-98.
- Dorneles, D., Machado, I. M. P. and Chociai, M. B. (2005) Influence of the use of selected and nonselected yeasts in red wine production. *Brazilian Archives of Biology and Technology* **48**, 747-751.
- Drake, S.R. and Eisele, T. A. (1999) Carbohydrate and acid contents of gala apples and bartlett pears from regular and controlled atmosphere storage. *Journal of Agricultural and Food Chemistry* **47**, 3181–3184.
- Drake, S.R. and Eisele, T.A. (1997) Quality of ‘gala’ apples as influenced by harvest maturity, storage atmosphere and concomitant storage with ‘bartlett’ pears. *Journal of Food Quality* **20**, 41–51.
- Drake, S.R., Elfving, D.C. and Eisele, T.A. (2002) Harvest maturity and storage affect quality of ‘cripps pink’ (pink lady) apples. *HortTechnology* **12**, 388–391.
- du Toit, M. and Pretorius, I.S. (2000) Microbial Spoilage and Preservation of Wine: Using Weapons from Nature's Own Arsenal- A Review. *South African Journal of Enology and Viticulture* **21**, 74-96.
- Duarte, A. W. F., Dayo-Owoyemi, I., Nobre, F. S., Pagnocca, F. C., Chaud, L. C. S., Pessoa, A., Felipe, M. G. A. and Sette, L. D. (2013) Taxonomic assessment and enzymes production by yeasts isolated from marine and terrestrial Antarctic samples. *Extremophiles* **17**, 1023-1035.

- Duarte, A.W.F., Dayo-Owoyemi, I, Nobre, F.S., Pagnocca, F.C., Chaud, L.C.S., Pessoa, A., Felipe, M. G. A. and Sette, L. D. (2011) Taxonomic assessment and enzymes production by yeasts isolated from marine and terrestrial Antarctic samples. *Extremophiles* DOI 10.1007/s00792-013-0584-y.
- Dudley, R. (2004) Ethanol, fruit ripening and the historical origins of human alcoholism in primate frugivory. *Integrative and Comparative Biology* **44**, 315-323.
- Duyen, N.T., Hai, L.T., Minh, N.P. and Dao, D.T.A. (2013) Application of Natural Fermentation to ferment Mulberry Juice into Alcoholic Beverage. *International Journal of Scientific and Technology Research* **2**, 339-346.
- Ebabhi, A.M., Adekunle, A.A., Okunowo, W.O. and Osuntoki, A.A. (2013) Isolation and characterization of yeast strains from local food crops. *Journal of Yeast and Fungal Research* **4**, 38-43.
- Eghafona, N.O., Aluyi, H.A.S. and Uduehi, I.S. (1999) Alcohol yield from pineapple juice: Comparative study of *Zymomonas mobilis* and *Saccharomyces uvarum*. *Nigerian Journal of Microbiology* **13**, 117-122.
- Egli, C. M., Edinger, W. D., Mittrakul, C. M. and Henick-Kling, T. (1998). Dynamics of indigenous and inoculated yeast populations and their effect on the sensory character of Riesling and Chardonnay wine. *Journal of Applied Microbiology* **85**, 779-789.
- Eglinton, J.M. and Henschke, P.A. (1999) The occurrence of volatile acidity in Australian wines. *Australian Grapegrower and Winemaker*. pp. 7-12.
- Eklund, M. W., Spinelli, J., Miyauchi, D. and Groninger, H. (1965) Characteristics of yeasts isolated from Pacific crab meat. *Applied Microbiology* **13**, 985-990.
- Ekunsoami, T.J. and Odunfa, S.A. (1990) Ethanol tolerance, sugar tolerance and invertase activities of some yeasts strains isolated from steep water of fermenting cassava tubers. *Journal of Applied Bacteriology* **69**, 672-675.
- Elias, M.L., Soliman, A.K., Mahoney, F.J., Karam-El-Din, .A.A., El-Kebbi, R.A.H., Ismail, T.F.M., Wasfy, M.M.O., Mansour, A.M., Sultan, Y.A., Pimentel, G. and Earhart, K.C. (2009) Isolation of *Cryptococcus*, *Candida*, *Aspergillus*, *Rhodotorula* and *Nocardia* from Meningitis Patients in Egypt. *The Journal of Egyptian Public Health Association* **84**, 169-181.
- Ennouali, M., Elmoualdi, L., Labioui, H., Ouhsine, M. and Elyachioui, M. (2006) Biotransformation of the fish waste by fermentation. *African Journal of Biotechnology* **5**, 1733-1737.
- Erasmus, D.J., Cliff, M. and van Vuuren, J.J. (2004) Impact of Yeast Strain on the Production of Acetic Acid, Glycerol, and the Sensory Attributes of Icewine. *American Journal of Enology and Viticulture* **55**, 371-378.

- Erten, H. and Campbell, I. (2001) The Production of Low-Alcohol Wines by Aerobic Yeasts Production of Low-Alcohol Wines by Aerobic Yeasts. *Journal of the Institute of Brewing* **107**, 207-215.
- Estevez, P., Gil, M. L. and Falque, E. (2004) Effects of seven yeast strains on the volatile composition of Palomino wines. *International Journal of Food Science and Technology* **39**, 61-69.
- Esteve-Zaroso, B., Manzanares, P., Ramon, D. and Querol, A. (1998) The role of non-*saccharomyces* yeasts in industrial winemaking. *International Microbiology* **1**, 143-148.
- Esteve-Zaroso, B., Belloch, C., Uruburu, F. and Querol, A. (1999) Identification of Yeasts by RFLP analysis of the 5.8S rRNA Gene and the Two Ribosomal Internal Transcribed Spacers. *International Journal of Systematic Bacteriology* **49**, 329-337.
- Ezeronye, O.U. (2004) Nutrient utilization profile of *Saccharomyces cerevisiae* from palm wine in tropical fruit fermentation. *Antonie van Leeuwenhoek* **86**, 235-239.
- Fadiloglu, S. and Erkmen, O. (2002) Effects of carbon and nitrogen sources on lipase production by *Candida rugosa*. *Turkish Journal of Engineering and Environmental Sciences* **26**, 249-254.
- Fard, F.A., Etebarian, H.R. and Sahebani, N. (2012) Biological control of gray mold of apple by *Candida membranifaciens*, *Rhodotorula mucilaginosa* and *Pichia guilliermondii*. *Iranian Journal of Plant Pathology* **48**, 17-26.
- Fatichenti, F., Bergere, J.L., Deiana, P. and Farris, G.A. (1983) Antagonistic activity of *Debaryomyces hansenii* towards *Clostridium tyrobutyricum* and *Clostridium butyricum*. *Journal of Dairy Research* **50**, 449-457.
- Fell, J.W., Boekhout, T., Fonesca, A., Scorzetti, G. and Statzell-Tallman, A. (2000) Biodiversity and systematics of basidiomycetous yeasts as determined by large-subunit rDNA D1/D2 domain sequence analysis. *International Journal of Systematic and Evolutionary Microbiology* **50**, 1351-1371.
- Fernandez, M, Ubeda, J.F. and Briones, A.I. (2000) Typing of non-*saccharomyces* yeasts with enzymatic activities of interest in wine making. *International Journal of Food Microbiology* **59**, 29-36.
- Fernandez-Espinar, M. T., Esteve-Zaroso, B., Querol, A. and Barrio, E. (2000) RFLP Analysis of the Ribosomal Internal Transcribed Spacers and the 5.8S rRNA Gene Region of the Genus *Saccharomyces*: A Fast Method for Species Identification and the Differentiation of Flor Yeasts. *Antonie van Leeuwenhoek* **78**, 87-97.
- Fernandez-Espinar, M. T., Martorell, R., De Llanos, R. and Querol, A. (2006) Molecular Methods to Identify and Characterize Yeasts in Foods and Beverages. In: *Yeasts in Foods and Beverages*, Querol, A. and Fleet, G. H. (Editors), Springer, Berlin, pp. 55-82.

- Fernández-Gonzalez, M., Ubeda, J.F., Vasudevan, T.G., Otero and Briones, R.A. (2004) Evaluation of polygalacturonase activity in *Saccharomyces cerevisiae* wine strains. *FEMS Microbiology Letters* **237**, 261-266.
- Fernando, F. and Loreto, R. (1997) Technical manual on small-scale processing of fruits and vegetables. Food and Agriculture Organization of the United Nations. [http://www.fao.org/documents/show\\_cdr.asp?url\\_file=/DOCREP/x0209e/x0209e00.htm](http://www.fao.org/documents/show_cdr.asp?url_file=/DOCREP/x0209e/x0209e00.htm).
- Fia, G., Giovani, G. and Rosi, I (2005) Study of beta-glucosidase production by wine-related yeasts during alcoholic fermentation. A new rapid fluorometric method to determine enzymatic activity. *Journal of Applied Microbiology* **99**, 509-517.
- Fickers, P., Benetti, P.H., Wache, Y., Marty, A., Mauersberger, S., Smit, M.S. and Nicaud, J.M. (2005) Hydrophobic substrate utilisation by the yeast *Yarrowia lipolytica*, and its potential applications. *FEMS Yeast Research* **5**, 527–543.
- Filgueiras, H.A.C., Alves, R.E., Masca, J.L. and Menezes, J.B. (1999) Cashew apple for fresh consumption: research on harvest and postharvest handling technology in Brazil. *Acta Horticulturae* **485**, 155–160.
- Fleet, G. H. (2003) Yeast interactions and wine flavour. *International Journal of Food Microbiology* **86**, 11-22.
- Fleet, G. H. and Heard, G. M. (1993) Yeasts: growth during fermentation. In: Wine Microbiology and Biotechnology, Fleet, G.H. (Editor), Harwood Academic, Chur, Switzerland Chur, pp. 27–54.
- Fleet, G. H., Lafon-Lafourcade, S. and Ribéreau-Gayon, P. (1984) Evolution of yeasts and lactic acid bacteria during fermentation and storage of Bordeaux wines. *Applied and Environmental Microbiology* **48**, 1034- 1038.
- Fleet, G.H. (1990) Growth of yeast during wine fermentation. *Journal of Wine Research* **1**, 211-223.
- Fleet, G.H. (1998) Microbiology of alcoholic beverages. In: Microbiology of Fermented Foods, Wood, B.J. (Editor), Blackie Academic and Professional, London, pp. 217 – 262.
- Foda, M. S. and Din, S.M.B.E. (1979) Distribution of extracellular proteolytic activities among various yeasts. *Zentralbl Bakteriologie II Abt* **134**, 89-93.
- Fogarty, W.M. and Kelly, C.T. (1983) Pectic enzymes. In Microbial Enzymes and Biotechnology, Fogarty, W.M. (Editor), Applied Science Publishers, London, pp. 131–182.
- Fontes, C.P., Honorato, T.L., Rabelo, M.C. and Rodrigues, S. (2009) Kinetic study of mannitol production using cashew apple juice as substrate. *Bioprocess and Biosystems Engineering* **32**, 493-499.

- Fossi, B.T., Tavea, F. and Ndjouenkeu, R. (2005) Production and partial characterization of a thermostable amylase from ascomycetes yeast strain isolated from starchy soils. *African Journal of Biotechnology* **4**, 14-18.
- Fossi, B.T., Tavea, F., Jiwoua, C. and Ndjouenke, R. (2009) Screening and phenotypic characterization of thermostable amylases producing yeasts and bacteria strains from some Cameroonian soils. *African Journal of Microbiological Research* **3**, 504-514.
- Francis, P.S. (2006) The determination of urea in wine – a review. *Australian Journal of Grape and Wine Research* **12**, 97-106.
- Franco, M. R. B. and Janzantti, N. S. (2005) Aroma of minor tropical fruits. *Flavour Fragrance Journal* **20**, 358–371.
- Freire, F.C.O. and Kozakiewicz, Z. (2005) Filamentous fungi, bacteria and yeasts associated with cashew kernels in Brazil. *Revista Ciencia Agronomica* **36**, 249-254.
- Freire, F.C.O. and Offord, L. (2002) Bacterial and yeast counts of Brazilian commodities and spices. *Brazilian Journal of Microbiology* **33**, 1-4.
- Frivik, S. and Ebeler, S. (2003) Influence of sulfur dioxide on the formation of aldehydes in white wine. *American Journal of Enology and Viticulture* **54**, 31-38.
- Fujii, T., Nagasawa, N., Iwamatsu, A., Bogaki, T., Tamai, Y. and Hamachi, M. (1994) Molecular cloning, sequence analysis, and expression of the yeast alcohol acetyltransferase gene. *Applied and Environmental Microbiology* **60**, 2786–2792.
- Gadaga, T.H., Mutukumira, A.N. and Narvhus, J.A. (2000) Enumeration and identification of yeasts isolated from Zimbabwean traditional fermented milk. *International Dairy Journal* **10**, 459-466.
- Gainvors, A., Frezier, V., Lemaresquier, H., Lequart, C., Aigle, M. and Belarbi, A. (1994a) Detection of polygalacturonase, pectin-lyase and pectin-esterase activities in *Saccharomyces cerevisiae* strain. *Yeast* **10**, 1311–1319.
- Gammacurta, M., Marchand, S., Albertin, W., Moine, V. and de Revel, G. (2014) Impact of Yeast Strain on Ester Levels and Fruity Aroma Persistence during Aging of Bordeaux Red Wines. *Journal of Agricultural and Food Chemistry* **62**, 5378-5389.
- Gana, T., Mendoza, B.C. and Monsalud, R.G. (2014) Yeasts with amylolytic, lipolytic and proteolytic activities isolated from mango (*Mangifera indica* L.) fruits. *The Asian International Journal of Life Sciences* **23**, 243-253.
- Garde-Cerdan, T. and Ancin-Azpilicueta, C. (2006) Contribution of wild yeasts to the formation of volatile compounds in inoculated wine fermentations. *European Journal of Food Research and Technology* **222**, 15–25.

- Gardini, F., Suzzi, G., Lombardi, A., Galgano, F., Crudele, M.A., Andrighetto, C., Schirone, M. and Tofalo, R. (2001) A survey of yeasts in traditional sausages of Southern Italy. *FEMS Yeast Research* **1**, 161–167.
- Garruti, D.S., Franco, M.R.B. Silva, M.A.A.P., Janzanti, N.S. and Alves, G.L. (2003) Evaluation of volatile flavour compounds from cashew apple (*Anacardium occidentale* L) juice by the Osme gas chromatography/ olfactometry technique. *Journal of the Science of Food and Agriculture* **83**, 1455–1462.
- Garruti, S., Franco, M., Silva, P., Janzanti, S. and Alves, L. (2006) Assessment of aroma impact compounds in a cashew apple based alcoholic beverage by GC-MS and GC-olfactometry. *Lebensmitte-Wissenschaft Technology* **37**, 373-378.
- Garza-Ulloa, H., Villarreal, G. and Canales, A.M. (1976) Oxidation of beer, 2-Transnonenal and 2-trans-6-cis-nonadienal as decomposition products from a mixture of colneleic and and colnelenic acids. *Brewers Digest* **51**, 48-49.
- Geok, L.P., Razak, C.A.N., Rahman, R.N.Z.A., Basri, M. and Salleh, A.B. (2003) Isolation and screening of an extracellular organic solvent tolerant protease producer. *Biochemical Engineering Journal* **13**, 73–77.
- Georges, S., Aigner, U., Silakowski, B. and Scherer, S. (2006) Inhibition of *Listeria monocytogenes* by Food-Borne Yeasts. *Applied and Environmental Microbiology* **72**, 313-318.
- Geroyiannaki, M., Komaitis, M.E., Stavarakas, D.E., Polysiou, M., Athanasopoulos, P.E. and Spanos, M. (2007) Evaluation of acetaldehyde and methanol in greek traditional alcoholic beverages from varietal fermented grape pomaces (*Vitis vinifera* L.) *Food Control* **18**, 988-995.
- Ghani, M., Ansari, A., Aman, A., Zohra, R.R., Siddiqui, N.N. and Qader, S.A.U. (2013) Isolation and characterization of different strains of *Bacillus licheniformis* for the production of commercially significant enzymes. *Pakistan Journal of Pharmaceutical Sciences* **26**, 691-697.
- Ghareib, M., Youssef, K.A. and Khalil, A.A. (1988) Ethanol tolerance of *Saccharomyces cerevisiae* and its relationship to lipid content and composition. *Folia Microbiologica* **33**, 447-452.
- Gholamnejad, J., Etebarian, H.R. and Sahebani, N. (2010) Biological control of apple blue mold with *Candida membranifaciens* and *Rhodotorula mucilaginosa*. *African Journal of Food Science* **4**, 1-7.
- Ghosh, S., Santra, T.K. and Chakravarty, A. (2013) Study of antagonistic yeasts isolated from some natural sources of West Bengal. *Agriculture and Biology Journal of North America* **4**, 33-40.

- Giang, N.T.T., Kieu, N.Y., Nam, T.N., Dao, D.T.A. and Minh, N.P. (2013) Cashew Apple Juice *Anacardium occidentale* L Probiotic Fermented from *Lactobacillus acidophilus*. *European Journal of Sustainable Development* **2**, 99-108.
- Gibbons, W.R. and Westby, C.A. (1986) Effects of inoculum size on solid-phase fermentation of fodder beets for fuel ethanol production. *Applied and Environmental Microbiology* **52**, 960-962.
- Gibson, B.R., Lawrence, S.J., Leclaire, J.P., Powell, C.D. and Smart, K.A. (2007) Yeast responses to stresses associated with industrial brewery handling. *FEMS Microbiology Reviews* **31**, 535-569.
- Gil, J. V., Mateo, J. J., Jiménez, M., Pastor, A. and Huerta, T. (1996) Aroma compounds in wine as influenced by apiculate yeasts. *Journal of Food Science* **61**, 1247-1249.
- Gilkes, N.R., Kilburn, D.G., Miller, R.C. and Warren, R.A.J. (1991) Bacterial cellulases. *Bioresource Technology* **36**, 21-35.
- Giriappa, S. (1996) Prospects of Agro-processing Industry. In: Dryland Farming-Perspectives and progress, Sharma, B.S. (Editor), Daya Publishing House, Delhi, p. 110.
- Giro, M.E.A., Martins, J.J.L., Rocha, M.V.P., Melo, V.M.M. and Goncalves, L.R.B. (2009) Clarified cashew apple juice as alternative raw material for biosurfactant production by *Bacillus subtilis* in a batch bioreactor. *Biotechnology Journal* **4**, 738– 747.
- Giudici, C., Romano, P. and Zambonelli, C. (1990) A biometric study of higher alcohol production in *Saccharomyces cerevisiae*. *Canadian Journal of Microbiology* **36**, 61– 64.
- Giudici, P. and Pulvirenti, A. (2002) Molecular Methods for Identification of Wine Yeasts. In: Biodiversity and Biotechnology of Wine Yeasts, Ciani, M. (Editor), Research Signpost, Kerala, pp. 35-52.
- Goldbeck, R., Andrade, C.C.P., Pereira, G.A.G. and Filho, F.M. (2012) Screening and identification of cellulase producing yeast-like microorganisms from Brazilian biomes. *African Journal of Biotechnology* **11**, 11595-11603.
- Goldbeck, R., Andrade, C.C.P., Ramos, M.M., Pereira, G.A.G. and Maugeri, F.F. (2013) Identification and characterization of cellulases produced by *Acremonium strictum* isolated from Brazilian Biome. *International Research Journal of Microbiology* **4**, 135-146.
- Golubdev, W.I. (2006) Antagonistic interaction among yeasts. In: Biodiversity and Ecophysiology of yeasts, Peter, G. and Rosa, C. (Editors), Springer, Berlin, pp. 197-219.
- Gonzalez-Pombo, P., Farina, L., Carrau, F., Batista-Viera, F. and Brena, B.M. (2011) A novel extracellular  $\beta$ -glucosidase from *Issatchenkia terricola*: Isolation, immobilization and application of aroma enhancement of white Muscat wine. *Process Biochem* **46**, 385-389.
- Gopinath, S.C.B., Anbu, P. and Hilda, A. (2005) Extracellular enzymatic activity profiles in fungi isolated from oil-rich environments. *Mycoscience* **46**, 119-126.

- Goralska, K. (2011) Characteristics of growth of yeasts and yeast-like fungi on chromogenic medium CHROMagar® Candida (GRASO). *Wiadomości Parazytologiczne* **57**, 143–149.
- Gorzynska, A., Krgzwacka, J. and Przem, T. (1973) Tolerancja drozdy na alcohol. *Ferment Rolny* **17**, 8-9.
- Goulas, V., Charisiadis, P., Gerothanassis, I.P. and Manganaris, G.A. (2012) Classification, Biotransformation and Antioxidant Activity of Olive Fruit Biophenols: A Review. *Current Bioactive Compounds* **8**, 232-239.
- Granchi, L., Bosco, M. and Vicenzini, M. (1999) Rapid Detection and Quantification of Yeast Species during Spontaneous Wine Fermentation by PCR-RFLP Analysis of the rDNA ITS Region. *Journal of Applied Microbiology* **87**, 949-956.
- Green, J.A., Parr, W.V., Breitmeyer, J., Valentin, D. and Sherlock, R. (2011). Sensory and chemical characterization of Sauvignon Blanc wine: Influence of source of origin. *Food Research International* **44**, 2788-2797.
- Guilherme, A.A., Honorato, T.L., Dornelles, A.S., Pinto, G.A.S., Brito, E.S. and Rodrigues, S. (2007) Quality evaluation of mesquite (*Prosopis juliflora*) pods and cashew (*Anacardium occidentale*) apple syrups. *Journal of Food Process Engineering* **32**, 606–622.
- Guillamon, J. M., Sabate, J., Barrio, E., Cano, J. and Querol, A. (1998) Rapid identification of wine yeast species based on RFLP analysis of the ribosomal internal transcribed spacer (ITS) region. *Archives of Microbiology* **169**, 387–392.
- Gummadi, S.N. and Panda, T. (2003) Purification and biochemical properties of microbial pectinases – a review. *Process Biochemistry* **38**, 987–996.
- Gunata, Y.Z., Bayonove, C., Tapiero, C. and Cordonnier, R.E. (1990) Hydrolysis of grape monoterpenyl b-D-glucosides by various b-glucosidases. *Journal of Agricultural and Food Chemistry* **38**, 1232–1236.
- Gupta, N., Dubey, A. and Tewari, L. (2009) High efficiency alcohol-tolerant *Saccharomyces* isolates of *Phoenix dactylifera* for bioconversion of sugarcane juice into bioethanol. *Journal of Scientific and Industrial Research* **68**, 401-405.
- Gupta, R., Gigras, P., Mohapatra, H., Goswami, V.K. and Chauhan, B. (2003) Microbial  $\alpha$ -amylase: a biotechnological perspective. *Process Biochemistry* **38**, 1599-1616.
- Gurung, N., Ray, S., Bose, S. and Rai, V. (2013) A Broader View: Microbial Enzymes and Their Relevance in Industries, Medicine, and Beyond. *BioMed Research International* **2013**, Article ID 329121, 18 pages.
- Hacking, A. J., Taylor, L. W. F. and Hamas, C. M. (1984) Selection of yeast able to produce ethanol from glucose at 40°C. *Applied Microbiology and Biotechnology* **19**, 361-363.



- Hagler, A.N., Ribeiro, J.R.A., Pinotti, T., Brandao, L.R., Pimenta, R.S., Lins, U., Lee, C.F., Hsieh, C.W., Lachance, M.A. and Rosa, C.A. (2013) *Wickerhamiella slavikovae* sp. nov. and *Wickerhamiella goesii* sp. nov., two yeast species isolated from natural sources. *International Journal of Systematic and Evolutionary Microbiology* **63**, 3099-3103.
- Haki, G. D. and Rakshit, S. K. (2003) Developments in industrially important thermostable enzymes: a review. *Bioresource Technology* **89**, 17-34.
- Hakim, A.S., Abuelnaga, A.S.M. and Sayed El Ahl, R.M.H. (2013) Isolation, biochemical identification and molecular detection of yeasts from Kareish cheese. *International Journal of Microbiological Research* **4**, 95-100.
- Hammes, W.P., Brandt, M.J., Francis, K.L., Rosenheim, M., Seitter, F.H. and Vogelmann, S. (2005) Microbial ecology of cereal fermentation. *Trends in Food Science and Technology* **16**, 4-11.
- Hankin, L. and Anagnostakis, S.L. (1975) The use of solid media for detection of enzyme production by fungi. *Mycologia* **67**, 597-607.
- Hannemann, W. (1985) Ausscheidung von Essigsäure durch Gärende Hefen und die Reinigung und Charakterisierung einer NADP<sup>+</sup>-Spezifischen Aldehyddehydrogenase aus *Saccharomyces cerevisiae*. PhD Dissertation, Mainz.
- Hansen, E. H., Nissen, P., Sommer, P., Nielsen, J. C. and Arneborg, N. (2001) The effect of oxygen on the survival of non-*Saccharomyces* yeasts during mixed culture fermentations of grape juice with *Saccharomyces cerevisiae*. *Journal of Applied Microbiology* **91**, 541-547.
- Hatcher, W.S., Parish, M.E., Weihe, J.L., Splittstoesser, D.F. and Woodward, B.B. (2000). Fruit beverages, In: Methods for microbial examination of food. American Public Health Association, Downes, F.P. and Ho, K. (Editors), Washington DC, pp.565-568.
- Hatoum, R., Labrie, S. and Fliss, I. (2012) Antimicrobial and probiotic properties of yeast: from fundamental to novel applications. *Frontiers in Microbiology* **19**, 421.
- Haw, B.P., Asma, I., Eugene, O. and Sasidharan, S. (2013) Phenotyping Identification of *Candida albicans* for the Production of In House Helicase for Nucleic Acid-Based Detections for Fast Diagnosis. *Research Journal of Pharmaceutical, Biological and Chemical Sciences* **4**, 576-583.
- Heard, G. (1999) Novel yeasts in winemaking-looking to the future. *Food Australia* **51**, 347-352.
- Heard, G. M. and Fleet, G. H. (1987) Occurrence and growth of killer yeasts during wine fermentations. *Applied and Environmental Microbiology* **51**, 539-545.
- Heard, G. M., and Fleet, G. H. (1985) Growth of natural yeast flora during the fermentation of inoculated wines. *Applied and Environmental Microbiology* **50**, 727-728.

- Henderson, C.M. and Block, D.E. (2014) Examining the role of membrane lipid composition in determining the ethanol tolerance of *Saccharomyces cerevisiae*. *Applied and Environmental Microbiology* **80**, 2966-2972.
- Henriksson, G., Akin, D.E. and Slomezynski, D. (1999) Production of highly efficient enzyme for flax retting by *Rhizomucor pusillus*. *Journal of Biotechnology* **68**, 115-123.
- Henrissat, B. and Davies, G. (1997) Structural and sequence –based classification of glycoside hydrolases. *Current Opinion in Structural Biology* **7**, 637-644.
- Heritage, J., Evans, E.G.V. and Killington, R.A. (1996) *Introductory Microbiology*, Cambridge University Press, Cambridge, pp. 100.
- Hernandez-Orte, P., Cersosimo, M., Loscos, N., Cacho, J., Garcia-Moruno, E. and Ferreira, V. (2009) Aroma development from non-floral grape precursors by wine lactic acid bacteria. *Food Research International* **42**, 773–781.
- Herraiz, T. and Ough, C.S. (1993) Formation of ethyl esters of amino acids by yeasts during the alcoholic fermentation of grape juice. *American Journal of Enology and Viticulture* **44**, 41- 48.
- Hirose, E., Izawa, N., Adachi, J., Mori, S., Masse, T. (2009) Purification, Characterization and Application of Alpha-Amylase from *Pseudozyma aphidis* I-8. *Journal of Applied Glycoscience* **56**, 207-241.
- Hong, S.G., Lee, K.H. and Bae, K.S. (2002) Diversity of yeasts associated with natural environments in Korea. *Journal of Microbiology* **40**, 55-62.
- Honorato, T. L., Rabelo, M. C., Gonçalves, L. R. B., Pinto, G. A. S. and Rodrigues, S. (2007) Fermentation of cashew apple juice to produce high added value products. *World Journal of Microbiology and Biotechnology* **23**, 1409–1415.
- Honorato, T.L. and Rodrigues, S. (2010) Dextranase stability in cashew apple juice. *Food and Bioprocess Technology* **3**, 105-110.
- Hoondal, G.S., Tiwari, R.P., Tewari, R., Dahiya, N. and Beg, Q.K. (2002) Microbial alkaline pectinases and their industrial applications: a review. *Applied Microbiology and Biotechnology* **59**, 409-418.
- Hossain, A.B.M.S. and Fazlino, A.R. (2010) Creation of alternative energy by bio- ethanol production from pineapple waste and the usage of its properties for engine. *African Journal of Microbiology Research* **4**, 813-819.
- Hostinova, E. (2002) Amylolytic enzymes produced by the yeast *Saccharomycopsis fibuligera*. *Biologia Brasiliensis* **11**, 247-251.
- Hou, C.T. (1997) Characterization of New Yeast Lipases. *JAOCKS* **74**, 1391-1394.

- Howell, K.S., Cozzolino, D., Bartowsky, E., Fleet, G.H. and Henschke, P.A. (2006) Metabolic profiling as a tool for revealing *Saccharomyces* interactions during wine fermentation. *FEMS Yeast Research* **6**, 91–101.
- Hsu, A.F., Jones, K., Foglia, T.A. and Marmer, W.N. (2002) Immobilized lipase-catalyzed production of alkyl esters of restaurant grease as biodiesel. *Biotechnology and Applied Biochemistry* **36**, 181–186.
- Huppert, M., Harper, G., Sun, S.H. and Delanerolle, V. (1975) Rapid methods for identification of yeasts. *Journal of Clinical Microbiology* **2**, 21-34.
- Ibeas, J.I. and Jimenez, J. (1997) Mitochondrial DNA loss caused by ethanol in *Saccharomyces* flour yeasts. *Applied and Environmental Microbiology* **63**, 7-12.
- Ingeniis, J.D., Raffaelli, N., Ciani, M. and Mannuzzu, I. (2009) *Pichia anomala* DBVPG 3003 secretes a ubiquitin-like protein that has antimicrobial activity. *Applied and Environmental Microbiology* **75**, 1129–1134.
- Ingram, L.O. and Bhuttke, T.M.(1984) Effect of alcohol on microorganisms. *Advance Physiology* **25**, 253-300.
- Iranzo, J. F. U., Perez, A. I. B. and Canas, P. M. I. (1998) Study of the oenological characteristics and enzymatic activities of wine yeasts. *Food Microbiology* **15**, 399- 406.
- Ivo, M.I. (1982), *Leveduras do abacaxi*. Dissertação de mestrado, Escola Paulista de Medicina, São Paulo.
- Jandrositz, A., Petschnigg, J., Zimmermann, R., Natter, K., Scholze, H., Hermetter, A., Kohlwein, S.D. and Leber, R. (2005) The lipid droplet enzyme Tgl1p hydrolyzes both sterol esters and triglycerides in the yeast, *Saccharomyces cerevisiae*. *Biochim Biophys Acta* **1735**, 50-58.
- Jayani, R. S., Saxena, S. and Gupta, R. (2005) Microbial pectinolytic enzymes: A review. *Process Biochemistry* **40**, 2931-2944.
- Jespersen, L., Nielsen, D.S., Honholt, S. and Jakobsen, M. (2005) Occurrence and diversity of yeasts involved in fermentation of West African cocoa beans. *FEMS Yeast Research* **5**, 441–453.
- Jiao, Z., Dong, Y. and Chen, Q. (2014) Ethyl Carbamate in Fermented Beverages: Presence, Analytical Chemistry, Formation Mechanism, and Mitigation Proposals. *Comprehensive Reviews in Food Science and Food Safety* **13**, 611-626.
- Jimenez, J. and Benitez, T. (1986) Characterization of wine yeasts for ethanol production. *Applied Microbiology and Biotechnology* **25**, 150-154.
- Jimenez, J. and Benitez, T. (1988) Yeast cell viability under conditions of high temperature and ethanol concentrations depends on the mitochondrial genome. *Current Genetics* **13**, 461-469.

- Jimoh, S.O., Ado, S.A., Ameh, J.B. and Whong, C.M. (2012) Characteristics and Diversity of Yeast in Locally Fermented Beverages Sold in Nigeria. *World Journal of Engineering and Pure and Applied Science* **2**, 40-44.
- Jing, L.I., Ying, P., Xianghong, W. and Zhenming, C. (2010) Optimum Production and Characterization of an Acid Protease from Marine Yeast *Metschnikowia reukaufii* W6b. *Oceanic and Coastal Sea Research* **9**, 359-364.
- Jolly, J., Augustyn, O. P. H. and Pretorius, I. S. (2006) The role and use of non-*Saccharomyces* yeasts in wine production. *South African Journal for Enology and Viticulture* **27**, 15-39.
- Jones, E. W. (1984) The synthesis and function of proteases in *Saccharomyces*: genetic approaches. *Annual Review of Genetics* **18**, 233-270.
- Joseph (2010) Comparative studies of wine produced by spontaneous and controlled fermentation of preserved cashew (*Anacardium occidentale*.L.) juice. *Research Journal of Biological Science* **5**, 460-464.
- Joshi, V.K., Sharma, S. and Devi, M.P. (2009) Influence of different yeast strains on fermentation behavior, physico-chemical and sensory qualities of plum wine. *Natural Product Radiance* **8**, 445-451.
- Jung, H.K., Park, C.D., Bae, D.H. and Hong, J.H. (2008) Isolation of alcohol-tolerant amyolytic *Saccharomyces cerevisiae* and its application to alcohol fermentation. *Food Science and Biotechnology* **17**, 1160-1164.
- Kabak, B. and Dobson, A.D.W. (2011) An Introduction to the Traditional Fermented Foods and Beverages of Turkey. *Critical Reviews in Food Science and Nutrition* **51**, 248-260.
- Kajikazawa, T., Sugita, T., Takashima, M. and Nishikawa, A. (2007) Detection of pathogenic yeasts from processed fresh edible sea urchins sold in a fish market. *Nihon Ishinkin Gakkai Zasshi* **48**, 169-172.
- Kamada, M., Ogawa, S., Oda, K. and Murao, S. (1972) Studies on extracellular protease of yeasts. II. Distribution of extracellular protease producing yeasts. *Nippon Nogeikagaku Kaishi* **46**, 171-175.
- Kandra, L. (2003)  $\alpha$ -Amylases of medical and industrial importance. *Journal of Molecular Structure (Theochem)* **666-667**, 487-498.
- Kang, T.Y., Oh, G.H. and Kim, K. (2000) Isolation and identification of yeast strains producing high concentration of ethanol with high viability. *Korean Journal of Applied Microbiology and Biotechnology* **28**, 309-15.
- Karuppaiya, M., Sasikumar, E., Viruthagiri, T. and Vijayagopal, V. (2010) Optimisation of process conditions using response surface methodology (RSM) for ethanol production from waste cashew apple juice by *Saccharomyces cerevisiae*. *Asian Journal of Food Agroindustry* **3**, 462-473.

- Kashyap, D.R., Vohra, P.K., Chopra, S. and Tewari, R. (2001) Applications of pectinases in the commercial sector: a review. *Bioresource Technology* **77**, 215–227.
- Kato, S., Shizumi-Ibuka, A., Mura, K., Takeuchi, A., Tokue, C. and Arai, S. (2007) Molecular Cloning and Characterization of an Alpha-Amylase from *Pichia burtonii* 15-1. *Bioscience, Biochemistry and Biotechnology* **12**, 3007-3013.
- Khaing, T.W., Weine, N. and Mya, M.O. (2008) Isolation, Characterization and Screening of Thermo tolerant, Ethanol Tolerant Indigenous Yeasts and Study on the Effectiveness of Immobilized Cell for Ethanol Production. *Journal of Science and Technology* **1**, 12-14.
- Khor, G.K. and Uzir, M.H. (2011) *Saccharomyces cerevisiae*: a potential stereo specific reduction tool for biotransformation of mono and sesquiterpenoids. *Yeast* **28**, 93-107.
- Kim, D. H., Hong, Y. A. and Park, H. D. (2008) Co-fermentation of grape must by *Issatchenkia orientalis* and *Saccharomyces cerevisiae* reduces the malic acid content in wine. *Biotechnology Letters* **30**, 1633–1638.
- Kim, J.Y. (2010) Isolation of Protease-producing Yeast, *Pichia farinosa* CO-2 and Characterization of Its Extracellular Enzyme. *Journal of the Korean Society for Applied Biological Chemistry* **53**, 133-141.
- Kim, K.C., Kim, Y.C. and Cho, B.H. (1989) Antagonistic activity of an isolate of *Candida* species to Ice Nucleation-Active *Pseudomonas syringae*. *Ecology and Epidemiology* **79**, 275-277.
- Kim, S. and Dale, B. E. (2004) Global potential bioethanol production from wasted crops and crop residues. *Biomass and Bioenergy* **26**, 361–375.
- Kim, S., Baek, S.O., Lee, K. and Hahn, J.S. (2013) Cellulosic ethanol production using a yeast consortium displaying a minicellulosome and  $\beta$ -glucosidase. *Microbial Cell Factories* **12**, 14.
- Kitagawa, T., Kohda, K., Tokuhiko, K., Hoshida, H., Akada, R., Takahashi, H. and Imaeda, T. (2011) Identification of genes that enhance cellulase protein production in yeast. *Journal of Biotechnology* **151**, 194-203.
- Kliewer, W. M., Howarth, L. and Omori, M. (1967) Concentration of tartaric acid and malic acid and their salts in *Vitis vinifera* grapes. *American Journal of Enology and Viticulture* **18**, 42-54.
- Koelsch, G., Tang, J., Loy, J. A., Monod, M., Jackson, K. and Foundling, X. L. (2000) Enzymic characteristics of secreted aspartic proteases of *Candida albicans*. *Biochimica et Biophysica Acta (BBA) - Protein Structure and Molecular Enzymology* **1480**, 117-131.
- Koillery, S.K. and Keerthi, T.R. (2012) Hydrolytic enzyme production by marine yeasts isolated from Arabian Sea. *Journal of Biotechnology and Biomaterials* **2**, 6.
- Kozubek, A., Zarnowski, R., Stasiuk, M., and Gubernator, J. (2001) Natural amphiphilic phenols as bioactive compounds. *Cellular and Molecular Biology Letters* **6**, 351–355.

- Kreger-Van-Rij, N.J.W. (1984) *The Yeasts: A Taxonomic Study*, Elsevier, Amsterdam, pp. 20.
- Krinsky, N.I. (2001) Carotenoid antioxidants. *Journal of Nutrition* **17**, 815-7.
- Krisch, J., Tako, M., Papp, T. and Vagvolgyi, C. (2010) Characteristics and potential use of  $\beta$ -glucosidases from Zygomycetes. *Current Research, Technology and Education Topics in Applied Microbiology and Microbial Biotechnology* **2010**, 891-896.
- Krishnaswamy, M.A., Parthasarathy, N., Patel, J.D. and Nair, K.K.S. (1973) Further studies on microbiological quality of cashewnut (*Anacardium occidentale*). *Journal of Food Science and Technology* **10**, 24-26.
- Kubo, I., Masuoka, N., Ha, T.J. and Tsujimoto, K. (2006) Antioxidant activity of anacardic acids. *Food Chemistry* **99**, 555-562.
- Kubo, I., Ochi, M., Viera, P. and Komatsu, S. (1993) Antitumor agents from the cashew (*Anacardium occidentale*) apple juice. *Journal of Agricultural and Food Chemistry* **41**, 1012-1015.
- Kubo, J., Lee, J. and Kubo, I. (1999) Anti-Helicobacter pylori agents from the cashew apple. *Journal of Agricultural and Food Chemistry* **47**, 533-537.
- Kuhad, R.C., Gupta, R. and Singh A. (2011) Microbial cellulases and their industrial applications. *Enzyme Research* **2011**, Article ID 280696, 10 pages.
- Kumar, A. and Mishra, S. (2010) Studies on production of alcoholic beverages from some tropical fruits. *Indian Journal of Microbiology* **50**, 88-92.
- Kumsa, D.T. (2010) Isolation and selection of ethanol tolerant yeasts for the production of ethanol. Ph.D Thesis, Addis Ababa University.
- Kurtzman C.P., Fell J.W., Boekhout T., Robert V. (2011) Methods for isolation, phenotypic characterization and maintenance of yeasts. In: *The yeasts, a taxonomic study*, Kurtzman C.P., Fell J.W. and Boekhout T. (Editors), Elsevier, Amsterdam, pp 87-110.
- Kurtzman, C. P. and Fell, J. W. (1998) *The Yeasts: A Taxonomic Study*, Elsevier Science B.V., Amsterdam, pp. 77- 100.
- Kurtzman, C.P. and Robnett, C.J. (1997) Identification of clinically important ascomycetous yeasts based on nucleotide divergence in the 5' end of the large-subunit (26S) ribosomal DNA gene. *Journal of Clinical Microbiology* **35**, 1216-1223.
- Kurtzman, C.P. and Robnett, C.J. (1998) Identification and phylogeny of ascomycetous yeasts from analysis of nuclear large subunit (26S) ribosomal DNA partial sequences. *Antonie Van Leeuwenhoek* **73**, 331-371.
- Kurtzman, C.P., Robnett, C.J. and Basehoar-Powers, E. (2008) Phylogenetic relationships among species of *Pichia*, *Issatchenkia* and *Williopsis* determined from multigene sequence analysis, and the proposal of *Barnettozyma* gen. nov., *Lindnera* gen. nov. and *Wickerhamomyces* gen. nov. *FEMS Yeast Research* **8**, 939-54.

- Lacerda, I.C.A., Miranda, R.L., Borelli, B.M., Nunes, A.C., Nardia, R.M.D., Lachance, M. and Rosa, C.A. (2005) Lactic acid bacteria and yeasts associated with spontaneous fermentations during the production of sour cassava starch in Brazil. *International Journal of Food Microbiology* **105**, 213 – 219.
- Lagace, L. S. and Bisson. L.F. (1990) Survey of yeast acid proteases for effectiveness of wine haze reduction. *American Journal of Enology and Viticulture* **41**, 147-155.
- Lambrechts, M.G. and Pretorius, I.S. (2000) Yeast and its importance to wine aroma- a review. *South African Journal of Enology and Viticulture* **21**, 97 – 129.
- Larios, A., Garcia, H.S., Oliart, R.M. and Valerio-alfaro, G. (2004) Synthesis of flavor and fragrance esters using *Candida antarctica* lipase. *Applied Microbiology and Biotechnology* **65**, 373-376.
- Las Heras-Vazquez, F. J., Mingorance-Cazorla, L., Clemente-Jimenez, J. M. and Rodriguez-Vico, F. (2003) Identification of yeast species from orange fruit and juice by RFLP and sequence analysis of the 5.8S rRNA gene and the two internal transcribed spacers. *FEMS Yeast Research* **3**, 3–9.
- Lavinias, F.C., Miguel, M.A.L., Lopes, M.L.M. and Valentemesquita, V.L. (2008) Effect of high hydrostatic pressure on cashew apple (*Anacardium occidentale* L.) juice preservation. *Journal of Food Science* **73**, 273- 277.
- Layokun, S.K. (1984) Use of the palm wine cultures for ethanol production from black strap molasses with particular reference to conditions in the tropics. *Process Biochemistry* **19**, 180-182.
- Le Quere, J.M. and Drilleau, J.F. (1993) Microorganismes et typicite' ‘cider’. *Technologie* **31**, 16–19.
- Lee, L. G., Connell, C. R., Woo, S. L., Cheng, R. D., McArdle, B. F., Fuller, C. W., Halloran, N. D. and Wilson, R. K. (1992) DNA Sequencing with Dye-labeled Terminators and T7 DNA Polymerase: Effect of Dyes and dNTPs on Incorporation of Dye Terminators and Probability Analysis of Termination Fragments. *Nucleic Acids Research* **20**, 2471-2483.
- Lee, M-N. and Park, H-D. (2012) Isolation and Characterization of Acidophilic Yeasts Producing Urease from Korean Traditional Nuruk. *Korean Journal of Food Preservation* **19**, 308-314.
- Lee, Y.J., Choi, Y.R., Lee, S.Y., Park, J.T., Shim, J.H., Park, K.H. and Kim, J.W. (2011) Screening Wild Yeast Strains for Alcohol Fermentation from Various Fruits. *Mycobiology* **39**, 33-39.
- Lema, C. Garcia-Jares, C. Orriols, I. Angulo, L. (1996) Contribution of *Saccharomyces* and non-*Saccharomyces* populations to the production of some components of Albarino wine aroma. *American Journal of Enology and Viticulture* **47**, 206-216.

- Leverentz, B., Conway, W.S., Janisiewicz, W., Abadias, M., Kurtzman, C.P. and Camp, M.J. (2006) Biocontrol of the food-borne pathogens *Listeria monocytogenes* and *Salmonella enterica* serovar Poona on fresh-cut apples with naturally occurring bacterial and yeast antagonists. *Applied and Environmental Microbiology* **72**, 1135–1140.
- Li, B., Yu, P., Curran, S. and Liu, Q. (2011) Chemical and Volatile Composition of Mango Wines Fermented with Different *Saccharomyces cerevisiae* Yeast Strains. *South African Journal of Enology and Viticulture* **32**, 117-128.
- Li, C.F. and Li, M.Q. (1999) Effects of polyphenol on cashew apple winemaking. *Natural Science Journal of Hainan University* **17**, 243-245.
- Li, C.F., Li, M.Q. and Peng, L.X. (1999) Fruity flavor keeping of cashew apple wine. *Chinese Journal of Tropical Crops* **20**, 21-24.
- Li, H., Chi, Z., Duan, X., Wang, L., Sheng, J. and Wu, L. (2007b) Glucoamylase production by the marine yeast *Aureobasidium pullulans* N13d and hydrolysis of potato starch granules by the enzyme. *Process Biochemistry* **42**, 462–465.
- Li, H., Chi, Z., Wang, X., Duan, X., Ma, L. and Gao, L. (2007a) Purification and characterization of extracellular amylase from the marine yeast *Aureobasidium pullulans* N13d and its raw potato starch digestion. *Enzyme and Microbial Technology* **40**, 1006-1012.
- Li, J., Chi, Z., Wang, X., Peng, Y. and Chi, Z. (2009) The selection of alkaline protease producing yeasts from marine environments and evaluation of their bioactive peptide production. *Chinese Journal of Oceanology and Limnology* **27**, 753-761.
- Li, Q., Huang, J., Guo, H., Guo, X., Zhu Y. and Dong, K. (2012) Bactericidal activity against meticillin-resistant *Staphylococcus aureus* of a novel eukaryotic therapeutic recombinant antimicrobial peptide. *International Journal of Antimicrobial Agents* **39**, 496-499.
- Li, X., Lim, S.L., Yu, B., Curran, P. and Liu, S.Q. (2013) Mango wine aroma enhancement by pulp contact and beta-glucosidase. *International Journal of Food Science and Technology* **48**, 2258-2266.
- Libkind, D., Brizzio, S., Ruffini, A., Gadanho, M., van Broock, M. and Sampaio, J. P. (2003) Molecular characterization of carotenogenic yeasts from aquatic environments in Patagonia, Argentina. *Antonie van Leeuwenhoek* **84**, 313–322.
- Lilly, M., Lambrechts, M.B. and Pretorius, I.S. (2000) Effect of Increased Yeast Alcohol Acetyltransferase Activity on Flavor Profiles of Wine and Distillates. *Applied and Environmental Microbiology* **66**, 744-753.
- Lin, C. C. and Fung, Y. (1987) Conventional and rapid methods for yeast identification. *Critical Reviews in Microbiology* **4**, 273-289.



- Linde, M., Galbe, M. and Zacchi, G. (2008) Bioethanol production from non-starch carbohydrate residues in process streams from a dry-mill ethanol plant. *Bioresource Technology* **99**, 6505–6511.
- Liu, S.Q. and Pilone, G.J. (2000) An overview of formation and roles of acetaldehyde in winemaking with emphasis on microbiological implications. *International Journal of Food Science and Technology* **35**, 49-61.
- Lock, L.L., Corbellini, V.A. and Valente, P. (2007) Lipases produced by yeasts: Powerful biocatalysts for Industrial purposes. *Techno-Logica* **11**, 18-25.
- Lodder, J. (1970) The yeast: a taxonomic study. North Holland Publishing Company, Amsterdam, pp. 1-1385.
- Lomolino, G., Zoccal, F., Spettoli, F. and Lantel, A. (2006) Detection of  $\beta$ -Glucosidase and Esterase Activities in wild Yeast in a Distillery Environment. *Journal of the Institute of Brewing* **112**, 97–100.
- Long, A. and Ward, O.P. (1989) Biotransformation of benzaldehyde by *Saccharomyces cerevisiae*: characterization of the fermentation and toxicity effects of substrates and products. *Biotechnology and Bioengineering* **34**, 933-941.
- Longo, E., Cansado, J., Agrelo, D. and Villa, T. G. (1991) Effect of climatic conditions on yeast diversity in grape musts from northwest Spain. *American Journal of Enology and Viticulture* **42**, 141–144.
- Longo, E., Velazquez, J. B., Sieiro, C., Cansado, J., Calo, P. and Villa, T. G. (1992) Production of higher alcohols, ethyl acetate, acetaldehyde and other compounds by 14 *Saccharomyces cerevisiae* wine strains isolated from the same region (Salnés, NW Spain). *World Journal of Microbiology and Biotechnology* **8**, 539-541.
- Lopandic, K., Zelger, S., Banzsky, L.K., Eliskases-Lechner, F. and Prillinger, H. (2006) Identification of yeasts associated with milk products using traditional and molecular techniques. *Food Microbiology* **23**, 341–350.
- Lopez, M. and Edens, L. (2005) Effective prevention of chill-haze in beer using an acid proline-specific endoprotease from *Aspergillus niger*. *Journal of Agricultural and Food Chemistry* **53**, 7944-7949.
- Loureiro, V. and Malfeito-Ferreira, M. (2003) Spoilage yeasts in the wine industry. *International Journal of Food Microbiology* **86**, 23–50.
- Lowor, S.T. and Agyente-Badu, C.K. (2009) Mineral and proximate composition of cashew apple (*Anacardium occidentale* L.) juice from Northern Savannah, forest and Coastal Savannah regions in Ghana. *American Journal of Food Technology* **4**, 154-161.

- Luz, D.A., Rodrigues, A.K.O., Silva, F.R.C. (2008) Adsorptive separation of fructose and glucose from an agroindustrial waste of cashew industry. *Bioresource Technology* **99**, 2455–2465.
- Lyumugabel, F., Uyisenga, J.P., Songa, E.B. and Thonart, P. (2014) Production of traditional Sorghum beer “Ikigage” using *Saccharomyces cerevisiae*, *Lactobacillus fermentum* and *Issatchankia orientalis* as starter cultures. *Journal of Nutrition and Food Sciences* **5**, 507-515.
- Maciel, N.O., Pilo, F.B., Frietas, L.F., Gomes, F.C., Johann, S., Nardi, R.M., Lachancea, M.A. and Rosa, C.A. (2013) The diversity and antifungal susceptibility of the yeasts isolated from coconut water and reconstituted fruit juices in Brazil. *International Journal of Food Microbiology* **160**, 201-205.
- Maddox, I. S. and J. S. Hough. (1970) Proteolytic enzymes of *Saccharomyces carlsbergensis*. *Biochemical Journal* **177**, 843-852.
- Mafart, P. (1986) Influence de la flore de fermentation sur la flaveur des cidre et selection des souches. *Bios* **17**, 33–37.
- Magliani, W., Conti, S., Salati, A., Vaccari, S., Ravanetti, L., Maffei, D. L. and Polonelli, L. (2004) Therapeutic potential of yeast killer toxin-like antibodies and mimotopes. *FEMS Yeast Research* **5**, 11-18.
- Maicas, S. and Mateo, J.J. (2005) Hydrolysis of teipenyl glycosides in grape juice and other fruit juices: A review. *Applied Microbiology and Biotechnology* **67**, 322- 355.
- Majumder, K. (2013) Pectic polysaccharides of fruits: Characterisation, fractional changes and industrial applications. In: *Natural Polymers, Biopolymers, Biomaterials, and Their Composites, Blends and IPNs*, Thomas, S., Ninan, N., Mohan, S. and Francis, E. (Editors), Library and Archives Canada Cataloguing, Canada, p.238.
- Malherbe, S., Bauer, F.F. and Du Toit, M. (2007) Understanding Problem fermentations- A review. *South African Journal of Enology and Viticulture* **28**, 169-186.
- Mamun-Or-Rashid, A.N.M., Dash, B.K., Chowghury, M.N.A., Waheed, M.F. and Pramanik, M.A. (2013) Exploration of potential bakers yeast from sugarcane juice: Optimization and evaluation. *Pakistan Journal of Biological Sciences* **16**, 617-623.
- Mandal, R.C., Dhandar, D.G. and Dhume, C.V. (1985) Cashew apple liquor industry in Goa. *Acta Horticulture (ISHS)* **108**,172-175.
- Mangas, J., Gonzalves, M.P. and Blanco, D. (1993) Influence of cider-making technology of low-boiling-point volatile compounds. *Zeitschrift für Lebensmittel Untersuchung und Forschung* **197**, 522–524.

- Many, J.N., Radhika, B. and Ganesan, T. (2014) Study on tomato wine production and optimization. *IOSR Journal of Environmental Science, Toxicology and Food Technology* **8**, 97-100.
- Manzanares, P., Rojas, V., Genoves, S. and Valles, S. (2000) A preliminary search for anthocyanin-b-D-glucosidase activity in non*Saccharomyces* wine yeasts. *International Journal of Food Science and Technology* **35**, 95–103.
- Maragatham, C. and Paneerselvam, A. (2011a) Preliminary screening of papaya varieties for wine making using various wine yeast isolated from over ripened (rotten) papaya fruits. *Plant Archives* **11**, 383-386.
- Maragatham, C. and Panneerselvam, A. (2011b) Isolation, identification and characterization of wine yeast from rotten papaya fruits for wine production. *Advances in Applied Science Research* **2**, 93-98.
- Marcel, M.L., Luana, P.B., Marcos, D.R., Alane, B.V. and Sonia, R. (2009) Identification antifungal susceptibility and scanning electron microscopy of a keratinolytic strain of *Rhodotorula mucilaginosa*: a primary causative agent of onychomycosis. *FEMS Immunology and Medical Microbiology* **55**, 396–403.
- Margalith, P. and Schwartz, Y. (1970) Flavor and microorganisms. D. Perlman (Editor), Academic Press, New York, p. 35.
- Margesin, R. and Feller, G. (2010) Biotechnological applications of psychrophiles. *Environmental Technology* **31**, 835–844.
- Margesin, R., Schinner, F., Marx, J.C. and Gerday, C. (2008) Psychrophiles: from biodiversity to biotechnology, Springer, Berlin, Germany, pp 352–360.
- Martinez, C., Contreras, A., Aguilera, O., Ganga, A. and Garcia, V. (2014) The *ICY1* gene from *Saccharomyces cerevisiae* affects nitrogen consumption during alcoholic fermentation. *Electronic Journal of Biotechnology* **17**, 150-155.
- Martini, A. (1993) Origin and domestication of the wine yeast *Saccharomyces cerevisiae*. *Journal of Wine Research* **4**, 165–176.
- Mas, A., Torija, M.J., Garcia-Parrilla, M.C. and Troncoso, A.M. (2014) Acetic Acid Bacteria and the Production and Quality of Wine Vinegar. *The Scientific World Journal* **2014**, Article ID 394671, 6 pages.
- Masih, E.I., Slezack-Deschaumes, S., Maramara, I., Ait Barka, E., Vernet, G., Charpentier, C., Adholeya, A. and Paul, B. (2001) Characterisation of the yeast *Pichia membranifaciens* and its possible use in the biological control *Botrytis cinerea*, causing the grey mould disease of grapevine. *FEMS Microbiology Letters* **202**, 227-232.

- Masoud, W. and Jespersen, L. (2006) Pectin degrading enzymes in yeasts involved in fermentation of *Coffea arabica* in East Africa. *International Journal of Food Microbiology* **110**, 291-296.
- Matapathi, S.S., Patil, A.B., Jones Nirmalnath, P. and Savalagi, V.V. (2004) Isolation and screening of efficient yeast strains for wine making. *Karnataka Journal of Agriculture and Science* **17**, 736-740.
- Mateo, J.J. and DiStefano, R. (1997) Description of the betaglucosidase activity of wine yeasts. *Food Microbiology* **14**, 583– 591.
- Mateo, J.J., Jiménez, M., Huerta, T. and Pastor, A. (1991) Contribution of different yeasts isolated from musts of Monastrell grapes to aroma of wines. *International Journal of Food Microbiology* **14**, 153–160.
- Mateo, J.J., Peris, L., Ibanez, C. and Maicas, S. (2011) Characterisation of glycolytic activities from non-*Saccharomyces* yeasts isolated from Bobal musts. *Journal of Industrial Microbiology and Biotechnology* **38**, 347-354.
- McKay, A.M. (1988) A plate assay method for the detection of fungal polygalacturonase secretion. *FEMS Microbiology Letters* **56**, 355–358.
- McMahon, H., Zoecklein, B.W., Fugelsang, K. and Jasinski, Y. (1999) Quantification of glycosidase activities in selected yeasts and lactic acid bacteria. *Journal of Industrial Microbiology and Biotechnology* **23**, 198-203.
- Meera, N.S., Charan Theja, P. and Charitha Devi, M. (2013) Production and optimization of  $\beta$ -galactosidase enzyme using probiotic yeast spp. *Annals of Biological Research* **4**, 62-67.
- Melo-Cavalcante, A.A.C., Moura Dantas, S.M.M., Souza Leite, A., Matos, L., Sousa, J.M. and Picada, J.N. (2011) In vivo antigenotoxic and anticlastogenic effects of fresh and processed cashew (*Anacardium occidentale*) apple juices. *Journal of Medicinal Food* **14**, 792-798.
- Melo-Cavalcante, A.A., Picada, J.N., Rubensam, G. and Henriques, J.A.P. (2008) Antimutagenic activity of cashew apple (*Anacardium occidentale* Sapindales, Anacardiaceae) fresh juice and processed juice (*cajuína*) against methyl methanesulfonate, 4-nitroquinoline N-oxide and benzo[a]pyrene. *Genetics and Molecular Biology* **31**, 759-766.
- Melo-Cavalcante, A.A., Rubensam, G., Picada, J.N., da Silva, E.G., Moreira, F.J.C. and Henriques, J.A.P. (2003) Mutagenicity, antioxidant potential and antimutagenic activity against hydrogen peroxide of cashew (*Anacardium occidentale*) apple juice and cajuina. *Environmental and Molecular Mutagenesis* **41**, 360-369.

- Mendes-Ferreira, A., Climaco, M.C. and Mendes-Faia, A. (2001) The role of non-saccharomyces species in releasing glycosidic bound fraction of grape aroma components – a preliminary study. *Journal of Applied Microbiology* **91**, 67–71.
- Mendoza, L. and Farias, M.E. (2010) Improvement of wine organoleptic characteristics by non-Saccharomyces yeasts. In: *Current Research, Technology and Education Topics in Applied Microbiology and Biotechnology*, pp. 908-919.
- Menna, M.E. (1957) The Isolation of Yeasts from Soil. *Journal of General Microbiology* **17**, 678-688.
- Merin, M.G., Medoza, L.M. and Ambrosini, V.I.M. ( 2013) Pectinolytic yeasts from viticultural and enological environments: novel finding of *Filobasidium capsuligenum* producing pectinases. *Journal of Basic Microbiology* **00**, 1-8.
- Meroth, C.B., Hammes, W.P. and Hertel, C. (2003) Identification and Population Dynamics of Yeasts in Sourdough Fermentation Processes by PCR-Denaturing Gradient Gel Electrophoresis. *Applied and Environmental Microbiology* **69**, 7453-7461.
- Mfombep, P.M., Senwo, Z.N. and Isikhuemhen, O.S. (2013) Enzymatic activities and kinetic properties of  $\beta$ -glucosidase from selected white rot fungi. *Advances in Biological Chemistry* **3**, 198-207.
- Micheli, F. (2001) Pectin methylesterases: cell wall enzymes with important roles in plant physiology. *Trends in Plant Science* **6**, 414–419.
- Miklosy, E. and Polos, V. (1995) Yeasts with b-D-glucosidase activity: properties and possible application in winemaking processes. *Acta Alimentaria* **24**, 167–180.
- Millar, D.G., Griffiths, S.K., Algar, E. and Scopes, R.K. (1982) Activity and stability of glycolytic enzymes in the presence of ethanol. *Biotechnology Letters* **4**, 601-606.
- Mirbagheri, M., Nahvi, I., Emtiazi, G., Mafakher, L. and Darvishi, F. (2012) Taxonomic characterization and potential biotechnological applications of *Yarrowia lipolytica* isolated from meat and meat products. *Jundishapur Journal of Microbiology* **5**, 346-351.
- Mohanty, S., Ray, P., Swain, M.R. and Ray, R.C. (2006) Fermentation of cashew (*Anacardium occidentale L.*) “Apple” into wine. *Journal of Food Processing and Preservation* **30**, 314-322.
- Mokhtari, M., Etebarian, H.R., Mirhendi, S.H. and Razavi, M. (2011) Identification and phylogeny of some species of the genera *Sporidiobolus* and *Rhodotorula* using analysis of the 5.8s rDNA gene and two ribosomal internal transcribed spacers. *Archives of Biological Science Belgrade* **63**, 79-88.
- Molina, A. M., Guadalupe, V., Varela, C., Swiegers, J. H., Pretorius, I. S. and Agosin, E. (2009) Differential synthesis of fermentative aroma compounds of two related commercial wine yeast strains. *Food Chemistry* **117**, 189-195.

- Moneke, A.N., Okolo, B.N., Nweke, A.I., Ezeogu, L.I. and Ire, F.S. (2008) Selection and characterisation of high ethanol tolerant *Saccharomyces* yeasts from orchard soil. *African Journal of Biotechnology* **7**, 4567 – 4575.
- Moreira, S.R., Schwan, R.F., Carvalho, E.P.D. and Wheals, A.E. (2001) Identification of yeasts and filamentous fungi from yoghurts in Brazil. *Brazilian Journal of Microbiology* **32**, 117-122.
- Moreno-Arribas, V., Pueyo, E. and Polo, M. C. (1996) Peptides in Musts and wines: changes during the manufacture of Cavas (Sparkling wines). *Journal of Agricultural and Food Chemistry* **44**, 3783-3788.
- Mortimer, R. and Polsinelli, M. (1999) On the origins of wine yeast. *Research Microbiology* **150**, 199–204.
- Morton, J.F. (1987) Cashew apple. In: Fruits of warm climates, Morton, J.F. (Editor), Miami Publishers, pp. 239-240.
- Motarjemi, Y. (2002) Impact of small scale fermentation technology on food safety in developing countries. *International Journal of Food Microbiology* **75**, 213-229.
- Mukesh Kumar, D.J., Saranya, D.M., Suresh, K., Andal Priyadharshini, D., Rajkumar, R. and Kalaichelvan, P.T. (2012) Production and optimization of pectinase from *Bacillus* sp. MFW7 using cassava waste. *Asian Journal of Plant Science and Research* **2**, 369-375.
- Mushtaq, M., Nahar, S. and Hashmi, M.H. (2004) Isolation and identification of yeast flora from soil of Karachi, Pakistan. *Pakistan Journal of Botany* **36**, 173-180.
- Nagahama, T., Hamamoto, M. and Horikoshi, K. (2006) *Rhodotorula pacifica* sp. nov., a novel yeast species from sediment collected on the deep-sea floor of the north-west Pacific Ocean. *International Journal of Systematic and Evolutionary Microbiology* **56**, 295–299.
- Nair, K.P.P. (2010) Cashew nut. In: The Agronomy and Economy of Important Tree Crops of the Developing World, Nair, K.P.P. (Editor), Elsevier Insights, USA, p. 60.
- Najafi, G., Ghobadian, B., Tavakoli, T. and Yusaf, T. (2009) Potential of bioethanol production from agricultural wastes in Iran. *Renewable and Sustainable Energy Reviews* **13**, 1418-1427.
- Najafi, M.F., Deobagkar, D. and Deobagkar, D. (2005) Potential application of protease isolated from *Pseudomonas aeruginosa* PD100. *Electronic Journal of Biotechnology* **8**, 197-203.
- Nakagawa, T., Yamada, K., Fujimura, S., Ito, T., Miyaji, T. and Tomizuka, N. (2005) Pectin utilization by the methylotrophic yeast *Pichia methanolica*. *Microbiology* **151**, 2047-2052.
- Nakatani, Y., Yamada, R., Ogino, C. and Kondo, A. (2013) Synergetic effect of yeast cell-surface expression of cellulase and expansin-like protein on direct ethanol production from cellulose. *Microbial Cell Factories* **12**, 66.

- Nam, T.N., Minh, N.P. and Dao, D.T.A. (2014) Investigation of Processing Conditions For Dietary Fiber Production From Cashew Apple (*Anacardium occidentale* L.) Residue. *International Journal of Scientific and Technology Research* **3**, 148-156.
- Nanjundaswamy, A.M., Radhakrishniah Setty, G. and Patwardhan, M.V. (1985) Utilization of cashew apples for the development of processed products. *Acta Horticulturae (ISHS)* **108**, 150-158.
- Ndip, R.N., Akoachere, J.F., Dopgima, L.L. and Ndip, L.M. (2001) Characterization of yeast strains for wine production: effect of fermentation variables on quality of wine produced. *Applied Biochemistry and Biotechnology* **95**, 209-20.
- Neelakandan, T. and Usharani, G. (2009) Optimization and Production of Bioethanol from Cashew Apple Juice Using Immobilized Yeast Cells by *Saccharomyces cerevisiae*. *American Eurasian Journal of Scientific Research* **4**, 85-88.
- Ness, F., Lavallee, F., Dubourdieu, D., Aigle, M. and Dulau, L. (1993) Identification of yeast strains using the polymerase chain reaction. *Journal of the Science of Food and Agriculture* **62**, 89-94.
- Nowak, M., Strehaiano, P., Moreno, M. and Goma, G. (1981) Alcoholic fermentation: On the inhibitory effect of ethanol. *Biotechnology and Bioengineering* **23**, 201-11.
- Nurgel, C., Erten, H., Canbas, A., Cabaroglu, T. and Selli, S. (2002) Contribution by *Saccharomyces cerevisiae* yeasts to fermentation and flavour compounds in wines from cv. Kalecik karasi grape. *Journal of the Institute of Brewing* **108**, 68-72.
- Nwachukwu, I.N., Ibekwe, V.I., Nwabueze, R.N. and Anyanwu, B.N. (2006) Characterization of palm wine yeast isolates from industrial utilization. *African Journal of Biotechnology* **5**, 1725-1728.
- Nyanga, L.K., Nout, M.J., Smid, E.J., Boekhout, T. and Zwietering, M.H. (2013) Fermentation characteristics of yeasts isolated from traditionally fermented masau (*Ziziphus mauritiana*) fruits. *International Journal of Food Microbiology* **166**, 426-432.
- Nykanen, L. (1986) Formation and occurrence of flavour compounds in wine and distilled alcoholic beverages. *American Journal of Enology and Viticulture* **37**, 84-96.
- Nykanen, L. and Nykanen, I. (1977) Production of esters by different yeast strains in sugar fermentations. *Journal of the Institute of Brewing* **83**, 30-31.
- Nzabuheraheza, F.D. and Nyiramugwera, A.N. (2014) Golden wine produced from mixed juices of passion fruit (*Passiflora edulis*), mango (*Mangifera indica*) and pineapple (*Ananas comosus*). *African Journal of Food, Agriculture, Nutrition and Development* **14**, 9104-9116.

- Obasi, B.C., Whong, C.M.Z., Ado, S.A. and Abdullahi, I.O. (2014) Isolation and Identification Of Yeast Associated With Fermented Orange Juice. *The International Journal of Engineering and Science (IJES)* **3**, 64-69.
- Obisanya, M.O., Aina, J.O., Oguntimehin, G.B. (1987) Production of wine from mango (*Mangifera indica* L.) using *Saccharomyces* and *Schizosaccharomyces* species isolated from palm wine. *Journal of Applied Bacteriology* **63**, 191-196.
- Oduwale, O.O., Akinwale, T.O. and Olubamiwa, O. (2001) Economic evaluation of a locally fabricated extraction machine for a cottage cashew juice factory. *The Journal of Food Technology in Africa* **6**, 18-20.
- Ogunjobi, M.A.K. and Ogunwolu, S.O. (2010) Physicochemical and sensory properties of cassava flour biscuits supplemented with cashew apple powder. *Journal of Food Technology* **8**, 24-29.
- Ogunmoyela, O.A. (1983) Prospects for cashew “apple” processing and utilization in Nigeria. *Process Biochemistry* March/April, 6–7.
- Okafor, N. (1977) Microorganism associated with cassava fermentation for gari production. *Journal of Applied Bacteriology* **42**, 279-284.
- Okagbue, R.N. (1988) A note on the leavening activity of yeasts isolated from Nigerian palm wine. *Journal of Applied Bacteriology* **64**, 235-240.
- Okunowo, W.O., Okotore, R.O. and Osuntoki, A.A. (2005) The alcoholic fermentative efficiency of indigenous yeast strains of different origin on orange juice. *African Journal of Biotechnology* **4**, 1290-1296.
- Oliveira, E. S., Cardello, H. M. A. B., Jeronimo, E. M., Souza, E. L. R. and Serra, G. E. (2005) The influence of different yeasts on the fermentation, composition and sensory quality of cachaça. *World Journal of Microbiology and Biotechnology* **21**, 707-715.
- Oliveira, K.F., Malavolta, L., Souza, C.S., Vicente, E.J. and Lalue, C. (2006) Pectinolytic activity secreted by yeasts isolated from fermented citrus molasses. *Journal of Applied Microbiology* **100**, 633-640.
- Oliveira, A.P.A., Silvestre, M.A., Alves-Prado, H.F., Rodrigues, A., da Paz, M.F., Fonseca, G.G. and Leite, R.S.R. (2015) Bioprospecting of yeasts for amylase production in solid state fermentation and evaluation of the catalytic properties of enzymatic extracts. *African Journal of Biotechnology* **14**, 1215-1223.
- Olson, L. and Hahn-Hagerdal, B. (1996) Fermentation of lignocellulosic hydrolysates for ethanol production. *Enzyme and Microbial Technology* **18**, 312-331.
- Osho, A. (2005) Ethanol and sugar tolerance of wine yeasts isolated from fermenting cashew apple juice. *African Journal of Biotechnology* **4**, 660-662.



- Osho, A. and Odunfa, S.A. (1999) Fermentation on cashew juice using the wine yeast strain NCYC 125 and three other isolated yeast strains. *Advances in Food Science* **21(1/2)**, 23–29.
- Osorio, V.M. and Cardeal, Z.L. (2013) Analytical methods to assess carbonyl compounds in foods and beverages. *Journal of the Brazilian Chemical Society* **24**, 1711-1718.
- Otero, R.R., Iranzo, J.F., Briones-Perez, A.I., Potgieter, N., Villena, M.A., Pretorius, I.S. and Van Rensburg, P. (2003) Characterization of the  $\beta$ -glucosidase activity produced by enological strains of non-*Saccharomyces* yeasts. *Journal of Food Science* **68**, 2564- 2569.
- Otero, D.M., Cadaval, C.L., Teixeira, L.M., Rosa, C.A., Sanzo, A.V.L. and Kalil, S.J. (2015) Screening of yeasts capable of producing cellulase-free xylanase. *African Journal of Biotechnology* **14**, 1961-1969
- Ough, C.S. (1976) Ethyl carbamate in fermented beverages and foods. I. Naturally occurring ethyl carbamate. *Journal of Agriculture and Food Chemistry* **24**, 323-328.
- Oyewole, O.B. and Odunfa, S.A. (1988) Microbiological studies on cassava fermentation for 'lafun' production. *Food Microbiology* **5**, 125-133.
- Paffetti, D., Barbeiro, C., Casalone, E., Cavaleiri, D., Fani, R., Fia, G., Mori, E. and Polsinelli, M. (1995) DNA fingerprinting by random amplified polymorphic DNA and restriction fragment length polymorphism is useful for yeast typing. *Research in Microbiology* **146**,587-594.
- Paine, A.J. and Daval, A.D. (2001) Defining a tolerable concentration of methanol in alcoholic drinks. *Human and Experimental Toxicology* **20**, 563-568.
- Pallmann, C.L., Brown, J.A., Olineka, T.L., Cocolin, L., Mills, D.A. and Bisson, L.F. (2001) Use of WL medium to profile native flora fermentation. *American Journal of Enology and Viticulture* **52**, 198–203.
- Panchal, C.J., Peacock, I. and Stewart, G.G. (1982) Increased osmotolerance of genetically modified ethanol producing strains of *Saccharomyces* sp. *Biotechnology Letters* **4**, 639-644.
- Pandey, A., Benjamin, S., Soccol, C.R., Nigam, P., Krieger, N. and Soccol, V.T. (1999) The realm of microbial lipases in biotechnology. *Biotechnology and Applied Biochemistry* **29**, 119-131
- Pandey, A., Nigam, P., Soccol, C.R., Soccol, V.T., Singh, D. and Mohan, R. (2000) Advances in microbial amylases. *Biotechnology and Applied Biochemistry* **31**, 135-152.
- Panjai, L., Ongthip, K. and Chomsri, N. (2009) Complex fruit wine produced from dual culture fermentation of pineapple juice with *Torulaspora delbrueckii* and *Saccharomyces cerevisiae*. *International Conference of Uni Hands-On Education* 23-29.

- Parameswari, K., Hemalatha, M., Priyanka, K. and Kishori, B. (2015) Isolation of yeasts and ethanol production from papaya (*Carica papaya*) and grape (*Vitis vinifera*) fruits. *International Journal of Scientific and Engineering Research* **6**, 100-104.
- Parish, M. E. and Haggins, D.P. (1989) Yeast and Moulds Isolated from spoiling citrus product and by products. *Journal of Food Protein* **52**, 261-263.
- Parish, M.E. and Carroll, D.E. (1985) Indigenous Yeasts Associated with Muscadine (*Vitis rotundifolia*) Grapes and Musts. *American Journal of Enology and Viticulture* **36**, 165-169.
- Parker, L. T., Deng, Q., Zakeri, H., Carlson, C., Nickerson, D. A. and Kwok, P. Y. (1995) Peak Height Variations in Automated Sequencing of PCR Products Using Taq Dye-terminator Chemistry. *BioTechniques* **19**, 116-121.
- Pascualli, R., Geraeds, C., Voragen, F. and Pilnik, W. (1991) Characterization of polygalacturonase from yeast and fungi. *Lebensmittel Wissenschaft und Technologie* **24**, 63-70.
- Paskevicius, A. (2001) Lipase activity of yeasts and yeast-like fungi functioning under natural conditions. *Biologija* **4**, 16-18.
- Passicos, E., Santarelli, X. and Coulon, D. (2004) Regioselective acylation of flavonoids catalysed by immobilized *Candida antarctica* lipase under reduced pressure. *Biotechnology Letters* **26**, 1073-1076.
- Patel, S. and Shibamoto, T. (2003) Effect of 20 different yeast strains on the production of volatile components in Symphony wine. *Journal of Food Composition and Analysis* **16**, 469-476.
- Pathania N., Kanwar S. S., Jhang, T., Koundal, K.R. and Sharma T. R. (2010) Application of different molecular techniques for deciphering genetic diversity among yeast isolates of traditional fermented food products of Western Himalayas. *World Journal of Microbiology and Biotechnology* **26**, 1539-1547.
- Patil, S. and Patil, A.B. (2006) Isolation and Characterization of Wine Yeast From Pineapple Fruits. *Karnataka Journal of Agriculture and Science* **19**, 558-561.
- Peddie, H.A.B. (1990) Ester formation in brewery fermentations. *Journal of the Institute of Brewing* **96**, 327-331.
- Pereira, A.L.F. (2011) Probiotic beverage from cashew apple juice fermented with *Lactobacillus casei*. *Food Research International* **44**, 1276-1283.
- Pereira, A.L.F. and Rodrigues, S. (2012) Fermentation and Cashew apple juice. In: Handbook of Plant-based fermented food and beverage Technology. Hui, Y.H. and Evranuz, E.O. (Editors), CRC Press, pp. 237-248.

- Perez-Coello, M. S., Briones Pérez, A. I., Ubeda Iranzo, J. F. and Martin Alvarez, P. J. (1999) Characteristics of wines fermented with different *Saccharomyces cerevisiae* strains isolated from the La Mancha region. *Food Microbiology* **16**, 563-573.
- Persike, D.S., Bonfim, T.M., Santos, M.H., Lyng, S.M., Chiarello, M.D. and Fontana, J.D. (2002) Invertase and urease activities in the carotenogenic yeast *Xanthophyllomyces dendrorhous* (formerly *Phaffia rhodozyma*). *Bioresource Technology* **82**, 79-85.
- Pervez, S., Aman, A., Iqbal, S., Siddiqui, N.N. and Qader, S.A.U. (2014) Saccharification and liquefaction of cassava starch: an alternative source for the production of bioethanol using amyolytic enzymes by double fermentation process. *BMC Biotechnology* **14**, 49.
- Peter, G., Tornai-Lehoczki, J., Suzuki, M. and Dlauchy, D. (2005) *Metschnikowia viticola* sp. nov., a new yeast species from grape. *Antonie van Leeuwenhoek* **87**, 155–160.
- Petravic-Tominac, V., Mesihovic, A., Mujadzic, S., Lisicar, J., Oros, D., Velic, D., Velic, N., Srecec, S., Zechner-krpan, V. and Petrovic, Z. (2013) Production of Blackberry Wine by Microfermentation using Commercial Yeasts Fermol Rouge® and Fermol Mediterrane. *Agriculturae Conspectus Scientificus* **78**, 49-55.
- Pigeau, G.M. and Inglis, D.L. (2007) Response of wine yeast (*Saccharomyces cerevisiae*) aldehyde dehydrogenases to acetaldehyde stress during Icewine fermentation. *Journal of Applied Microbiology* **103**, 1576-1586.
- Pinelo, M., Arnous, A. and Meyer, A.S. (2006) Upgrading of grape skins: Significance of plant cell-wall structural components and extraction techniques for phenol release. *Trends in Food Science and Technology* **17**, 579-590.
- Pinheiro, A.D.T., Rocha, M.V.P., Macedo, G.R. and Goncalves, L.R.B. (2008) Evaluation of Cashew Apple Juice for the Production of Fuel Ethanol. *Applied Biochemistry and Biotechnology* **148**, 227-234.
- Pinho, L.X., Afonso, M.R.A., Carioca, J.O.B., Costa, J.M.C. and Ramos, A.M. (2011) The use of cashew apple residue as source of fiber in low fat hamburgers. *Food Science and Technology* **31**, 941-945.
- Pires, E.J., Teixeira, J.A., Branyik, T. and Vicente, A.A. (2014) Yeast: the soul of beer's aroma- a review of flavor-active esters and higher alcohols produced by brewing yeast. *Applied Microbiology and Biotechnology* **98**, 1937-1949.
- Polacheck, I., Melamed, M., Bercovier, H. and Salkin, I.F. (1987)  $\beta$ -Glucosidase in *Candida albicans* and Its Application in Yeast Identification. *Journal of Clinical Microbiology* **25**, 907-910.
- Poondla, V., Bandikari, R., Subramanyam, R. and Obulam, V.S.R. (2015) Temperature active pectinases production by *Saccharomyces cerevisiae* isolate and their characterization. *Biocatalysis and Agricultural Biotechnology* **4**, 70-76.

- Povhe Jemec, K., Cadez, N., Zagorc, T., Bubic, V., Zupec, A. and Raspor, P. (2001) Yeast population dynamics in five spontaneous fermentations of Malvasia must. *Food Microbiology* **18**, 247-259.
- Poza, M., Miguel, T., Siero, C. and Villa, T. G. (2001) Characterization of a broad pH range protease of *Candida caseinolytica*. *Journal of Applied Microbiology* **91**, 916-921.
- Prabhakar, C., Saleshrani, K., Saranraj, P. and Tharmaraj, K. (2012) Antibacterial effect of ethanol and ethyl acetate extracts of *Sygium cumini* against bacterial pathogens. *International Journal of Recent Scientific Research* **3**, 155-158.
- Prakash, O. and Jaiswal, N. (2009) alpha-Amylase: An Ideal Representative of Thermostable Enzymes. *Applied Biochemistry and Biotechnology* **160**, 2401-2414.
- Prasanna Kumar, D., Tiwari, A. and Bhat, R. (2004) Effect of pH on the Stability and Structure of Yeast Hexokinase-acidic amino acid residues in the cleft region are critical for the opening and the closing of -the structure. *The Journal of Biological Chemistry* **279**, 32093-32099.
- Pratt, P.L., Bryce, J.H. and Stewart, G.G. (2003) The effects of osmotic pressure and ethanol on yeast viability and morphology. *Journal of the Institute of Brewing* **109**, 218-228.
- Pretorius, I.S. (2000) Tailoring wine yeasts for the new millennium: novel approaches to the ancient art of winemaking. *Yeast* **16**, 675-729.
- Pretorius, I.S., van der Westhuizen, T.J. and Augustyn, O.P.H. (1999) Yeast biodiversity in vineyards and wineries and its importance to the South African Wine Industry. A Review. *South African Journal of Enology and Viticulture* **20**, 61-70.
- Price, R.L., Holanda, L.F.F, Moura, F.J.A, Maia, G.A. and Martins C.B. (1975) Constituents of Brazilian cashew apple juice. *Cien Agronomica* **5**, 61-65.
- Priya, V. and Sashi, V. (2014) Pectinase enzyme producing Microorganisms. *International Journal of Scientific and Research Publications* **4**, 1-4.
- Priya, V.P.A., Amrutha, S. and Mangalam, H. (2011) Isolation, characterization of ethanol tolerant yeast. *Journal of Pure and Applied Microbiology* **5**, 313-316.
- Prommajak, T., Leksawasdi, N. and Rattanapanone, N. (2014) Biotechnological Valorization of Cashew Apple: a Review. *Chiang Mai University Journal of Natural Sciences* **13**, 159-182.
- Pushpalatha, R. and Bandlamori, S.V. (2014) Screening of starch and pectin degrading organisms from waste and evaluation of their activity on natural substrate. *International Journal of Development Research* **4**, 886-891.
- Queiroz, C., Lopes, M.L.M., Fialho, E. and Valente-Mesquita, V.L. (2011) Changes in bioactive compounds and antioxidant capacity of fresh-cut cashew apple. *Food Research International* **44**, 1459-1462.

- Querol, A., Barrio, E. and Ramon, D. (1992) A comparative study of different methods of yeast strain characterization. *Systematic and Applied Microbiology* **15**, 439–446.
- Qureshi, S.K., Masoud, T. and Sammi, S. (2007) Isolation and Taxonomic Characterization of Yeast Strains on the Basis of Maltose Utilization Capacity for Bread Making. *International Journal of Agriculture and Biology* **9**, 110-113.
- Rabelo, M.C., Fontes, C.P.M.L. and Rodrigues, S. (2009) Enzyme synthesis of oligosaccharides using cashew apple juice as substrate. *Bioresource Technology* **100**, 5574–5580.
- Rai, P., Tiwari, S. and Gaur, R. (2012) Optimization of process parameters for cellulase production by novel thermotolerant yeast. *BioResources* **7**, 5401-5414.
- Rainieri, S. and Pretorius, I. S. (2000) Selection and improvement of wine yeasts. *Annals of Microbiology* **50**, 15-31.
- Rajendran, A., Palanisamy, A. and Thangavelu, V. (2008) Evaluation of medium components by Plackett-Burman statistical design for lipase production by *Candida rugosa* and kinetic modeling. *Chinese Journal of Biotechnology* **24**, 436-444.
- Rajeshkumar, M.P., Mahendran, V.S. and Balakrishnan, V. (2013) Isolation and identification of lipase producing organisms from diverse soil samples of Kolli hills. *International Journal of Current Microbiology and Applied Sciences* **2**, 205-210.
- Rajkowska, K., Kunicka-Styczyńska, A. and Rygal, A. (2012) Probiotic Activity of *Saccharomyces cerevisiae* var. *boulardii* Against Human Pathogens. *Food Technology and Biotechnology* **50**, 230-236.
- Rajkumari, N., Mathur, P., Xess, I. and Misra, M.C. (2014) Distribution of different yeasts isolates among trauma patients and comparison of accuracy in identification of yeasts by automated method versus conventional methods for better use in low resource countries. *Indian Journal of Medical Microbiology* **32**, 391-397.
- Rale, V.B. (1985) Production of feed yeast and yeast-enriched livestock feed from cashew apple. *MIRCEN Journal* **1**, 205-212.
- Ramani, R., Gromadzki, S., Pincus, D.H., Salkin, I.F. and Chaturvedi, V. (1998) Efficacy of API 20C and ID 32C Systems for identification of common and rare clinical yeast isolates. *Journal of Clinical Microbiology* **36**, 3396-3398.
- Rangnekar, D. (2009) Geographical Indications and Localisation: A case study of Feni. In: CSGR Report, p. 04-51.
- Rankine, B.C. (1967) Formation of higher alcohols by wine yeasts, and relationship to taste thresholds. *Journal of the Science of Food and Agriculture* **18**, 583-589.
- Rao, D., Swamy, A. and Sivaramakrishna, G. (2007) Bioprocess technology strategies, production and purification of amylases: An overview. *The Internet Journal of Genomics and Proteomics* **2**, 342-351.

- Rao, M. B., Tanksale, A. M., Ghatge, M. S. and Deshpande, V. V. (1998) Molecular and biotechnological aspects of microbial proteases. *Microbiology and Molecular Biology Reviews* **62**, 597-635.
- Rao, R. S., Bhadra, B., Kumar, N. and Shivaji, S. (2007a) *Candida hyderabadensis* sp. nov., a novel ascomycetous yeast isolated from wine grapes. *FEMS Yeast Research* **7**, 489–493.
- Rao, S., Mizutani, O., Hirano, T., Masaki, K. and Iefuji, H. (2011) Purification and characterization of a novel aspartic protease from basidiomycetous yeast *Cryptococcus* sp. S-2. *Journal of Bioscience and Bioengineering* **112**, 441–446.
- Rapp, A. (1998) Volatile flavour of wine: Correlation between instrumental analysis and sensory perception. *Die Nahrung* **42**, 351-363.
- Rapp, A. and Mandery, H. (1986) Wine aroma. *Experientia* **42**, 873-884.
- Rapp, A. and Versini, G. (1991) Influence of nitrogen compounds in grapes on aroma compounds of wine. In: Proceedings of the International Symposium on Nitrogen in Grapes and Wines, Rantz (Editor), American Society for Enology and Viticulture, Davis, CA, pp. 156–164.
- Rashid, F., Rahim, R. and Ibrahim, D. (2009) Identification of lipase – producing Psychrophilic yeast, *Leucosporidium* sp. *The Internet Journal of Microbiology* **9**, 1-8.
- Reddy, L. V. A., Sudheer Kumar, Y. and Reddy, O.V.S. (2010) Analysis of volatile aroma constituents of wine produced from Indian mango (*Mangifera indica* L.) by GC-MS. *Indian Journal of Microbiology* **50**, 183–191.
- Reddy, L.V. and Reddy, O.V.S. (2009) Production, optimization and characterization of wine from Mango (*Mangifera indica* Linn.). *Natural Product Radiance* **8**, 426-435.
- Reddy, P.L. and Sreeramulu, A. (2012) Isolation, identification and screening of pectinolytic fungi from different soil samples of Chittoor district. *International Journal of Life Sciences, Biotechnology and Pharma Reesearch* **1**, 186-193.
- Rensburg, P. and Pretorius, I. S. (2000) Enzymes in winemaking: harnessing natural catalysts for efficient biotransformations : a review. *South African Journal of Enology and Viticulture* **21**, 52-73.
- Revilla, I. and González-SanJosé, M.L. (1998) Methanol release during fermentation of red grapes treated with pectolytic enzymes. *Food Chemistry* **63**, 307-312.
- Ribereau-Gayon, P. (1978). Wine flavor. In: Flavor in foods and beverages, Charalambous, G. and Inglett, G. (Editors), Academic Press, London.
- Riccio, P., Rossano, R., Vinella, M., Domizio, P., Zito, F., Sanseverino, F., D'Elia, A. and Rossi, I. (1999) Extraction and immobilization in one sep of two b-glucosidases released from a yeast strain of *Debaryomyces hansenii*. *Enzyme and Microbial Technology* **24**, 123–129.

- Riou, Ch., Salmon, J.M., Vallier, M.J., Gu'nata, Z. and Barre, P. (1998) Purification, characterization, and substrate specificity of a novel highly glucose-tolerant b-glucosidase from *Aspergillus oryzae*. *Applied and Environmental Microbiology* **64**, 3607–3614.
- Ripke, F., Schreiner, V., Doering, T. and Maibach, H. (2004) Stratum corneum pH in atopic dermatitis: impact on skin barrier function and colonization with *S. aureus*. *American Journal of Clinical Dermatology* **5**, 217-223.
- Roberts, G.D., Horstmier, C.D., Land, G.A. and Foxworth, J.H. (1978) Rapid Urea Broth Test for Yeasts. *Journal of Clinical Microbiology* **7**, 584-588.
- Rocha, M. V. P., Oliveira, A. H. S., Souza, M. C. M. and Gonçalves, L. R. B. (2006) Natural cashew apple juice as fermentation medium for biosurfactant production by *Acinetobacter calcoaceticus*. *World Journal of Microbiology and Biotechnology* **22**, 1295–1299.
- Rocha, M.V., Souza, M.C., Benedicto, S.C., Bezerra, M.S., Macedo, G.R., Pinto, G.A. and Gonçalves, L.R. (2007) Production of biosurfactant by *Pseudomonas aeruginosa* grown on cashew apple juice. *Applied Biochemistry and Biotechnology* **137-140**, 185-194.
- Rodarte, M.P., Dias, D.R., Vilela, D.M. and Schwan, R.F. (2011) Proteolytic activities of bacteria, yeasts and filamentous fungi isolated from coffee fruit (*Coffea arabica* L.). *Acta Scientiarum Agronomy* **33**, 457-464.
- Rodrigues, T.H.S., Rocha, M.V.P., Macedo, G.R. and Gonçalves, L.R.B. (2011) Ethanol production from cashew apple bagasse: improvement of enzymatic hydrolysis by microwave-assisted alkali pretreatment. *Applied Biochemistry and Biotechnology* **164**, 929-943.
- Rodrigues, T.H.S., Dantas, M.A.A., Pinto, G.A.S. and Gonçalves, L.R.B. (2007) Tannase production by solid state fermentation of cashew apple bagasse. *Applied Biochemistry and Biotechnology* **137-140**, 675-688.
- Rodriguez, M.E., Lopes, C.A., Broock, M., Valles, S., Ramon, D. and Caballero, A.C. (2004) Screening and typing of Patagonian wine yeasts for glycosidase activities. *Journal of Applied Microbiology* **96**, 84–95.
- Rohm, M. and Lechner, F. (1990) Evaluation and reliability of simplified method for identification of food-borne yeasts. *Applied and Environmental Microbiology* **56**, 1900-1925.
- Rojas, V., Gil, J. V., Piñaga, F. and Manzanares, P. (2003) Acetate ester formation in wine by mixed cultures in laboratory fermentations. *International Journal of Food Microbiology* **86**, 181–188.

- Rojas, V., Gil, J.V., Pinaga, F. and Manzanares, P. (2001) Studies on  $\gamma$ -acetate ester production by non-*Saccharomyces* wine yeasts. *International Journal of Food Microbiology* **70**, 283–289.
- Roldan, A., Palacios, V., Penatez, X., Benitez, T. and Perez, L. (2006) Use of *Trichoderma* enzymatic extracts on vinification of Palomino fino grapes in the Sherry region. *Journal of Food Engineering* **75**, 375-382.
- Romano, P. (1998) Metabolic characteristics of wine strains during spontaneous and inoculated fermentation. *Food Technology and Biotechnology* **35**, 255–260.
- Romano, P., Fiore, C., Paraggio, M., Caruso, M. and Capece, A. (2003) Functions of yeast species and strains in wine flavor. *International Journal of Food Microbiology* **86**, 169-180.
- Rombouts, F.M. and Pilnik, W.L. (1980) Pectic enzymes. In: Economic microbiology: microbial enzymes and bioconversions, A. H. Rose, (eds), Academic Press, ISBN: 0125965559, London, England, pp. 227-282.
- Roostita, L. B., Fleet, G. H., Wendry, S. P., Apon, Z. M. and Gemilang, L. U. (2011) Determination of Yeasts Antimicrobial Activity in Milk and Meat Products. *Advance Journal of Food Science and Technology* **3**, 442-445.
- Rose, D. (1976) Yeasts for molasses alcohol. *Process Biochemistry* **11**, 10- 12, 36.
- Rosell, C.M., Haros, M., Escriva, C. and Benedito-De-Barber, C. (2001) Experimental approach to optimize the use of alpha amylases in bread making. *Journal of Agricultural and Food Chemistry* **49**, 2973-2977.
- Rosi, I. and Costamagna, L. (1987). Screening for extracellular acid protease(s) production by wine yeasts. *Journal of the Institute of Brewing* **93**, 322-324.
- Rosi, I., Vinella, M. and Domizio, P. (1994) Characterization of betaglucanase activity in yeasts of oenological origin. *Journal of Applied Microbiology* **77**, 519–527.
- Ruffner, H.P. (1982) Metabolism of tartaric and malic acids in *Vitis*: a review - part B. *Vitis* **21**, 346-358.
- Rufino, M.S.M., Perez-Jimenez, J., Taberner, M., Alves, R.E., Brito, E.S. and Fulgenco Saura-Calixto, F. (2010) Acerola and cashew apple as sources of antioxidants and dietary fibre. *International Journal of Food Science and Technology* **45**, 2227–2233.
- Rusu Coldea, T.E., Socaciu, C., Parv, M. and Vodnar, D. (2011) Gas Chromatographic analysis of major volatile compounds found in traditional fruit brandies from Transylvania, Romania. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* **39**, 109-116.
- Sabate, J., Cano, J., Esteve-Zarzoso, B. and Guillamon, J.M. (2002) Isolation and identification of yeasts associated with vineyard and winery by RFLP analysis of ribosomal genes and mitochondrial DNA. *Microbiology Research* **157**, 267–274.



- Sabate, J., Cano, J., Querol, A. and Guillamon, J.M. (1998) Diversity of *Saccharomyces* strains in wine fermentations: analysis for two consecutive years. *Letters in Applied Microbiology* **26**, 452-455.
- Saerens, S.M.G., Delvaux, F., Verstrepen, K.J., Van Dijck, P., Thevelein, J.M. and Delvaux, F.R. (2007) Parameters Affecting Ethyl Ester Production by *Saccharomyces cerevisiae* during Fermentation. *Applied and Environmental Microbiology* **74**, 454-461.
- Saerens, S.M.G., Delvaux, F.R., Verstrepen, K.J. and Thevelein, J.M. (2010) Production and biological function of volatile esters in *Saccharomyces cerevisiae*. *Microbial Biotechnology* **3**, 165-177.
- Saez, J.S., Lopes, C.A., Kirs, V.E. and Sangorrin, M. (2011) Production of volatile phenols by *Pichia manshurica* and *Pichia membranifaciens* isolated from spoiled wines and cellar environment in Patagonia. *Food Microbiology* **28**, 503-509.
- Sahay, S., Hamid, B., Singh, P., Ranjan, K., Chauhan, D., Rana, R.S. and Chaurse, V.K. (2013) Evaluation of pectinolytic activities for oenological uses from psychrotrophic yeasts. *Letters in Applied Microbiology* **57**, 115-121.
- Sahoo, S. and Shirmalli, G.G. (2015) Isolation and characterization of cellulolytic yeasts for bioethanol production. *Karnataka Journal of Agricultural Science* **28**, 211-213.
- Sahu, R. (2012) The Goan feni industry: Challenges. In: *Researching Reality Internship*, p.1-10.
- Sakai, T., Okushima, M. and Yoshitake, S. (1984) Purification, crystallization and some properties of endopolygalacturonase from *Kluyveromyces fragilis*. *Agricultural and Biological Chemistry* **48**, 1951-1961.
- Sakai, T., Sakamoto, T., Hallaert, J. and Vandamme, E.J. (1993) Pectin, pectinase and protopectinase: production, properties and applications. *Advances in Applied Microbiology* **39**, 213-294.
- Saleh, F.A. (2013) Isolation and identification of microorganisms and antibacterial activity of *Laban Zeer*, an Egyptian traditional fermented milk product. *Scientific Journal of Microbiology* **2**, 31-42.
- Salis, A., Solinas, V. and Monduzzi, M. (2003) Wax ester synthesis from heavy fraction of sheep milk fat and cetyl alcohol by immobilised lipases. *Journal of Molecular Catalysis B: Enzymatic* **21**, 167-174.
- Sampaio, K.L., Biasoto, A.C.T., Marques, E.J.N and Batista, E.A.C. (2013) Dynamics of the recovery of aroma volatile compounds during the concentration of cashew apple juice (*Anacardium occidentale* L.). *Food Research International* **51**, 335-343.
- Sampaio, K.L., Garruti, D.S., Franco, M.R.B., Janzantti, N.S. and Silva, M.A.A.P. (2011) Aroma volatiles recovered in the water phase of cashew apple (*Anacardium occidentale* L.) juice during concentration. *Journal of the Science of Food and Agriculture* **91**, 1801-1809.

- Sandhya, R. and Kurup, G. (2013) Screening and Isolation of Pectinase from Fruit and Vegetable Wastes and the Use of Orange Waste as a Substrate for Pectinase Production. *International Research Journal of Biological Sciences* **2**, 34-39.
- Sanni, A.I. and Lonner, C. (1993) Identification of yeasts isolated from Nigerian traditional alcoholic beverages. *Food Microbiology* **10**, 517-523.
- Santiago-Urbina, J.A., Ventura-Canseco, L.M.C., Ayora-Talavera, T.R., Ovando-Chacón, S.L., Dendooven, L., Gutierrez-Miceli, F.A. and Abud-Archila, M. (2011) Optimization of ethanol production from mango pulp using yeast strains isolated from “taberna”: A Mexican fermented beverage. *African Journal of Microbiology Research* **5**, 501-508.
- Santos, A. and Marquina, D. (2004) Killer toxin of *Pichia membranifaciens* and its possible use as a biocontrol agent against grey mould disease of grapevine. *Microbiology* **150**, 2527-2534.
- Santos, A., San Mauro, M., Bravo, E. and Marquina, D. (2009) PMKT2, a new killer toxin from *Pichia membranifaciens*, and its promising biotechnological properties for control of the spoilage yeast *Brettanomyces bruxellensis*. *Microbiology* **155**, 624-634.
- Santos, R. P., Santiago, A. A. X. and Gadelha, C. A. A., Cajazeiras, J.B., Cavada, B.S., Martins, J.L., Oliveira, T.M., Bezerra, G.A., Santos, R.P. and Freire, V.N. (2007) Production and characterization of the cashew (*Anacardium occidentale* L.) peduncle bagasse ashes. *Journal of Food Engineering* **79**, 1432–1437.
- Sathees Kumar, R., Shankar, T. and Anandapandian, K.T.K. (2011) Characterisation of alcohol resistant yeast *Saccharomyces cerevisiae* isolated from Toddy. *International Research Journal of Microbiology* **2**, 399-405.
- Satyanarayana, T. and Kunze, G. (2009) *Yeast Biotechnology: diversity and applications*, Springer.
- Satyanarayana, T., Noorwez, S.M., Kumar, S., Rao, J.L., Ezhilvannan, M. and Kaur, P. (2004) Development of an ideal starch saccharification process using amylolytic enzymes from thermophiles. *Biochemical Society Transactions* **32**, 276-278.
- Schreier, P. (1979) Flavour composition of wines: a review. *CRC Critical Review in Food Science and Nutrition* **12**, 59–111.
- Schreier, P., Drawert, F. and Junder, A. (1976) Identification of volatile constituents from grapes. *Journal of Agricultural and Food Chemistry* **24**, 331–336.
- Schutz, M. and Gafner, J. (1993) Analysis of yeast diversity during spontaneous and induced alcoholic fermentations. *Journal of Applied Bacteriology* **75**, 551–558.
- Seeliger, H. P. (1956) Use of a urease test for the screening and identification of *Cryptococci*. *Journal of Bacteriology* **77**, 127-131.

- Selli, S., Cabaroglu, T. and Canbas, A. (2003) Flavour components of orange wine made from a Turkish cv. Kozan. *International Journal of Food Science and Technology* **38**, 587-593.
- Senses-Ergul, S., Ágoston, R., Belák, Á. and Deák, T. (2006) Characterization of some yeasts isolated from foods by traditional and molecular tests. *International Journal of Food Microbiology* **108**, 120–124.
- Servili, M., Begliomini, A.L. and Montedor, G. (1992) Utilization of a yeast pectinase in olive oil extraction and red wine making processes. *Journal of the Science of Food and Agriculture* **58**, 253-260.
- Sethi, S. and Gupta, S. (2014) Optimization of cultural parameters for cellulase enzyme production from fungi. *Biolife* **2**, 989-996.
- Sharma, A.K., Singh, P.N. and Sawant, S.D. (2012) Evaluation of Fermentation Efficiency of Yeast Strains and their Effect on Quality of Young Wines. *Indian Journal of Microbiology* **52**, 495-499.
- Sharma, R., Chisti, Y. and Banerjee, U.C. (2001) Production, purification, characterization and applications of lipases. *Biotechnology Advances* **19**, 627-662.
- Sharma, R.R., Singh, D. and Singh, R. (2009) Biological control of postharvest diseases of fruits and vegetables by microbial antagonists: A review. *Biological Control* **50**, 205–221.
- Shigechi, H., Koh, J., Fujita, Y., Matsumoto, T., Bito, Y., Ueda, M., Satoh, E., Fukuda, H. and Kondo, A. (2004) Direct Production of Ethanol from Raw Corn Starch via Fermentation by Use of a Novel Surface-Engineered Yeast Strain Codisplaying Glucoamylase and  $\alpha$ -Amylase. *Applied and Environmental Microbiology* **70**, 5037-5040.
- Shivaji, S. and Prasad, G.S. (2009) Antarctic Yeasts: Biodiversity and Potential Applications. In *Yeast Biotechnology: Diversity and Applications*, Satyanarayana, T. and Gotthard, K. (Editors), Springer Publishers, Amsterdam: The Netherlands, pp. 3–18.
- Shokohi, T., Soteh, M.B.H., Pouri, Z.S., Hedayati, M.T. and Mayahi, S. (2010) Identification of *Candida* species using PCR-RFLP in cancer patients in Iran. *Indian Journal of Medical Microbiology* **28**, 147-151.
- Shuklajasha, M.P., Ray, M.R. and Swain, R.C. (2005) Fermentation of cashew (*Anacardium occidentale*) apple into wine. *Journal of Food Processing and Preservation* **30**, 314-322.
- Silveira, M.S., Fontes, C.P.M.L., Guilherme, A.A., Fernandes, F.A.N. and Rodrigues, S. (2012) Cashew apple juice as a substrate for lactic acid production. *Food and Bioprocess Technology* **5**, 947-953.
- Singh, A., Garg, S., Kumar, A., Kumar, H. and Annapurana, S.A. (2012) Screening, isolation and characterization of protease producing moderately halophilic microorganisms. *Asian Journal of Microbiology, Biotechnology and Environmental Sciences* **14**, 603-612.

- Singh, A., Sharma, P., Saran, A.K., Singh, N. and Bishnoi, N.R. (2013) Comparative study on ethanol production from pretreated sugarcane bagasse using immobilized *Saccharomyces cerevisiae* on various matrices. *Renewable Energy* **50**, 488-493.
- Sivagurunathan, P., Sivasankari, S. and Muthukkaruppan, S.M. (2010) Characterisation of cashew apple (*Anacardium occidentale* L.) fruits collected from Ariyalur District. *Journal of Biosciences Research* **1**, 101-107.
- Sivaramakrishnan, S., Gangadharan, D., Nampoothiri, K.M., Soccol, C.R. and Pandey, A. (2006) Alpha amylases from microbial sources- an overview on recent developments. *Food Technology and Biotechnology* **44**, 173-184.
- Skorupa, P.N., Moraes, L.M.P. and Torres, F.A.G. (2002) Characterization of a new variant of the yeast *Cryptococcus flavus* isolated from the biodiversity of the Brazilian Cerrado. Abstracts from the 23rd Meeting on Genetics of Microorganisms, Pirenópolis, GO, Brazil
- Slifkin, M. (2000) Tween 80 Opacity tests responses of various *Candida* species. *Journal of Clinical Microbiology* **38**, 4626-4628.
- Sobhana, A. and Mathew, J. (2014) Preparation of carbonated drink from cashewapple juice. *International Journal of Processing Technology and Post Harvest Technology* **5**, 189-191.
- Soden, A., Francis, I.L., Oakey, H. and Henschke, P. (1998) Effects of co-fermentation with *Candida stellata* and *Saccharomyces cerevisiae* on the aroma and composition of Chardonnay wine. *Australian Journal of Grape and Wine Research* **6**, 21-30.
- Soden, A., Francis, I.L., Oakey, H. and Henschke, P.A. (2000) Effects of co-fermentation with *Candida stellata* and *Saccharomyces cerevisiae* on the aroma and composition of Chardonnay wine. *Australian Journal of Grape and Wine Research* **6**, 21-30.
- Soles, R.M., Ough, C.S. and Kunkee, R.E. (1982) Ester concentration differences in wine fermented by various species and strains of yeasts. *American Journal of Enology and Viticulture* **33**, 94-98.
- Spagna, G., Barbagallo, R.N., Palmeri, R., Restuccia, C. and Giudici, P. (2002) Properties of endogenous beta-glucosidase of a *Saccharomyces cerevisiae* strain isolated from Sicilian musts and wines. *Enzyme and Microbial Technology* **31**, 1030-1035.
- Spencer, G.F.T. and Spencer, D. M. (1997). *Yeast in natural and Artificial Habitats*. Berlin:Springer-Verlag.
- Spencer, J., Rawling, S., Stratford, M., Steels, H., Novodvorska, M., Archer, D.B. and Chandra, S. (2011) Yeast identification: reassessment of assimilation tests as sole universal identifiers. *Letters in Applied Microbiology* **53**, 503-508.

- Stanley, D., Bandara, A., Fraser, S., Chambers, P.J. and Stanley, G.A. (2010) The ethanol stress response and ethanol tolerance of *Saccharomyces cerevisiae*. *Journal of Applied Microbiology* **109**, 13-24.
- Steele, D.B. and Stowers, M.D. (1991) Techniques for selection of industrially important microorganisms. *Annual Review of Microbiology* **45**, 89–106.
- Stratford, M., Bond, C.J., James, S.A., Roberts, I.N. and Steels, H. (2002) *Candida davenportii* sp. nov., a potential soft-drinks spoilage yeast isolated from a wasp. *International Journal of Systematic and Evolutionary Microbiology* **52**, 1369-1375.
- Strauss, M.L.A., Jolly, N.P., Lambrechts, M.G. and Rensburg, P. (2001) Screening for the production of extracellular hydrolytic enzymes by non-*Saccharomyces* wine yeasts. *Journal of Applied Microbiology* **91**, 182-190.
- Suarez, B., Pando, R., Fernandez, N., Gonzalez, A. and Rodriguez, R. (2005) Analytical differentiation of cider inoculated with yeast (*Saccharomyces cerevisiae*) isolated from Asturian (Spain) apple juice. *Lebens Wiss Technology* **38**, 455–461.
- Suganya, P. and Dharshini, R. (2011) Value added products from cashew apple – an alternative nutritional source. *International Journal of Current Research* **3**, 177-180
- Suh, S.O., Blackwell, M., Kurtzman, C.P. and Lachance, M.A. (2006) Phylogenetics of *Saccharomycetales*, the ascomycete yeasts. *Mycologia* **98**, 1006-1017.
- Sulman, S. and Rehman, A. (2013) Isolation and Characterization of Cellulose Degrading *Candida tropicalis* W2 from Environmental Samples. *Pakistan Journal of Zoology* **45**, 809-816.
- Sumantha, A., Larroche, C. and Pandey, A. (2006) Microbiology and industrial biotechnology of food-grade proteases: a perspective. *Food Technology and Biotechnology* **44**, 211-220.
- Sumbly, K.M., Grbin, P.R. and Jiranek, V. (2010) Microbial modulation of aromatic esters in wine: Current knowledge and future prospects. *Food Chemistry* **21**, 1-16.
- Sumitra Devi, L. and Maheshwari, M. (2014) Speciation of *Candida* Species Isolated From Clinical Specimens by Using Chrom Agar and Conventional Methods. *International Journal of Scientific and Research Publications* **4**, 1-5.
- Suzuki, C., Ando, Y. and Machida, S. (2001) Interaction of SMKT, a killer toxin produced by *Pichia farinosa*, with the yeast cell membranes. *Yeast* **18**, 1471–1478.
- Swain, M.R., Mishra, J. and Thatoi, H. (2013) Bioethanol production from sweet potato (*Ipomoea batatas* L.) flour using co-culture of *Trichoderma* sp and *Saccharomyces cerevisiae* in solid-state fermentation. *Brazilian Archives of Biology and Technology* **56**, 171-179.
- Swargiari, B.N. and Baruah, P.K. (2012) Production of microbial  $\alpha$ -amylase by solid state fermentation-An overview. *International Journal of Current Research* **4**, 350-356.

- Swiegers, J. H. and Pretorius, I. S. (2005) Yeast modulation of wine flavor. *Advances in Applied Microbiology* **57**, 131-175.
- Takeuchi, A., Shizumi-Ibuka, A., Nishiyama, Y., Mura, K., Oakada, S., Takue, C. and Arai, S. (2006) Purification and Characterization of an Alpha-Amylase of *Pichia burtonii* Isolated from the Traditional Starter “Murcha” in Nepal. *Bioscience, Biotechnology and Biochemistry* **70**, 3019-3024.
- Takki, Y., Ikeda, K., Sato, C., Yano, M., Sato, T. and Konno, H. (2005) Production and characterization of  $\beta$ -glucosidase from *Rhizopus oryzae* MIBA348. *Journal of Biological Macromolecules* **5**, 11-16.
- Taqarort, N., Echairi, A., Chaussod, R., Nouaim, R., Boubaker, H., Benaoumar, A.A. and Boudyach, E. (2008) Screening and identification of epiphytic yeasts with potential for biological control of green mold of citrus fruits. *World Journal of Microbiology and Biotechnology* **24**, 3031-3038.
- Taverna, C.G., Bosco-Borgeat, M.E., Murisengo, O.A., Davel, G., Boite, M.C., Cupolillo, E. and Canteros, C.E. (2013) Comparative analyses of classical phenotypic method and ribosomal RNA gene sequencing for identification of medically relevant *Candida* species. *Memorias Do Instituto Oswaldo Cruz* **108**, 178-185.
- Teather, R.M. and Wood, P.J. (1982) Use of Congo red–polysaccharide interaction in enumeration and characterization of cellulohydrolytic bacteria from the bovine rumen. *Applied and Environmental Microbiology* **53**, 41–46.
- Teramoto, Y., Sato, R. and Ueda, S. (2005) Characteristics of fermentation yeast isolated from traditional Ethiopian honey wine, ogol. *African Journal of Biotechnology* **4**, 160-163.
- Teugjas, H. and Valjamae, P. (2013) Selecting  $\beta$ -glucosidases to support cellulases in cellulose saccharification. *Biotechnology for Biofuels* **6**,105.
- Thammasittirong, S.N., Thirasaktana, T., Thammasittirong, A. and Srisodsuk, M. (2013) Improvement of ethanol production by ethanol-tolerant *Saccharomyces cerevisiae* UVNR56. *Springer Plus* **2**, 583.
- Thangaratham, T. and Manimegalai, G. (2014) Optimization and Production of Pectinase Using Agro Waste by Solid State and Submerged Fermentation. *International Journal of Current Microbiology and Applied Sciences* **3**, 357-365.
- Thanh, V.N. (2009) Yeast biodiversity and application in biotechnology – Research at FIRI, Vietnam, VN Thanh, 6<sup>th</sup> Asian Consortium of Microbiology (ACM), meeting – Hanoi 2009, 32.
- Thevenieau, F., Le Dall, M.T., Nthangeni, B., Mauersberger, S., Marchal, R. and Nicaud, J.M. (2007) Characterization of *Yarrowia lipolytica* mutants affected in hydrophobic substrate utilization. *Fungal Genetics and Biology* **44**, 531–542.

- Tikka, C., Osuru, H.P., Atluri, N., Raghavulu, P.C.V., Yellapiu, N.K., Mannur, I.S., Prasad, U.V., Aluru, S., Narsimha, V.K. and Bhaskar, M. (2013) Isolation and characterization of ethanol tolerant yeast strains. *Bioinformation* **9**, 421-425.
- Tournas, V. H., Heeres, J. and Burgess, L. (2006) Moulds and yeasts in fruit salads and fruit juices. *Food Microbiology* **23**, 684–688.
- Tournas, V.H. and Katsoudas, E. (2005) Mould and yeast flora in fresh berries, grapes and citrus fruits *International Journal of Food Microbiology* **105**, 11–17.
- Ubeda, J. and Briones, A. (2000) Characterization of differences in the formation of volatiles during fermentation within synthetic and grape musts by wild *Saccharomyces* strains. *LWT - Food Science and Technology* **33**, 408-414.
- Unaldi, M.N., Arikian, B. and Coral, G. (2002) Isolation of alcohol tolerant, osmotolerant and thermotolerant yeast strains and improvement of their alcohol tolerance by UV mutagenesis. *Acta Microbiologica Polonica* **51**, 115-20.
- Vaithanomsat, P., Songpim, M., Malapant, T., Kosugi, A., Thanapase, W. and Mori, Y. (2011) Production of  $\beta$ -Glucosidase from a Newly Isolated *Aspergillus* Species Using Response Surface Methodology. *International Journal of Microbiology* **2011**, Article ID 949252, 9 pages.
- Vakhlu, J. and Kour, A. (2006) Yeast lipases: enzyme purification, biochemical properties and gene cloning. *Electronic Journal of Biotechnology* **9**, 69–85.
- Valente, P., Ramos, J.P. and Leoncini, O. (1999) Sequencing as a tool in yeast molecular Taxonomy. *Canadian Journal of Microbiology* **45**, 949–958.
- Valyasevi, R. and Rolle, R.S. (2002) An overview of small-scale food fermentation technologies in developing countries with special reference to Thailand: scope for their improvement. *International Journal of Food Microbiology* **75**, 231-239.
- van der Maarel, M. J. E. C., Van Der Veen, B., Uitdehaag, J. C. M., Leemhuis, H. and Dijkhuizen, L. (2002) Properties and applications of starch-converting enzymes of the  $\alpha$ -amylase family. *Journal of Biotechnology* **94**, 137–155.
- Van Dijken, J.P., Van Den Bosch, E., Hermans, J.J., de Miranda, R. L. and Scheffers, W.A. (1986) Alcoholic fermentation by ‘non-fermentative’ yeasts. *Yeast* **2**, 123–127.
- Van Zyl, J. A. and du Plessis, L. (1961) The microbiology of South African winemaking. Part 1. The yeasts occurring in vineyards, musts and wines. *South African Journal of Agricultural Science* **4**, 393-403.
- Vanegas, J.M., Contretras, M.F., Faller, R. and Longo, M.L. (2012) Role of Unsaturated Lipid and Ergosterol in Ethanol Tolerance of Model Yeast Biomembranes. *Biophysical Journal* **102**, 507-516.

- Varga, Z., Lovitusz, E., Csanadi, Z. and Belafi-Bako, F. (2011) Manufacture of acid urease by *Lactobacillus fermentum* fermentation. *Hungarian Journal of Industrial Chemistry* **39**, 391-394.
- Vasserot, Y., Arnaud, A. and Galzy, P. (1995) Monoterpenyl glycosides in plants and their biotechnological transformation. *Acta Biotechnology* **15**, 77–95.
- Venkata Naga raju, E. and Divakar, G. (2013) Screening and Isolation of Pectinase producing Bacteria from Various Regions in Bangalore. *International Journal of Research in Pharmaceutical and Biomedical Sciences* **4**, 151-154.
- Venturini, M. E., Oria, R. and Blanco, D. (2002) Microflora of two varieties of sweet cherries: Burlat and Sweetheart. *Food Microbiology* **19**, 15–21.
- Vergara, C.M.A.C., Honorato, T.L., Maia, G.A. and Rodrigues, S. (2010) Prebiotic effect of fermented cashew apple (*Anacardium occidentale* L) juice. *LWT- Food Science and Technology* **43**, 141-145.
- Verma, O.P., Singh, A., Mourya, V.K., Sharma, R. and Gupta, A.K. (2010) Application of Toddy Yeast for the fermentation of Mango pulp. *Nanobiotechnica Universale* **1**, 39-44.
- Vermelho, A.B., Melo, A.C.N., Sa, M.H.B., Santos, A.L.S., Davila-Levy, C.M., Couri, S. and Bon, E. (2008) Enzimas Proteolíticas: aplicações Biotecnológicas. In: Enzimas em Biotecnologia- Produção, Aplicações e Mercado, Ed. Interciência, Rio de Janeiro **11**, 273–287
- Verstrepen, K. J., Derdelinckx, G., Dufour, J.P., Winderickx, J., Thevelein, J.M., Pretorius, I.S. and Delvaux, F.R. (2003b) Flavor-active esters: adding fruitiness to beer. *Journal of Bioscience and Bioengineering* **96**, 20.
- Verstrepen, K. J., Van Laere, S.D., Vanderhaegen, B.M., Derdelinckx, G., Dufour, J.P., Pretorius, I.S., Winderickx, J., Thevelein, J.M. and Delvaux, F.R. (2003a) Expression levels of the yeast alcohol acetyltransferase genes ATF1, Lg-ATF1, and ATF2 control the formation of a broad range of volatile esters. *Applied and Environmental Microbiology* **69**, 5228–5237.
- Verzera, A., Ziino, M., Scacco, A., Lanza, C.M., Mazzaglia, A., Romeo, V. and Conurso, C. (2008) Volatile compound and sensory analysis for the characterization of an Italian white wine from “Inzolia” grapes. *Food Analysis and Methods* **1**, 144–151.
- Viana, F., Gil, J. V., Genovés, S., Vallés, S. and Manzanares, P. (2008) Rational selection of nonSaccharomyces wine yeasts for mixed starters based on ester formation and enological traits. *Food Microbiology* **25**, 778-785.
- Vilanova, M. and Massneuf-Pomarede, I. (2005) Characterization of yeast strains from Rias Baxas (NW Spain) and their contribution to fermentation of Albarino wine. *Annals of Microbiology* **55**, 23–26.



- Vilanova, M., Zamuz, S., Silva, A.F., Masa, A. and Sieiro, C. (2011) Intraspecific diversity of yeast associated to *Vitis vinifera* Albarino Must from different vineyard ecosystems. *Journal of the Institute of Brewing* **117**, 224-229.
- Vilela-Moura, A., Schuller, D., Mendes-Faia, A., Silva, R.D., Chaves, S.R., Sousa, M.J. and Corte-Real, M. (2011) The impact of acetate metabolism on yeast fermentative performance and wine quality: reduction of volatile acidity of grape musts and wines. *Applied Microbiology and Biotechnology* **89**, 271-280.
- Viljoen, B. (2006) Yeast ecological interactions. Yeast-yeast, yeast-bacteria, yeast-fungi interactions and yeasts as biocontrol agents, In: *Yeasts in Food and Beverages*, Querol A. and Fleet G. (Editors), Springer, Berlin, pp. 83–110.
- Villena, M.A., Iranzo, J.F.U., Perez, A.I.B. (2007)  $\beta$ -Glucosidase activity in wine yeasts: Application in enology. *Enzyme and Microbial Technology* **40**, 420-425.
- Vivek, M.N., Manasa, M., Pallavi, S., Sachidananda, S.H.C., Ravi Kumar, T.N. and Prashith Kekuda, T.R. (2014) Antibacterial activity of cashew (*Anacardium occidentale* L) apple juice against antibiotic resistant urinary tract pathogens. *World Journal of Pharmaceutical Sciences* **2**, 1-10.
- Volschenk, H., van Vuuren, H.J.J. and Viljoen-Bloom, M. (2006) Malic Acid in Wine: Origin, Function and Metabolism during Vinification. *South African Journal of Enology and Viticulture* **27**, 123-136.
- Wanapu, C., Sripunya, P. and Boonkerd, N. (2012) Selection of Yeast Strains Containing  $\beta$ -Glucosidase for Improving Wine Aroma. *Journal of Agricultural Science and Technology B* **2**, 691-702.
- Wanderley, K.L., Torres, F.A.G., Moraes, L.M.P. and Ulhoa, C.J. (2004) Biochemical characterization of  $\alpha$ -amylase from the yeast *Cryptococcus flavus*. *FEMS Microbiology Letters* **231**, 165-169.
- Wang, Y., Kang, W., Xu, Y., Li, J. (2011) Effect of Different Indigenous Yeast  $\beta$ -Glucosidases on the Liberation of Bound Aroma Compounds. *Journal of the Institute of Brewing* **117**, 230-237.
- Wang, Y., Zhang, C., Li, J. and Xu, Y. (2013) Different influences of  $\beta$ -glucosidases on volatile compounds and anthocyanins of Cabernet Gernischt and possible reason. *Food Chemistry* **140**, 245-254.
- Warnasuriya, D., Liyanage, A.W., Weerawansa, G.G., Athauda, P.K. and Jayatissa, P.M. (1985) Isolation and characterisation of some yeasts of some fruits and fruit products of Sri Lanka. *Journal of Natural Science* **13**, 71-75.

- Watanabe, Y., Shimada, Y., Sugihara, A. and Tominaga, Y. (2002) Conversion of degummed soybean oil to biodiesel fuel with immobilized *Candida antarctica* lipase. *Journal of Molecular Catalysis B Enzymatic* **17**, 151-155.
- Wharta, E.S.A., Moreira, A.V.B. and Mancini, J. (2004) Identificacaoe atividade antioxidante dos principais compostos fenolicos presents no sucoe na castanha do caju. In: Anais do XIX Congresso Brasileiro de Cie^ncia e Tecnologia de Alimentos – Estrate´gia para o Desenvolvimento. Recife, PE: SBCTA (CD- ROM).
- Whitney, P.A. and Cooper, T.G. (1973) Urea carboxylase from *Saccharomyces cerevisiae*. Evidence for a minimal two-step reaction sequence. *The Journal of Biological Chemistry* **248**, 325-330.
- Williams, P.J., Strauss, C.R., Wilson, B. and Massy-Westropp, R.A. (1982) Studies on the hydrolysis of *Vitis Vinifera* monoterpene precursor compounds and model monoterpene b-D-glucosides rationalizing the monoterpene composition of grapes. *Journal of Agricultural and Food Chemistry* **30**, 1219–1223.
- Winterhalter, P. and Skouroumounis, G. (1997) Glycoconjugated aroma compounds: occurrence, role and biotechnological transformation. In: Advances in Biochemical Engineering and Biotechnology, Scheper, T. (Editor), Berlin, Heidelberg, Germany: Springer-Verlag, pp. 73–105.
- Wirth, F. and Goldani, L.Z. (2012) Epidemiology of Rhodotorula: An Emerging Pathogen. *Interdisciplinary Perspectives on Infectious Diseases* **2012**, Article ID 465717, 7 pages.
- Wittkowski, R. (1997) Ethyl carbamate in wines. Rapport O.I.V. Décembre 1997. O.I.V., Paris
- Wondra, M. and Berovic, M. (2001) Analyses of aroma compounds of Chardonnay wine fermented by different yeast strains. *Food Technology and Biotechnology* **39**, 141-148.
- Xu, Y., Du, W. and Liu, D. (2005) Study on the kinetics of enzymatic interesterification of triglycerides for biodiesel production with methyl acetate as the acyl acceptor. *Journal of Molecular Catalysis B Enzymatic* **32**, 241–245.
- Yamamoto, N., Amemiya, H., Yokomori, Y., Shimizu, K. and Totsuka, A. (1991) Electrophoretic karyotypes of wine yeasts. *American Journal of Enology and Viticulture* **4**, 358-363.
- Yarrow, D. (1998) Methods for the isolation, maintenance, and identification of yeasts. In: The Yeasts. A Taxonomic Study, Kurtzman, C.P. and Fell, J.W. (Editors), Elsevier Science, Amsterdam, pp. 77–100.
- Yoshioka, K. and Hashimoto, N. (1983) Cellular fatty acid and ester formation by brewers' yeast. *Agricultural and Biological Chemistry* **47**, 2287-2294.
- Yoshioka, K. and Hashimoto, N. (1984) Acetyl CoA of brewer's yeast and formation of acetate esters. *Agricultural and Biological Chemistry* **48**, 207-209.

- You, K.M., Rosenfield, C.L. and Knipple, D.C. (2003) Ethanol tolerance in the yeast *Saccharomyces cerevisiae* is dependent on cellular oleic acid content. *Applied and Environmental Microbiology* **69**, 1499–1503.
- Young, T.W. and Yagui, M. (1978) A comparison of killer character in different yeasts and its classification. *Antonie Van Leeuwenhoek* **44**, 59-77.
- Zahoor, S., Javed, M.M., Aftab, S., Latif, F. and Haq, I. (2011) Metabolic engineering and thermodynamic characterization of an extracellular  $\beta$ -glucosidase produced by *Aspergillus niger*. *African Journal of Biotechnology* **10**, 8107-8116
- Zhao, Q. (2012) The application of enzyme and yeast. Thesis submitted to Saimaa University of Applied Sciences, Finland.
- Zocca, F., Lomolino, G., Curioni, A., Spettoli, P. and Lante, A. (2007) Detection of pectinmethylesterase activity in presence of methanol during grape pomace storage. *Food Chemistry* **102**, 59–65.
- Zoecklein, B.W. Marcy, J.E. Williams, J.M. Jasinski, Y. (1997) Effect of native yeast and selected strains of *Saccharomyces cerevisiae* on glycosyl glucose, potential volatile terpenes, and selected aglycones of white Riesling (*Vitis vinifera* L.) wines. *Journal of Food Composition and Analysis* **10**, 55-65.