

**Bibliography**

- [1] C.M. Nelson DL, Lehninger's Principles of Biochemistry (4th ed.), New York: W. H. Freeman and Company. (2005).
- [2] C.B. Anfinsen, Principles that govern the folding of protein chains, *Science* 181 (1973) 223-230.
- [3] C.N. Pace, The stability of globular proteins, *CRC Crit Rev Biochem* 3 (1975) 1-43.
- [4] P.L. Privalov, Stability of proteins: small globular proteins, *Adv Protein Chem* 33 (1979) 167-241.
- [5] C.N. Pace, S. Trevino, E. Prabhakaran, J.M. Scholtz, Protein structure, stability and solubility in water and other solvents, *Philos Trans R Soc Lond B Biol Sci* 359 (2004) 1225-1234; discussion 1234-1225.
- [6] M.J. Behe, E.E. Lattman, G.D. Rose, The protein-folding problem: the native fold determines packing, but does packing determine the native fold?, *Proc Natl Acad Sci U S A* 88 (1991) 4195-4199.
- [7] A.K. Chamberlain, T.M. Handel, S. Marqusee, Detection of rare partially folded molecules in equilibrium with the native conformation of RNaseH, *Nat Struct Biol* 3 (1996) 782-787.
- [8] L. Swint-Kruse, A.D. Robertson, Temperature and pH dependences of hydrogen exchange and global stability for ovomucoid third domain, *Biochemistry* 35 (1996) 171-180.
- [9] S.W. Englander, Protein folding intermediates and pathways studied by hydrogen exchange, *Annu Rev Biophys Biomol Struct* 29 (2000) 213-238.
- [10] Y. Bai, T.R. Sosnick, L. Mayne, S.W. Englander, Protein folding intermediates: native-state hydrogen exchange, *Science* 269 (1995) 192-197.
- [11] S.T. Whitten, E.B. Garcia-Moreno, V.J. Hilser, Local conformational fluctuations can modulate the coupling between proton binding and global structural transitions in proteins, *Proc Natl Acad Sci U S A* 102 (2005) 4282-4287.
- [12] P. Zavodszky, J. Kardos, Svingor, G.A. Petsko, Adjustment of conformational flexibility is a key event in the thermal adaptation of proteins, *Proc Natl Acad Sci U S A* 95 (1998) 7406-7411.
- [13] G.I. Makhatadze, P.L. Privalov, Contribution of hydration to protein folding thermodynamics. I. The enthalpy of hydration, *J Mol Biol* 232 (1993) 639-659.
- [14] N.J. Greenfield, Using circular dichroism spectra to estimate protein secondary structure, *Nat Protoc* 1 (2006) 2876-2890.

- [15] K.D. Amrita Kumari, Identifying secondary structures in proteins using NMR chemical shift 3D correlation maps, *Journal of Molecular Structure* 1041 (10 June 2013) 200–212.
- [16] F. Ahmad, Protein folding: estimates of stability parameters from heat-induced conformational transition curves of proteins, *PINSA*, vol. 68, 2002, pp. 385-390.
- [17] C. Tanford, Protein denaturation, *Adv Protein Chem* 23 (1968) 121-282.
- [18] F. Ahmad, A. Salahuddin, Influence of temperature on the intrinsic viscosities of proteins in random coil conformation, *Biochemistry* 13 (1974) 245-249.
- [19] R. Singh, M.I. Hassan, A. Islam, F. Ahmad, Cooperative Unfolding of Residual Structure in Heat Denatured Proteins by Urea and Guanidinium Chloride, *PLoS One* 10 e0128740.
- [20] Y. Hagihara, M. Hoshino, D. Hamada, M. Kataoka, Y. Goto, Chain-like conformation of heat-denatured ribonuclease A and cytochrome c as evidenced by solution X-ray scattering, *Fold Des* 3 (1998) 195-201.
- [21] T. Konno, Y.O. Kamatari, M. Kataoka, K. Akasaka, Urea-induced conformational changes in cold- and heat-denatured states of a protein, *Streptomyces subtilisin inhibitor*, *Protein Sci* 6 (1997) 2242-2249.
- [22] J. Perez, P. Vachette, D. Russo, M. Desmadril, D. Durand, Heat-induced unfolding of neocarzinostatin, a small all-beta protein investigated by small-angle X-ray scattering, *J Mol Biol* 308 (2001) 721-743.
- [23] K.A. Dill, D. Shortle, Denatured states of proteins, *Annu Rev Biochem* 60 (1991) 795-825.
- [24] D. Shortle, The denatured state (the other half of the folding equation) and its role in protein stability, *FASEB J* 10 (1996) 27-34.
- [25] J.T. Edsall, Hsien Wu and the First Theory of Protein Denaturation (1931), *Advances in Protein Chemistry* 46 (1995) 1-5.
- [26] W. Kauzmann, Some factors in the interpretation of protein denaturation, *Adv Protein Chem* 14 (1959) 1-63.
- [27] C. Tanford, Protein denaturation. C. Theoretical models for the mechanism of denaturation, *Adv Protein Chem* 24 (1970) 1-95.
- [28] P.L. Privalov, N.N. Khechinashvili, A thermodynamic approach to the problem of stabilization of globular protein structure: a calorimetric study, *J Mol Biol* 86 (1974) 665-684.
- [29] H.J. Dyson, J.K. Beattie, Spin state and unfolding equilibria of ferricytochrome c in acidic solutions, *J Biol Chem* 257 (1982) 2267-2273.

- [30] O.B. Ptitsyn, Molten globule and protein folding, *Adv Protein Chem* 47 (1995) 83-229.
- [31] W.G. Miller, C.V. Goebel, Dimensions of protein random coils, *Biochemistry* 7 (1968) 3925-3935.
- [32] R. Jaenicke, Volume changes in the isoelectric heat aggregation of serum albumin, *Eur J Biochem* 21 (1971) 110-115.
- [33] P.L. Privalov, S.J. Gill, Stability of protein structure and hydrophobic interaction, *Adv Protein Chem* 39 (1988) 191-234.
- [34] C.N. Pace, D.V. Laurents, J.A. Thomson, pH dependence of the urea and guanidine hydrochloride denaturation of ribonuclease A and ribonuclease T1, *Biochemistry* 29 (1990) 2564-2572.
- [35] K.C. Aune, A. Salahuddin, M.H. Zarlengo, C. Tanford, Evidence for residual structure in acid- and heat-denatured proteins, *J Biol Chem* 242 (1967) 4486-4489.
- [36] C.C. Contaxis, C.C. Bigelow, Free energy changes in alpha-lactalbumin denaturation, *Biochemistry* 20 (1981) 1618-1622.
- [37] F. Ahmad, C.C. Contaxis, C.C. Bigelow, Free energy changes in lysozyme denaturation, *J Biol Chem* 258 (1983) 7960-7963.
- [38] P.S. Sarfare, C.C. Bigelow, The denatured states of ribonuclease. II, *Can J Biochem* 45 (1967) 651-658.
- [39] F. Ahmad, S. Yadav, S. Taneja, Determining stability of proteins from guanidinium chloride transition curves, *Biochem J* 287 ( Pt 2) (1992) 481-485.
- [40] V. Bhakuni, Alcohol-induced molten globule intermediates of proteins: are they real folding intermediates or off pathway products?, *Arch Biochem Biophys* 357 (1998) 274-284.
- [41] V.V. Mozhaev, K. Heremans, J. Frank, P. Masson, C. Balny, High pressure effects on protein structure and function, *Proteins* 24 (1996) 81-91.
- [42] R.L. Baldwin, Finding intermediates in protein folding, *Bioessays* 16 (1994) 207-210.
- [43] C.B. Anfinsen, Principles that govern the folding of protein chains, *Science* 181 (1973) 223-230.
- [44] C. Levinthal, are there pathways for protein folding ?, *J. Chim. Phys.* 65 (1968) 44.
- [45] S. Gianni, Y. Ivarsson, P. Jemth, M. Brunori, C. Travaglini-Allocatelli, Identification and characterization of protein folding intermediates, *Biophys Chem* 128 (2007) 105-113.

- [46] T.E. Creighton, N.J. Darby, J. Kemmink, The roles of partly folded intermediates in protein folding, *FASEB J* 10 (1996) 110-118.
- [47] M. Tsytlonok, L.S. Itzhaki, The how's and why's of protein folding intermediates, *Arch Biochem Biophys* 531 (2013) 14-23.
- [48] O. Miyashita, J.N. Onuchic, P.G. Wolynes, Nonlinear elasticity, proteinquakes, and the energy landscapes of functional transitions in proteins, *Proc Natl Acad Sci U S A* 100 (2003) 12570-12575.
- [49] C. Hyeon, P.A. Jennings, J.A. Adams, J.N. Onuchic, Ligand-induced global transitions in the catalytic domain of protein kinase A, *Proc Natl Acad Sci U S A* 106 (2009) 3023-3028.
- [50] S.M. Truhlar, E. Mathes, C.F. Cervantes, G. Ghosh, E.A. Komives, Pre-folding  $\text{I}\kappa\text{B}\alpha$  alters control of NF- $\kappa\text{B}$  signaling, *J Mol Biol* 380 (2008) 67-82.
- [51] K.L. Thoren, E.J. Worden, J.M. Yassif, B.A. Krantz, Lethal factor unfolding is the most force-dependent step of anthrax toxin translocation, *Proc Natl Acad Sci U S A* 106 (2009) 21555-21560.
- [52] M.T. Honaker, M. Acchione, W. Zhang, B. Mannervik, W.M. Atkins, Enzymatic detoxication, conformational selection, and the role of molten globule active sites, *J Biol Chem* 288 (2013) 18599-18611.
- [53] K. Pervushin, K. Vamvaca, B. Vogeli, D. Hilvert, Structure and dynamics of a molten globular enzyme, *Nat Struct Mol Biol* 14 (2007) 1202-1206.
- [54] T. Eichner, A.P. Kalverda, G.S. Thompson, S.W. Homans, S.E. Radford, Conformational conversion during amyloid formation at atomic resolution, *Mol Cell* 41 (2011) 161-172.
- [55] T.R. Jahn, M.J. Parker, S.W. Homans, S.E. Radford, Amyloid formation under physiological conditions proceeds via a native-like folding intermediate, *Nat Struct Mol Biol* 13 (2006) 195-201.
- [56] R. Herbst, K. Gast, R. Seckler, Folding of firefly (*Photinus pyralis*) luciferase: aggregation and reactivation of unfolding intermediates, *Biochemistry* 37 (1998) 6586-6597.
- [57] L. Acosta-Sampson, J. King, Partially folded aggregation intermediates of human  $\gamma\text{D}$ -,  $\gamma\text{C}$ -, and  $\gamma\text{S}$ -crystallin are recognized and bound by human  $\alpha\text{B}$ -crystallin chaperone, *J Mol Biol* 401 (2010) 134-152.
- [58] P.S. Kim, R.L. Baldwin, Specific intermediates in the folding reactions of small proteins and the mechanism of protein folding, *Annu Rev Biochem* 51 (1982) 459-489.

- [59] M. Tsytlonok, L.S. Itzhaki, The how's and why's of protein folding intermediates, *Arch Biochem Biophys* (2012).
- [60] C.M. Dobson, Resting places on folding pathways, *Curr Biol* 2 (1992) 343-345.
- [61] P.S. Kim, R.L. Baldwin, Intermediates in the folding reactions of small proteins, *Annu Rev Biochem* 59 (1990) 631-660.
- [62] K. Kuwajima, The molten globule state as a clue for understanding the folding and cooperativity of globular-protein structure, *Proteins* 6 (1989) 87-103.
- [63] M. Arai, K. Kuwajima, Role of the molten globule state in protein folding, *Adv Protein Chem* 53 (2000) 209-282.
- [64] M.K. Alam Khan, M.H. Rahaman, M.I. Hassan, T.P. Singh, A.A. Moosavi-Movahedi, F. Ahmad, Conformational and thermodynamic characterization of the premolten globule state occurring during unfolding of the molten globule state of cytochrome c, *J Biol Inorg Chem* 15 (2010) 1319-1329.
- [65] V.N. Uversky, Protein folding revisited. A polypeptide chain at the folding-misfolding-nonfolding cross-roads: which way to go?, *Cell Mol Life Sci* 60 (2003) 1852-1871.
- [66] M.A. Haque, Ubaid-ullah, S., Zaidi, S., Hassan, M. I., Islam, A., Batra, J. K., Ahmad, F., Characterization of pre-molten globule state of yeast iso-1-cytochrome c and its denatants at pH 6.0 and 25°C, *International Journal of Biological Macromolecules* 72 (2015) 1406-1418.
- [67] F.M. Hughson, P.E. Wright, R.L. Baldwin, Structural characterization of a partly folded apomyoglobin intermediate, *Science* 249 (1990) 1544-1548.
- [68] P.A. Jennings, P.E. Wright, Formation of a molten globule intermediate early in the kinetic folding pathway of apomyoglobin, *Science* 262 (1993) 892-896.
- [69] S. Muzammil, Y. Kumar, S. Tayyab, Molten globule-like state of human serum albumin at low pH, *Eur J Biochem* 266 (1999) 26-32.
- [70] M.A. Dar, Wahiduzzaman, M.A. Haque, A. Islam, M.I. Hassan, F. Ahmad, Characterisation of molten globule-like state of sheep serum albumin at physiological pH, *Int J Biol Macromol* 89 605-613.
- [71] O.B. Ptitsyn, The molten globule state. In *Protein Folding* ed. T. E. Creighton New York: W. H. Freeman and Co, (1992) 243-300.
- [72] S. Zaidi, M.A. Haque, S. Ubaid-Ullah, A. Prakash, M.I. Hassan, A. Islam, J.K. Batra, F. Ahmad, Denatured states of yeast cytochrome c induced by heat and guanidinium chloride are structurally and thermodynamically different, *J Biomol Struct Dyn* 1-16.
- [73] T.R. Jahn, S.E. Radford, The Yin and Yang of protein folding, *FEBS J* 272 (2005) 5962-5970.

- [74] D.A. Dolgikh, R.I. Gilmanshin, E.V. Brazhnikov, V.E. Bychkova, G.V. Semisotnov, S. Venyaminov, O.B. Ptitsyn, Alpha-Lactalbumin: compact state with fluctuating tertiary structure?, *FEBS Lett* 136 (1981) 311-315.
- [75] M. Ohgushi, A. Wada, 'Molten-globule state': a compact form of globular proteins with mobile side-chains, *FEBS Lett* 164 (1983) 21-24.
- [76] Y.G. Thomas, R.A. Goldbeck, D.S. Kliger, Characterization of equilibrium intermediates in denaturant-induced unfolding of ferrous and ferric cytochromes c using magnetic circular dichroism, circular dichroism, and optical absorption spectroscopies, *Biopolymers* 57 (2000) 29-36.
- [77] V.N. Uversky, O.B. Ptitsyn, "Partly folded" state, a new equilibrium state of protein molecules: four-state guanidinium chloride-induced unfolding of beta-lactamase at low temperature, *Biochemistry* 33 (1994) 2782-2791.
- [78] V.N. Uversky, O.B. Ptitsyn, Further evidence on the equilibrium "pre-molten globule state": four-state guanidinium chloride-induced unfolding of carbonic anhydrase B at low temperature, *J Mol Biol* 255 (1996) 215-228.
- [79] Y. Goto, L.J. Calciano, A.L. Fink, Acid-induced folding of proteins, *Proc Natl Acad Sci U S A* 87 (1990) 573-577.
- [80] D. Hamada, Y. Kuroda, M. Kataoka, S. Aimoto, T. Yoshimura, Y. Goto, Role of heme axial ligands in the conformational stability of the native and molten globule states of horse cytochrome c, *J Mol Biol* 256 (1996) 172-186.
- [81] Y.V. Griko, E. Freire, P.L. Privalov, Energetics of the alpha-lactalbumin states: a calorimetric and statistical thermodynamic study, *Biochemistry* 33 (1994) 1889-1899.
- [82] S.H. Qureshi, B. Moza, S. Yadav, F. Ahmad, Conformational and thermodynamic characterization of the molten globule state occurring during unfolding of cytochromes-c by weak salt denaturants, *Biochemistry* 42 (2003) 1684-1695.
- [83] B. Moza, S.H. Qureshi, A. Islam, R. Singh, F. Anjum, A.A. Moosavi-Movahedi, F. Ahmad, A unique molten globule state occurs during unfolding of cytochrome c by LiClO<sub>4</sub> near physiological pH and temperature: structural and thermodynamic characterization, *Biochemistry* 45 (2006) 4695-4702.
- [84] C. Clery, F. Renault, P. Masson, Pressure-induced molten globule state of cholinesterase, *FEBS Lett* 370 (1995) 212-214.
- [85] M.K. Alam Khan, U. Das, M.H. Rahaman, M.I. Hassan, A. Srinivasan, T.P. Singh, F. Ahmad, A single mutation induces molten globule formation and a drastic destabilization of wild-type cytochrome c at pH 6.0, *J Biol Inorg Chem* 14 (2009) 751-760.

- [86] S.H. Khan, A. Kumar, A. Prakash, B. Taneja, A. Islam, M.I. Hassan, F. Ahmad, Structural and thermodynamic characterisation of L94F mutant of horse cytochrome c, *Int J Biol Macromol* 92 202-212.
- [87] M. Arai, T. Ikura, G.V. Semisotnov, H. Kihara, Y. Amemiya, K. Kuwajima, Kinetic refolding of beta-lactoglobulin. Studies by synchrotron X-ray scattering, and circular dichroism, absorption and fluorescence spectroscopy, *J Mol Biol* 275 (1998) 149-162.
- [88] T.V. Chalikian, J. Volker, D. Anafi, K.J. Breslauer, The native and the heat-induced denatured states of alpha-chymotrypsinogen A: thermodynamic and spectroscopic studies, *J Mol Biol* 274 (1997) 237-252.
- [89] B.A. Schulman, P.S. Kim, C.M. Dobson, C. Redfield, A residue-specific NMR view of the non-cooperative unfolding of a molten globule, *Nat Struct Biol* 4 (1997) 630-634.
- [90] M. Arai, K. Kuwajima, Role of the molten globule state in protein folding, *Adv Protein Chem* 53 (2000) 209-282.
- [91] H. Van Dael, P. Haezebrouck, L. Morozova, C. Arico-Muendel, C.M. Dobson, Partially folded states of equine lysozyme. Structural characterization and significance for protein folding, *Biochemistry* 32 (1993) 11886-11894.
- [92] T. Koshiba, T. Hayashi, I. Miwako, I. Kumagai, T. Ikura, K. Kawano, K. Nitta, K. Kuwajima, Expression of a synthetic gene encoding canine milk lysozyme in *Escherichia coli* and characterization of the expressed protein, *Protein Eng* 12 (1999) 429-435.
- [93] D. Barrick, R.L. Baldwin, Three-state analysis of sperm whale apomyoglobin folding, *Biochemistry* 32 (1993) 3790-3796.
- [94] G. Ramsay, R. Ionescu, M.R. Eftink, Modified spectrophotometer for multi-dimensional circular dichroism/fluorescence data acquisition in titration experiments: application to the pH and guanidine-HCl induced unfolding of apomyoglobin, *Biophys J* 69 (1995) 701-707.
- [95] Y.V. Griko, E. Freire, G. Privalov, H. van Dael, P.L. Privalov, The unfolding thermodynamics of c-type lysozymes: a calorimetric study of the heat denaturation of equine lysozyme, *J Mol Biol* 252 (1995) 447-459.
- [96] F. Vonderviszt, S. Lakatos, P. Gal, M. Sarvari, P. Zavodszky, A 'molten globule'-like unfolding intermediate of a four domain protein, the Fc fragment of the IgG molecule, *Biochem Biophys Res Commun* 148 (1987) 92-98.
- [97] E. Ohmae, T. Kurumiya, S. Makino, K. Gekko, Acid and thermal unfolding of *Escherichia coli* dihydrofolate reductase, *J Biochem* 120 (1996) 946-953.

- [98] A. Naiyer, M.I. Hassan, A. Islam, M. Sundd, F. Ahmad, Structural characterization of MG and pre-MG states of proteins by MD simulations, NMR, and other techniques, *J Biomol Struct Dyn* 33 (2015) 2267-2284.
- [99] A.L. Fink, K.A. Oberg, S. Seshadri, Discrete intermediates versus molten globule models for protein folding: characterization of partially folded intermediates of apomyoglobin, *Fold Des* 3 (1998) 19-25.
- [100] M.K. Alam Khan, M.H. Rahaman, M.I. Hassan, T.P. Singh, A.A. Moosavi-Movahedi, F. Ahmad, Conformational and thermodynamic characterization of the premolten globule state occurring during unfolding of the molten globule state of cytochrome c, *J Biol Inorg Chem* 15 1319-1329.
- [101] M.A. Haque, S. Ubaid-Ullah, S. Zaidi, M.I. Hassan, A. Islam, J.K. Batra, F. Ahmad, Characterization of pre-molten globule state of yeast iso-1-cytochrome c and its deletants at pH 6.0 and 25 degrees C, *Int J Biol Macromol* 72 1406-1418.
- [102] V.N. Uversky, J. Li, A.L. Fink, Evidence for a partially folded intermediate in alpha-synuclein fibril formation, *J Biol Chem* 276 (2001) 10737-10744.
- [103] V.N. Uversky, Size-exclusion chromatography in structural analysis of intrinsically disordered proteins, *Methods Mol Biol* 896 179-194.
- [104] N.K. Prasanna Kumari, Dubey, V. K., & Jagannadham, M. V., SDS induced refolding of pre-molten globule state of cryptolepain: Differences in chemical and temperature-induced equilibrium unfolding of the protein in SDS-induced state, *Proceedings of the National Academy of Sciences* 83 (2013) 71-80.
- [105] P. Neyroz, S. Ciurli, V.N. Uversky, Denaturant-induced conformational transitions in intrinsically disordered proteins, *Methods Mol Biol* 896 197-213.
- [106] J.A. Schellman, The thermodynamic stability of proteins, *Annu Rev Biophys Biophys Chem* 16 (1987) 115-137.
- [107] C. Vieille, G.J. Zeikus, Hyperthermophilic enzymes: sources, uses, and molecular mechanisms for thermostability, *Microbiol Mol Biol Rev* 65 (2001) 1-43.
- [108] J.M. Sanchez-Ruiz, Protein kinetic stability, *Biophys Chem* 148 (2010) 1-15.
- [109] C. Soto, Protein misfolding and disease; protein refolding and therapy, *FEBS Lett* 498 (2001) 204-207.
- [110] C. Levinthal, Are there pathways for protein folding?, *J. Chim. Phys.* 65 (1968) 44-45.
- [111] R.L. Baldwin, On-pathway versus off-pathway folding intermediates, *Fold Des* 1 (1996) R1-8.



- [112] C.N. Pace, Conformational stability of globular proteins, *Trends Biochem Sci* 15 (1990) 14-17.
- [113] C.N. Pace, B.A. Shirley, M. McNutt, K. Gajiwala, Forces contributing to the conformational stability of proteins, *FASEB J* 10 (1996) 75-83.
- [114] C.N. Pace, Energetics of protein hydrogen bonds, *Nat Struct Mol Biol* 16 (2009) 681-682.
- [115] C. Nick Pace, J.M. Scholtz, G.R. Grimsley, Forces stabilizing proteins, *FEBS Lett* 588 (2014) 2177-2184.
- [116] K.P. Murphy, Noncovalent forces important to the conformational stability of protein structures, *Methods Mol Biol* 40 (1995) 1-34.
- [117] A. Nicholls, K.A. Sharp, B. Honig, Protein folding and association: insights from the interfacial and thermodynamic properties of hydrocarbons, *Proteins* 11 (1991) 281-296.
- [118] B.W. Matthews, H. Nicholson, W.J. Becktel, Enhanced protein thermostability from site-directed mutations that decrease the entropy of unfolding, *Proc Natl Acad Sci U S A* 84 (1987) 6663-6667.
- [119] M.M. Dixon, H. Nicholson, L. Shewchuk, W.A. Baase, B.W. Matthews, Structure of a hinge-bending bacteriophage T4 lysozyme mutant, Ile3-->Pro, *J Mol Biol* 227 (1992) 917-933.
- [120] G. Nemethy, S.J. Leach, H.A. Scheraga, The Influence of Amino Acid Side Chains on the Free Energy of Helix-Coil Transitions, *J. Phys. Chem* 70 (1966) 998-1004.
- [121] K. Watanabe, T. Masuda, H. Ohashi, H. Mihara, Y. Suzuki, Multiple proline substitutions cumulatively thermostabilize *Bacillus cereus* ATCC7064 oligo-1,6-glucosidase. Irrefragable proof supporting the proline rule, *Eur J Biochem* 226 (1994) 277-283.
- [122] A. Wallqvist, B.J. Berne, Hydrophobic interaction between a methane molecule and a paraffin wall in liquid water, *Chem. Phys. Letts.* 145 (1988) 26-32.
- [123] C.N. Pace, Evaluating contribution of hydrogen bonding and hydrophobic bonding to protein folding, *Methods Enzymol* 259 (1995) 538-554.
- [124] A.E. Eriksson, W.A. Baase, X.J. Zhang, D.W. Heinz, M. Blaber, E.P. Baldwin, B.W. Matthews, Response of a protein structure to cavity-creating mutations and its relation to the hydrophobic effect, *Science* 255 (1992) 178-183.
- [125] C.N. Pace, Polar group burial contributes more to protein stability than nonpolar group burial, *Biochemistry* 40 (2001) 310-313.
- [126] T.E. Creighton, *Proteins: Structure and molecular properties*, Freeman, W.H. and Co. (1993) 1-48.

- [127] A.E. Mirsky, L. Pauling, On the Structure of Native, Denatured, and Coagulated Proteins, *Proc Natl Acad Sci U S A* 22 (1936) 439-447.
- [128] L. Pauling, R.B. Corey, H.R. Branson, The structure of proteins; two hydrogen-bonded helical configurations of the polypeptide chain, *Proc Natl Acad Sci U S A* 37 (1951) 205-211.
- [129] L. Pauling, R.B. Corey, Configurations of Polypeptide Chains With Favored Orientations Around Single Bonds: Two New Pleated Sheets, *Proc Natl Acad Sci U S A* 37 (1951) 729-740.
- [130] A.R. Fersht, *Trends Biochem. Sci.* 12 (1987) 301-304.
- [131] S. Albeck, R. Unger, G. Schreiber, Evaluation of direct and cooperative contributions towards the strength of buried hydrogen bonds and salt bridges, *J Mol Biol* 298 (2000) 503-520.
- [132] K. Tsemekhman, L. Goldschmidt, D. Eisenberg, D. Baker, Cooperative hydrogen bonding in amyloid formation, *Protein Sci* 16 (2007) 761-764.
- [133] C.L. Worth, T.L. Blundell, Satisfaction of hydrogen-bonding potential influences the conservation of polar sidechains, *Proteins* 75 (2009) 413-429.
- [134] J.T. Kellis, Jr., K. Nyberg, A.R. Fersht, Energetics of complementary side-chain packing in a protein hydrophobic core, *Biochemistry* 28 (1989) 4914-4922.
- [135] B.W. Matthews, Structural and genetic analysis of protein stability, *Annu Rev Biochem* 62 (1993) 139-160.
- [136] B.W. Matthews, Studies on protein stability with T4 lysozyme, *Adv Protein Chem* 46 (1995) 249-278.
- [137] B.W. Matthews, Structural and genetic analysis of the folding and function of T4 lysozyme, *FASEB J* 10 (1996) 35-41.
- [138] A.R. Fersht, Nucleation mechanisms in protein folding, *Curr Opin Struct Biol* 7 (1997) 3-9.
- [139] O.D. Monera, C.M. Kay, R.S. Hodges, Protein denaturation with guanidine hydrochloride or urea provides a different estimate of stability depending on the contributions of electrostatic interactions, *Protein Sci* 3 (1994) 1984-1991.
- [140] N.E. Zhou, C.M. Kay, R.S. Hodges, Synthetic model proteins: the relative contribution of leucine residues at the nonequivalent positions of the 3-4 hydrophobic repeat to the stability of the two-stranded alpha-helical coiled-coil, *Biochemistry* 31 (1992) 5739-5746.
- [141] A. Horovitz, A.R. Fersht, Strategy for analysing the co-operativity of intramolecular interactions in peptides and proteins, *J Mol Biol* 214 (1990) 613-617.

- [142] T.E. Creighton, *Free man New York Proteins* (1984).
- [143] D.E. Anderson, W.J. Becktel, F.W. Dahlquist, pH-induced denaturation of proteins: a single salt bridge contributes 3-5 kcal/mol to the free energy of folding of T4 lysozyme, *Biochemistry* 29 (1990) 2403-2408.
- [144] B.A. Shirley, P. Stanssens, U. Hahn, C.N. Pace, Contribution of hydrogen bonding to the conformational stability of ribonuclease T1, *Biochemistry* 31 (1992) 725-732.
- [145] Y. Goto, S. Nishikiori, Role of electrostatic repulsion in the acidic molten globule of cytochrome c, *J Mol Biol* 222 (1991) 679-686.
- [146] C.N. Pace, R.W. Alston, K.L. Shaw, Charge-charge interactions influence the denatured state ensemble and contribute to protein stability, *Protein Sci* 9 (2000) 1395-1398.
- [147] J.H. Cho, S. Sato, J.C. Horng, B. Anil, D.P. Raleigh, Electrostatic interactions in the denatured state ensemble: their effect upon protein folding and protein stability, *Arch Biochem Biophys* 469 (2008) 20-28.
- [148] D.O. Alonso, K.A. Dill, D. Stigter, The three states of globular proteins: acid denaturation, *Biopolymers* 31 (1991) 1631-1649.
- [149] K.A. Dill, D. Stigter, Modeling protein stability as heteropolymer collapse, *Adv Protein Chem* 46 (1995) 59-104.
- [150] A.S. Yang, B. Honig, On the pH dependence of protein stability, *J Mol Biol* 231 (1993) 459-474.
- [151] A. Karshikov, R. Engh, W. Bode, B.P. Atanasov, Electrostatic interactions in proteins: Calculations of the electrostatic term of free energy and the electrostatic potential field *Eur. Biophys. J.* 17 (1989) 287-297.
- [152] J.E. Donald, D.W. Kulp, W.F. DeGrado, Salt bridges: geometrically specific, designable interactions, *Proteins* 79 898-915.
- [153] H.R. Bosshard, D.N. Marti, I. Jelesarov, Protein stabilization by salt bridges: concepts, experimental approaches and clarification of some misunderstandings, *J Mol Recognit* 17 (2004) 1-16.
- [154] D.N. Marti, H.R. Bosshard, Electrostatic interactions in leucine zippers: thermodynamic analysis of the contributions of Glu and His residues and the effect of mutating salt bridges, *J Mol Biol* 330 (2003) 621-637.
- [155] C.N. Pace, G.R. Grimsley, J.A. Thomson, B.J. Barnett, Conformational stability and activity of ribonuclease T1 with zero, one, and two intact disulfide bonds, *J Biol Chem* 263 (1988) 11820-11825.

- [156] C.R. Robinson, R.T. Sauer, Striking stabilization of Arc repressor by an engineered disulfide bond, *Biochemistry* 39 (2000) 12494-12502.
- [157] M. Matsumura, G. Signor, B.W. Matthews, Substantial increase of protein stability by multiple disulphide bonds, *Nature* 342 (1989) 291-293.
- [158] A.A. Dombkowski, K.Z. Sultana, D.B. Craig, Protein disulfide engineering, *FEBS Lett* 588 206-212.
- [159] T. Alber, Mutational effects on protein stability, *Annu Rev Biochem* 58 (1989) 765-798.
- [160] R. Guerois, J.E. Nielsen, L. Serrano, Predicting changes in the stability of proteins and protein complexes: a study of more than 1000 mutations, *J Mol Biol* 320 (2002) 369-387.
- [161] K.A. Bava, M.M. Gromiha, H. Uedaira, K. Kitajima, A. Sarai, ProTherm, version 4.0: thermodynamic database for proteins and mutants, *Nucleic Acids Res* 32 (2004) D120-121.
- [162] A.R. Fersht, V. Daggett, Protein folding and unfolding at atomic resolution, *Cell* 108 (2002) 573-582.
- [163] R. Gupta, F. Ahmad, Protein stability: functional dependence of denaturational Gibbs energy on urea concentration, *Biochemistry* 38 (1999) 2471-2479.
- [164] R. Gupta, S. Yadav, F. Ahmad, Protein stability: urea-induced versus guanidine-induced unfolding of metmyoglobin, *Biochemistry* 35 (1996) 11925-11930.
- [165] F. Ahmad, Protein stability from denaturation transition curves, *Indian J Biochem Biophys* 28 (1991) 168-173.
- [166] K.C. Aune, C. Tanford, Thermodynamics of the denaturation of lysozyme by guanidine hydrochloride. II. Dependence on denaturant concentration at 25 degrees, *Biochemistry* 8 (1969) 4586-4590.
- [167] F. Ahmad, C.C. Bigelow, Estimation of the stability of globular proteins, *Biopolymers* 25 (1986) 1623-1633.
- [168] F. Ahmad, C.C. Bigelow, Thermodynamics of solvation of proteins in guanidine hydrochloride, *Biopolymers* 29 (1990) 1593-1598.
- [169] J.A. Schellman, The Thermodynamic Stability of Proteins, *Annual Review of Biophysics and Biophysical Chemistry* 16 (1987) 115-137.
- [170] C.N. Pace, Determination and analysis of urea and guanidine hydrochloride denaturation curves, *Methods Enzymol* 131 (1986) 266-280.

- [171] F. Ahmad, C.C. Bigelow, Estimation of the free energy of stabilization of ribonuclease A, lysozyme, alpha-lactalbumin, and myoglobin, *J Biol Chem* 257 (1982) 12935-12938.
- [172] C.N. Pace, H.F. Marshall, Jr., A comparison of the effectiveness of protein denaturants for beta-lactoglobulin and ribonuclease, *Arch Biochem Biophys* 199 (1980) 270-276.
- [173] D.R. Robinson, W.P. Jencks, The Effect of Compounds of the Urea-Guanidinium Class on the Activity Coefficient of Acetyltetraglycine Ethyl Ester and Related Compounds, *J Am Chem Soc* 87 (1965) 2462-2470.
- [174] J.M. Scholtz, D. Barrick, E.J. York, J.M. Stewart, R.L. Baldwin, Urea unfolding of peptide helices as a model for interpreting protein unfolding, *Proc Natl Acad Sci U S A* 92 (1995) 185-189.
- [175] J.W. Wu, Z.X. Wang, New evidence for the denaturant binding model, *Protein Sci* 8 (1999) 2090-2097.
- [176] T.L. McMeekin, E.J. Cohn, J.H. Weare, Studies in the Physical Chemistry of Amino Acids, Peptides and Related Substances. III. The Solubility of Derivatives of the Amino Acids in Alcohol—Water Mixtures, *J. Am. Chem. Soc* 57 (1935) 626–633.
- [177] C. Tanford, Cohesive Forces and Disruptive Reagents, *Brookhaven Symp Biol* 17 (1964) 154-183.
- [178] R.F. Greene, Jr., C.N. Pace, Urea and guanidine hydrochloride denaturation of ribonuclease, lysozyme, alpha-chymotrypsin, and beta-lactoglobulin, *J Biol Chem* 249 (1974) 5388-5393.
- [179] F. Ahmad, S. Taneja, S. Yadav, S.E. Haque, A new method for testing the functional dependence of unfolding free energy changes on denaturant concentration, *J Biochem* 115 (1994) 322-327.
- [180] M. Yao, D.W. Bolen, How valid are denaturant-induced unfolding free energy measurements? Level of conformance to common assumptions over an extended range of ribonuclease A stability, *Biochemistry* 34 (1995) 3771-3781.
- [181] D.W. Bolen, M. Yang, Effects of guanidine hydrochloride on the proton inventory of proteins: implications on interpretations of protein stability, *Biochemistry* 39 (2000) 15208-15216.
- [182] B. Ibarra-Molero, J.M. Sanchez-Ruiz, A model-independent, nonlinear extrapolation procedure for the characterization of protein folding energetics from solvent-denaturation data, *Biochemistry* 35 (1996) 14689-14702.

- [183] M.M. Santoro, D.W. Bolen, A test of the linear extrapolation of unfolding free energy changes over an extended denaturant concentration range, *Biochemistry* 31 (1992) 4901-4907.
- [184] G.I. Makhatadze, M.M. Lopez, J.M. Richardson, 3rd, S.T. Thomas, Anion binding to the ubiquitin molecule, *Protein Sci* 7 (1998) 689-697.
- [185] B. Ibarra-Molero, V.V. Loladze, G.I. Makhatadze, J.M. Sanchez-Ruiz, Thermal versus guanidine-induced unfolding of ubiquitin. An analysis in terms of the contributions from charge-charge interactions to protein stability, *Biochemistry* 38 (1999) 8138-8149.
- [186] A. Sinha, S. Yadav, R. Ahmad, F. Ahmad, A possible origin of differences between calorimetric and equilibrium estimates of stability parameters of proteins, *Biochem J* 345 Pt 3 (2000) 711-717.
- [187] Y. Zhou, C.K. Hall, M. Karplus, The calorimetric criterion for a two-state process revisited, *Protein Sci* 8 (1999) 1064-1074.
- [188] E. Freire, Differential scanning calorimetry, *Methods Mol Biol* 40 (1995) 191-218.
- [189] M. Straume, E. Freire, Two-dimensional differential scanning calorimetry: simultaneous resolution of intrinsic protein structural energetics and ligand binding interactions by global linkage analysis, *Anal Biochem* 203 (1992) 259-268.
- [190] P.G. Royall, D.Q. Craig, D.M. Price, M. Reading, T.J. Lever, An investigation into the use of micro-thermal analysis for the solid state characterisation of an HPMC tablet formulation, *Int J Pharm* 192 (1999) 97-103.
- [191] E.F.a.L. Biltonen, Statistical mechanical deconvolution of thermal transitions in macromolecules. I. Theory and application to homogeneous systems, *Biopolymers* 17 (1978) 463-479.
- [192] P.L. Privalov, E.I. Tiktopulo, N.N. Khechinashvili, Calorimetric investigation of ribonuclease thermal denaturation, *Int J Pept Protein Res* 5 (1973) 229-237.
- [193] S. Yadav, F. Ahmad, A new method for the determination of stability parameters of proteins from their heat-induced denaturation curves, *Anal Biochem* 283 (2000) 207-213.
- [194] N.C. Pace, C. Tanford, Thermodynamics of the unfolding of beta-lactoglobulin A in aqueous urea solutions between 5 and 55 degrees, *Biochemistry* 7 (1968) 198-208.
- [195] H. Nojima, A. Ikai, T. Oshima, H. Noda, Reversible thermal unfolding of thermostable phosphoglycerate kinase. Thermostability associated with mean zero enthalpy change, *J Mol Biol* 116 (1977) 429-442.

- [196] C.N. Pace, D.V. Laurents, A new method for determining the heat capacity change for protein folding, *Biochemistry* 28 (1989) 2520-2525.
- [197] L. Swint, A.D. Robertson, Thermodynamics of unfolding for turkey ovomucoid third domain: thermal and chemical denaturation, *Protein Sci* 2 (1993) 2037-2049.
- [198] R. Singh, T. Ali Dar, S. Ahmad, A.A. Moosavi-Movahedi, F. Ahmad, A new method for determining the constant-pressure heat capacity change associated with the protein denaturation induced by guanidinium chloride (or urea), *Biophys Chem* 133 (2008) 81-89.
- [199] S. Taneja, F. Ahmad, Increased thermal stability of proteins in the presence of amino acids, *Biochem J* 303 ( Pt 1) (1994) 147-153.
- [200] G. Holzwarth, P. Doty, The Ultraviolet Circular Dichroism of Polypeptides, *J Am Chem Soc* 87 (1965) 218-228.
- [201] Y.H. Chen, J.T. Yang, K.H. Chau, Determination of the helix and beta form of proteins in aqueous solution by circular dichroism, *Biochemistry* 13 (1974) 3350-3359.
- [202] S.M. Kelly, N.C. Price, The use of circular dichroism in the investigation of protein structure and function, *Curr Protein Pept Sci* 1 (2000) 349-384.
- [203] J. Prieto, M. Wilmans, M.A. Jimenez, M. Rico, L. Serrano, Non-native local interactions in protein folding and stability: introducing a helical tendency in the all beta-sheet alpha-spectrin SH3 domain, *J Mol Biol* 268 (1997) 760-778.
- [204] F. Chiti, N.A. van Nuland, N. Taddei, F. Magherini, M. Stefani, G. Ramponi, C.M. Dobson, Conformational stability of muscle acylphosphatase: the role of temperature, denaturant concentration, and pH, *Biochemistry* 37 (1998) 1447-1455.
- [205] M.E. Brewster, M.S. Hora, J.W. Simpkins, N. Bodor, Use of 2-hydroxypropyl-beta-cyclodextrin as a solubilizing and stabilizing excipient for protein drugs, *Pharm Res* 8 (1991) 792-795.
- [206] A.M. Tsai, J.H. van Zanten, M.J. Betenbaugh, I. Study of protein aggregation due to heat denaturation: A structural approach using circular dichroism spectroscopy, nuclear magnetic resonance, and static light scattering, *Biotechnol Bioeng* 59 (1998) 273-280.
- [207] E.L. James, S.P. Bottomley, The mechanism of alpha 1-antitrypsin polymerization probed by fluorescence spectroscopy, *Arch Biochem Biophys* 356 (1998) 296-300.
- [208] P.F. Heinz Ehardt, Fluorescence and photoisomerization of an amphiphilic aminostilbazolium dye as controlled by the sensitivity of radiationless deactivation to polarity and viscosity, *J. Phys. Chem.* 93 (1989) 7717-7725.

- [209] G. Cheddar, G. Tollin, Electrostatic effects on the spectral and redox properties of *Clostridium pasteurianum* flavodoxin: effects of salt concentration and polylysine, *Arch Biochem Biophys* 278 (1990) 265-268.
- [210] P.H. Yancey, Proteins and counteracting osmolytes., *Biologist* 50 (2003) 126-131.
- [211] P.H. Yancey, Compatible and counteracting solutes: protecting cells from the Dead Sea to the deep sea, *Sci Prog* 87 (2004) 1-24.
- [212] P.H. Yancey, M.E. Clark, S.C. Hand, R.D. Bowlus, G.N. Somero, Living with water stress: evolution of osmolyte systems, *Science* 217 (1982) 1214-1222.
- [213] N. Gregersen, P. Bross, S. Vang, J.H. Christensen, Protein misfolding and human disease, *Annu Rev Genomics Hum Genet* 7 (2006) 103-124.
- [214] F. Chiti, C.M. Dobson, Protein misfolding, functional amyloid, and human disease, *Annu Rev Biochem* 75 (2006) 333-366.
- [215] D.S. Yang, C.M. Yip, T.H. Huang, A. Chakrabarty, P.E. Fraser, Manipulating the amyloid-beta aggregation pathway with chemical chaperones, *J Biol Chem* 274 (1999) 32970-32974.
- [216] M. Tanaka, Y. Machida, N. Nukina, A novel therapeutic strategy for polyglutamine diseases by stabilizing aggregation-prone proteins with small molecules, *J Mol Med (Berl)* 83 (2005) 343-352.
- [217] P. Leandro, C.M. Gomes, Protein misfolding in conformational disorders: rescue of folding defects and chemical chaperoning, *Mini Rev Med Chem* 8 (2008) 901-911.
- [218] E. Herczenik, M.F. Gebbink, Molecular and cellular aspects of protein misfolding and disease, *FASEB J* 22 (2008) 2115-2133.
- [219] A. Dong, S.J. Prestrelski, S.D. Allison, J.F. Carpenter, Infrared spectroscopic studies of lyophilization- and temperature-induced protein aggregation, *J Pharm Sci* 84 (1995) 415-424.
- [220] E.Y. Chi, S. Krishnan, T.W. Randolph, J.F. Carpenter, Physical stability of proteins in aqueous solution: mechanism and driving forces in nonnative protein aggregation, *Pharm Res* 20 (2003) 1325-1336.
- [221] Y.B. Yan, Q. Wang, H.W. He, H.M. Zhou, Protein thermal aggregation involves distinct regions: sequential events in the heat-induced unfolding and aggregation of hemoglobin, *Biophys J* 86 (2004) 1682-1690.
- [222] F. Meng, Y. Park, H. Zhou, Role of proline, glycerol, and heparin as protein folding aids during refolding of rabbit muscle creatine kinase, *Int J Biochem Cell Biol* 33 (2001) 701-709.



- [223] T. Borwankar, C. Rothlein, G. Zhang, A. Techen, C. Dosche, Z. Ignatova, Natural osmolytes remodel the aggregation pathway of mutant huntingtin exon 1, *Biochemistry* 50 (2011) 2048-2060.
- [224] F. Meersman, K. Heremans, Temperature-induced dissociation of protein aggregates: accessing the denatured state, *Biochemistry* 42 (2003) 14234-14241.
- [225] S. Diamant, N. Eliahu, D. Rosenthal, P. Goloubinoff, Chemical chaperones regulate molecular chaperones in vitro and in cells under combined salt and heat stresses, *J Biol Chem* 276 (2001) 39586-39591.
- [226] P.H. Yancey, Organic osmolytes as compatible, metabolic and counteracting cytoprotectants in high osmolarity and other stresses, *J Exp Biol* 208 (2005) 2819-2830.
- [227] D.W. Bolen, G.D. Rose, Structure and energetics of the hydrogen-bonded backbone in protein folding, *Annu Rev Biochem* 77 (2008) 339-362.
- [228] E.K. Hoffmann, I.H. Lambert, S.F. Pedersen, Physiology of cell volume regulation in vertebrates, *Physiol Rev* 89 (2009) 193-277.
- [229] J.H. Crowe, F.A. Hoekstra, L.M. Crowe, Anhydrobiosis, *Annu Rev Physiol* 54 (1992) 579-599.
- [230] K.B. Storey, Organic solutes in freezing tolerance, *Comp Biochem Physiol A Physiol* 117 (1997) 319-326.
- [231] B.S. Chang, G. Reeder, J.F. Carpenter, Development of a stable freeze-dried formulation of recombinant human interleukin-1 receptor antagonist, *Pharm Res* 13 (1996) 243-249.
- [232] M. Jacob, T. Schindler, J. Balbach, F.X. Schmid, Diffusion control in an elementary protein folding reaction, *Proc Natl Acad Sci U S A* 94 (1997) 5622-5627.
- [233] V.N. Uversky, J. Li, A.L. Fink, Trimethylamine-N-oxide-induced folding of alpha-synuclein, *FEBS Lett* 509 (2001) 31-35.
- [234] W.J. Welch, C.R. Brown, Influence of molecular and chemical chaperones on protein folding, *Cell Stress Chaperones* 1 (1996) 109-115.
- [235] S.N. Timasheff, Protein-solvent preferential interactions, protein hydration, and the modulation of biochemical reactions by solvent components, *Proc Natl Acad Sci U S A* 99 (2002) 9721-9726.
- [236] L.R. Singh, Poddar, N. K., Dar, T. A., Rahman, S., Kumar, R. and Ahmad, F., Forty Years of Research on Osmolyte-induced Protein Folding and Stability, *Iran. J. Chem. Soc.* 8 (2011) 1-23.
- [237] J.S. Myers, W.B. Jakoby, Glycerol as an agent eliciting small conformational changes in alcohol dehydrogenase, *J Biol Chem* 250 (1975) 3785-3789.

- [238] A. Wang, D.W. Bolen, Effect of proline on lactate dehydrogenase activity: testing the generality and scope of the compatibility paradigm, *Biophys J* 71 (1996) 2117-2122.
- [239] M.M. Santoro, Y. Liu, S.M. Khan, L.X. Hou, D.W. Bolen, Increased thermal stability of proteins in the presence of naturally occurring osmolytes, *Biochemistry* 31 (1992) 5278-5283.
- [240] G. Xie, S.N. Timasheff, Temperature dependence of the preferential interactions of ribonuclease A in aqueous co-solvent systems: thermodynamic analysis, *Protein Sci* 6 (1997) 222-232.
- [241] F. Anjum, V. Rishi, F. Ahmad, Compatibility of osmolytes with Gibbs energy of stabilization of proteins, *Biochim Biophys Acta* 1476 (2000) 75-84.
- [242] D. Harries, J. Rosgen, A practical guide on how osmolytes modulate macromolecular properties, *Methods Cell Biol* 84 (2008) 679-735.
- [243] L.J. Borowitzka, A.D. Brown, The salt relations of marine and halophilic species of the unicellular green alga, *Dunaliella*. The role of glycerol as a compatible solute, *Arch Mikrobiol* 96 (1974) 37-52.
- [244] R.D. Bowlus, G.N. Somero, Solute compatibility with enzyme function and structure: rationales for the selection of osmotic agents and end-products of anaerobic metabolism in marine invertebrates, *J Exp Zool* 208 (1979) 137-151.
- [245] A. Pollard, R.G. Wyn Jones, Enzyme activities in concentrated solutions of glycinebetaine and other solutes, *Planta* 144 (1979) 291-298.
- [246] A. Wang, A.D. Robertson, D.W. Bolen, Effects of a naturally occurring compatible osmolyte on the internal dynamics of ribonuclease A, *Biochemistry* 34 (1995) 15096-15104.
- [247] I. Haque, R. Singh, F. Ahmad, A.A. Moosavi-Movahedi, Testing polyols' compatibility with Gibbs energy of stabilization of proteins under conditions in which they behave as compatible osmolytes, *FEBS Lett* 579 (2005) 3891-3898.
- [248] I. Haque, R. Singh, A.A. Moosavi-Movahedi, F. Ahmad, Effect of polyol osmolytes on  $\Delta G(D)$ , the Gibbs energy of stabilisation of proteins at different pH values, *Biophys Chem* 117 (2005) 1-12.
- [249] T.Y. Lin, S.N. Timasheff, Why do some organisms use a urea-methylamine mixture as osmolyte? Thermodynamic compensation of urea and trimethylamine N-oxide interactions with protein, *Biochemistry* 33 (1994) 12695-12701.
- [250] L.R. Singh, T. Ali Dar, I. Haque, F. Anjum, A.A. Moosavi-Movahedi, F. Ahmad, Testing the paradigm that the denaturing effect of urea on protein stability is offset by methylamines at the physiological concentration ratio of 2:1 (urea:methylamines), *Biochim Biophys Acta* 1774 (2007) 1555-1562.

- [251] P.H. Yancey, G.N. Somero, Counteraction of urea destabilization of protein structure by methylamine osmoregulatory compounds of elasmobranch fishes, *Biochem J* 183 (1979) 317-323.
- [252] S. Khan, Z. Bano, L.R. Singh, M.I. Hassan, A. Islam, F. Ahmad, Testing the ability of non-methylamine osmolytes present in kidney cells to counteract the deleterious effects of urea on structure, stability and function of proteins, *PLoS One* 8 e72533.
- [253] P.H. Yancey, Osmotic effectors in kidneys of xeric and mesic rodents: corticomedullary distributions and changes with water availability, *J Comp Physiol B* 158 (1988) 369-380.
- [254] I. Baskakov, A. Wang, D.W. Bolen, Trimethylamine-N-oxide counteracts urea effects on rabbit muscle lactate dehydrogenase function: a test of the counteraction hypothesis, *Biophys J* 74 (1998) 2666-2673.
- [255] I. Baskakov, D.W. Bolen, Forcing thermodynamically unfolded proteins to fold, *J Biol Chem* 273 (1998) 4831-4834.
- [256] S. Jamal, N.K. Poddar, L.R. Singh, T.A. Dar, V. Rishi, F. Ahmad, Relationship between functional activity and protein stability in the presence of all classes of stabilizing osmolytes, *FEBS J* 276 (2009) 6024-6032.
- [257] S. Bagnasco, R. Balaban, H.M. Fales, Y.M. Yang, M. Burg, Predominant osmotically active organic solutes in rat and rabbit renal medullas, *J Biol Chem* 261 (1986) 5872-5877.
- [258] J.H. Christian, J.A. Waltho, Solute concentrations within cells of halophilic and non-halophilic bacteria, *Biochim Biophys Acta* 65 (1962) 506-508.
- [259] D. Madern, C. Ebel, G. Zaccai, Halophilic adaptation of enzymes, *Extremophiles* 4 (2000) 91-98.
- [260] D.B. Wright, D.D. Banks, J.R. Lohman, J.L. Hilsenbeck, L.M. Gloss, The effect of salts on the activity and stability of *Escherichia coli* and *Haloferax volcanii* dihydrofolate reductases, *J Mol Biol* 323 (2002) 327-344.
- [261] P. Lamosa, L.O. Martins, M.S. Da Costa, H. Santos, Effects of temperature, salinity, and medium composition on compatible solute accumulation by *thermococcus* spp, *Appl Environ Microbiol* 64 (1998) 3591-3598.
- [262] S.N. Timasheff, Water as ligand: preferential binding and exclusion of denaturants in protein unfolding, *Biochemistry* 31 (1992) 9857-9864.
- [263] S.N. Timasheff, Control of protein stability and reactions by weakly interacting cosolvents: the simplicity of the complicated, *Adv Protein Chem* 51 (1998) 355-432.

- [264] R. Singh, I. Haque, F. Ahmad, Counteracting osmolyte trimethylamine N-oxide destabilizes proteins at pH below its pKa. Measurements of thermodynamic parameters of proteins in the presence and absence of trimethylamine N-oxide, *J Biol Chem* 280 (2005) 11035-11042.
- [265] I. Haque, A. Islam, R. Singh, A.A. Moosavi-Movahedi, F. Ahmad, Stability of proteins in the presence of polyols estimated from their guanidinium chloride-induced transition curves at different pH values and 25 degrees C, *Biophys Chem* 119 (2006) 224-233.
- [266] M. Hagedorn, V.L. Carter, S. Ly, R.M. Andrell, P.H. Yancey, J.A. Leong, F.W. Kleinhans, Analysis of internal osmolality in developing coral larvae, *Fungia scutaria*, *Physiol Biochem Zool* 83 (2010) 157-166.
- [267] Y. Qu, C.L. Bolen, D.W. Bolen, Osmolyte-driven contraction of a random coil protein, *Proc Natl Acad Sci U S A* 95 (1998) 9268-9273.
- [268] G. Xie, S.N. Timasheff, Mechanism of the stabilization of ribonuclease A by sorbitol: preferential hydration is greater for the denatured than for the native protein, *Protein Sci* 6 (1997) 211-221.
- [269] G.S. Ratnaparkhi, R. Varadarajan, Osmolytes stabilize ribonuclease S by stabilizing its fragments S protein and S peptide to compact folding-competent states, *J Biol Chem* 276 (2001) 28789-28798.
- [270] D.W. Bolen, Protein stabilization by naturally occurring osmolytes, *Methods Mol Biol* 168 (2001) 17-36.
- [271] T.O. Street, D.W. Bolen, G.D. Rose, A molecular mechanism for osmolyte-induced protein stability, *Proc Natl Acad Sci U S A* 103 (2006) 13997-14002.
- [272] M. Auton, D.W. Bolen, Additive transfer free energies of the peptide backbone unit that are independent of the model compound and the choice of concentration scale, *Biochemistry* 43 (2004) 1329-1342.
- [273] R. Kumar, E.B. Thompson, Transactivation functions of the N-terminal domains of nuclear hormone receptors: protein folding and coactivator interactions, *Mol Endocrinol* 17 (2003) 1-10.
- [274] B. Xue, C.J. Oldfield, A.K. Dunker, V.N. Uversky, CDF it all: consensus prediction of intrinsically disordered proteins based on various cumulative distribution functions, *FEBS Lett* 583 (2009) 1469-1474.
- [275] V.N. Uversky, P. Radivojac, L.M. Iakoucheva, Z. Obradovic, A.K. Dunker, Prediction of intrinsic disorder and its use in functional proteomics, *Methods Mol Biol* 408 (2007) 69-92.

- [276] T. Mashino, I. Fridovich, Effects of urea and trimethylamine-N-oxide on enzyme activity and stability, *Arch Biochem Biophys* 258 (1987) 356-360.
- [277] G.W. Moeckel, R. Shadman, J.M. Fogel, S.M. Sadrzadeh, Organic osmolytes betaine, sorbitol and inositol are potent inhibitors of erythrocyte membrane ATPases, *Life Sci* 71 (2002) 2413-2424.
- [278] R. Kumar, J.M. Serrette, E.B. Thompson, Osmolyte-induced folding enhances tryptic enzyme activity, *Arch Biochem Biophys* 436 (2005) 78-82.
- [279] P. Attri, P. Venkatesu, M.J. Lee, Influence of osmolytes and denaturants on the structure and enzyme activity of alpha-chymotrypsin, *J Phys Chem B* 114 (2010) 1471-1478.
- [280] A.D. Brown, J.R. Simpson, Water relations of sugar-tolerant yeasts: the role of intracellular polyols, *J Gen Microbiol* 72 (1972) 589-591.
- [281] J.F. Carpenter, M.J. Pikal, B.S. Chang, T.W. Randolph, Rational design of stable lyophilized protein formulations: some practical advice, *Pharm Res* 14 (1997) 969-975.
- [282] D.F. Perlman, L. Goldstein, Nitrogen metabolism, In: T.J. Shuttleworth (Ed.) *Physiology of Elasmobranch Fishes*, Springer-Verlag, Berlin (1988) 253-276.
- [283] R.E. MacMillen, A.K. Lee, Australian desert mice: independence of exogenous water, *Science* 158 (1967) 383-385.
- [284] D.M. Cohen, S.R. Gullans, W.W. Chin, Urea signaling in cultured murine inner medullary collecting duct (mIMCD3) cells involves protein kinase C, inositol 1,4,5-trisphosphate (IP3), and a putative receptor tyrosine kinase, *J Clin Invest* 97 (1996) 1884-1889.
- [285] Z. Zhang, X.Y. Yang, S.P. Soltoff, D.M. Cohen, PI3K signaling in the murine kidney inner medullary cell response to urea, *Am J Physiol Renal Physiol* 278 (2000) F155-164.
- [286] Z. Zhang, X.Y. Yang, D.M. Cohen, Urea-associated oxidative stress and Gadd153/CHOP induction, *Am J Physiol* 276 (1999) F786-793.
- [287] Y. Nozaki, C. Tanford, The Solubility of Amino Acids and Related Compounds in Aqueous Urea Solutions, *J Biol Chem* 238 (1963) 4074-4081.
- [288] P.H. von Hippel, T. Schleich, The effect of neutral salts on the structure and conformational stability of macromolecules in solution. In: *Structure and stability of biological macromolecules* (Ed. Timasheff, S.N. and Fasman, G.D.), Marcel Dekker, New York 2 (1969) 417-574.
- [289] P.H. Yancey, G.N. Somero, Methylamine osmoregulatory solutes of elasmobranch fishes counteract urea inhibition of enzymes, *Journal of experimental zoology* 212 (1980) 205-213.

- [290] Q. Zou, B.J. Bennion, V. Daggett, K.P. Murphy, The molecular mechanism of stabilization of proteins by TMAO and its ability to counteract the effects of urea, *Journal of the American Chemical Society* 124 (2002) 1192-1202.
- [291] T.E. Creighton, Stability of folded conformations, *Curr opin struct Biol* 1 (1991) 5-16.
- [292] D.W. Bolen, J.R. Fisher, Kinetic Properties of Adenosine Deaminase in Mixed Aqueous Solvents, *Biochemistry* 8 (1969) 4239-&.
- [293] K.N. Barton, M.M. Buhr, J.S. Ballantyne, Effects of urea and trimethylamine N-oxide on fluidity of liposomes and membranes of an elasmobranch, *Am J Physiol* 276 (1999) R397-406.
- [294] T. Nystrom, Role of oxidative carbonylation in protein quality control and senescence, *EMBO J* 24 (2005) 1311-1317.
- [295] L.M. Kraus, A.P. Kraus, Jr., Carbamoylation of amino acids and proteins in uremia, *Kidney Int Suppl* 78 (2001) S102-107.
- [296] R.W. Griffith, P.K.T. Pang, L.A. Benedetto, Urea tolerance in the killifish, *Fundulus heteroclitus*, *Comp. Biochem. Physiol.* 62 (1979) 327-330.
- [297] S.C. Hand, G.N. Somero, Urea and methylamine effects on rabbit muscle phosphofructokinase. Catalytic stability and aggregation state as a function of pH and temperature, *J Biol Chem* 257 (1982) 734-741.
- [298] P.C. Withers, M. Guppy, Do Australian desert frogs co-accumulate counteracting solutes with urea during aestivation?, *J Exp Biol* 199 (1996) 1809-1816.
- [299] S.D. Wolff, R.S. Balaban, Regulation of the predominant renal medullary organic solutes in vivo, *Annu Rev Physiol* 52 (1990) 727-746.
- [300] V.I. Lushchak, L.P. Lushchak, [The effect of urea on the activity of lactate dehydrogenase from the muscles of swine and skates], *Zh Evol Biokhim Fiziol* 30 (1994) 185-191.
- [301] Q. Zou, S.M. Habermann-Rottinghaus, K.P. Murphy, Urea effects on protein stability: hydrogen bonding and the hydrophobic effect, *Proteins* 31 (1998) 107-115.
- [302] K.D. Collins, M.W. Washabaugh, The Hofmeister effect and the behaviour of water at interfaces, *Q Rev Biophys* 18 (1985) 323-422.
- [303] G.I. Makhatadze, P.L. Privalov, Protein interactions with urea and guanidinium chloride. A calorimetric study, *J Mol Biol* 226 (1992) 491-505.
- [304] Y. Nozaki, C. Tanford, The solubility of amino acids, diglycine, and triglycine in aqueous guanidine hydrochloride solutions, *J Biol Chem* 245 (1970) 1648-1652.

- [305] T.P. Dousa, Effect of renal medullary solutes on vasopressin-sensitive adenylyl cyclase, *Am J Physiol* 222 (1972) 657-662.
- [306] Y. Gutman, Y. Katzper-Shamir, The effect of urea, sodium and calcium on microsomal ATPase activity in different parts of the kidney, *Biochim Biophys Acta* 233 (1971) 133-136.
- [307] P.H. Yancey, Organic osmotic effectors in cartilagenous fishes Ed. Gilles, R. and Gilles-Baillien, M., Springer, Berlin-Heidelberg, New York (1985).
- [308] T. Arakawa, S.N. Timasheff, The stabilization of proteins by osmolytes, *Biophys J* 47 (1985) 411-414.
- [309] J.B. Bateman, G.F. Evans, P.R. Brown, C. Gabriel, E.H. Grant, Dielectric properties of the system bovine albumin: urea: betaine in aqueous solution, *Phys Med Biol* 37 (1992) 175-182.
- [310] P.H. Yancey, M.B. Burg, Counteracting effects of urea and betaine in mammalian cells in culture, *Am J Physiol* 258 (1990) R198-204.
- [311] M.E. Clark, M. Zounes, The Effects of Selected Cell Osmolytes on the Activity of Lactate Dehydrogenase from the Euryhaline Polychaete, *Nereis succinea*, *Biol. Bull.* 153 (1977) 468-484.
- [312] R.G. Wyn Jones, R. Storey, R.A. Leigh, N. Ahmad, A. Pollard, A hypothesis on cytoplasmic osmoregulation. *In* E. Marre and O. Ciferri (Ed.) *Regulation of cell membrane activity in plants*, Elsevier press, Amsterdam (1977).
- [313] W.S. Woolverton, S. Githens, R. O'Dell-Smith, C.K. Bartell, Rat renal papillary tissue explants survive and produce epithelial monolayers in culture media made hyperosmotic with sodium chloride and urea, *J Exp Zool* 256 (1990) 189-199.
- [314] A. Wang, D.W. Bolen, A naturally occurring protective system in urea-rich cells: mechanism of osmolyte protection of proteins against urea denaturation, *Biochemistry* 36 (1997) 9101-9108.
- [315] D.A. Beck, B.J. Bennion, D.O. Alonso, V. Daggett, Simulations of macromolecules in protective and denaturing osmolytes: properties of mixed solvent systems and their effects on water and protein structure and dynamics, *Methods Enzymol* 428 (2007) 373-396.
- [316] H. Wei, Y. Fan, Y.Q. Gao, Effects of urea, tetramethyl urea, and trimethylamine N-oxide on aqueous solution structure and solvation of protein backbones: a molecular dynamics simulation study, *J Phys Chem B* 114 (2010) 557-568.
- [317] S. Paul, G.N. Patey, Structure and interaction in aqueous urea-trimethylamine-N-oxide solutions, *J Am Chem Soc* 129 (2007) 4476-4482.

- [318] F. Meersman, D. Bowron, A.K. Soper, M.H. Koch, Counteraction of urea by trimethylamine N-oxide is due to direct interaction, *Biophys J* 97 (2009) 2559-2566.
- [319] S. Masilamani, Knepper, M.A., Burg, M.B., Urine concentration and dilution., *The Kidney*. W.B. Saunders Company, Philadelphia (2000) 595–636.
- [320] A. Garcia-Perez, M.B. Burg, Renal medullary organic osmolytes, *Physiol Rev* 71 (1991) 1081-1115.
- [321] M.B. Burg, Renal osmoregulatory transport of compatible organic osmolytes, *Curr Opin Nephrol Hypertens* 6 (1997) 430-433.
- [322] D.M. Cohen, J.C. Wasserman, S.R. Gullans, Immediate early gene and HSP70 expression in hyperosmotic stress in MDCK cells, *Am J Physiol* 261 (1991) C594-601.
- [323] W. Neuhofer, E. Muller, A. Burger-Kentischer, M.L. Fraek, K. Thureau, F. Beck, Pretreatment with hypertonic NaCl protects MDCK cells against high urea concentrations, *Pflugers Arch* 435 (1998) 407-414.
- [324] D. Sheikh-Hamad, A. Garcia-Perez, J.D. Ferraris, E.M. Peters, M.B. Burg, Induction of gene expression by heat shock versus osmotic stress, *Am J Physiol* 267 (1994) F28-34.
- [325] B.C. Santos, A. Chevaile, M.J. Hebert, J. Zagajeski, S.R. Gullans, A combination of NaCl and urea enhances survival of IMCD cells to hyperosmolality, *Am J Physiol* 274 (1998) F1167-1173.
- [326] P.A. Wojtaszek, L.E. Heasley, G. Siriwardana, T. Berl, Dominant-negative c-Jun NH2-terminal kinase 2 sensitizes renal inner medullary collecting duct cells to hypertonicity-induced lethality independent of organic osmolyte transport, *J Biol Chem* 273 (1998) 800-804.
- [327] C.C. Matthews, H.M. Odeh, E.L. Feldman, Insulin-like growth factor-I is an osmoprotectant in human neuroblastoma cells, *Neuroscience* 79 (1997) 525-534.
- [328] L. Michea, D.R. Ferguson, E.M. Peters, P.M. Andrews, M.R. Kirby, M.B. Burg, Cell cycle delay and apoptosis are induced by high salt and urea in renal medullary cells, *Am J Physiol Renal Physiol* 278 (2000) F209-218.
- [329] D.W. Meek, Post-translational modification of p53 and the integration of stress signals, *Pathol Biol (Paris)* 45 (1997) 804-814.
- [330] N. Dmitrieva, L. Michea, M. Burg, p53 Protects renal inner medullary cells from hypertonic stress by restricting DNA replication, *Am J Physiol Renal Physiol* 281 (2001) F522-530.
- [331] M.B. Burg, Molecular basis of osmotic regulation, *Am J Physiol* 268 (1995) F983-996.



- [332] K.H. Burg MB, Kultz D Regulation of gene expression by hypertonicity, *Ann Rev Physiol* 59 (1997) 437–455.
- [333] F. Lang, G.L. Busch, M. Ritter, H. Volkl, S. Waldegger, E. Gulbins, D. Haussinger, Functional significance of cell volume regulatory mechanisms, *Physiol Rev* 78 (1998) 247-306.
- [334] M.L. McManus, K.B. Churchwell, K. Strange, Regulation of cell volume in health and disease, *N Engl J Med* 333 (1995) 1260-1266.
- [335] P.G. Petronini, M. Tramacere, J.E. Kay, A.F. Borghetti, Adaptive response of cultured fibroblasts to hyperosmolarity, *Exp Cell Res* 165 (1986) 180-190.
- [336] A.R. Petronini PG, Losio MN, Caccamo AE, Cavazzoni A, Bonelli MA, Borghetti AF, Wheeler KP Induction of BGT1 and amino acid system A transport activities in endothelial cells exposed to hyperosmolarity, *Am J Physiol* 279 (2000) R1580–R1589.
- [337] M. Brigotti, P.G. Petronini, D. Carnicelli, R.R. Alfieri, M.A. Bonelli, A.F. Borghetti, K.P. Wheeler, Effects of osmolarity, ions and compatible osmolytes on cell-free protein synthesis, *Biochem J* 369 (2003) 369-374.
- [338] R.R. Alfieri, A. Cavazzoni, P.G. Petronini, M.A. Bonelli, A.E. Caccamo, A.F. Borghetti, K.P. Wheeler, Compatible osmolytes modulate the response of porcine endothelial cells to hypertonicity and protect them from apoptosis, *J Physiol* 540 (2002) 499-508.
- [339] H. Kitamura, A. Yamauchi, T. Nakanishi, Y. Takamitsu, T. Sugiura, A. Akagi, T. Moriyama, M. Horio, E. Imai, Effects of inhibition of myo-inositol transport on MDCK cells under hypertonic environment, *Am J Physiol* 272 (1997) F267-272.
- [340] Y. Matsuoka, A. Yamauchi, T. Nakanishi, T. Sugiura, H. Kitamura, M. Horio, Y. Takamitsu, A. Ando, E. Imai, M. Hori, Response to hypertonicity in mesothelial cells: role of Na<sup>+</sup>/myo-inositol co-transporter, *Nephrol Dial Transplant* 14 (1999) 1217-1223.
- [341] R.R. Alfieri, P.G. Petronini, Hyperosmotic stress response: comparison with other cellular stresses, *Pflugers Arch* 454 (2007) 173-185.
- [342] T. Arakawa, R. Bhat, S.N. Timasheff, Preferential interactions determine protein solubility in three-component solutions: the MgCl<sub>2</sub> system, *Biochemistry* 29 (1990) 1914-1923.
- [343] J.C. Lee, S.N. Timasheff, The Stabilization of Proteins by Sucrose, *Journal of Biological Chemistry* 256 (1981) 7193-7201.
- [344] D.W. Bolen, Effects of naturally occurring osmolytes on protein stability and solubility: issues important in protein crystallization, *Methods* 34 (2004) 312-322.

- [345] J.K. Kaushik, R. Bhat, Why is trehalose an exceptional protein stabilizer? An analysis of the thermal stability of proteins in the presence of the compatible osmolyte trehalose, *J Biol Chem* 278 (2003) 26458-26465.
- [346] Y. Kita, T. Arakawa, T.Y. Lin, S.N. Timasheff, Contribution of the surface free energy perturbation to protein-solvent interactions, *Biochemistry* 33 (1994) 15178-15189.
- [347] T.Y. Lin, S.N. Timasheff, On the role of surface tension in the stabilization of globular proteins, *Protein Science* 5 (1996) 372-381.
- [348] P.R. Davis-Searles, A.S. Morar, A.J. Saunders, D.A. Erie, G.J. Pielak, Sugar-induced molten-globule model, *Biochemistry* 37 (1998) 17048-17053.
- [349] P.R. Davis-Searles, A.J. Saunders, D.A. Erie, D.J. Winzor, G.J. Pielak, Interpreting the effects of small uncharged solutes on protein-folding equilibria, *Annu Rev Biophys Biomol Struct* 30 (2001) 271-306.
- [350] J.A. Schellman, Protein stability in mixed solvents: a balance of contact interaction and excluded volume, *Biophysical Journal* 85 (2003) 108-125.
- [351] J. Dunbar, H.P. Yennawar, S. Banerjee, J. Luo, G.K. Farber, The effect of denaturants on protein structure, *Protein Sci* 6 (1997) 1727-1733.
- [352] C. Mattos, D. Ringe, Proteins in organic solvents, *Curr Opin Struct Biol* 11 (2001) 761-764.
- [353] V. Pierce, M. Kang, M. Aburi, S. Weerasinghe, P.E. Smith, Recent applications of Kirkwood-Buff theory to biological systems, *Cell Biochem Biophys* 50 (2008) 1-22.
- [354] D.W. Bolen, I.V. Baskakov, The osmophobic effect: natural selection of a thermodynamic force in protein folding, *Journal of Molecular Biology* 310 (2001) 955-963.
- [355] Y. Liu, D.W. Bolen, The peptide backbone plays a dominant role in protein stabilization by naturally occurring osmolytes, *Biochemistry* 34 (1995) 12884-12891.
- [356] Y. Qu, C.L. Bolen, D.W. Bolen, Osmolyte-driven contraction of a random coil protein, *Proc Nat Acad Sci U S A* 95 (1998) 9268-9273.
- [357] K. Gekko, S.N. Timasheff, Mechanism of protein stabilization by glycerol: preferential hydration in glycerol-water mixtures, *Biochemistry* 20 (1981) 4667-4676.
- [358] S.N. Timasheff, Control of protein stability and reactions by weakly interacting cosolvents: The simplicity of the complicated, *Advances in Protein Chemistry* 51 (1998) 355-432.

- [359] S. Garcia-Manyes, L. Dougan, J.M. Fernandez, Osmolyte-induced separation of the mechanical folding phases of ubiquitin, *Proc Natl Acad Sci U S A* 106 (2009) 10540-10545.
- [360] L. Dougan, G. Feng, H. Lu, J.M. Fernandez, Solvent molecules bridge the mechanical unfolding transition state of a protein, *Proc Natl Acad Sci U S A* 105 (2008) 3185-3190.
- [361] E.J. Cohn, J.T. Edsall, *Proteins, Amino Acids, and Peptides as Ions and Dipolar Ions*, eds. Cohn, E. J. & Edsall, J. T., Reinhold, New York (1943) pp.196–216.
- [362] C. Tanford, Isothermal unfolding of globular proteins in aqueous urea solutions, *J. Am. Chem. Soc.* 86 (1964) 2050-&.
- [363] J.C. Lee, K. Gekko, S.N. Timasheff, Measurements of preferential solvent interactions by densimetric techniques, *Methods Enzymol* 61 (1979) 26-49.
- [364] T. Arakawa, D. Ejima, Y. Kita, K. Tsumoto, Small molecule pharmacological chaperones: From thermodynamic stabilization to pharmaceutical drugs, *Biochim Biophys Acta* 1764 (2006) 1677-1687.
- [365] K. Hamaguchi, A. Kurono, Structure of Muramidase (Lysozyme). I. The Effect of Guanidine Hydrochloride on Muramidase, *J Biochem* 54 (1963) 111-122.
- [366] G. Xie, S.N. Timasheff, The thermodynamic mechanism of protein stabilization by trehalose, *Biophys Chem* 64 (1997) 25-43.
- [367] S.N. Timasheff, Protein hydration, thermodynamic binding, and preferential hydration, *Biochemistry* 41 (2002) 13473-13482.
- [368] M. Auton, A.C. Ferreon, D.W. Bolen, Metrics that differentiate the origins of osmolyte effects on protein stability: a test of the surface tension proposal, *J Mol Biol* 361 (2006) 983-992.
- [369] J.K. Kaushik, R. Bhat, Thermal stability of proteins in aqueous polyol solutions: Role of surface tension of water in the stabilizing effect of polyols *J phys Chem B* 102 (1998) 7058-7066.
- [370] K.A. Sharp, A. Nicholls, R.F. Fine, B. Honig, Reconciling the magnitude of the microscopic and macroscopic hydrophobic effects, *Science* 252 (1991) 106-109.
- [371] V. Prakash, C. Loucheux, S. Scheufele, M.J. Gorbunoff, S.N. Timasheff, Interactions of proteins with solvent components in 8 M urea, *Arch Biochem Biophys* 210 (1981) 455-464.
- [372] I.V. Baskakov, R. Kumar, G. Srinivasan, Y.S. Ji, D.W. Bolen, E.B. Thompson, Trimethylamine N-oxide-induced cooperative folding of an intrinsically unfolded transcription-activating fragment of human glucocorticoid receptor, *Journal of Biological Chemistry* 274 (1999) 10693-10696.

- [373] H.K. Schachman, M.A. Lauffer, The hydration, size and shape of tobacco mosaic virus, *J Am Chem Soc* 71 (1949) 536-541.
- [374] T. Arakawa, S.N. Timasheff, Mechanism of poly(ethylene glycol) interaction with proteins, *Biochemistry* 24 (1985) 6756-6762.
- [375] R. Bhat, S.N. Timasheff, Steric exclusion is the principal source of the preferential hydration of proteins in the presence of polyethylene glycols, *Protein Sci* 1 (1992) 1133-1143.
- [376] T. Arakawa, S.N. Timasheff, Protein stabilization and destabilization by guanidinium salts, *Biochemistry* 23 (1984) 5924-5929.
- [377] S.N. Timasheff, Water as Ligand - Preferential Binding and Exclusion of Denaturants in Protein Unfolding, *Biochemistry* 31 (1992) 9857-9864.
- [378] J. Rosgen, Molecular crowding and solvation: direct and indirect impact on protein reactions, *Methods Mol Biol* 490 (2009) 195-225.
- [379] M. Auton, D.W. Bolen, J. Rosgen, Structural thermodynamics of protein preferential solvation: Osmolyte solvation of proteins, aminoacids, and peptides, *Proteins-Structure Function and Bioinformatics* 73 (2008) 802-813.
- [380] U.K. Laemmli, Cleavage of structural proteins during the assembly of the head of bacteriophage T4, *Nature* 227 (1970) 680-685.
- [381] M.I. Hassan, V. Kumar, R.K. Somvanshi, S. Dey, T.P. Singh, S. Yadav, Structure-guided design of peptidic ligand for human prostate specific antigen, *J Pept Sci* 13 (2007) 849-855.
- [382] P. McPhie, Dialysis., *Meth. Enzymol* 22 (1971) 23-33.
- [383] Y. Nozaki, The preparation of guanidine hydrochloride, *Methods Enzymol* 26 (1972) 43-50.
- [384] G.R. Stark, Reactions of cyanate with functional groups of proteins. 3. Reactions with amino and carboxyl groups, *Biochemistry* 4 (1965) 1030-1036.
- [385] J.L. Sohl, S.S. Jaswal, D.A. Agard, Unfolded conformations of alpha-lytic protease are more stable than its native state, *Nature* 395 (1998) 817-819.
- [386] C.N. Pace, F. Vajdos, L. Fee, G. Grimsley, T. Gray, How to measure and predict the molar absorption coefficient of a protein, *Protein Sci* 4 (1995) 2411-2423.
- [387] Y.H. Chen, J.T. Yang, H.M. Martinez, Determination of the secondary structures of proteins by circular dichroism and optical rotatory dispersion, *Biochemistry* 11 (1972) 4120-4131.

- [388] M.A. Andrade, P. Chacon, J.J. Merelo, F. Moran, Evaluation of secondary structure of proteins from UV circular dichroism spectra using an unsupervised learning neural network, *Protein Eng* 6 (1993) 383-390.
- [389] M.I.H. M.K.A.K. Hamidur Rahamana, Asimul Islama, Ali Akbar, F.A. Moosavi-Movahedib, Evidence Of Non-Coincidence Of Normailized Sigmoidal Curves Of Two Different Structural Properties For Two-State Protein Folding/Unfolding, *J. Chem. Thermodyn.* 58 (2013) 351–358.
- [390] M.A. Dar, Wahiduzzaman, M.A. Haque, A. Islam, M.I. Hassan, F. Ahmad, Characterisation of molten globule-like state of sheep serum albumin at physiological pH, *Int J Biol Macromol* 89 (2016) 605-613.
- [391] W.J. Becktel, J.A. Schellman, Protein stability curves, *Biopolymers* 26 (1987) 1859-1877.
- [392] R.E. MacMillen, A.K. Lee, Australian desert mice: independence of exogenous water, *Science* 158 (1967) 383-385.
- [393] S.G. Yancey PH, Methylamine osmoregulatory compounds in elasmobranch fishes reverse urea inhibition of enzymes, *J Exp Zool* 212 (1980) 205–213.
- [394] M. Auton, D.W. Bolen, Predicting the energetics of osmolyte-induced protein folding/unfolding, *Proc Natl Acad Sci U S A* 102 (2005) 15065-15068.
- [395] K.A. Kraus ML, Carbomylation of amino acids and proteins in uremia., *Kidney Int* 78 (2001) 102–107.
- [396] M. Schmolke, A. Bornemann, W.G. Guder, Distribution and regulation of organic osmolytes along the nephron, *Contrib Nephrol* 95 (1991) 255-263.
- [397] P.H. Yancey, M.B. Burg, Distribution of major organic osmolytes in rabbit kidneys in diuresis and antidiuresis, *Am J Physiol* 257 (1989) F602-607.
- [398] M. Schmolke, A. Schilling, E. Keiditsch, W.G. Guder, Intrarenal distribution of organic osmolytes in human kidney, *Eur J Clin Chem Clin Biochem* 34 (1996) 499-501.
- [399] M. Schmolke, A. Bornemann, W.G. Guder, Site-specific regulation of organic osmolytes along the rat nephron, *Am J Physiol* 271 (1996) F645-652.
- [400] W.G. Guder, F.X. Beck, M. Schmolke, Regulation and localization of organic osmolytes in mammalian kidney, *Klin Wochenschr* 68 (1990) 1091-1095.
- [401] M. Schmolke, W.G. Guder, Metabolic regulation of organic osmolytes in tubules from rat renal inner and outer medulla, *Ren Physiol Biochem* 12 (1989) 347-358.
- [402] G. Wirthensohn, S. Lefrank, M. Schmolke, W.G. Guder, Regulation of organic osmolyte concentrations in tubules from rat renal inner medulla, *Am J Physiol* 256 (1989) F128-135.

- [403] T. Nakanishi, R.J. Turner, M.B. Burg, Osmoregulatory changes in myo-inositol transport by renal cells, *Proc Natl Acad Sci U S A* 86 (1989) 6002-6006.
- [404] S. Mahler, E. Kinne-Saffran, H. Fujisue, R.K. Kinne, W. Follmann, Regulation of sorbitol content in cultured porcine urinary bladder epithelial cells, *Am J Physiol* 274 (1998) F342-347.
- [405] T. Nakanishi, O. Uyama, H. Nakahama, Y. Takamitsu, M. Sugita, Determinants of relative amounts of medullary organic osmolytes: effects of NaCl and urea differ, *Am J Physiol* 264 (1993) F472-479.
- [406] Y. PH, Proteins and counteracting osmolytes, *Biologist* 50 (2003) 126–131.
- [407] S. Muzammil, Y. Kumar, S. Tayyab, Anion-induced stabilization of human serum albumin prevents the formation of intermediate during urea denaturation, *Proteins* 40 (2000) 29-38.
- [408] M.Y. Khan, S.K. Agarwal, S. Hangloo, Urea-induced structural transformations in bovine serum albumin, *J Biochem* 102 (1987) 313-317.
- [409] N. Ahmad, M.A. Qasim, Fatty acid binding to bovine serum albumin prevents formation of intermediate during denaturation, *Eur J Biochem* 227 (1995) 563-565.
- [410] S. Tayyab, N. Sharma, M. Mushahid Khan, Use of domain specific ligands to study urea-induced unfolding of bovine serum albumin, *Biochem Biophys Res Commun* 277 (2000) 83-88.
- [411] J.O. Lay, Jr., MALDI-TOF mass spectrometry of bacteria, *Mass Spectrom Rev* 20 (2001) 172-194.
- [412] R. Urade, H. Okudo, H. Kato, T. Moriyama, Y. Arakaki, ER-60 domains responsible for interaction with calnexin and calreticulin, *Biochemistry* 43 (2004) 8858-8868.
- [413] D.X. Zhang, X.P. Li, S.C. Sun, X.H. Shen, X.S. Cui, N.H. Kim, Involvement of ER-calreticulin-Ca<sup>2+</sup> signaling in the regulation of porcine oocyte meiotic maturation and maternal gene expression, *Mol Reprod Dev* 77 462-471.
- [414] C. Payne, G. Schatten, Golgi dynamics during meiosis are distinct from mitosis and are coupled to endoplasmic reticulum dynamics until fertilization, *Dev Biol* 264 (2003) 50-63.
- [415] H. Balakier, E. Dziak, A. Sojecki, C. Librach, M. Michalak, M. Opas, Calcium-binding proteins and calcium-release channels in human maturing oocytes, pronuclear zygotes and early preimplantation embryos, *Hum Reprod* 17 (2002) 2938-2947.
- [416] C. Andrin, E.F. Corbett, S. Johnson, M. Dabrowska, I.D. Campbell, P. Eggleton, M. Opas, M. Michalak, Expression and purification of mammalian calreticulin in *Pichia pastoris*, *Protein Expr Purif* 20 (2000) 207-215.

- [417] S. Baksh, K. Burns, J. Busaan, M. Michalak, Expression and purification of recombinant and native calreticulin, *Protein Expr Purif* 3 (1992) 322-331.
- [418] S. Fonseca-Coronado, K. Ruiz-Tovar, M. Perez-Tapia, F. Mendlovic, A. Flisser, *Taenia solium*: immune response against oral or systemic immunization with purified recombinant calreticulin in mice, *Exp Parasitol* 127 313-317.
- [419] S. Baksh, M. Michalak, Expression of calreticulin in *Escherichia coli* and identification of its Ca<sup>2+</sup> binding domains, *J Biol Chem* 266 (1991) 21458-21465.
- [420] L.A. Rokeach, J.A. Haselby, S.O. Hoch, High-level bacterial expression, purification and characterization of human calreticulin, *Protein Eng* 4 (1991) 981-987.
- [421] T.J. Ostwald, D.H. MacLennan, Isolation of a high affinity calcium-binding protein from sarcoplasmic reticulum, *J Biol Chem* 249 (1974) 974-979.
- [422] P.J. Young, Szeszakowska, D., Morse, R., Winyard, P. G., Whatmore, J., Reid, K. B. M., Johnson, S. J., & Eggleton, P., Purification, isolation and characterization of native and recombinant calreticulin, *Calcium Binding Proteins* 1 (2006) 160–169.
- [423] D.M. Waisman, B.P. Salimath, M.J. Anderson, Isolation and characterization of CAB-63, a novel calcium-binding protein, *J Biol Chem* 260 (1985) 1652-1660.
- [424] D.T. Olsen, L. Peng, S.D. Traeholt, K. Duus, P. Hojrup, G. Houen, Purification and characterization of a soluble calnexin from human placenta, *Protein Expr Purif* 92 105-111.
- [425] D.S. Philip J. Young<sup>1</sup>, Robert Morse<sup>1</sup>, Paul G. Winyard<sup>1</sup>, Jacqueline Whatmore<sup>1</sup>, K.B.M. Reid<sup>2</sup>, Steven J. Johnson<sup>3</sup>, Paul Eggleton<sup>1,\*</sup>, Purification, Isolation and Characterization of Native and Recombinant Calreticulin, *Calcium Binding Proteins* 1:3, (2006) 160-169.
- [426] M. Bhasin, E.L. Reinherz, P.A. Reche, Recognition and classification of histones using support vector machine, *J Comput Biol* 13 (2006) 102-112.
- [427] J. Kobayashi, Molecular mechanism of the recruitment of NBS1/hMRE11/hRAD50 complex to DNA double-strand breaks: NBS1 binds to gamma-H2AX through FHA/BRCT domain, *J Radiat Res* 45 (2004) 473-478.
- [428] E.P. Rogakou, D.R. Pilch, A.H. Orr, V.S. Ivanova, W.M. Bonner, DNA double-stranded breaks induce histone H2AX phosphorylation on serine 139, *J Biol Chem* 273 (1998) 5858-5868.
- [429] C.N. Pace, D.V. Laurents, R.E. Erickson, Urea denaturation of barnase: pH dependence and characterization of the unfolded state, *Biochemistry* 31 (1992) 2728-2734.

- [430] M.M. Santoro, D.W. Bolen, Unfolding free energy changes determined by the linear extrapolation method. 1. Unfolding of phenylmethanesulfonyl alpha-chymotrypsin using different denaturants, *Biochemistry* 27 (1988) 8063-8068.
- [431] D.W. Bolen, M.M. Santoro, Unfolding free energy changes determined by the linear extrapolation method. 2. Incorporation of delta G degrees N-U values in a thermodynamic cycle, *Biochemistry* 27 (1988) 8069-8074.
- [432] M.A. Dar, Wahiduzzaman, M.A. Haque, A. Islam, M.I. Hassan, F. Ahmad, Characterisation of molten globule-like state of sheep serum albumin at physiological pH, *Int J Biol Macromol* 89 605-613.
- [433] S.N. Timasheff, Control of protein stability and reactions by weakly interacting cosolvents: The simplicity of the complicated, *Advances in Protein Chemistry*, Vol 51 51 (1998) 355-432.
- [434] G.S. Ratnaparkhi, R. Varadarajan, Osmolytes stabilize ribonuclease S by stabilizing its fragments S protein and S peptide to compact folding-competent states, *J. Biol. Chem.* 276 (2001) 28789-28798.
- [435] Y. Qu, C.L. Bolen, D.W. Bolen, Osmolyte-driven contraction of a random coil protein, *Proc. Nat. Acad. Sci. U S A* 95 (1998) 9268-9273.
- [436] I. Baskakov, D.W. Bolen, Forcing thermodynamically unfolded proteins to fold, *J. Biol. Chem.* 273 (1998) 4831-4834.
- [437] Q. Youxing, D.W. Bolen, Hydrogen exchange kinetics of RNase-A and the urea: TMAO paradigm., *Biochemistry* 42 (2003) 5837-5849.
- [438] A.T. Alexandrescu, P.A. Evans, M. Pitkeathly, J. Baum, C.M. Dobson, Structure and dynamics of the acid-denatured molten globule state of alpha-lactalbumin: a two-dimensional NMR study, *Biochemistry* 32 (1993) 1707-1718.
- [439] M. Buck, S.E. Radford, C.M. Dobson, A partially folded state of hen egg white lysozyme in trifluoroethanol: structural characterization and implications for protein folding, *Biochemistry* 32 (1993) 669-678.
- [440] B.J. Stockman, A. Euvrard, T.A. Scahill, Heteronuclear three-dimensional NMR spectroscopy of a partially denatured protein: the A-state of human ubiquitin, *J Biomol NMR* 3 (1993) 285-296.
- [441] J.J. Martin, J.D. Finkelstein, Enzymatic determination of betaine in rat tissues, *Anal Biochem* 111 (1981) 72-76.
- [442] M.A. Cohen, K.A. Hruska, W.H. Daughaday, Free myo-inositol in canine kidneys: selective concentration in the renal medulla, *Proc Soc Exp Biol Med* 169 (1982) 380-385.



- [443] S.R. Gullans, J.D. Blumenfeld, J.A. Balschi, M. Kaleta, R.M. Brenner, C.W. Heilig, S.C. Hebert, Accumulation of major organic osmolytes in rat renal inner medulla in dehydration, *Am J Physiol* 255 (1988) F626-634.
- [444] P.C. Sizeland, S.T. Chambers, M. Lever, L.M. Bason, R.A. Robson, Organic osmolytes in human and other mammalian kidneys, *Kidney Int* 43 (1993) 448-453.
- [445] N.K.P. L.R. Singh, T.A. Dar, S. Rahman, R. Kumar and F. Ahmad, Forty Years of Research on Osmolyte-Induced Protein Folding and Stability, *J. Iran. Chem. Soc.*, 8 (2011) 1-23.
- [446] Y. Kumar, S. Tayyab, S. Muzammil, Molten-globule like partially folded states of human serum albumin induced by fluoro and alkyl alcohols at low pH, *Arch Biochem Biophys* 426 (2004) 3-10.
- [447] D.W. Bolen, I.V. Baskakov, The osmophobic effect: natural selection of a thermodynamic force in protein folding, *J Mol Biol* 310 (2001) 955-963.
- [448] F. Guo, J.M. Friedman, Osmolyte-induced perturbations of hydrogen bonding between hydration layer waters: correlation with protein conformational changes, *J Phys Chem B* 113 (2009) 16632-16642.
- [449] J.A. Schellman, Solvent denaturation, *Biopolymers* 17 (1978) 1305-1322.
- [450] R.S. Balban, M.B. Burg, Osmotically active organic solutes in the renal inner medulla, *Kidney Int* 31 (1987) 562-564.
- [451] S. Wray, D.R. Wilkie, The relationship between plasma urea levels and some muscle trimethylamine levels in *Xenopus laevis*: a <sup>31</sup>P and <sup>14</sup>N nuclear magnetic resonance study, *J Exp Biol* 198 (1995) 373-378.
- [452] P.H. Yancey, J.F. Siebenaller, Trimethylamine oxide stabilizes teleost and mammalian lactate dehydrogenases against inactivation by hydrostatic pressure and trypsinolysis, *J Exp Biol* 202 (1999) 3597-3603.
- [453] M.R. Hammerman, B. Sacktor, W.H. Daughaday, myo-Inositol transport in renal brush border vesicles and its inhibition by D-glucose, *Am J Physiol* 239 (1980) F113-120.
- [454] R.P. Forster, L. Goldstein, Intracellular osmoregulatory role of amino acids and urea in marine elasmobranchs. , *Am. J. Physiol.* 230 (1976) 925-931.
- [455] P.H. Yancey, Proteins and counteracting osmolytes. , *Biologist* 50 (2003) 126-131.
- [456] L.M.F. Holthauzen, D.W. Bolen, Mixed osmolytes: the degree to which one osmolyte affects the protein stabilizing ability of another., *Protein Sci.* 16 (2007) 293-298.
- [457] C.C. Mello, D. Barrick, Measuring the stability of partly folded proteins using TMAO, *Protein Sci.* 12 (2003) 1522-1529.

- [458] J.K. Kaushik, R. Bhat, Thermal stability of proteins in aqueous polyol solutions. , J. Phys. Chem. B 102 (1998) 7058-7066.
- [459] I. Haque, R. Singh, A.A. Moosavi-Movahedi, F. Ahmad, Effect of polyol osmolytes on  $\Delta G(D)$ , the Gibbs energy of stabilisation of proteins at different pH values, Biophys. Chem. 117 (2005) 1-12.
- [460] D.A. Green, Lattimer, S. A., and Sima, A. F. , Sorbitol, phosphoinositidesk and sodium-pottasium-ATPase in the pathogenesis of diabetic complications. , N. Engl. J. Med. 316 (1987) 599-564.
- [461] S.M. Bagnasco, S. Uchida, R.S. BALABAN, P.F. KADOR, M.B. BURG, Induction of aldose reductase and sorbitol in renal inner medullary cells by elevated extracellular NaCl, Proc. Natl. Acad. Sci. USA 84 (1987) 1718-1720.