

References

- Abd S and Ismail A, 2012. Production and preliminary characterizations of EPS produced by newly source *Scopularis* sp. World Appl Sci J 20(1): 87-93.
- Abd-Alla MH, Issa AA and Ohyama T, 2014. Impact of harsh environmental conditions on nodule formation and dinitrogen fixation of legumes. In: Ohyama T (Eds) Advances in biology and ecology of nitrogen fixation, In Tech Publishers, Croatia, pp.132- 193.
- Abdel-Nasser LE and Abdel-Aal AE, 2002. Effect of elevated CO₂ and drought on proline metabolism and growth of safflower (*Carthamus mareoticus* L.) seedlings without improving water status. Pak J Biol Sci 5: 523-528.
- Abebe T, Guenzi AC, Martin B and Cushman JC, 2003. Tolerance of mannitol-accumulating transgenic wheat to water stress and salinity. Plant Physiol 131(4): 1748-1755.
- Abou-Shanab RA, Delorme TA, Angle JS, Chaney RL, Ghanem K, Moawad H and Ghazlan HA, 2003. Phenotypic characterization of microbes in the rhizosphere of *Alyssum murale*. Int J Phytoremediation 5 (4): 367–379.
- Abriouel H, Franz CMAP, Ben Omar N and Galvez A, 2011. Diversity and applications of *Bacillus* bacteriocins. FEMS Microbiol Rev 35: 201-232.
- Ahemad M and Khan MS, 2012. Effect of fungicides on plant growth promoting activities of phosphate solubilizing *Pseudomonas putida* isolated from mustard (*Brassica campestris*) rhizosphere. Chemosphere 86: 945–950.
- Ahemad M and Khan MS, 2012d. Effects of pesticides on plant growth promoting traits of *Mesorhizobium* strain MRC4. J Saudi Soc Agric Sci 11: 63–71.
- Ahmad F, Ahmad I and Khan MS, 2008. Screening of free-living rhizospheric bacteria for their multiple plant growth promoting activities. Microbiol Res 163: 173-181.
- Ahmad I, Hayat S, Ahmad A, Inam A and Samiullah, 2001. Metal and antibiotic resistance traits in *Bradyrhizobium* sp. (*cajanus*) isolated from soil receiving oil refinery wastewater. World J Microbiol Biotechnol 17: 379-384.
- Ahmad R, Waraicha EA, Ashraf MY, Ahmad S and Azizd T, 2014. Does nitrogen fertilization enhance drought tolerance in sunflower? J Plant Nutr 37(6): 942-963.
- Ahmed A, Labavitch JM, 1977. A simplified method for accurate determination of cell wall uronide content. J Food Biochem 1: 361–365.
- Akashi K, Miyake C and Yokota A, 2001. Citrulline, a novel compatible solute in drought-tolerant wild watermelon leaves, is an efficient hydroxyl radical scavenger. Febs Lett 508(3): 438-442.
- Alexieva V, Sergiev I, Mapelli S and Karanov E, 2001. The effect of drought and ultraviolet radiation on growth and stress markers in pea and wheat. Plant Cell Environ 24: 1337–1344.

- Ali M and Gupta S, 2012. Carrying capacity of Indian agriculture: pulse crops. *Curr Sci* 102 (6): 874-881.
- Ali SZ, Sandhya V and Rao LV, 2014. Isolation and characterization of drought tolerant ACC deaminase and exopolysaccharide producing fluorescent *Pseudomonas* sp. *Ann Microbiol* 64(2): 493-502.
- Alves AAC and Setter TL, 2004. Response of cassava leaf area expansion to water deficit: cell proliferation, cell expansion and delayed development. *Ann Bot* 94(4): 605-613.
- Anbuselvi S and Rebecca JL, 2012. GC-MS study of phytochemicals in black gram using two different organic manures. *TIC* 5(e8): 17-42.
- Anderson JW, Foyer CH and Walker DA, 1983. Light dependent reduction of hydrogen peroxide by intact spinach chloroplasts. *Biochim Biophys Acta* 724(1): 69-74.
- AOAC, 1965. Official methods of analysis. 10th ed, Association of Official Agricultural Chemist(s), Washington, D.C.
- Appunu, N'Zoue A, Moulin L, Depret G and Laguerre G, 2009. *Vigna mungo*, *V. radiata* and *V. unguiculata* plants sampled in different agronomical-ecological-climatic regions of india are nodulated by *Bradyrhizobium yuanmingense*. *Syst Appl Microbiol* 32(7): 460-470.
- Araujo SS, Beebe S, Crespi M, Delbreil B, Gonzalez EM, Gruber V, Lejeune-Henaut I, Link W, Monteros MJ, Prats E, Rao I, Vadez V and Vaz Patto MC, 2015. Abiotic Stress Responses in Legumes: Strategies Used to Cope with Environmental Challenges. *Crit Rev in Plant Sci* 34 (1-3) 237-280.
- Ardissone S, Frendo P, Laurenti E, Jantschko W, Obinger C, Puppo A and Ferrari RP, 2004. Purification and physical chemical characterization of three hydroperoxidases from the symbiotic bacterium *Sinorhizobium meliloti*. *Biochem* 43(39): 12692-12699.
- Arfaoui A, Sifi B, Boudabous A, El Hadrami I and Cherif M, 2006. Identification of *Rhizobium* isolates possessing antagonistic activity against *Fusarium oxysporum* f.sp. ciceris, the causal agent of *Fusarium* wilt of chickpea. *J Plant Pathol* 88: 67-75.
- Arkipova TN, Prinsen E, Veselov SU, Martinenko EV, Melentiev AI and Kudoyarova GR, 2007. Cytokinin producing bacteria enhance plant growth in drying soil. *Plant Soil* 292: 305-315.
- Armada E, Portela G, Roldan A and Azcon R, 2014. Combined use of beneficial soil microorganism and agrowaste residue to cope with plant water limitation under semi arid conditions. *Geoderma* 232-234: 640-648.
- Arnon DI, 1949. Copper enzymes in isolated chloroplasts: polyphenol oxidases in *Beta vulgaris*. *Plant Physiol* 24: 1-15.
- Arora NK, Tewari S and Singh R, 2013. Multifaceted Plant-Associated microbes and their mechanisms diminish the concept of direct and indirect PGPRs. In: Arora NK (Eds) *Plant Microbe Symbiosis: Fundamentals and Advances*. Springer, 411-449.

- Arora RK and Mauria SS, 1989. *Vigna mungo* (L.) Hepper. Record from Proseabase. PROSEA (Plant Resources of South-East Asia) Foundation, PROSEA Project Bogor.
- Ashraf M, Mueen-ud-Din M and Warraich N, 2003. Production efficiency of mung bean (*Vigna radiata* L.) as affected by seed inoculation and NPK application. *Int J Agric Biol* 5(2): 179–180
- Arshad M, Saleem M and Hussain S, 2007. Perspectives of bacterial ACC deaminase in phytoremediation. *Trends Biotechnol* 25: 356–362.
- Ashraf M and Akram NA, 2009. Improving salinity tolerance of plants through conventional breeding and genetic engineering: an analytical comparison. *Biotechnol Adv* 27: 744–752.
- Ashraf M and Foolad MR, 2007. Roles of glycine betaine and proline in improving plant abiotic stress resistance. *Environ Exp Bot* 59(2): 206-216.
- Ashraf M and Harris PJC, 2013. Photosynthesis under stressful environments: An overview. *Photosynthetica* 51(2): 163-190.
- Atlas MR, 2010. Handbook of Microbiological media. In: CRC press 4th ed, Taylor and Francis group, Boca Raton, New York.
- Babalola O and Glick BR, 2012. The use of microbial inoculants in African agriculture: current practice and future prospects. *J Food Agric Environ* 10: 540-549.
- Babalola OO, 2010. Beneficial bacteria of agriculture importance. *Biotechnol Lett* 32: 1559-1570.
- Babita M, Maheswari M, Rao LM, Shanker AK and Rao DG, 2010. Osmotic adjustment, drought tolerance and yield in castor (*Ricinus communis* L.) hybrids. *Environ Exp Bot* 69(3): 243-249.
- Bajji M, Kiner JM, Lutts S, 2002. The use of the electrolyte leakage method for assessing cell membrane stability as a water stress tolerance test in durum wheat. *Plant growth Reg* 36(1): 61-70.
- Baligar VC and Fageria NK, 2007. Agronomy and physiology of tropical cover crops. *J Plant Nutr* 30 (8): 1287-1339.
- Bano A, Batool R and Dazzo F, 2010. Adaptation of chickpea to desiccation stress is enhanced by symbiotic rhizobia. *Symbiosis* 50: 129-133.
- Polak-Barecka M, Wasko A, Szwajgier D, Chomaz A, 2013. Bifidogenic and Antioxidant Activity of Exopolysaccharides Produced by *Lactobacillus rhamnosus* E/N Cultivated on different Carbon Sources. *Pol J Microbiol* 62(2): 181-188.
- Barka EA, Nowak J and Clement C, 2006. Enhancement of chilling resistance of inoculated grapevine plantlets with a plant growth-promoting rhizobacterium, *Burkholderia phytofirmans* strain PsJN. *Appl Environ Microbiol* 72: 7246–7252.
- Baroowa B and Gogoi N, 2013. Biochemical changes in two *Vigna* spp. during drought and subsequent recovery. *Indian J Plant Physiol* 18(4): 319-325.

- Barry AL and Thornsberry C, 1980. Susceptibility testing: diffusion test procedures. In: Lennette EH, Balows A, Hausler W, Truant JP (Eds) Manual of Clinical Microbiology, 3rd ed, American Society for Microbiology, Washington DC, pp. 463–474.
- Basha SA, Sharma BK, Singh DP, Annapurna K and Singh UP, 2006. Differential methods of inoculation of plant growth-promoting rhizobacteria induce synthesis of phenylalanine ammonia-lyase and phenolic compounds differentially in chickpea. *Folia Microbiol* 51(5): 463-468.
- Bashan Y and de-Bashan LE, 2005. Bacteria/plant growth-promotion encyclopedia of soils in the environment, In: Hillel D (Ed) vol. 1. Elsevier, Oxford, pp. 103–115.
- Bashan Y, Alcaraz-Menendez L and Toledo G, 1992. Responses of soybean and cowpea root membranes to inoculation with *Azospirillum brasilense*. *Symbiosis* 13: 217–228.
- Basu PS and Ghosh AC, 2001. Production of indole acetic acid in cultures by a *Rhizobium* species from the root nodules of a monocotyledonous tree, *Roystonea regia*. *Acta Biotechnol* 21(1): 65-72.
- Bates LS, Waldren RP and Teare ID, 1973. Rapid determination of free proline for water-stress studies. *Plant Soil* 39 (1): 205-207.
- Batsoulis AN, Nacos MK, Pappas CS, Tarantilis PA, Mavromoustakos T and Polissiou MG, 2004. Determination of uronic acids in isolated hemicelluloses from kenaf using diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS) and the curve-fitting deconvolution method. *Appl Spectrosc* 58: 199–202.
- Bauer H, Ache P, Lautner S, Fromm J, Hartung W, Al-Rasheid Khaled AS, 2013. The stomatal response to reduced relative humidity requires guard cell-autonomous ABA synthesis. *Curr Biol* 23(1): 53–57.
- Beauchamp C and Fridovich I, 1971. Superoxide dismutase: improved assays and an assay applicable to acrylamide gels. *Anal Biochem* 44(1): 276–287.
- Becker A and Puhler A, 1998. Production of Polysaccharides. In: Spink HP, Kondorosi A, and Hooykaas PJJ (Eds), *The Rhizobiaceae: Molecular biology of model plant-associated bacteria*, Kluwer Academic Publishers, Norwell, MA, pp. 97-118.
- Beech I, Hanjagsit L, Kalaji M, Neal AL and Zinkevich V, 1999. Chemical and structural characterization of exopolymers produced by *Pseudomonas* sp. NCIMB 2021 in continuous culture. *Microbiol* 145: 1491–1497.
- Beijerinck MW, 1888. Cultur des Bacillus radicola aus den Knochen. *Bot Ztg* 46: 740–750.
- Belimov AA, Dodd IC, Hontzas N, Theobald JC, Safronova VI and Davies WJ, 2009. Rhizosphere bacteria containing 1-aminocyclopropane-1-carboxylate deaminase increase yield of plants grown in drying soil via both local and systemic hormone signalling. *New Phytologist* 181(2): 413–423.

- Romdhane SB, Aouani ME, Trabelsi M, De Lajudie P, Mhamdi R, 2007. Inefficient nodulation of chickpea (*Cicer arietinum* L.) in the arid and Saharan climates in Tunisia by *Sinorhizobium meliloti* biovar *medicaginis*. *Ann Microbiol* 57(1): 15-19.
- Benhizia Y, Benhizia H, Benguedouar A, Muresu R, Giacomini A, Squartini A, 2004. Gammaproteobacteria can nodulate legumes of the genus *Hedysarum*. *Syst Appl Microbiol* 27: 462–468.
- Berg G, 2009. Plant-microbe interactions promoting plant growth and health: perspectives for controlled use of microorganisms in agriculture. *Appl Microbiol Biotechnol* 84(1): 11-18.
- Bernaerts MJ and Deley J, 1963. A biochemical test for crown gall bacteria. *Nature* 197: 406-407.
- Bhat PG, Jacob RT and Pattabiraman TN, 1981. Enzyme inhibitors from plants: Enterokinase inhibitors in tubers and seeds. *J Biosci* 3(4): 371-377.
- Bhatt RM and Srinivasa Rao NK, 2005. Influence of pod load on response of okra to water stress. *Indian J Plant Physiol* 10: 54-59.
- Bhattacharya RN and Basu PS, 1992. Bioproduction of indole acetic acid by a *Rhizobium* sp. from root nodules of leguminous Climber, *Psophocarpus tetragonolobus* DC. *Ind J Exp Biol* 30: 632-635.
- Bhattacharyya PN and Jha DK, 2012. Plant growth-promoting rhizobacteria (PGPR): emergence in agriculture. *World J Microbiol Biotechnol* 28(4): 1327–1350.
- Bhattacharjee S, 2005. Reactive oxygen species and oxidative burst: roles in stress, senescence and signal transduction in plant. *Curr Sci* 89: 1113-1121.
- Biehler K and Fock H, 1996. Evidence for the contribution of the Mehler Peroxidase reaction in dissipating excess electrons in drought stressed wheat. *Plant Physiol* 112: 265-272.
- Biswas, JC, Ladha JK, Dazzo FB, 2000. Rhizobia inoculation improves nutrient uptake and growth of lowland rice. *Soil Sci Soc* 64: 1644–1650.
- Bleecker AB and Kende H, 2000. Ethylene: a gaseous signal molecule in plants. *Annu Rev Cell Dev Biol* 16: 1–18.
- Boken VK, 2005. Agricultural drought and its monitoring and prediction: some concepts. In: Boken VK, Cracknell AP, Heathcote RL (Eds), *Monitoring and predicting agricultural drought: a global study*, Oxford University Press, New York, USA, pp. 3-10.
- Boo YC and Jung J, 1999. Water deficit-induced oxidative stress and antioxidative defenses in rice plants. *J Plant Physiol* 155: 255-261.
- Borade VP, Kadam SS and Salunkhe DK, 1984. Changes in phytate, phosphorus and minerals during germination and cooking of horse gram and moth bean. *Plant Food Hum Nutr* 34(2): 151-157.

- Bosch A, Serra D, Prieto C, Schmitt J, Naumann D and Yantorno, 2006. Characterization of *Bordetella pertussis* growing as biofilm by chemical analysis and FT-IR spectroscopy. *Appl Microbiol Biotechnol* 71: 736–747.
- Bota J, Medrano H and Flexas J, 2004. Is photosynthesis limited by decreased Rubisco activity and RuBP content under progressive water stress? *New Phytologist* 162(3): 671-681.
- Bottini R, Cassan F and Piccoli P, 2004. Gibberellin production by bacteria and its involvement in plant growth promotion and yield increase. *Appl Microbiol Biotechnol*. 65: 497–503.
- Bouskill NJ, Wood TE, Baran R, Ye Z, Bowen BP, Lim H, Zhou J, Van Nostrand JD, Nico P, Northen TR, Silver WL and Brodie EL, 2016. Below ground response to drought in a tropical forest soil. I. changes in microbial functional potential and metabolism. *Front Microbiol* 7: 525.
- Bowler C and Fluhr R, 2000. The role of calcium and activated oxygens as signals for controlling cross-tolerance. *Trends Plant Sci* 5(6): 241-246.
- Bradford MM, 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* 72(1-2): 248-54.
- Bramhachari PV and Dubey SK, 2006. Isolation and characterization of exopolysaccharide produced by *Vibrio harveyi* strain VB23. *Lett Appl Microbiol* 43(5): 571-577.
- Bray EA, 1997. Plant responses to water deficit. *Trends Plant Sci* 2(2): 48-54.
- Bray EA, Bailey-Serres J and Weretilnyk E, 2000. Responses to Abiotic Stress. In: Buchanan BB, Gruissem W, Jones RL (Eds.), *Biochemistry and molecular biology of plants*, American Society of Plant Physiologists, pp. 1158-1203.
- Garrity GM, 2005. The proteobacteria. In: Brenner DJ, Krieg NR, Staley JT (Eds), *Bergey's manual of Systematic Bacteriology*, 2nd ed, vol 2, pp. 325-340.
- Bright J, Desikan R, Hancock JT, Weir IS and Neill SJ, 2006. ABA-induced NO generation and stomatal closure in *Arabidopsis* are dependent on H₂O₂ synthesis. *The Plant J* 45: 113-122.
- Brimecombe MJ, De Liej FA and Lynch JM, 2001. The effect of root exudates on rhizosphere microbial populations. In: Pinton R, Varanini Z, Nannipieri P (Eds), *The Rhizosphere*, Marcel Dekker, New York, pp. 95–140.
- Brown ME, 1972. Plant growth promoting substances produced by microorganisms of soil and rhizosphere. *J Appl Bacteriol* 35: 443-451.
- Buonassisi AJ, Copeman RJ, Pepin HS and Eaton GW, 1986. Effect of *Rhizobium* spp. on *Fusarium* f. sp. *phaseoli*. *Can J Plant Pathol* 8(2): 140-146.
- Burd GI, Dixon DG and Glick BR, 2000. Plant growth-promoting bacteria that decrease heavy metal toxicity in plants. *Can J Microbiol* 46: 237–245.

- Burdman S, Jurkevitch E, and Okon Y, 2000. Recent advances in the use of plant growth promoting rhizobacteria (PGPR) in agriculture, In: Subba Rao NS and Dommergues YR (Eds), *Microbial Interactions in Agriculture and Forestry Science Publishers*, Enfield pp. 229-250.
- Cacciari I, Lippi D, Pietrosanti T and Pietrosanti W, 1989. Phytohormone-like substances produced by single and mixed diazotrophic cultures of *Azospirillum* and *Arthrobacter*. *Plant Soil* 115: 151–153.
- Camerini S, Senatore B, Lonardo E, Imperlini E, Bianco C, Moschetti G, Rotino GL, Campion B and Defez R, 2008. Introduction of a novel pathway for IAA biosynthesis to rhizobia alters vetch root nodule development. *Arch Microbiol* 190: 67–77.
- Cappuccino JC and Sherman N, 1992. In: *Microbiology: A laboratory manual*, New York, pp. 125–179.
- Cappuccino JG and Sherman N, 2005. In: *Microbiology: A laboratory manual*. 7th ed. San Francisco: Benjamin Cummings.
- Cappuccino JG and Sherman N, 2008. *Microbiology A laboratory manual*, 8th ed. Pearson Benjamin Cummings, San Francisco, CA, USA.
- Cardenas L, Martinez A, Sanchez F and Quinto C, 2008. Fast, transient and specific intracellular ROS changes in living root hair cells responding to Nod factors (NFs). *Plant J* 56(5): 802–813.
- Cassan F, Bottini R, Schneider G and Piccoli P, 2001. *Azospirillum brasilense* and *Azospirillum lipoferum* hydrolyze conjugates of GA (20) and metabolize the resultant aglycones to GA (1) in seedlings of rice dwarf mutants. *Plant Physiol* 125(4): 2053–2058.
- Cassán F, Perrig D, Sgroy V, Masciarelli O, Penna C and Luna V, 2009. *Azospirillum brasilense* Az39 and *Bradyrhizobium japonicum* E109, inoculated singly or in combination, promote seed germination and early seedling growth in corn (*Zea mays* L.) and soybean (*Glycine max* L.). *Eur J Soil Biol* 45: 28–35.
- Castellane TCL, Persona MR, Campanharo JC and de Macedo Lemos EG, 2015. Production of exopolysaccharide from rhizobia with potential biotechnological and bioremediation applications. *Int J Biol Sci* 74: 515-522.
- Cerning J, Renard CMGC, Thibault JF, Buillanne C, Landon M, Desmazeaud M, and Topisirovic L, 1994. Carbon source requirements for exopolysaccharide production by *Lactobacillus casei* CG11 and partial structure analysis of the polymer. *Appl Environ Microbiol* 60: 3914-3919.
- Chahboune R, Barrijal S, Moreno S and Bedmar EJ, 2011. Characterization of *Bradyrhizobium* species isolated from root nodules of *Cytisus villosus* grown in Morocco. *Syst Appl Microbiol* 34(6): 440–445.

- Chakrabarti J, Chatterjee S, Ghosh S, Chatterjee NC and Dutta S, 2010. Synergism of VAM and *Rhizobium* on production and metabolism of IAA in roots and root nodules of *Vigna mungo*. *Curr Microbiol* 61(3): 203-209.
- Chakraborty D and Mandal M, 2008. Fractional changes in phenolic acids composition in root nodules of *Arachis hypogea* L. *Plant Growth Regul* 55: 159–163.
- Chao LW, 1990. Antagonistic activity of *Rhizobium* spp. against beneficial and plant pathogenic fungi. *Lett Appl Microbiol* 10: 213-215.
- Chatterge A and Satyesh C, 1992. The Treatise of Indian medicine, CSIR publication, New Delhi, 2: 128-129
- Chen Q, Zhang M and Shen S, 2010. Effect of salt on malondialdehyde and antioxidant enzymes in seedling roots of Jerusalem artichoke (*Helianthus tuberosus* L.). *Acta Physiol Plant* 33(2): 273–278.
- Chen WX, Yan GH and Li JL, 1988. Numerical taxonomic study of fast-growing soybean rhizobia and proposal that *Rhizobium fredii* be assigned to *Sinorhizobium* gen. nov. *Int J Syst Evol Microbiol* 38(4): 392–397.
- Chen YP, Rekha PD, Arun AB, Shen FT, Lai WA and Young CC, 2006. Phosphate solubilizing bacteria from subtropical soil and their tricalcium phosphate solubilizing abilities. *Appl Soil Ecol* 34: 33–41.
- Cheng HP and Walker GC, 1998. Succinoglycan is required for initiation and elongation of infection threads during nodulation of alfalfa by *Rhizobium meliloti*. *J Bacteriol* 180: 5183–5191.
- Chenu C and Roberson EB, 1996. Diffusion of glucose in microbial extracellular polysaccharide as affected by water potential. *Soil Biol Biochem* 28:877–884.
- Ciais Ph, Reichstein M, Viovy N, Granier A, Ogee J, Allard V, Aubinet M, Buchmann N, Bernhofer Chr, Carrara A, Chevallier F, De Noblet N, Friend AD, Friedlingstein P, Grunwald T, Heinesch B, Keronen P, Knohl A, Krinner G, Loustau D, Manca G, Matteucci G, Miglietta F, Ourcival JM, Papale D, Pilegaard K, Rambal S, Seufert G, Soussana JF, Sanz MJ, Schulze ED, Vesala T and Valentini R, 2005. Europe-wide reduction in primary productivity caused by heat and drought in 2003. *Nature* 437: 529-533.
- Cipollone R, Frangipani E, Tiburzi F, Imperi F, Ascenzi P, and Visca P, 2007. Involvement of *Pseudomonas aeruginosa* rhodanese in protection from cyanide toxicity. *Appl Environ Microbiol* 73: 390-398.
- Cleyet-Marcel JC, Larcher M, Bertrand H, Rapior S and Pinochet X, 2001. Plant growth enhancement by rhizobacteria. In: MorotGaudry JF (Ed), Nitrogen assimilation by plants: physiological, biochemical and molecular aspects. Science Publishers, Plymouth, 185–197.

- Cohen AC, Bottini R and Piccoli PN, 2008. *Azospirillum brasilense* Sp 245 produces ABA in chemically-defined culture medium and increases ABA content in *Arabidopsis* plants. *Plant Growth Regul* 54: 97–103.
- Coletto I, Pineda M, Rodiño AP, De Ron AM and Alamillo JM, 2011. Comparison of inhibition of N₂ fixation and ureide accumulation under water deficit in four common bean genotypes of contrasting drought tolerance. *Ann Bot* 113 (6): 1071-1082.
- Collavino MM, Sansberro PA, Mroginski LA and Aguilar OM, 2010. Comparison of solubilization activity of diverse phosphate solubilizing bacteria native to acid soil and their ability to promote *Phaseolus Vulgaris* growth. *Biol fertil Soils* 46: 727–738.
- Collins AR, 2001. Carotenoids and genomic stability: A review. *Mut Res Fund Mol Mech Mut* 475(1): 21-28.
- Creissen GP, Broadbent P, Kular B, Reynolds H, Wellburn AR and Mullineaux PM, 1994. Manipulation of glutathione reductase in transgenic plants: implications for plants responses to environmental stress. *Proceedings of the Royal Society of Edinburgh. Section B, Biol Sci* 102: 167-175.
- Creus CM, Graziano M, Casanovas EM, Pereyra MA, Simontacchi M, Puntarulo S, Barassi CA and Lamattina L, 2005. Nitric oxide is involved in the *Azospirillum brasilense* induced lateral root formation in tomato. *Planta* 221: 297–303.
- Creus CM, Sueldo RJ, and Barassi CA, 2004. Water relations and yield in *Azospirillum* inoculated wheat exposed to drought in the field. *Can J Bot* 82: 273-281.
- Crosa JH and Walsh CT, 2002. Genetics and assembly line enzymology of siderophore biosynthesis in bacteria. *Microbiol Mol Biol Rev* 66(2): 223-249.
- Crowley DE and Kraemer SM, 2007. Function of siderophores in the plant rhizosphere. In: Pinton R et al., (Eds), *The Rhizosphere, Biochemistry and Organic Substances at the Soil-Plant Interface*, 2nd ed, CRC Press, pp. 73–109.
- Crowley DE, 2006. Microbial siderophores in the plant rhizospheric. In: Barton LL and Abadía J (Eds), *Iron Nutrition in Plants and Rhizospheric Microorganisms*. Springer, Dordrecht, pp. 169-198.
- D’Haeze W, Glushka J, De Rycke R, Holsters M and Carlson RW, 2004. Structural characterization of extracellular polysaccharides of *Azorhizobium caulinodans* and importance for nodule initiation on *Sesbania rostrata*. *Mol Microbiol* 52: 485-500.
- D’Souza-Ault MR, Smith LT and Smith GM, 1993. Roles of N acetylglutaminylglutamine amide and glycine betaine in adaptation of *Pseudomonas aeruginosa* to osmotic stress. *Appl Env Microbiol* 59:473–478.
- Dakora FD, 1995. Plant flavonoids: biological molecules for useful exploitation. *Aust J Plant Physiol* 22:7–99.
- Dakora FD, 2003. Defining new roles for plant and rhizobial molecules in sole and mixed plant cultures involving symbiotic legumes. *New Phytol* 158: 39–49.

- Dalla Via VD, Zanetti ME and Blanco F, 2016. How legumes recognize rhizobia. *Plant Signal Behav* 11(2): e1120396.
- Daryanto S, Wang L and Jacinthe PA, 2016. Global synthesis of drought effects on Maize and Wheat production. *PLOS ONE journal.pone* 11(5): e0156362.
- Dat J, Vandenabeele S, Vranová E, Van Montagu M, Inze D and Van Breusegem F, 2000. Dual action of the active oxygen species during plant stress responses. *Cell Mol Life Sci* 57: 779–795.
- Datta C and Basu P, 1997. Connect of Indole Acetic Acid and its metabolism in root nodules of *Cajanus cajan* (Linn). Mill sp. *Plant Physiol Biochem* 24: 71-74.
- Datta C and Basu P, 2000. Indole acetic acid production by a *Rhizobium* species from root nodules of a leguminous shrub *Cajanus cajan*. *Microbiol Res* 155: 123 – 127.
- Datta C and Basu PS, 1999. Production of extracellular polysaccharides by a *Rhizobium* species from root nodules of *Cajanus cajan*. *Acta Biotechnol* 19: 59-68.
- Datta SK, 2002. Recent developments in transgenics for abiotic stress tolerance in rice. Japan International Research Centre for Agricultural Sciences, Working Report 43: 53.
- de Bruijn I, de Kock MJD, Yang M, de Waard P, van Beek TA and Raaijmakers JM, 2007. Genome-based discovery, structure prediction and functional analysis of cyclic lipopeptide antibiotics in *Pseudomonas* species. *Mol Microbiol* 63: 417-428.
- de Garcia Salamone IE, Hynes RK and Nelson LM, 2001. Cytokinin production by plant growth promoting rhizobacteria and selected mutants. *Can J Microbiol* 47: 404–411.
- de Lajudie P, Laurent-Fulele E, Willems A, Torck U, Coopman R, Collins M D, Kersters K, Dreyfus B and Gillis M 1998a. *Allorhizobium undicola* gen. nov., sp. nov., nitrogen-fixing bacteria that efficiently nodulate *Neptunia natans* in Senegal. *Int J Syst Bacteriol* 48: 1277–1290.
- De Lajudie P, Willems A, Nick G, Mohamed SH, Torck U, Coopman R, Filali-Maltouf A, Kersters K, Dreyfus B, Lindstrom K, Gillis M, 1999. *Agrobacterium* bv.1 strains isolated from nodules of tropical legumes. *Syst Appl Microbiol* 22(1): 119–132.
- De Ley J and Rassel A, 1965. DNA base composition, flagellation and taxonomy of the genus *Rhizobium*. *J Gen Microbiol* 41: 85–91.
- de Oliveira Longatti SM, Marra LM and de Souza Moreira FM, 2013. Evaluation of plant growth-promoting traits of *Burkholderia* and *Rhizobium* strains isolated from amazon soils for their co-inoculation in common bean. *Afr J Microbiol Res* 7(11): 948-959.
- De PS and Basu PS, 1996. Production of extracellular polysaccharides by a *Rhizobium* species from the root nodules of *Tephrosia purpurea* Pers. *Acta Biotechnol* 16: 155-162.
- De Ronde JA, Van Der Mescht A and Steyn HSF, 2000. Proline accumulation in response to drought and heat stress in cotton. *Afr Crop Sci J* 8: 85-92.
- De Smet I, Zhang H, Inzé D, Beeckman T, 2006. A novel role for abscisic acid emerges from underground. *Trends Plant Sci* 11: 434–439.

- de Souza AM and Sutherland IW, 1994. Exopolysaccharide and storage polymer production in *Enterobacter aerogenes* type 8 strains. *J Appl Bacteriol* 76: 463-468.
- De Vos CHR, Schat H, Vooijs R and Ernst WHO, 1989. Copper-induced damage to the permeability barrier in roots of *Silene cucubalus*. *J Plant Physiol* 135: 164-179.
- Dean DR and Jacobson MR, 1992. Biochemical genetics of nitrogenase. In: Stacey G, Burris RH, Evans HJ (Eds), *Biological Nitrogen Fixation*. Chapman and Hall, New York, pp. 763–834.
- de-Bashan LE, Hernandez JP and Bashan Y, 2012. The potential contribution of plant growth-promoting bacteria to reduce environmental degradation a comprehensive evaluation. *Appl Soil Ecol* 61: 171–189.
- Degeest B and De Vuyst L, 2000. Correlation of activities of the enzymes α -phosphoglucomutase, UDP-galactose 4-epimerase, and UDP-glucose pyrophosphorylase with exopolysaccharide biosynthesis by *Streptococcus thermophilus* LY03. *Appl and Environ Microbiol* 66: 3519-3527.
- Delic D, Stajkovic O, Rasulic N, Kuzmanovic D, Josic D and Milicic B, 2010. Nodulation and N₂ fixation effectiveness of *Bradyrhizobium* strains in symbiosis with Adzuki Bean, *Vigna angularis*. *Braz Arch Biol Technol* 53(2): 293-299.
- Delvasto P, Valverde A, Ballester A, Munoz JA, Gonzalez F, Blazquez ML, Igual JM, Garcia-Balboa C, 2008. Diversity and activity of phosphate bioleaching bacteria from a high-phosphorus iron ore. *Hydrometallurgy* 92: 124–129.
- Dey R, Pal KK and Tilak KVBR, 2005. Interaction of plant growth promoting rhizobacteria and AM fungi: Present status and future prospects. In: Podila GK and Verma A (Eds): *Basic research and application of Mycorrhizae*, Int Pub.Pvt Ltd. New Delhi, pp. 83-110.
- Dimkpa C, Weinand T and Asch F, 2009. Plant–rhizobacteria interactions alleviate abiotic stress conditions. *Plant Cell Environ* 32(12): 1682-1694.
- Dobbelaere S and Okon Y, 2007. The plant growth promoting effects and plant responses. In: Elmerich C & Newton WE (Eds), *Associative and endophytic nitrogen-fixing bacteria and cyanobacterial associations*, Springer-Verlag, Heidelberg, pp. 145–170.
- Dobbelaere S, Croonenborghs A, Thys A, Vande Broek A and Vanderleyden J, 1999. Phytostimulatory effect of *Azospirillum brasilense* wild type and mutant strains altered in IAA production on wheat. *Plant Soil* 212: 155–164.
- Dobbelaere S, Vanderleyden J and Okon Y, 2003. Plant growth-promoting effects of diazotrophs in the rhizosphere. *Crit Rev Plant Sci*. 22:107–149.
- Dodd IC, Zinovkina NY, Safronova VI and Belimov AA, 2010. Rhizobacterial mediation of plant hormone status. *Ann Appl Biol* 157: 361–379.

- Donot F, Fontana A, Baccou JC and Schorr Galindo S, 2012. Microbial exopolysaccharides: Main examples of synthesis, excretion genetics and extraction. *Carbohydr polym* 87: 951-962.
- Dosselaere F and Vanderleyden J, 2001. A metabolic node in action: chorismate-utilizing enzymes in microorganisms. *Crit Rev Microbiol* 27: 75–131.
- Downie JA, 2010. The roles of extracellular proteins, polysaccharides and signals in the interactions of rhizobia with legume roots. *FEMS Microbiol Rev* 34: 150–170.
- Dreyfus B, Garcia J L and Gillis M, 1988. Characterization of *Azorhizobium caulinodans* gen. nov., sp. nov., a stem nodulating nitrogen-fixing bacterium isolated from *Sesbania rostrata*. *Int J Syst Evol Microbiol* 38(1): 89–98.
- Drought in India: challenges and initiatives; PACS (poorest areas civil society) programme 2001-2008.
- Dudman WF, 1976. The extracellular polysaccharides of *Rhizobium japonicum*: Compositional studies. *Carbohydr Res* 46: 97–110.
- Duta FP, de Franca FP and de Almeida Lopes LM, 2006. Optimization of culture conditions for exopolysaccharide production in *Rhizobium* sp. using the response surface method. *Electronic J Biotechnol* 9: 391-399.
- Egamberdieva D, Kamilova F, Validov S, Gafurova L, Kucharova Z and Lugtenberg B, 2008. High incidence of plant growth-stimulating bacteria associated with the rhizosphere of wheat grown on salinated soil in Uzbekistan. *Environ Microbiol* 10: 1–9.
- El-Deeb B, Bazaid S, Gherbawy Y and Elhariry H, 2012. Characterization of endophytic bacteria associated with rose plant (*Rosa damascena trigintipeta*) during flowering stage and their plant growth promoting traits. *J Plant Interact* 7: 248–253.
- El-Deeb B, Fayez K and Gherbawy Y, 2013. Isolation and characterization of endophytic bacteria from *Plectranthus tenuiflorus* medicinal plant in Saudi Arabia desert and their antimicrobial activities. *J Plant Interact* 8: 56–64.
- Elstner EF, 1991. Mechanisms of oxygen activation in different compartments of plant cells In: Pell EJ, Steffen KL and Rockville MD (Eds), *Active oxygen/oxidative stress and plant metabolism*, American Soc, Plant Physiol pp. 13-25.
- Erdal S and Dumlupinar R, 2010. Mammalian sex hormones stimulate antioxidant system and enhance growth of chickpea plants. *Acta Physiol Plant* 33(3): 1011-1017.
- Erskine W and Saxena NP, 2003. Prospects of genetic improvement of grain legumes for drought resistance. *Management of agricultural drought: agronomic and genetic options*, Science Publishers Inc, Enfield, pp. 81-88.
- Esaka M, Yamada N, Kitabayashi M, Setoguchi Y, Tsugeki R, Kondo M and Nishimura M, 1997. cDNA cloning and differential gene expression of three catalases in pumpkin. *Plant Mol Biol* 33(1): 141–155.

- Esfandiari E, Enayati V and Abbasi A, 2011. Biochemical and physiological changes in response to salinity in two durum wheat (*Triticum turgidum* L.) genotypes. *Not Bot Horti Agrobot Cluj-Napoca* 39(1): 165-170.
- Farooq M, Wahid A, Kobayashi N, Fujita D and Basra SMA, 2009. Plant drought stress: effects, mechanisms and management. In: *Sustainable agriculture*, Springer Netherlands, pp. 153-188.
- Fening JO and Danso SKA, 2002. Variation in symbiotic effectiveness of cowpea *Bradyrhizobia* indigenous to Ghanaian soils. *Appl Soil Ecol* 21: 23–29.
- Fernandes JR PI, de Oliveira PJ, Ramjanek NG and Xavier GR, 2011. Polyβ hydroxybuterate and exopolysaccharide biosynthesis by bacterial isolates from *Pegionpea* (*Cajanus cajan* (L.) Millsp.) root nodules. *Appl Biochem Biotechnol* 163(4): 473-484.
- Fery FL, 2002. New opportunities in *Vigna*. In: Janick J and Whipkey A (Eds), *Trends in new crops and new uses*. ASHS Press, Alexandria, VA: 424-428.
- Figueiredo MVB, Burity HA, Martiez CR and Chanway CP, 2008. Alleviation of drought stress in the common bean (*Phaseolus vulgaris* L.) by co-inoculation with *Paenibacillus polymyxa* and *Rhizobium tropici*. *Appl Soil Eco* 40(1): 182-188.
- Figueiredo MVB, Martinez CR, Burity HA, Chanway CP, 2008. Plant growth-promoting rhizobacteria for improving nodulation and nitrogen fixation in the common bean (*Phaseolus vulgaris* L.). *World J Microbiol Biotechnol* 24(7): 1187-1193.
- Fitouri SD, Trabelsi D, Saidi S, Zribi K, Jeddi FB and Mhamdi R, 2012. Diversity of rhizobia nodulating sulla (*Hedysarum coronarium* L.) and selection of inoculant strains for semi-arid Tunisia. *Ann Microbiol* 62: 77–84.
- Flemming HC and Wingender J, 2010. The biofilm matrix: A review. *Nat Rev Microbiol* 8(9):623–633.
- Foreman J, Demidchik V, Bothwell JH, Mylona P, Miedema H, Torres MA, Linstead P, Costa S, Brownlee C, Jones JD, Davies JM and Dolan L, 2003. Reactive oxygen species produced by NADPH oxidase regulate plant cell growth. *Nature* 422: 442-446.
- Foyer CH and Fletcher JM, 2001. Plant antioxidants: colour me healthy. *Biologist* 48(3): 115-20.
- Foyer CH and Noctor G, 2005. Redox homeostis and antioxidant signaling: a metabolic interface between stress perception and physiological responses. *Plant Cell* 17(7): 1866-1875.
- Frank B 1889 Ueber die Pilzsymbiose der Leguminosen. *Ber Deut Bot Ges* 332–346.
- Fred EB, Baldwin IL and McCoy E, 1932. Root nodule bacteria and leguminous plants. In: *University of Wisconsin Studies in Science*, Number 5. University of Wisconsin Press, Madison.
- Fujishige NA, Kapadia NN, De Hoff PL and Hirsch AM, 2006. Investigations of *Rhizobium* biofilm formation. *FEMS Microbiol Ecol* 56: 195–206.

- Fuller DQ and Harvey EL, 2006. The archaeobotany of Indian pulses: identification processing and evidence for cultivation. *Environ Archaeol* 11(2): 241–268.
- Gao XP, Yan JY, Liu EK, Shen YY, Lu YF and Zhang DP, 2004. Water stress induces in pear leaves the rise of betaine level that is associated with drought tolerance in pear. *J Horticult Sci Biotechnol* 79(1): 114-118.
- Garg N and Manchanda G, 2009. Role of arbuscular mycorrhizae in the alleviation of ionic, osmotic and oxidative stresses induced by salinity in *Cajanus cajan* (L.) Millsp. (pigeonpea). *J Agron Crop Sci* 195(2): 110–123.
- Garg V, Kukreja K, Gera R and Singla A, 2015. Production of indole-3-acetic acid by berseem (*Trifolium alexandrinum* L.) rhizobia isolated from Haryana, India. *Agric Sci Dig* 35 (3): 229-232.
- Gaur AC, 1990. Physiological functions of phosphate solubilising micro-organisms. In: Gaur AC (Eds), *Phosphate solubilizing micro-organisms as biofertilizers*. Omega Scientific Publishers, New Delhi, pp. 16–72.
- George CE and Ethinger JM, 1941. Utilization of Carbohydrates and sugar acids by Rhizobia. *J Bacteriol* 41: 323-340.
- George P, Gupta A, Gopal M, Thomas L and Thomas GV, 2013. Multifarious beneficial traits and plant growth promoting potential of *Serratia marcescens* KiSII and *Enterobacter* sp. RNF 267 isolated from the rhizosphere of coconut palms (*Cocos nucifera* L.). *World J Microbiol Biotechnol* 29: 109–117.
- Ghanem RA, Smith JL and Vandemark GJ, 2013. Diversity of *Rhizobium leguminosarum* from Pea Fields in Washington State. *Soil Sci* 1-7.
- Gharzouli R, Carpenne MA, Couderc F, Benguedouar A and Poinso V, 2013. Relevance of fuctose-rich extracellular polysaccharides produced by *Rhizobium sllae* strains nodulating *Hedysarum coronarium* L. legumes. *Appl Environ Microbiol* 79 (6): 1764-1776.
- Ghosh AC and Basu PS, 2002. Growth behaviour and bioproduction of indole acetic acid by a *Rhizobium* sp. from root nodules of leguminous tree *Dalbergia lanceolaria*. *Indian J Exp Biol* 40(7): 796- 801.
- Ghosh AC, Ghosh S and Basu PS, 2005. Production of extracellular polysaccharide by a *Rhizobium* species from root nodules of the leguminous tree *Dalbergia lanceolaria*. *Eng Life Sci* 5(4): 378-382.
- Ghosh PK, De TK and Maiti TK, 2015. Production and metabolism of indole acetic acid in root nodules and symbiont (*Rhizobium undicola*) isolated from root nodule of aquatic medicinal legume *Neptunia oleracea* Lour. *J Bot* 1-11.
- Ghosh S, Ghosh P, Saha P and Maiti T, 2011. The extracellular polysaccharide produced by *Rhizobium* sp. isolated from the root nodules of *Phaseolus mungo*. *Symbiosis* 53(2): 75-81.

- Ghosh S, Sengupta C, Maiti TK and Basu PS, 2008. Production of 3-Indolylacetic acid in root nodules and culture by a *Rhizobium* species isolated from root nodules of the leguminous pulse *Phaseolus mungo*. *Folia Microbiol* 53(4): 351-355.
- Gill SS and Tuteja N, 2010. Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants: A review. *Plant Physiol Biochem* 48: 909-930.
- Gil-Serrano A, del Junco AS, Tejero-Mateo P, Megias M, and Caviedes MA, 1990. Structure of the extracellular polysaccharide secreted by *Rhizobium leguminosarum* var. *phaseoli* CIAT 899. *Carbohydr Res*, 204: 103-107.
- Giordano W and Hirsch AM, 2004. The expression of MaEXP1, a *Melilotus alba* expansion gene, is upregulated during the sweet clover-*Sinorhizobium meliloti* interaction. *Mol Plant-Microb Interact* 17(6): 613-622.
- Girish TK, Pratapa VM and Prasada Rao UJS, 2012. Nutrient distribution, phenolic acid composition, antioxidant and alpha-glucosidase inhibitory potentials of black gram (*Vigna mungo* L.) and its milled by-products. *Food Res Int* 46(1): 370-377.
- Glick BR, 2005. Modulation of plant ethylene levels by the bacterial enzyme ACC deaminase. *FEMS Microbiol Lett* 251: 1-7.
- Glick BR, 2012. *Plant Growth-Promoting Bacteria: Mechanisms and Applications*. Scientifica.
- Glick BR, 2014. Bacteria with ACC deaminase can promote plant growth and help to feed the world. *Microbiol Res* 169(1): 30-9.
- Glick BR, Cheng Z, Czarny J and Duan J, 2007. Promotion of plant growth by ACC deaminase-producing soil bacteria. *Eur J Plant Pathol* 119: 329-339.
- Glick BR, Penrose DM and Li JP, 1998. A model for the lowering of plant ethylene concentrations by plant growth-promoting bacteria. *J Theor Biol* 190(1): 63-68.
- Glick BR, Todorovic B, Czarny J, Cheng Z, Duan J and McConkey B, 2007. Promotion of plant growth by bacterial ACC deaminase. *Crit Rev Plant Sci* 26: 227-242.
- Glick, BR 2014. Bacteria with ACC deaminase can promote plant growth and help to feed the world. *Microbiol Res* 169(1): 30-9.
- Glickmann E and Dessaux Y, 1995. A critical examination of the specificity of the salkowski reagent for indole compounds produced by phytopathogenic bacteria. *Appl Environ Microbiol* 61: 793-796.
- Goldstein AH, 1986. Bacterial solubilization of microbial phosphates: a historical perspective and future prospects. *Am J Alternative Agr* 1(2): 51-57.
- Gong HJ, Zhu XY, Chen KM, Wang SM and Zhang CL, 2005. Silicon alleviates oxidative damage of wheat plants in pots under drought. *Plant Sci* 169(2): 313-321.
- Gonzalez-Gallego J, Sanchez-Campos S and Tunon MJ, 2007. Anti-inflammatory properties of dietary flavonoids. *Nutr Hosp* 22(3): 287-293.

- Gopala Krishna AG, Prabhakar JV and Aitzetmuller K, 1997. Tocopherol and fatty acid composition of some Indian pulses. *J American Oil Chemist's Society* 74(12): 1603-1606.
- Goyal and Khan, 2010. Induced mutagenesis in urdbean (*Vigna mungo* L. Hepper): A review. *Int J Bot* 6(3): 194-206.
- Graham PH and Parker CA, 1964. Diagnostic features in the characterization of the root nodule bacteria of legumes. *Plant Soil* 383-395.
- Graham PH and Vance CP, 2003. Legumes: Importance and constraints to greater use. *Plant Physiol* 131(3): 872-877.
- Graham PH, 1963. Antibiotic sensitivities of the root nodule bacteria. *Aust J Biol Sci* 16: 557-559.
- Graham PH, 1998. Symbiotic nitrogen fixation. In: Sylvia D et al., (Eds), *Principles and applications of soil microbiology*. Prentice Hall, UK, pp. 325-347.
- Gratao PL, Polle A, Lea PJ and Azevedo RA, 2005. Making the life of heavy metal stressed plants a little easier. *Funct Plant Biol* 32(6): 481-494.
- Gray EJ and Smith DL, 2005. Intracellular and extracellular PGPR: commonalities and distinctions in the plant-bacterium signalling processes. *Soil Biol Biochem* 37(3): 395-412.
- Gray JX and Rolfe BG, 1990. Exopolysaccharide production in *Rhizobium* and its role in invasion. *Mol Microbiol* 4(9): 1425-1431.
- Guan L and Scandalios JG, 1996. Molecular evolution of maize catalases and their relationship to other eukaryotic and prokaryotic catalases. *J Mol Evol* 42(5): 570-579.
- Gururani MA, Upadhyaya CP, Baskar V, Venkatesh J, Nookaraju A and Park SW, 2013. Plant growth promoting rhizobacteria enhance abiotic stress tolerance in *Solanum tuberosum* through inducing changes in the expression of ROS scavenging enzymes and improved photosynthetic performance. *J plant growth Regul* 32: 245-258.
- Gusain YS, Singh US and Sharma AK, 2015. Bacterial mediated amelioration of drought stress in drought tolerant and susceptible cultivars of rice (*Oryza sativa* L.). *Afr J Biotechnol* 14(9): 764-773.
- Gutierrez-Manero FJ, Ramos-Solano B, Probanza A, Mehouchi J, Tadeo FR and Talon M, 2001. The plant-growth promoting rhizobacteria *Bacillus pumilus* and *Bacillus licheniformis* produce high amounts of physiologically active gibberellins. *Physiol Plant* 111: 206-211.
- Gwata ET, Wofford SD, Boote JK and Mushoriwa H, 2003. Determination of effective nodulation in early juvenile soybean plants for genetic and biotechnology studies. *Afr J Biotechnol* 2: 417-420.
- Halder AK and Chakrabarty PK, 1993. Solubilization of inorganic phosphate by *Rhizobium*. *Folia Microbiol* 38: 325-330.

- Halliwell B and Gutteridge JMC, 2000. Free radicals in biology and medicine. In: Oxford University Press, 4th ed, Oxford, UK.
- Halliwell B, 2006. Reactive species and antioxidants. Redox biology is a fundamental theme of aerobic life. *Plant Physiol* 141(2): 312-322.
- Han HN and Lee KD, 2005. Plant growth promoting rhizobacteria: effect on antioxidant status, photosynthesis, mineral uptake and growth of lettuce under soil salinity. *Res J Agric Biol Sci* 1(3): 210-215.
- Hao X, Taghavi S, Xie P, Orbach MJ, Alwathnani HA, Rensing C and Weia G, 2014. Phytoremediation of heavy and transition metals aided by legume-rhizobia symbiosis. *Int J Phytoremediation* 16 (2): 179-202.
- Hartel PG and Alexander M, 1986. Role of extracellular polysaccharide production and clays in the desiccation tolerance of cowpea Bradyrhizobia. *Soil Sci Am J* 50(5): 1193–1198.
- Hasanuzzaman M, Nahar K, Gill SS and Fujita M, 2013. Drought stress responses in plants, oxidative stress, and antioxidant defense, in climate change and plant abiotic stress tolerance, Tuteja N and Gill SS (Eds), Wiley-VCH Verlag GmbH and Co. KGaA, Weinheim, Germany.
- Hayat R, Ali S, Amara U, Khalid R and Ahmed I, 2010. Soil beneficial bacteria and their role in plant growth promotion: A review. *Ann Microbiol* 60(4): 579–598.
- He M and Dijkstra FA, 2014. Drought effect on plant nitrogen and phosphorus: a meta-analysis. *New Phytol* 204(4): 924-931.
- He'rouart D, Sigaud S, Moreau S, Frenedo P, Touati D and Puppo A, 1996. Cloning and characterization of the *katA* gene of *Rhizobium meliloti* encoding a hydrogen peroxide-inducible catalase. *J Bacteriol* 178: 6802–6809.
- Heidari M and Golpayegani A, 2012. Effects of water stress and inoculation with plant growth promoting rhizobacteria (PGPR) on antioxidant status and photosynthetic pigments in basil (*Ocimum basilicum* L.). *J Saudi Soc Agric Sci* 11(1): 57-61.
- Hemavathi, Upadhyaya CP, Nookaraju A, Young KE, Chun SC, Kim DH and Park SW, 2010. Enhanced ascorbic acid accumulation in transgenic potato confers tolerance to various abiotic stresses. *Biotechnol Lett* 32: 321–330.
- Herouart D, Baudouin E, Frenedo P, Harrison J, Santos R, Jamet A, Van de Sype G, Touati D and Puppo A, 2002. Reactive oxygen species, nitric oxide and glutathione: a key role in the establishment of the legume-*Rhizobium* symbiosis. *Plant Physiol Biochem*, 40(6): 619–624.
- Hollander-Czytko H, Grabowski J, Sandorf I, Weckermann K and Weiler EW, 2005. Tocopherol content and activities of tyrosine aminotransferase and cystine lyase in *Arabidopsis* under stress conditions. *J Plant Physiol* 162(7): 767-770.
- Hossain D and Solaiman ARM, 2004. Performance of mungbean varieties as affected by *Rhizobium* inoculants. *Bull Institute Trop Agricult* 27: 35-43.

- Hussain A and Hasnain S, 2009. Cytokinin production by some bacteria: its impact on cell division in cucumber cotyledons. *Afr J Microbiol Res* 3: 704–712.
- Hussain F, Malik AU and Haji MA, 2011. Growth and yield response of two cultivars of mungbean (*Vigna radiata* L.) to different potassium levels. *J Animal Plant Sci* 21(3): 622-625.
- Ielpi L, Couso RO and Dankert MA, 1981. Xanthan gum biosynthesis: pyruvic acid residues are transferred from phosphoenolpyruvate to the pentasaccharides-P-P-lipid. *Biochem Biophys Res Commun* 102(4): 1400-1408.
- Igamberdiev AU, Seregelyes C, Manac N and Hill RD, 2004. NADH-dependent metabolism of nitric oxide in alfalfa root cultures expressing barley haemoglobin. *Planta* 219(1): 95–102.
- Illmer H and Schinner F, 1995. Solubilization of inorganic calcium phosphate solubilization mechanisms. *Soil Biol Biochem* 27(3): 257–263.
- Illmer P and Schinner F, 1992. Solubilization of inorganic phosphates by microorganisms isolated from forest soil. *Soil Biol Biochem* 24(4): 389–395.
- Imen H, Neila A, Adnane B, Manel B, Mabrouk Y, Saidi M and Bouaziz S, 2015. Inoculation with phosphate solubilizing *Mesorhizobium* Strains improves the performance of Chickpea (*Cicer aritenium* L.) under phosphorus deficiency. *J Plant Nutri* 38(11): 1656-1671.
- Isaac DH, 1985. Bacterial polysaccharides. In: Atkis EDT (Eds), polysaccharides: Topics in structure and morphology, VCH Publishers, Weinheim, Germany, pp. 141-184.
- Islam F, Yasmeen T, Arif MS, Ali S, Ali B, Hameed S and Zhou W, 2016. Plant growth promoting bacteria confer salt tolerance in *Vigna radiata* by up-regulating antioxidant defense and biological soil fertility. *Plant Growth Reg* 80: 23-36.
- Jackson ML, 1967. Soil chemical analysis. Prentice Hall, New Delhi, India, pp. 205.
- Jadhav RN, 2013. Isolation of Rhizobia from soybean cultivated in latur area and study of its phosphate solubilisation activity. *Biosci Discov* 4(1): 100-103.
- Jaiswal A, 2012. Studies on abiotic stress related biochemical, physiological and molecular parameters in *Lepidium latifolium* and *Chenopodium album*. Ph.D. Thesis. Department of Bioscience & Biotechnology, Banasthali University, Banasthali Rajasthan.
- Jaleel CA, Manivannan P, Wahid A, Farooq M, Somasundaram R and Panneerselvam R, 2009. Drought stress in plants: A review on morphological characteristics and pigments composition. *Int J Agri Biol* 11: 100-105.
- Jamet A, Mandon K, Puppo A and Herouart D, 2007. H₂O₂ is required for optimal establishment of the *Medicago sativa*/*Sinorhizobium meliloti* symbiosis. *J Bacteriol* 189: 8741–8745.

- Janczarek M and Rachwał K, 2013. Mutation in the pssA gene involved in exopolysaccharide synthesis leads to several physiological and symbiotic defects in *Rhizobium leguminosarum* bv. trifolii. *Int J Mol Sci* 14(12): 23711–23735.
- Janczarek M, Rachwał K, Marzec A, Grządziel J, Palusinska-Szys M, 2015. Signal molecules and cell-surface components involved in early stages of the legume-*Rhizobium* interactions. *Appl Soil Ecol* 85: 94–113.
- Jansen PCM, 2006. *Vigna mungo* (L.) Hepper. Record from Protabase. Brink M and Belay G (Eds). PROTA (Plant Resources of Tropical Africa / Ressources vegetales de l’Afrique tropicale), Wageningen, Netherlands.
- Jarvis BDW, van Berkum P, ChenWX, Nour SM, Fernandez MP, Cleyet-Marel J C and Gillis M, 1997. Transfer of *Rhizobium loti*, *Rhizobium huakuii*, *Rhizobium ciceri*, *Rhizobium mediterraneum* and *Rhizobium tianshanense* to *Mesorhizobium* gen. nov. *Int J Syst Evol Microbiol* 47(3): 895–898.
- JaszekM, JanczarekM, Kuczyński K, Piersiak T and Grzywnowicz K, 2014. The response of the *Rhizobium leguminosarum* bv. trifolii wild-type and exopolysaccharide-deficient mutants to oxidative stress. *Plant Soil* 376: 75–94.
- Jaw NL and Ching HK, 1998. Effect of oxidative stress caused by Hydrogen peroxide on senescence of rice leaves. *Bot Bull Acad Sinica* 39.
- Jay PV, Janardan Y, Kavindra NT and Ashok K, 2013. Effect of indigenous *Mesorhizobium* spp. and plant growth promoting rhizobacteria on yields and nutrients uptake of chickpea (*Cicer arietinum* L.) under sustainable agriculture. *Ecol Eng* 51: 282–286.
- Jiao W, Cody GD, Harding AK, Wilmes P, Schrenk M, Wheeler KE, Jillian FB and Thelen MP, 2010. Characterization of extracellular polymeric substances from acidophilic microbial biofilms. *Appl Environ Microbiol* 76(9): 2916–2922.
- Jithesh MN, Prashanth SR, Sivaprakash KR and Parida A, 2006. Monitoring expression profiles of antioxidant genes to salinity, iron, oxidative, light and hyperosmotic stresses in the highly salt tolerant grey mangrove, *Avicennia marina* (Forsk.) Vierh. by mRNA analysis. *Plant Cell Rep* 25(8): 865–876.
- Jordan DC, 1982. Transfer of *Rhizobium japonicum* Buchanan 1980 to *Bradyrhizobium* gen. nov., a genus of slow-growing, root nodule bacteria from leguminous plants. *Int J Syst Evol Microbiol* 32(1): 136–139.
- Jordan DC, 1984. Family III. Rhizobiaceae Conn 1938. In: Krieg N and Holt RG (Eds) *Bergey’s Manual of Systematic Bacteriology*, 1st ed, Vol (1), The Williams and Wilkins Co, Baltimore pp. 234–235.
- Kaewwongwal A, Kongjaimun A, Somta P, Chankaew S, Yimram T and Srinives P, 2015. Genetic diversity of the black gram [*Vigna mungo* (L.) Hepper] gene pool as revealed by SSR markers. *Breeding Sci* 65(2): 127- 137.

- Kai M, Haustein M, Molina F, Petri A, Scholz B and Piechulla B, 2009. Bacterial volatiles and their action potential. *Appl Microbiol Biotechnol* 81: 1001–1012.
- Kamal-Eldin A and Appelqvist LA, 1996. The chemistry and antioxidant properties of tocopherols and tocotrienols. *Lipids* 31(7): 671-701.
- Kang SM, Khan AL, Hamayun M, Hussain J, Joo GJ, You YH, Kim JG and Lee IJ, 2012. Gibberellin-producing *Promicromonospora* sp. SE188 improves *Solanum lycopersicum* plant growth and influences endogenous plant hormones. *J Microbiol* 50(6): 902-909.
- Kang SM, Khan AL, Waqas M, You YH, Kim JH, Kim JG, Hamayun M and Lee IJ, 2014. Plant growth promoting rhizobacteria reduce adverse effects of salinity and osmotic stress by regulating phytohormones and antioxidants in *Cucumis sativus*. *J Plant Interact* 9(1): 673-682.
- Kang, BG, Kim WT, Yun HS and Chang SC, 2010. Use of plant growth-promoting rhizobacteria to control stress responses of plant roots. *Plant Biotechnol Rep* 4(3): 179–183.
- Kar M and Mishra D, 1976. Catalase, peroxidase, and polyphenol oxidase activities during rice leaf senescence. *Plant Physiol* 57: 315–319.
- Karmakar K, Rana A, Rajwar A, Sahgal M and Johri BN, 2014. Legume Rhizobia symbiosis under stress: A chapter. *Plant Microbes Symbiosis: Appl Facets* 241-258.
- Karuppanapandian T and Manoharan K, 2008. Uptake and translocation of tri- and hexavalent chromium and their effects on black gram (*Vigna mungo* L. Hepper cv. Co4) roots. *J Plant Biol* 51(3): 192–201.
- Karuppanapandian T, Sinha PB, Haniya AMK, Premkumar G and Manoharan K, 2006a. Aluminium-induced changes in antioxidative enzyme activities, hydrogen peroxide content and cell wall peroxidase activity in green gram (*Vigna radiata* L. cv. Wilczek) roots. *J Plant Biol* 33(3): 241–246.
- Karuppanapandian T, Sinha PB, Haniya AMK and Manoharan K, 2006b. Differential antioxidative responses of ascorbate-glutathione cycle enzymes and metabolites to chromium stress in green gram (*Vigna radiata* L. Wilczek) leaves. *J Plant Biol* 49(6): 440–447.
- Kashal M and Wani SP, 2015. Plant growth promoting rhizobacteria: drought stress alleviators to ameliorate crop production in drylands: A review. *Ann Microbiol* 66(1): 35-42.
- Kasim WA, Osman ME, Omar MN, Abd El-Daim IA, Bejai S and Meijer J, 2012. Control of drought stress in wheat using plant-growth-promoting bacteria. *J Plant Growth Reg* 32(1): 122-130.
- Kasthuribai R and Raju PN, 1980. Growth pattern, acid production and carbohydrate utilization by eleven isolates of *Rhizobium* collected from different soil samples of south India. *Int J Ecol Environ Sci.* 6: 19-35.

- Kaushik G, Satya S, Khandelwal RK and Nail SN, 2010. Commonly consumed Indian plant food materials in the management of diabetes mellitus Diabetes & Metabolic Syndrome. *Clinical Res and Rev* 4(1): 21-40.
- Kavamuraa VN, Santos SN, da Silva JL, Parma MM, Avila LA, Visconti A, Zucchi TD, Taketani RG, Andreote FD and de Melo IS, 2013. Screening of Brazilian cacti rhizobacteria for plant growth promotion under drought. *Microbiol Res* 168(4): 183–191.
- Kawaharada Y, Kelly S, Nielsen MW, Hjller CT, Gysel K, Muszynski A, Carlson RW, Thygesen MB, Sandal N, Asmussen MH and Vinther M, 2015. Receptor-mediated exopolysaccharide perception controls bacterial infection. *Nature* 523(7560): 308-312.
- Kawasaki S, Miyake C, Kohchi T, Fujii S, Uchida M and Yokota A, 2000. Response of wild watermelon to drought stress: accumulation of an ArgE homologue and citrulline in leaves during water deficits. *Plant Cell Physiol* 41(7): 864–873.
- Kaya M.D, Okcu G, Atak M, Cikili Y and Kolsarici O, 2006. Seed treatments to overcome salt and drought stress during germination in sunflower (*Helianthus annuus* L.). *Eur J Agron* 24(4): 291-295.
- Khalid A, Akhtar MJ, Mahmood MH and Arshad M, 2006. Effect of substrate-dependent microbial ethylene production on plant growth. *Microbiol* 75: 231–236.
- Khan AG, 2005. Role of soil microbes in the rhizosphere of plants growing on trace metal contaminated soils in phytoremediation. *J Trace Elem Med Biol* 18: 355–364.
- Khan MS, Zaidi A and Wani PA, 2006. Role of phosphate solubilising microorganisms in sustainable agriculture – A review. *Agron Sustainable Dev* 27(1): 29–43.
- Khan MS, Zaidi A, Wani PA and Oves M, 2009. Role of plant growth promoting rhizobacteria in the remediation of metal contaminated soils. *Environ Chem Lett* 7(1): 1–19.
- Khbaya B, Neyra M, Normand P, Zerhari K and Maltouf A, 1998. Genetic diversity and phylogeny of Rhizobia that nodulate *Acacia* spp. in morocco assessed by analysis of rRNA genes. *Appl Environ Microbiol* 64: 4912-4917.
- Kiani SP, Maury P, Sarrafi A and Grieu P, 2008. QTL analysis of chlorophyll fluorescence parameters in sunflower (*Helianthus annuus* L.) under well-watered and water-stressed conditions. *Plant Sci* 175: 565–573.
- Kim J and Rees DC, 1994. Nitrogenase and biological nitrogen fixation. *Biochem* 33: 389–397.
- Kim JM, To TK, Ishida J, Matsui A, Kimura H and Seki M, 2012. Transition of chromatin status during the process of recovery from drought stress in *Arabidopsis thaliana*. *Plant Cell Physiol* 53, 847–856.
- Kim KY, Jordan D and McDonald GA, 1998. *Enterobacter agglomerans*, phosphate solubilizing bacteria, and microbial activity in soil: effect of carbon sources. *Soil Biol Biochem* 30(8): 995-1003.

- Kim YC, Glick BR, Bashan Y and Ryu CM, 2012. Enhancement of plant drought tolerance by microbes. In: Aroca R (Ed) Plant responses to drought stress: from morphological to molecular features. Springer Verlag, Berlin & Heidelberg, Germany pp. 383–413.
- Kirtikar KR and Basu BM, 2005. Indian Medicinal Plants. Apura Krishna Bose Indian Press, Allahabad, India (1): 796.
- Kloepper JW and Schroth MN, 1978. Plant growth promoting rhizobacteria on radishes. Proceedings of the Fourth International Conference on Plant Pathogen Bacteria, 2: 879–882.
- Kloepper JW, Lifshitz R and Zablutowicz RM, 1989. Free-living bacterial inocula for enhancing crop productivity. Trends Biotechnol 7: 39–43.
- Kodali VP and Sen R 2008. Antioxidant and free radical scavenging activities of an exopolysaccharides from a probiotic bacterium. Biotechnol J 3(2): 245–251.
- Kohler J, Hernandez JA, Caravaca F and Roldan A, 2008. Plant growth promoting rhizobacteria and arbuscular mycorrhizal fungi modify alleviation biochemical mechanisms in water stressed plants. Funct Plant Biol 35(2): 141–151.
- Kong Z, Mohamad OA, Deng Z, Liu X, Glick BR and Wei G, 2015. Rhizobial symbiosis effect on the growth, metal uptake, and antioxidant responses of *Medicago lupulina* under copper stress. Environ Sci Pollut Res 22(16): 12479-12489.
- Kotiguda G, Peterbauer T and Mulimani VM, 2006. Isolation and structural analysis of ajugose from *Vigna mungo* L. Carbohydr Res 341(12): 2156-2160.
- Koussevitzky S, Suzuki N, Huntington S, Armijo L, Sha W, Cortes D, Shulaev V, and Mittler R, 2008. Ascorbate peroxidase 1 plays a key role in the response of *Arabidopsis thaliana* to stress combination. J Biol Chem 283: 34197–34203.
- Krasensky J and Jonak C, 2012. Drought salt, and temperature stress-induced metabolic rearrangement and regulatory net-works. J Exp Bot 4: 1593-1608.
- Krishna KR, 2010. Agroecosystems of South India: Nutrient dynamics, ecology and productivity. Universal-Publishers, Nature 552.
- Kucuk C and Kivanc M, 1999. Extracellular polysaccharide production by *Rhizobium ciceri* from Turkey. Ann Microbiol 59: 141-144.
- Kucuk C, 2013. In vitro antagonism of *Rhizobium* strains isolated from various legumes. J Appl Biol Sci 7: 24-30.
- Kumar A and Singh DP, 1998. Use of physiological indices as a screening technique for drought tolerance in oilseed Brassica species. Ann Bot 81: 413-420.
- Kumar A, Maurya BR and Raghuwanshi R, 2014. Isolation and characterization of PGPR and their effect on growth, yield and nutrient content in wheat (*Triticum aestivum* L.). Biocatal Agric Biotechnol 3(4): 121–128.
- Kumar AS, Mody K and Jha B, 2007. Bacterial exopolysaccharides a perception. J Basic Microbiol 47: 103-117.

- Kumar GK and Ram MR, 2014. Phosphate solubilizing Rhizobia isolated from *Vigna trilobata*. Am J Microbiol Res 2(3): 105-109.
- Kumar PR and Ram MR, 2012. Production of indole acetic acid by *Rhizobium* isolates from *Vigna trilobata* (L) Verdc. Afr J Microbiol Res 6(27): 5536-5541.
- Kundu S, Chakraborty D, Kundu A and Pal A, 2013. Proteomics approach combined with biochemical attributes to elucidate compatible and incompatible plant-virus interactions between *Vigna mungo* and mungbean Yellow Mosaic India Virus. Proteome Sci 11(1): 1.
- Kusaka, M, Ohta M and Fujimura T, 2005. Contribution of inorganic components to osmotic adjustment and leaf folding for drought tolerance in pearl millet. Physiol Plant 125(4): 474-489.
- Ladha JK, de Bruijn FJ and Malik KA, 1997. Introduction: assessing opportunities for nitrogen fixation in rice-a frontier project. Plant Soil 124: 1-10.
- Lawlor DW and Cornic G, 2002. Photosynthetic carbon assimilation and associated metabolism in relation to water deficits in higher plants. Plant Cell Environ 25(2): 275-294.
- Lee MR, Chen CM, Hwang BH and Hsu LM, 1999. Analysis of saponins from black bean by electrospray ionization and fast atom bombardment tandem mass spectrometry. J Mass Spectrom 34(8): 804-812.
- Lee SK and Kader AA, 2000. Preharvest and post harvest factors influencing vitamin C content of horticultural crops. Postharvest Biol Technol 20(3): 207-220.
- Lehman AP and Long SR, 2013. Exopolysaccharides from *Sinorhizobium meliloti* can protect against H₂O₂-dependent damage. J Bacteriol 195(23): 5362.
- Lhuissier FGP, de Ruijter NCA, Sieberer BJ, Esseling JJ and Emons AMC, 2001. Time course of cell biological events evoked in legume root hairs by *Rhizobium* Nod factors: state of the art. Ann Bot 87: 289-302.
- Liang Y, Sun W, Zhu YG and Christie P, 2007. Mechanisms of silicon mediated alleviation of abiotic stresses in higher plants: A review. Environ Pollut 147(2): 422-428.
- Lichtenthaler HK, 1998. The Stress Concept in Plants: An Introduction. Ann N Y Acad Sci 851(1): 187-198.
- Limpens E, Franken C, Smit P, Willemse J, Bisseling T and Geurts R, 2003. LysM domain receptor kinase regulating rhizobial nod factor-induced infection. Science 302: 630-633.
- Linu MS, Stephen J, Jisha MS, 2009. Phosphate solubilizing *Gluconacetobacter* sp., *Burkholderia* sp. and their potential interaction with Cowpea (*Vigna Unguiculata* (L.) Walp.). Int J Agri Res 4: 79-87.

- Liu F, Xing S, Ma H, Du Z and Ma B, 2013. Cytokinin-producing, plant growth-promoting rhizobacteria that confer resistance to drought stress in *Platycladus orientalis* container seedlings. *Appl Microbiol Biotechnol* 97(20): 9155-9164.
- Liu J, Wang E, Ren D, Chen W, 2010. Mixture of endophytic *Agrobacterium* and *Sinorhizobium meliloti* strains could induce nonspecific nodulation on some woody legumes. *Arch Microbiol* 192: 229–234.
- Liu J, Wisniewski M, Droby S, Vero S, Tian S and Hershkovitz V, 2011a. Glycine betaine improves oxidative stress tolerance and biocontrol efficacy of the antagonistic yeast *Cystofilobasidium infirmominium*. *Int J Food Microbiol* 146(1): 76-83.
- Liu X, Jin J, Wang G and Herbert SJ, 2008. Soybean yield physiology and development of high-yielding practices in northeast china. *Field Crops Res* 105(3): 157-171.
- Liyana-Pathiranan CM and Shahidi F, 2005. Antioxidant activity of commercial soft and hard wheat (*Triticum aestivum* L) as affected by gastric pH conditions. *J Agri Food Chem* 53(7): 2433-2440.
- Loggini B, Scartazza A, Brugnoli E and Navari-Izzo F, 1999. Antioxidative defense system, pigment composition, and photosynthetic efficiency in two wheat cultivars subjected to drought. *Plant Physiol* 119: 1091-1099.
- Lokhande VH, Nikam TD, Patade VY, Ahire ML and Suprasanna P, 2011. Effects of optimal and supra-optimal salinity stress on antioxidative defence, osmolytes and in vitro growth responses in *Sesuvium portulacastrum* L. *Plant Cell Tiss Org Cult* 104: 41–49.
- Long HH, Schmidt DD and Baldwin IT, 2008. Native bacterial endophytes promote host growth in a species-specific manner; phytohormone manipulations do not result in common growth responses. *PLoS ONE* 3(7): e2702.
- Lorck H, 2004. Production of hydrocyanic acid by bacteria, *Physiol Plant* 1(2): 142-146.
- Lovdal T, Olsen KM, Slimestad R, Verheul M and Lillo C, 2010. Synergetic effects of nitrogen depletion, temperature, and light on the content of phenolic compounds and gene expression in leaves of tomato. *Phytochem* 71(5-6): 605-613.
- Lucy M, Reed E, and Glick BR, 2004. Applications of free living plant growth promoting rhizobacteria, *Antonie van Leeuwenhoek* 86(1): 1-25.
- Lugtenberg, B and Kamilova F, 2009. Plant-growth-promoting rhizobacteria. *Annu Rev Microbiol* 63: 541–556.
- Luna CM, Pastori GM, Driscoll S, Groten K, Bernard S and Foyer CH, 2004. Drought controls on H₂O₂ accumulation, catalase (CAT) activity and CAT gene expression in wheat. *J Exp Bot* 56(411): 417–423.
- Macedo MG, Lacroix C and Champagne CIP, 2002. Combined effects of temperature and medium composition on exopolysaccharide production by *Lactobacillus rhamnosus* RW-9595M in whey permeate based medium. *Biotechnol Progr* 18(2): 167-173.

- Machado S and Paulsen G, 2001. Combined effects of drought and high temperature on water relations of wheat and sorghum. *Plant and Soil* 233(2): 179-187.
- Mahajan R, Malhotra SP and Singh R, 1988. Characterization of seed storage proteins of urdbean (*Vigna mungo*). *Plant Food Hum Nutr* 38(2): 163-173.
- Mahendran S, Vijayabaskar P, Saravanan S, Anandapandian KTK and Shankar T, 2013. Structural characterization and biological activity of exopolysaccharide from *Lysinibacillus fusiformis*. *Afr J Microbiol Res* 38(7): 4666-4676.
- Maksimov IV, Abizgil'dina RR and Pusenkova LI, 2011. Plant growth promoting rhizobacteria as alternative to chemical crop protectors from pathogens: A review. *Appl Biochem Microbiol* 47: 333-345.
- Malik AA, Li WG, Lou LN, Weng JH and Chen JF, 2010. Biochemical/physiological characterization and evaluation of in vitro salt tolerance in cucumber. *Afr J Biotechnol* 9(22): 3284-3292.
- Mandal SM, Chakraborty D and Dey S, 2010. Phenolic acids act as signalling molecules in plant-microbe symbioses. *Plant Signal Behav* 5(4): 359-368.
- Mandal SM, Mandal M, Das AK, Pati BR and Ghosh AK, 2009. Stimulation of indoleacetic acid production in a *Rhizobium* isolate of *Vigna mungo* by root nodule phenolic acids. *Arch Microbiol* 191(4): 389-93.
- Mandal SM, Mondal KC, Dey S and Pati BR, 2007. Optimization of cultural and nutritional conditions for indole-3-acetic acid (IAA) production by a *Rhizobium* sp. isolated from root nodules of *Vigna mungo* (L.) Hepper. *Res J Microbiol* 2: 239-246.
- Mandal SM, Ray B, Dey S and Pati BR, 2007. Production and composition of extracellular polysaccharide synthesized by a *Rhizobium* isolate of *Vigna mungo* (L.) Hepper. *Biotechnol Lett* 29: 1271-1275.
- Margaritis A and Pace GW, 1985. Microbial Polysaccharides. In: *Comprehensive Biotechnology*. Moo-Young, M. (Ed.), Pergamon Press Ltd., Oxford, pp. 1005-1044.
- Marino D, Frendo P, Ladrera R, Zabalaza A, Puppo A, Arrese-Igor C and Gonzalez EM, 2007. Nitrogen fixation control under drought stress. Localized or systemic? *Plant Physiol* 143: 1968-1974.
- Martel-Pelletier J, Alaeddine N and Pelletier JP, 1999. Cytokines and their role in the pathophysiology of osteoarthritis. *Front Biosci* 4: D694-703.
- Martinez-Toledo MV, De La Rubia T, Monero J and Gonzalez-Lopez J, 1988. Root exudates of *Zea mays* and production of auxins, gibberellins and cytokinins by *Azotobacter chroococcum*. *Plant and Soil* 110: 149-152.
- Martinez-Viveros O, Jorquera M, Crowley DE, Gajardo G and Mora ML, 2010. Mechanisms and practical considerations involved in plant growth promotion by rhizobacteria. *J Soil Sci and Plant Nut* 10(3): 293-319.

- Martins SJ, de Medeiros FHV, de Souza RM, de Resende MLV and Junior PMR, 2013. Biological control of bacterial wilt of common bean by plant growth-promoting rhizobacteria. *Biol Control* 66(1): 65-71.
- Marulanda A, Porcel R, Barea JM and Azcon R, 2007. Drought tolerance and antioxidant activities in lavender plants colonized by native drought-tolerant or drought-sensitive *Glomus* species. *Microb Ecol* 54: 543–552.
- Matiru VN and Dakora FD, 2004. Potential use of rhizobial bacteria as promoters of plant growth for increased yield in landraces of African cereal crops. *Afr J Biotechnol* 3(1):1–7.
- May MJ, Vernoux T, Leaver C, Montagu MV and Inze D, 1998. Glutathione homeostasis in plant: implications for environmental sensing and plant development. *J Exp Bot* 49(321): 649–667.
- Mayak S, Tirosh T and Glick BR, 2004. Plant growth-promoting bacteria that confer resistance to water stress in tomatoes and peppers. *Plant Sci* 166: 525–530.
- Mazumder S, Lerouge P, Loutelier-Bourhis C, Driouich A, Ray B, 2005. Structural characterisation of hemicellulosic polysaccharides from *Benincasa hispida* using specific enzyme hydrolysis, ion exchange chromatography and MALDI-TOF mass spectroscopy. *Carbohydr Polym* 59(2): 231–238.
- McGrath JW, Hammerschmidt F and Quinn JP, 1998. Biodegradation of phosphonmycin by *Rhizobium huakuii* PMY1. *Appl Environ Microbiol* 64: 356–358.
- McLeod JW, Gordon J, 1923. Catalase production and sensitiveness to hydrogen peroxide amongst bacteria: with a scheme for classification based on these properties. *J Pathol Bacteriol* 26(3): 326–331.
- Metwally A, Safronova VI, Belimov AA and Dietz KJ, 2005. Genotypic variation of the response to cadmium toxicity in *Pisum sativum* L. *J Exp Bot* 56(409): 167–178.
- Mhamdi R, Mrabet M, Laguerre G, Tiwari R, Aouani ME, 2005. Colonization of *Phaseolus vulgaris* nodules by *Agrobacterium*-like strains. *Can J Microbiol* 51: 105–111.
- Miller MS and Pepper IL, 1998. Physiological and biochemical characteristics of root growing strain of lupine Rhizobia isolated from Sonoran desert. *Soil Biol Biochem* 20(3): 319-322.
- Minaxi Nain L, Yadav RC and Saxena J, 2012. Characterization of multifaceted *Bacillus* sp. RM-2 for its use as plant growth promoting bioinoculant for crops grown in semi arid deserts. *Appl Soil Ecol* 59: 124-135.
- Mittler R, 2002. Oxidative stress, antioxidants and stress tolerance. *Trends Plant Sci* 7(9): 405–410.
- Mittler R, Vanderauwera S, Gollery M and Van Breusegem F, 2004. Reactive oxygen gene network of plants. *Trends Plant Sci* 9: 490-498.

- Miyagawa Y, Tamori M and Shigeoka S, 2000. Evaluation of the defense system in chloroplasts to photooxidative stress caused by paraquat using transgenic tobacco plants expressing catalase from *Escherichia coli*. *Plant Cell Physiol* 41:311–320.
- Mody BR, Bindra MO and Modi VV, 1990. Capsule development and structural characterization of acidic extracellular polysaccharides secreted by Cowpea Rhizobia. *Curr Microbiol* 20: 145-152.
- Moffet ML and Colwell RR, 1968. Adansonian analysis of the Rhizobiaceae. *J Gen Microbiol* 51: 245–266.
- Molina-Favero C, Creus CM, Simontacchi M, Puntarulo S and Lamattina L, 2008. Aerobic nitric oxide production by *Azospirillum brasilense* Sp245 and its influence on root architecture in tomato. *Molecular Plant–Microbe Interact* 21: 1001–1009.
- Moran JF, Klucas RV, Grayer RJ, Abian J and Becana M, 1997. Complexes of Iron with phenolic compounds from Soybean nodules and other legume tissues: Prooxidant and Antioxidant Properties. *Free Radic Biol Med* 22: 861-70.
- Moslemi Z, Habibi D, Asgharzadeh A, Reza Ardakani M, Mohammadi A and Mohammadi M, 2011. Response of phytohormones and biochemical markers of Maize to super-absorbent polymer and plant growth promoting rhizobacteria under drought stress. *American-Eurasian J Agric Environ* 10(5): 787-796.
- Moussa HR and Abdel-Aziz SM, 2008. Comparative response of drought tolerant and drought sensitive maize genotypes to water stress. *Aust J Crop Sci* 1(1): 31–36.
- Mrabet M, Mnasri B, Laguerre G, Aouani ME and Mhamdi R, 2006. *Agrobacterium* strains isolated from root nodules of common bean specifically reduce nodulation by *Rhizobium gallicum*. *FEMS Microbiol Ecol* 56: 304–309.
- Mukherjee S, Ghosh S, Sadhu S, Ghosh P and Maiti TK, 2011. Extracellular polysaccharide production by a *Rhizobium* sp. isolated from legume herb *Crotalaria saltiana* Andr. *Indian J of Biotechnol* 10: 340-345.
- Munne-Bosch S and Algere L, 2003. Drought induced changes in the redox state of α -tocopherol, ascorbate and the diterpene carnosic acid in chloroplasts of *Labiatae* species differing in carnosic acid contents. *Plant Physiol* 131(4): 1816–1825.
- Munne-Bosch S and Penuelas J, 2003. Photo and antioxidative protection, and a role for salicylic acid during drought and recovery in field-grown *Phillyrea angustifolia* plants. *Planta* 217(5): 758-766.
- Munne-Bosch S, 2005. The role of α -tocopherol in plant stress tolerance. *J Plant Physiol* 162(7): 743-748.
- Muresu R, Polone E, Sulas L, Baldan B, Tondello A, Delogu G, Cappuccinelli P, Alberghini S, Benhizia Y, Benhizia H, Benguedouar A, Mori B, Calamassi R, Dazzo Frank B and Squartini A, 2008. Coexistence of predominantly nonculturable rhizobia with diverse, endophytic bacterial taxa with in nodules of wild legumes. *FEMS Microbiol Ecol* 63(3): 383-400.

- Murphy J and Riley HP, 1962. A modified single solution method for determination of phosphate in natural waters. *Anal Chim Acta* 27: 31-36.
- Myszka K and Czaczyk K, 2009. Characterization of adhesive exopolysaccharide (EPS) produced by *Pseudomonas aeruginosa* under starvation conditions. *Curr Microbiol* 58: 541–546.
- Nadeem SM, Zahir ZA, Naveed M and Arshad M., 2007. Preliminary investigations on inducing salt tolerance in maize through inoculation with rhizobacteria containing ACC deaminase activity. *Can J Microbiol* 53: 1141–1149.
- Nagesh Babu R and Devaraj VR, 2008. High temperature and salt stress response in French bean (*Phaseolus vulgaris*). *Aust J Crop Sci* 2(2): 40–48.
- Nahas E 1996. Factors determining rock phosphate solubilization by microorganism isolated from soil. *World J Microbiol Biotechnol* 12(6): 567-572.
- Nakano Y and Asada K, 1980. Spinach chloroplasts scavenge hydrogen peroxide on illumination. *Plant Cell Physiol* 21(7): 1295–1307.
- Naumann D, 2000. Infrared spectroscopy in microbiology. Wiley, Chichester.
- Navarini L, Stredansky M, Matulova M and Bertocchi C, 1997. Production and characterization of an exopolysaccharide from *Rhizobium hedysari* HCNT 1. *Biotechnol Lett* 19 (12): 1231–1234.
- Nayyar H and Gupta D, 2006. Differential sensitivity of C3 and C4 plants to water deficit stress: Association with oxidative stress and antioxidants. *Environ Exp Bot* 58(1): 106–113.
- Neilands, JB, 1995. Siderophores: structure and function of microbial iron transport compounds. *J Biol Chem* 270(45): 26723–26726.
- Nene YL, 2006. Indian pulses through the millennia. *Asian Agri-History* 10(3): 179–202.
- Neubauer C and Schreiber U, 1989. Photochemical and non-photochemical quenching of chlorophyll fluorescence induced by hydrogen peroxide. *Z Naturforsch* 44c: 262-270.
- Neubauer U, Furrer G, Kayser A and Schulin, R, 2000. Siderophores, NTA, and citrate: potential soil amendments to enhance heavy metal mobility in phytoremediation. *Int J Phytoremediation* 2: 353–368.
- Nezhadahmadi A, Prodhan ZH and Faruq G, 2013. Drought tolerance in wheat. *Scientific World J* 610-721.
- Niebel A, Heungens K, Barthels N, Inze D, Van Montagu M and Gheysen G, 1995. Characterization of a pathogen induced potato catalase and its systemic expression upon nematode and bacterial infection. *Mol Plant-Microbe Interact* 8(3): 371–378.
- Nitin M, Ifthekar SQ and Mumtaz M, 2012. Evaluation of hepatoprotective and nephroprotective activity of aqueous extract of *Vigna mungo* (Linn.) Hepper on rifampicin-induced toxicity in albino rats. *Int J Health Allied Sci* 1(2): 85-91.

- Noctor G and Foyer CH, 1998. A re-evaluation of the ATP: NADPH budget during C₃ photosynthesis. A contribution from nitrate assimilation and its associated respiratory activity? *J Exp Bot* 49: 1895-1908.
- Noctor G, Gomez L, Vanacker H and Foyer CH, 2002. Interactions between biosynthesis, compartmentation and transport in the control of glutathione homeostasis and signalling. *J Exp Bot* 53(372): 1283-1304.
- Noctor G, Veljovic-Jovanovic S, Driscoll S, Novitskaya L and Foyer C, 2002. Drought and oxidative load in the leaves of C₃ plants: A predominant role for photorespiration? *Ann Bot* 89: 841-850.
- Ohtake H, Wu H, Imazu K, Ambe Y, Kato J and Kuroda A, 1996. Bacterial phosphonate degradation, phosphite oxidation and polyphosphate accumulation. *Resour Conserv Recy* 18: 125-134.
- Okcu G, Kaya MD and Atak M, 2005. Effects of salt and drought stresses on germination and seedling growth of pea (*Pisum sativum* L.). *Turk J Agric For* 29(4): 237-242.
- Oldroyd GED, Murray JD, Poole PS and Downie JA, 2011. The rules of engagement in the legume-rhizobial symbiosis. *Ann Rev Genet* 45: 119-144.
- Omar MNA, Osman MEH, Kasim WA and Abd El-Daim IA, 2009. Improvement of Salt tolerance mechanisms of Barley cultivated under salt stress using *Azospirillum brasilense*. In: Ashraf M, Ozturk M and Athar HR (Eds) *Salinity and Water Stress. Tasks for Vegetation Sciences*, 44, Springer Netherlands, pp. 133-147.
- Oner ET, 2013. Microbial production of extracellular polysaccharides from biomass. In: Fang Z (Eds), *pretreatment techniques for biofuels and biorefineries, green energy and technology*, Springer-Verlag Berlin Heidelberg, pp. 35-56
- Ophir T and Gutnick DL, 1994. A role for exopolysaccharides in the protection of microorganisms from desiccation. *Appl Environ Microbiol* 60(2): 740-745.
- Oyaizu M, 1986. Studies on product of browning reaction prepared from glucose amine. *Jap J Nutr* 44: 307-315.
- Pallavi KP and Gupta PC, 2013. Effect of different carbon and nitrogen sources on solubilisation of insoluble inorganic phosphate by psychrotolerant bacterial strain. *The Bioscan* 8(4): 1299-1302.
- Pan D and Mei X, 2010. Antioxidant activity of an exopolysaccharide purified from *Lactococcus lactis* subsp. *lactis* 12. *Carbohydr Polym* 80: 908-914.
- Pandey S and Chakraborty D, 2015. Biochemical response of three *Vigna mungo* varieties (T9, RBU38 and VM4) under drought stress. *Plant Sci Today* 2 (2): 60-64.
- Pandey S, Ror S, Chakraborty D, 2014. Analysis of biochemical responses in *Vigna mungo* varieties subjected to drought stress and possible amelioration. *Int J Scientific Res Agric Sci* 1(1): 6-15.

- Pandey S, Saha P, Barai PK and Maiti TK, 2010. Characterization of a Cd²⁺ - resistant strain of *Ochrobactrum* sp. isolated from slag disposal site of an iron and steel factory. *Curr Microbiol* 61: 106–111.
- Parida A, Das AB and Das P, 2002. NaCl stress causes changes in photosynthetic pigments, proteins and other metabolic components in the leaves of a true mangrove, *Bruguiera parviflora*, in hydroponic cultures. *J Plant Biol* 45: 28-36.
- Paseban-Islam B, Shakiba MR, Neyshabouri MR, Moghaddam M and Ahmadi MR, 2000. Evaluation of physiological indices as a screening technique for drought resistance in oilseed rape. *Proc Pakistan Acad Sci* 37: 143 – 152.
- Passioura JB, 2007. The drought environment: physical, biological and agricultural perspectives. *J Exp Bot* 58(2): 113-117.
- Patade VY, Maya K, and Zakwan A, 2011. Seed priming mediated germination improvement and tolerance to subsequent exposure to cold and salt stress in capsicum. *Res J Seed Sci* 4 (3): 125 -136.
- Patel DV, Sawant MG and Kaur G, 2015. Evaluation of anti-osteoarthritic activity of *Vigna mungo* in papain induced osteoarthritis model. *Indian J Pharmacol* 47(1): 59-64.
- Patil S, Salunkhe RB, Patli CD, Patil DM and Salunke BK, 2010. Bioflocculant exopolysaccharide production by *Azotobacter indicus* using flower extract of *Madhuca latifolia* L. *Appl Biochem Biotechnol* 162: 1095–1108.
- Patten CL and Glick BR, 1996. Bacterial biosynthesis of indole-3-acetic acid. *Can J Microbiol* 42: 207–220.
- Peix A, Rivas-Boyer AA, Mateos PF, Rodriguez-Barrueco C, Martínez-Molina E and Velazquez E, 2001a. Growth promotion of chickpea and barley by a phosphate solubilizing strain of *Mesorhizobium mediterraneum* under growth chamber conditions. *Soil Biol Biochem* 33(1): 103-110.
- Peleg-Grossman S, Volpin H and Levine A (2007). Root hair curling and *Rhizobium* infection in *Medicago truncatula* are mediated by phosphatidylinositide-regulated endocytosis and reactive oxygen species. *J Exp Bot* 58: 1637–49.
- Peng CL, Ou ZY, Liu N and Lin GZ, 2005. Response to high temperature in flag leaves of super high-yielding rice Pei'ai 64S/E32 and Liangyoupeijiu. *Rice Sci* 12: 179-186.
- Penna S, 2003. Building stress tolerance through over-producing trehalose in transgenic plants. *Trends Plant Sci* 8(8): 355-357.
- Pereira P, Ibanez F, Rosenblueth M and Martinez-Romero E, 2011. Analysis of the bacterial diversity associated with the roots of maize (*Zea mays* L.) through culture dependent and culture independent methods. *ISRN Ecol*.

- Pereyra MA, Zalazar CA and Barassi CA, 2006. Root phospholipids in *Azospirillum*-inoculated wheat seedlings exposed to water stress. *Plant Physiol Biochem* 44: 873–879.
- Pérez J, Jiménez-Zurdo JI, Martínez-Abarca F, Millan V, Shimkets LJ and Muñoz-Dorado J, 2014. Rhizobial galactoglucan determines the predatory pattern of *Myxococcus xanthus* and protects *Sinorhizobium meliloti* from predation. *Environ Microbiol* 16(7): 2341-50.
- Perez-Montano F, Alías-Villegas C, Bellogín RA, del Cerro P, Espuny MR, Jimenez-Guerrero I, Lopez-Baena FJ, Ollero FJ and Cubo T, 2014. Plant growth promotion in cereal and leguminous agricultural important plants: from microorganism capacities to crop production. *Microbiol Res* 169(5): 325-36.
- Perrig D, Boiero ML, Masciarelli OA, Penna C, Ruiz OA, Cassan FD, 2007. Plant-growth-promoting compounds produced by two agronomically important strains of *Azospirillum brasilense*, and implications for inoculant formulation. *Appl Microbiol Biotechnol* 75: 1143–1150.
- Petropoulos SA, Dimitra Daferera, Polissiou MG and Passam HC, 2008. The effect of water deficit stress on the growth, yield and composition of essential oils of parsley. *Sci Hort* 115(4): 393–397.
- Petry S, Furlan S, Crepeau MJ, Cerning J and Desmazeaud M, 2000. Factors affecting exocellular polysaccharide production by *Lactobacillus delbrueckii* subsp. *bulgaricus* grown in a chemically defined medium. *Appl and Environ Microbiol* 66: 3427-3431.
- Piccoli P, Travaglia C, Cohen A, Sosa L, Cornejo P, Masuelli R and Bottini R, 2011. An endophytic bacterium isolated from roots of the halophyte *Prosopis strombulifera* produces ABA, IAA, gibberellins A1 and A3 and jasmonic acid in chemically-defined culture medium. *Plant growth Regul* 64: 207-210.
- Polcyn W and Luciński R, 2003. Aerobic and anaerobic nitrate and nitrite reduction in free-living cells of *Bradyrhizobium* sp. *FEMS Microbiol Lett* 2: 331-337.
- Pospisilova J, 2003. Interaction of cytokinins and abscisic acid during regulation of stomatal opening in bean leaves. *Photosynthetica* 41: 49–56.
- Prieto P, Pineda M and Aguilar M, 1999. Spectrophotometric quantitation of antioxidant capacity through the formation of a phosphomolybdenum complex: specific application to the determination of vitamin E. *Anal Biochem* 269: 337–341.
- Prousek J, 2007. Fenton chemistry in biology and medicine. *Pure Appl Chem* 79 (12): 2325–2338.
- Puhler A, Arla M, Becker A, Gottfert M, Morrissey JP and O'Gara F, 2004. What can bacterial genome research teach us about bacteria- plant interactions? *Curr Opin Plant Biol* 7: 137-147.
- Puntarulo S, Sanchez RA and Boveris A, 1988. Hydrogen peroxide metabolism in soybean embryonic axes at the onset of germination. *Plant Physiol* 86: 626-630.

- Qadri F, Haque MA, Hossain A, Azim T, Alam K and Albert MJ, 1993. Role of *Shigella dysenteriae* type 1 slime polysaccharide in resistance to serum killing and phagocytosis. *Microb Pathog* 14(6): 441-449.
- Quan LJ, Zhang B, Shi WW and Li HY, 2008. Hydrogen peroxide in plants: a versatile molecule of the reactive oxygen species network. *J Integr Plant Biol* 50(1): 2-18.
- Qudsia B, Noshinil Y, Asghari B, Nadia Z, Abida A and Fayazul H. 2013. Effect of *Azospirillum* inoculation on maize (*Zea mays* L.) under drought stress. *Pak J Bot* 45: 13–20.
- Qurashi AW and Sabri AN, 2012. Bacterial exopolysaccharide and biofilm formation stimulate chickpea growth and soil aggregation under salt stress. *Braz J Microbiol* 43: 1183-1191.
- Raaijmakers JM, de Bruijn I, Nybroe O and Ongena M, 2010. Natural functions of lipopeptides from *Bacillus* and *Pseudomonas*: More than surfactants and antibiotics. *FEMS Microbiol Rev* 34: 1037-1062.
- Rajkumar M, Ae N, Prasad MNV and Freitas H, 2010. Potential of siderophore-producing bacteria for improving heavy metal phytoextraction. *Trends Biotechnol* 28: 142–149.
- Ramu SK, Peng H-M and Cook DR, 2002. Nod factor induction of reactive oxygen species production is correlated with expression of the early nodulin gene *rip1* in *Medicago truncatula*. *Mol Plant–Microbe Interact* 15: 522–528.
- Rashid M, Khalil S, Ayub N, Alam S and Latif F, 2004. Organic acid production and phosphate solubilization by phosphate solubilizing microorganisms (PSMs) under conditions. *Pak J Biol Sci* 7: 187–196.
- Razack SA, Velayutham V and Thangavelu V, 2014. Medium optimization and in vitro antioxidant activity of exopolysaccharide produced by *Bacillus subtilis*. *Korean J Chem Eng* 31(2): 296-303.
- Reilly K, Han Y, Tohme J and Beeching JR, 2001. Isolation and characterization of a cassava catalase expressed during post-harvest physiological deterioration. *Biochim Biophys Acta* 1518(3): 317–323.
- Rejeb I, Pastor V and Mauch-Mani B, 2014. Plant responses to simultaneous biotic and abiotic Stress: Molecular Mechanisms. *Plants* 3(4): 458-475.
- Rhodes D and Samaras Y, 1994. Genetic control of osmoregulation in plants. In: Strange K (Ed), *Cellular and molecular physiology of cell volume regulation*, Boca Raton, CRC Press, pp. 347-361.
- Rice-Evans C. Flavonoid antioxidants, 2001. *Curr Med Chem* 8: 797-807.
- Richardson AE and Hadobas PA, 1997. Soil isolates of *Pseudomonas* sp. that utilize inositol phosphates. *Can J Microbiol* 43: 509–514.

- Richardson AE, Barea JM, McNeill AM and Prigent-Combaret C, 2009. Acquisition of phosphorus and nitrogen in the rhizosphere and plant growth promotion by microorganisms. *Plant Soil* 321: 305–339.
- Riefler M, Novak O, Strnad M and Schmulling T, 2006. *Arabidopsis* cytokinin receptor mutants reveal functions in shoot growth, leaf senescence, seed size, germination, root development, and cytokinin metabolism. *Plant Cell* 18: 40–54.
- Riley MA and Wertz JE, 2002. Bacteriocins: Evolution, ecology and application. *Annu Rev Microbiol* 56: 117-137.
- Roberson EB and Firestone MK, 1992. Relationship between desiccation and exopolysaccharide production in soil *Pseudomonas* sp. *Appl Environ Microbiol* 58: 1284–1291.
- Roberts IS, 1996. The biochemistry and genetics of capsular polysaccharide production in bacteria. *Annu Rev Microbiol* 50(1): 285–315.
- Rodriguez H and Fraga R, 1999. Phosphate solubilizing bacteria and their role in plant growth promotion. *Biotechnol Adv* 17(4): 319–339
- Rodríguez H, Fraga R, Gonzalez T and Bashan T, 2006. Genetics of phosphate solubilization and its potential applications for improving plant growth-promoting bacteria. *Plant Soil* 287: 15–21.
- Rolfe BG, Carlson RW, Ridge RW, Dazzo RW, Mateos FB and Pankhurst CE, 1996. Defective infection and nodulation of clovers by exopolysaccharide mutants of *Rhizobium leguminosarum* bv. trifolii. *Aust J Plant Physiol* 23: 285–303.
- Romero-Puertas MC, Corpas FJ, Sandalio LM, Leterrier M, Rodriguez- Serrano M, del Rio LA and Palma JM, 2006. Glutathione reductase from pea leaves: response to abiotic stress and characterization of the peroxisomal isozyme. *New Phytol* 170(1): 43-52.
- Rontein D, Basset G and Hanson AD, 2002. Metabolic engineering of osmoprotectant accumulation in plants. *Metab Eng* 4(1): 49–56.
- Roy M and Bas PS, 1989. Production of 3-Indoleacetic Acid by a *Rhizobium* sp. from *Mimosa pudica*. *Folia Microbiol.* 34: 120-126.
- Rubio MC, James EK, Clemente MR, Bucciarelli B, Fedorova M, Vance CP and Becana M, 2004. Localization of superoxide dismutases and hydrogen peroxide in legume root nodules. *Mol Plant–Microbe Interact* 17: 1294–1305.
- Sage CI, Ando T, Kouno K and Nagaoka T, 1998. Relative importance of protons and solution calcium concentration in phosphate rock dissolution by organic acids. *Soil Sci Plant Nutr* 44(4): 617-625.
- Sahasrabudhe MM, 2011. Screening of rhizobia for indole acetic acid production. *Ann Biol Res* 2(4): 460-468.

- Saleem M, Arshad M, Hussain S and Bhatti AS, 2007. Perspective of plant growth promoting rhizobacteria (PGPR) containing ACC deaminase in stress agriculture. *J Indian Microbiol Biotechnol* 34: 635–648.
- Sandhya V, Ali SKZ, Grover M, Reddy G, Venkateswarlu B 2009. Alleviation of drought stress effects in sunflower seedlings by the exopolysaccharides producing *Pseudomonas putida* strain GAP-P45. *Biol Fert Soils* 46(1): 17–26.
- Santos R, Herouart D, Sigaud S, Touati D and Puppo A, 2001. Oxidative burst in alfalfa–*Sinorhizobium meliloti* symbiotic interaction. *Mol Plant–Microbe Interact* 14: 86–89.
- Saravanakumar D, Kavino M, Raguchander T, Subbian P and Samiyappan R, 2011. Plant growth promoting bacteria enhance water stress resistance in green gram plants. *Acta Physiol Plant* 33: 203–209.
- Saravanakumar D, Vijayakumar C, Kumar N and Samiyappan R, 2007. PGPR-induced defense responses in the tea plant against blister blight disease. *Crop Prot* 26(4): 556–565.
- Sarma RK and Saikia R, 2014. Alleviation of drought stress in mung bean by strain *Pseudomonas aeruginosa* GGRJ21. *Plant Soil* 377: 111–126.
- Satyanandam T, Babu K, Rosaiah G and Vijayalakshmi M, 2013. Screening of *Rhizobium* strains isolated from *Vigna mungo* native to rice fallows for the production of indole acetic acid. *Int J Pharm Biol Sci* 3(4): 56–61.
- Sayyad RZ, Jamadar DD and Patel PR, 2011. Production of exopolysaccharide by *Rhizobium* sp. *Indian J Microbiol* 51(3): 294–300.
- Scandalios JG, 1994. Regulation and properties of plant catalases. In: Foyer CH, Mullineaux PM (Eds) *Causes of photooxidative stress and amelioration of defense systems in plants*. CRC Press, Boca Raton, Florida, pp. 275–315.
- Schmidt W, 1999. Mechanisms and regulation of reduction-based iron uptake in plants. *New Phytol* 141: 1–26.
- Schulz S and Dickschat JS, 2007. Bacterial volatiles: the smell of small organisms. *Nat Prod Rep* 24(4): 814–842.
- Schulz S, Dickschat JS, Kunze B, Wagner-Dobler I, Diestel R and Sasse F, 2010. Biological activity of volatiles from marine and terrestrial bacteria. *Mar Drugs* 8(12): 2976–2987.
- Schwyn B and Neilands JB, 1987. Universal chemical assay for the detection and determination of Siderophores. *Anal Biochem* 160(1): 47–56.
- Senadheera P, Tirimanne TLS and Maathuis FJM, 2012. Long term salinity stress reveals variety specific differences in root oxidative stress response. *Rice Sci* 19: 36–43.
- Seong ES, Cho HS, Choi D, Joung YH, Lim CK, Hur JH and Wang MH, 2007a. Tomato plants over expressing CaKR1 enhanced tolerance to salt and oxidative stress. *Biochem Biophys Res Commun* 363(4): 983–988.

- Serraj R, 2003. Effects of drought stress on legume symbiotic nitrogen fixation: Physiological mechanisms. *Indian J Exp Biol* 41: 1136-1141.
- Seshadri S, Muthukumarasamy R, Lakshminarasimhan C and Ignacimuthu S, 2000. Solubilization of inorganic phosphates by *Azopirillum halopraeferans*. *Curr Sci* 79: 565–567.
- Setargie EA, Tilahun S, Alemayehu S, Dejenie T and Kiros S, 2015. Isolation and phenotypic characterization of phosphate solubilizing bacteria from Lentil (*Lens culnaris*.) Rhizosphere soils from southern parts of Tigray. *Int J Microbiol Res* 6(3): 188-194.
- Sgherri CLM and Navari-Izzo F, 1995. Sunflower seedlings subjected to increasing water deficit stress: Oxidative stress and defense mechanisms. *Physiol Plant* 93: 25-30.
- Sgherri CLM, Maffei M and Navari-Izzo F, 2000. Antioxidative enzymes in wheat subjected to increasing water deficit and rewatering. *J Plant Physiol* 157:273–279
- Shahjee HM, Banerjee K and Ahmad F, 2002. Comparative analysis of naturally occurring L-amino acid osmolytes and their disomers on protection of *Escherichia coli* against environmental stresses. *J Biosci* 27: 515–520.
- Shanker AK, Cervantes C, Loza-Tavera H and Avudainayagam S, 2005. Chromium toxicity in plants. *Environ Int* 31: 739-753.
- Shao HB, Chu LY, Lu ZH and Kang CM. 2008. Primary antioxidant free radical scavenging and redox signaling pathways in higher plant cells. *Int J Biol Sci* 4(1): 8.
- Shao HB, Chu LY, Wu G, Zhang JH, Lu ZH and Hu YC, 2007. Changes of some anti-oxidative physiological indices under soil water deficits among 10 wheat (*Triticum aestivum* L.) genotypes at tillering stage. *Colloid Surf B* 54(2): 143-149.
- Shao HB, Liang ZS, Shao MA, Sun Q and Hu ZM, 2005. Investigation on dynamic changes of photosynthetic characteristics of 10 wheat (*Triticum aestivum* L.) genotypes during two vegetative-growth stages at water deficits. *Colloid Surf B* 43(3): 221-227.
- Sharma A, Johri BN, Sharma AK and Glick BR, 2003. Plant growth-promoting bacterium *Pseudomonas* sp. strain GRP3 influences iron acquisition in mung bean (*Vigna radiata* L. Wilzeck). *Soil Biol Biochem* 35(7): 887–894.
- Sharma K, 2007. *Manual of Microbiology Tools and Techniques*. In: Ac books 2nd ed Delhi, India.
- Sharma OP, Bambawale OM, Gopali JB, Bhagat S, Yelshetty S, Singh SK, Anand R and Singh OM, 2011. *Field guide Mung bean and Urd bean*. Government of India, Department of agricultural and co-operation, NCIPM, ICAR, New Delhi, India
- Sharma P and Dubey RS, 2005. Modulation of nitrate reductase activity in rice seedlings under aluminium toxicity and water stress: role of osmolytes as enzyme protectant. *J Plant Physiol* 162(8): 854-864.

- Sharma S, Kumar V and Tripathi RB, 2011. Isolation of Phosphate Solubilizing Microorganism (PSMs) From Soil . J Microbiol Biotech Res 1 (2): 90-95.
- Sherlina PF, Gayathri V and Radha SR, 2013. Preliminary phytochemical analysis of Black gram, *Vigna mungo* L. Int J Dev Res 3(11): 147-149.
- Shokri D and Emtiazi G, 2010. Indole-3-acetic acid (IAA) production in symbiotic and non-symbiotic nitrogen-fixing bacteria and its optimization by Taguchi design. Curr Microbiol 61: 217-225.
- Siddiqui IA and Shaukat SS, 2002. Rhizobacteria-mediated induction of systemic resistance (ISR) in tomato against *Meloidogyne javanica*. J Phytopath 150: 469-473.
- Silverman FP, Assiamah AA and Bush DS, 1998. Membrane transport and cytokinin action in root hairs of *Medicago sativa*. Planta 205: 23-31.
- Singh BK, Nazaries L, Munro S, Anderson IC and Campbell CD, 2006. Use of multiplex terminal restriction fragment length polymorphism for rapid and simultaneous analysis of different components of the soil microbial community. Appl Env Microbiol 72: 7278-7285.
- Singh RJ, Chung GH and Nelson RL, 2007. Landmark research in legumes. Genome 50(6): 525-37.
- Singh R, Soni SK, Patel RP and Kalra A, 2013. Technology for improving essential oil yield of *Ocimum basilicum* L. (sweet basil) by application of bioinoculant colonized seeds under organic field conditions. Ind Crop Prod 45: 335-342.
- Singleton VL, Orthofer R and Lameula-Raventos RM, 1999. Analysis of total phenols and other oxidation substrates and oxidants by means of folin-ciocalteau reagent. Methods Enzymol 299: 152-178.
- Skorupska A, Janczarek M, Marczak M, Mazur A and Krol J, 2006. Rhizobial exopolysaccharides: genetic control and symbiotic functions. Microb Cell Fact 5(1):7.
- Skrary FA and Cameron DC, 1998. Purification and characterization of a *Bacillus licheniformis* phosphatase specific for D-alphaglycerphosphate. Arch Biochem Biophys 349(1): 27-35.
- Smirnoff M, 2000. Ascorbic acid: metabolism and functions of a multi-faceted molecule. Curr Opin Plant Biol 3(3): 229-235.
- Smith K and Pethley D, 2009. Hydrological hazards: droughts. In: Smith K, Pethley D (Eds), Environmental hazards: assessing risk and reducing disaster, Routledge, New York, USA, pp. 262-284.
- Soetan KO, 2008. Pharmacological and other beneficial effects of antinutritional factors in Plants: A review. Afr J Biotechnol 7(25): 4713-4721.
- Solaiman ARM and Rabbani MG, 2004. Effects of *Rhizobium* inoculant and nitrogen application on pea. Banglad J Microbiol 21(1): 36-41.
- Solanki YB and Jain SM, 2010. Immunostimulatory activities of *Vigna mungo* L. extract in male Sprague-Dawley rats. J Immunotoxicol 7(3): 213-218.

- Somasegaran P and Hoben HJ, 1994. Handbook for Rhizobia: Methods in legume-*Rhizobium* Technology. Springer-Verlag, New York, 1- 450.
- Song L, Li FM, Fan XW, Xiong YC, Wang WQ, Wu XB and Turner NC, 2009. Soil water availability and plant competition affect the yield of spring wheat. *Eur J Agron* 31(1): 51-60.
- Souframanien J and Gopalakrishna T, 2006. ISSR and SCAR markers linked to the mungbean yellow mosaic virus (MYMV) resistance gene in blackgram [*Vigna mungo* (L.) Hepper]. *Plant Breeding* 125: 619-622.
- Spaepen S and Vanderleyden J, 2011. Auxin and plant-microbe interactions. *Cold Spring Harb Perspect Biol* 3(4): a001438.
- Spaepen S, Vanderleyden J and Remans R, 2007. Indole- 3-acetic acid in microbial and microorganism-plant signaling. *FEMS Microbiol Rev* 31: 425–448.
- Specht JE, Chase K, Macrander M, Graef GL, Chung J, Markwell JP, Germann M, Orf JH and Lark KG, 2001. Soybean response to water, A QTL analysis of drought tolerance. *Crop Sci*, 41: 493–509.
- Sprent JI, 2001. Nodulations in legumes. *Ann Bot* 89(6): 797-798.
- Sridevi M, Yadav NCS and Mallaiah KV, 2008. Production of indole acetic acid by *Rhizobium* isolates from *Crotalaria* species. *Res J Microbiol* 3(4): 276–281.
- Stowers MD and Elkan GH, 1983. The transport and metabolism of glucose in cowpea rhizobia. *Can J Microbiol* 29: 398-406.
- Sueldo RJ, Invernati A, Plaza SG and Barassi CA, 1996. Osmotic stress in wheat seedlings: effects on fatty acid composition and phospholipid turnover in coleoptiles. *Cereal Res Commun* 77–84.
- Sun X, Hao L, Ma H, Li T, Zheng L, Ma Z, Zhai G, Wang L, Gao S, Liu X, Jia M and Jia L, 2013. Extraction and in vitro antioxidant activity of exopolysaccharide by *Pleurotus eryngii* SI-02. *Braz J Microbiol* 44(4): 1081-1088.
- Sutherland IW, 1977. Bacterial exopolysaccharides their nature and production. In: Surface carbohydrates of the prokaryotic cell. In: Sutherland IW (Ed), Academic Press, New York, pp. 27-96.
- Sutherland IW, 1990. Biotechnology of microbial exopolysaccharides. Cambridge University Press, Wiltshire.
- Sutherland IW, 2001. Microbial polysaccharides from Gram-negative bacteria. *Int Dairy J* 11: 663-674.
- Synytsya A, Copikova J, Matejka P and Machovic V, 2003. Fourier transform raman and infrared spectroscopy of pectins. *Carbohydr Polym* 54: 97–106.
- Szabados L and Savoure A, 2010. Proline: a multifunctional amino acid. *Trends Plant Sci* 15(2): 89–97.

- Sziderics AH, Rasche F, Trognitz F, Sessitsch A and Wilhelm E, 2007. Bacterial endophytes contribute to abiotic stress adaptation in pepper plants (*Capsicum annuum* L.). *Can J Microbiol* 53: 1195–1202.
- Talukder MS, Solaiman ARM, Khanam D and Rabbani MG, 2008. Characterization of some *Rhizobium* isolates and their effectiveness on Pea. *Banglad J Microbiol* 25(1): 45-48.
- Tan ZY, Khan GS, Pang ET, Wang B, Chen WX, 2001. *Rhizobium yangligense* sp. nov. isolated from arid and semi arid region of China. *Int J Syst Evol Microbiol* 51(3): 909–914.
- Tao GC, Tian SJ, Cai MY and Xie GH, 2008. Phosphate solubilizing and mineralizing abilities of bacteria isolated from. *Pedosphere* 18(4): 515–523.
- Tapia JM, Munoz JA, Gonzalez F, Blazquez ML, Malki M and Ballester A, 2009. Extraction of extracellular polymeric substances from the acidophilic bacterium *Acidiphilium* 3.2 Sup(5). *Water Sci Technol* 59(10): 1959-1967.
- Tewari S and Arora NK, 2014. Multifunctional exopolysaccharides from *Pseudomonas aeruginosa* PF23 involved in plant growth stimulation, biocontrol and stress amelioration in sunflower under saline conditions. *Curr Microbiol* 69: 484-494.
- Thapa G, Dey M, Sahoo L and Panda SK, 2011. An insight into the drought stress induced alterations in plants. *Biol Plantarum* 55: 603–613.
- Thilak KVBR, Ranganayaki N and Manoharachari C, 2006. Synergistic effects of plant – growth promoting rhizobacteria and *Rhizobium* on nodulation and nitrogen fixation by pigeon pea (*Cajanus cajan*). *Eur J Soil Sci* 57: 67-71.
- Thuler DS, Floh EI, Handro W and Barbosa HR, 2003. Plant growth regulators and amino acids released by *Azospirillum* sp. in chemically defined media. *Lett Appl Microbiol* 37: 174-178.
- Timmusk S and Wagner EGH, 1999. The Plant Growth Promoting Rhizobacterium *Paenibacillus polymyxa* induces changes in *Arabidopsis thaliana* gene expression: A possible connection between biotic and abiotic stress responses. *Mol Plant-Microbe Interact* 12(11): 951-959.
- Timmusk S, Abd El- Daim IA, Copolovici L, Tanilas T, Kannaste A, Behers L, Nevo E, Seisenbaeva G, Stenstrom E and Niinemets U, 2014. Drought-tolerance of wheat improved by Rhizosphere bacteria from harsh environments: enhanced biomass production and reduced emissions of stress. *PLoS One* 9(5): e96086.
- Timmusk SN and Eviatar N, 2011. Plant root associated biofilms: perspectives for natural product mining. In: *Bacteria in agrobiolgy, Plant Nutrient Management*, Springer Verlag, pp. 285-300.
- Tittabutr P, Sripakdi S, Boonkerd N, Tanthanuch W, Minamisawa K and Teaumroong N, 2015. Possible role of 1-Aminocyclopropane-1-Carboxylate (ACC) deaminase activity

- of *Sinorhizobium* sp. BL3 on symbiosis with mung bean and determinate nodule senescence. *Microbes Environ* 30(4): 310-320.
- tMannetje L, 1967. A re-examination of the taxonomy of the genus *Rhizobium* and related genera using numerical analysis. *Antonie van Leeuwenhoek* 33: 477-491.
- Trieu-Cuot P, Arthur M and Courvalin P, 1987. Origin, evolution and dissemination of antibiotic resistance genes. *Microbiol Sci* 4: 263-266.
- Trivedi P and Pandey A, 2008. Plant growth promotion abilities and formulation of *Bacillus megaterium* strain B 388 isolated from a temperate Himalayan location. *Ind J Microbiol* 48: 342-34.
- Tsavkelova EA, Klimova SY, Cherdyntseva TA, Netrusov AI, 2006. Microbial producers of plant growth stimulators and their practical use: A review. *Appl Biochem Microbiol* 42: 117-126.
- Usman MR and Barhate SD, 2011. Anti-inflammatory, analgesic and ulcerogenic activity of *Vigna mungo* Linn. leaves. *Int J Phyto Pharm* 1(2): 55-60.
- Usman MRM and Barhate SD, 2012. Estimation of phytoconstituents and evaluation of anti-inflammatory activity of *Vigna mungo* Linn. Seeds. *Int J Res Pharm Sci* 3(1): 106-112.
- van den Berg DJC, Robijn GW, Janssen AC, Giuseppin MLF, Vreeker R, Kamerling JP, Vliegthart JFG, Ledebor AM and Verrips CT, 1995. Production of a novel extracellular polysaccharide by *Lactobacillus sake* 0-1 and characterization of the polysaccharide. *Appl and Environ Microbiol* 61: 2840-2844.
- van Workum WAT, van Slageren S, van Brussel AAN and Kijne JW, 1998. Role of exopolysaccharides of *Rhizobium leguminosarum* bv. viciae as host plant-specific molecules required for infection thread formation during nodulation of *Vicia sativa*. *Mol Plant-Microbe Interact* 11(12): 1233-1241.
- Vanacker H, Carver TLW and Foyer CH, 1998. Pathogen-induced changes in the antioxidant status of the apoplast in barley leaves. *Plant Physiol* 117(3): 1103-1114.
- Vanaja M, Ratnakumar P, Vagheera P, Jyothi M, Raghuram P, Reddy N, Lakshmi NJ, Maheshwari M and Yadav SK, 2006. Initial growth responses of blackgram (*Vigna mungo* L. Hepper) under elevated CO₂ and moisture stress. *Plant Soil Environ* 52(11): 499-504.
- Vanhooren P and Vandamme EJ, 1998. Biosynthesis, physiological role, use and fermentation process characteristics of bacterial exopolysaccharides. *Recent Res Develop in Fermentation and Bioeng* 1: 253-300.
- Vansuyt G, Robin A, Briat JF, Curie C and Lemanceau P, 2007. Iron acquisition from Fe-pyoverdine by *Arabidopsis thaliana*. *Mol Plant-Microbe Interact* 20: 441-447.
- Verma JP, Yadav J, Tiwari KN and Kumar A, 2013. Effect of indigenous *Mesorhizobium* spp. and plant growth promoting rhizobacteria on yields

- and nutrients uptake of chickpea (*Cicer arietinum* L.) under sustainable agriculture. *Ecol Eng* 51: 282–286
- Vermani MV, Kelkar SM and Kamat MY, 1997. Studies in polysaccharide production and growth of *Azotobacter vinelandii* MTCC 2459, a plant rhizosphere isolate. *Lett in Appl Microbiol* 24: 379-383.
- Vigna Crop Germplasm Committee. 2004. Vigna germplasm: current status and future needs. http://www.ars-grin.gov/npgs/cgc_reports/vignarpt2004.pdf.
- Vijila K, 2000. Estimation of IAA production in nitrogen fixing microorganisms. *Practical Manual–Microbial Interaction in Soil*, Tamil Nadu Agricultural University, Coimbatore 38–39.
- Vikram A and Hamzehzarghani H, 2008. Effect of phosphate solubilising bacteria on nodulation and growth parameters of greengram (*Vigna radiate* L. Wilczec). *Res J Microbiol* 3: 62–72.
- Vincent JM and Humphrey BA, 1970. Taxonomically significant group antigens in *Rhizobium*. *J Gen Microbiol* 63: 379–382.
- Vincent JM, 1974. Root nodule symbiosis with *Rhizobium* (Quespel Ed A.): *The Biology of Nitrogen Fixation*. North Holland Publ Co, Amsterdam pp. 265–341.
- Vinocur B and Altman A, 2005. Recent advances in engineering plant tolerance to abiotic stress: achievements and limitations. *Curr Opin Biotechnol* 16(2): 123-132.
- Viruel E, Lucca ME and Sineriz F, 2011. Plant growth promotion traits of phosphobacteria isolated from Puna, Argentina. *Arch Microbiol* 193:489–496.
- Vranova E, Inze D and Van Breusegem F, 2002. Signal transduction during oxidative stress. *J Exp Bot* 53: 1227-1236.
- Wahid A and Rasul E, 2005. Photosynthesis in leaf stem, flower and fruit. In: Pessarakli M (Ed), *Handbook of Photosynthesis*, 2nd ed, pp. 479–97. CRC press, Boca Raton, Florida.
- Wahid A, Gelani S, Ashraf M and Foolad MR, 2007. Heat tolerance in plants: An overview. *Environ and Exp Bot* 61(3): 199-223.
- Wahid A, Parveen M, Gelani S and Basra SMA, 2007. Pretreatment of seeds with H₂O₂ improves salt tolerance wheat seedlings by alleviation of oxidative damage and expression of stress proteins. *J Plant Physiol* 164(3): 283–294.
- Wahid A, Sabir H, Farooq M, Ghazanfar A and Rasheed R 2009. Role of nodal bud and sprout tissue nutrients in sprout establishment, growth and salt tolerance of sugarcane. *Crop and Pastur Sci* 60(5): 453-462.
- Walker TS, Pal Bais H, Grotewold E and Vivanco JM, 2003. Root exudation and rhizosphere biology. *Plant Physiol* 132: 44–51.
- Wang CQ and Li RC, 2008. Enhancement of superoxide dismutase activity in the leaves of white clover (*Trifolium repens* L.) in response to polyethylene glycol-induced water stress. *Acta Physiol Plant* 30(6): 841-847.

- Wang JP, Li YL and Zhang JG, 2008. Effect of high-temperature and excessive-light stress on APX activity in apple peel. *Acta Agric Bor Sin* 23(6): 144–147.
- Wang S, Ng TB, Chen T, Lin D, Wu J, Rao P and Ye X, 2005. First report of a novel plant lysozyme with both antifungal and antibacterial activities. *Biochem Biophys Res Commun* 327: 820-827.
- Wang Y, Zhang Z, Zhang P, Cao Y, Hu T and Yang P, 2016. *Rhizobium* symbiosis contribution to short- term salt stress tolerance in alfalfa (*Medicago sativa* L.). *Plant Soil* 402: 247-261.
- Wang YJ, Wang HM, Yang CH, Wang Q and Mei RH, 2007. Two distinct manganese-containing superoxide dismutase genes in *Bacillus cereus*: their physiological characterizations and roles in surviving in wheat rhizosphere. *FEMS Microbiol Lett* 272: 206–213.
- Wani PA and Khan MS, 2013. Isolation of multiple metal and antibiotic resistant *Mesorhizobium* sp. and their plant growth promoting activity. *Res J Microbiol* 8(1): 25- 35.
- Webber HA, Madramootoo CA, Bourgault M, Horst MG, Stulina G and Smith DL, 2006. Water use efficiency of common bean and green gram grown using alternate furrow and deficit irrigation. *Agric Water Manage* 86(3): 259-268.
- Weisburg WG, Barns SM, Pelletie DA and Lane DJ, 1991. 16S rDNA amplification for phylogenetic study. *J Bacteriol* 173: 697-703.
- Willekens H, Chamnongpol S, Davey M, Schraudner M, Langebartels C, Van Montagu M, Inze D and Van Camp W, 1997. Catalase is a sink for H₂O₂ and is indispensable for stress defence in C₃ plants. *EMBO J* 16(16): 4806–4816.
- Willekens H, Van Camp W, Van Montagu M, Inze D, Langebartels C and Sandermann Jr H, 1994b. Ozone, sulfur dioxide, and ultraviolet B have similar effects on mRNA accumulation of antioxidant genes in *Nicotiana plumbaginifolia* (L.). *Plant Physiol* 106(3): 1007–1014.
- Williams AG and Wimpenny JWT, 1977. Exopolysaccharide production by *Pseudomonas* NCIB11264 grown in batch culture. *J Gen Microbiol* 102(1): 13-21.
- Williams MNV and Singer ER, 1990. Metabolism of tryptophan and tryptophan analogs by *Rhizobium meliloti*. *Plant Physiol* 92: 1009–1013.
- Winkel-Shirley B, 2002. Biosynthesis of flavonoids and effects of stress. *Curr Opin Plant Biol* 5(3): 218-223.
- Wu S, Mickley LJ, Leibensperger EM, Jacob DJ, Rind D and Streets DG, 2008. Effects of 2000 – 2050 global change on ozone air quality in the United States. *J Geophys Res* 113.
- Yadav V, Prappulla SG, Jha A and Poonia A, 2011. A novel exopolysaccharide from probiotic *Lactobacillus fermentum* CFR 2195: Production, purification and characterization. *Biotechnol Bioinf Bioeng* 1: 415-421.

- Yancey PH, 2001. Water stress, osmolytes and proteins. *Amer Zool* 41(4): 699–709.
- Yang J, Kloepper JW and Ryu CM, 2009. Rhizosphere bacteria help plants tolerate abiotic stress. *Trends Plant Sci* 14(1): 1-4.
- Yang Y, Han C, Liu Q, Lin B and Wang J, 2008. Effect of drought and low light on growth and enzymatic antioxidant system of *Picea asperata* seedlings. *Acta Physiol Plant* 30(4): 433-440.
- Yaxley JR, Ross JJ, Sherriff LJ and Reid JB, 2001. Gibberellin biosynthesis mutations and root development in pea. *Plant Physiol* 125: 627–633.
- Yokota A, Kawasaki S, Iwano M, Nakamura C, Miyake C and Akashi K, 2002. Citrulline and DRIP1 protein (ArgE homologue) in drought tolerance of wild watermelon. *Ann Bot* 89: 825-832.
- Yuwono T, Handayani D and Soedarsono J, 2005. The role of osmotolerant rhizobacteria in rice growth under different drought conditions. *Austr J Agri Res* 56, 715–721.
- Zafar-ul-Hye M, Zahir ZA, Shahzad SM, Irshad U and Arshad M, 2007. Isolation and screening of Rhizobia for improving growth and nodulation of lentil (*Lens culinaris Medic*) seedlings under axenic conditions. *Soil Environ* 26(1): 81–91.
- Zahid M, Abbasi MK, Hameed S and Rahim N, 2015. Isolation and identification of indigenous plant growth promoting rhizobacteria from Himalayan region of Kashmir and their effect on improving growth and nutrient contents of maize (*Zea mays* L.). *Folia Microbiol* 6: 207.
- Zahir ZA, Arshad M and Frankenberger Jr WT, 2004. Plant growth promoting rhizobacteria: application and perspectives in Agriculture. *Adv Agron* 81: 97–168.
- Zahir ZA, Ghani U, Naveed M, Nadeem SM and Asghar HN, 2009. Comparative effectiveness of *Pseudomonas* and *Serratia* sp. containing ACC-deaminase for improving growth and yield of wheat (*Triticum aestivum* L.) under salt-stressed conditions. *Arch Microbiol* 191: 415–424.
- Zahir ZA, Munir A, Asghar HN, Shaharoon B and Arshad M, 2008. Effectiveness of rhizobacteria containing ACC-deaminase for growth promotion of pea (*Pisum sativum*) under drought conditions. *J Microbiol Biotechnol.* 18, 958–963.
- Zahran HH, 1999. *Rhizobium*-Legume symbiosis and nitrogen fixation under severe conditions and in an arid climate. *Microbiol Mol Biol Rev* 63(4): 968-989.
- Zahran HH, 2001. Rhizobia from wild legumes: diversity, taxonomy, ecology, nitrogen fixation and biotechnology. *J Biotechnol* 91: 143–153.
- Zaidi A and Khan MS, 2005. Interactive effect of rhizospheric microorganisms on growth, yield and nutrient uptake of wheat. *J Plant Nutr* 28: 2079–2092.
- Zaidi A, Khan MS, Ahemad M and Oves M, 2009. Plant growth promotion by phosphate solubilizing bacteria. *Acta Microbiol Immunol Hung* 56(3): 263–284

- Zaragoza O, Rodrigues ML, De Jesus M, Frases S, Dadachova E and Casadevall A, 2009. The capsule of the fungal pathogen *Cryptococcus neoformans*. *Adv Appl Microbiol* 68: 133-216.
- Zhang QB, Li N, Liu XG, Zhao ZQ, Li ZE and Xa ZH, 2004. The structure of a sulfated galactan from *Porphyra haitanensis* and its in-vivo antioxidant activity. *Carbohydr Res* 339: 105-111.
- Zhang WT, Yang JK, Yuan TY and Zhou JC, 2007. Genetic diversity and phylogeny of indigenous rhizobia from cowpea [*Vigna unguiculata* (L.) Walp.]. *Biol Fertil Soils* 44: 201–210.
- Zia-Ul-Haq M, Ahmad S, Bukhari SA, Amarowicz R, Ercisli S and Jaafar HZ, 2014. Compositional studies and biological activities of some mash bean (*Vigna mungo* (L.) Hepper) cultivars commonly consumed in Pakistan. *Biol Res* 47: 23.
- Ziska LH, 2011. Climate change, carbon dioxide and global crop production: food security and uncertainty. In: Dinar A, Mendelsohn R (Eds) *Handbook on climate change and agriculture*. Edward Elgar Publishing Ltd, Cheltenham and Camberley, UK, pp. 9–31.
- Zlatev ZS, Lidon FC, Ramalho JC and Yordanov IT, 2006. Comparison of resistance to drought of three bean cultivars. *Biol Plantarum* 50(3): 389-394.