

## LIST OF FIGURES

<b>Figure No.</b>	<b>Description</b>	<b>Page No.</b>
1.1	Crystal structure of Titanium Carbide	4
2.1	Availability of ilmenite in different states of India (in million tonnes)	24
2.2	Availability of rutile in different states of India (in million tonnes)	24
2.3	Schematic diagrams of the typical thermal plasma torches (a) Transferred DC Plasma Torch, (b) Non-transferred DC Plasma Torch and (c) RF Plasma Torch	29
2.4	Flow diagram for (A) General method of TiC preparation (B) Present plan of TiC preparation	48
3.1	Schematic diagram of thermal plasma reactor with description	54
3.2	Formation of extended arc plasma in graphite hearth	56
3.3	Plasma operation	56
3.4	Flow diagram for the preparation and characterization of Al-TiC composite	58
3.5	Schematic diagram of Hot pressing	59
3.6	WEBER PWV 30 EDS Electro-Hydraulic universal axial pressing machine.	60
3.7	Flow diagram for the preparation and characterization of polymer matrix composite	61
3.8	Diagrammatic representation of Hand Lay-Up Method	62
3.9	Scanning Electron Microscope (JEOL-JEM 2100 UHR)	64
3.10	STR 500 Raman system (Renishaw in via reflex spectrometer, Seki, Japan)	65
3.11	Nano-indentation system (Fisher Cripps, Australia)	67
3.12	Instron – 8801	68
3.13	Micro Hardness Tester (Model: LM-247; LECO Make)	69
3.14	Air jet Erosion Tester (Model: TR-471-600, DUCOM Make)	70
3.15	Schematic diagram of the erosion rig	71
4.1	X-ray diffraction analysis of ilmenite	76
4.2	SEM of ilmenite concentrates	77
4.3	SEM of activated carbon	77

4.4	XRD patterns of ilmenite concentrate and plasma treated products from 5 to 25 min	79
4.5	Scanning electron micrograph of Fe–TiC composite produced in thermal plasma at different magnification	80
4.6	SEM pictures and EDX spectra of Fe–TiC composite showing distribution of TiC in Fe matrix	81
4.7	SEM picture and EDX spectrum of the Fe–TiC composites in the gray coloured patches showing the Fe matrix	81
4.8	XRD patterns of Fe–TiC composite, TiC powder after removal of iron and carbon and commercial TiC powder	82
4.9	SEM picture of TiC powder	83
4.10	SEM picture and EDX spectrum of TiC powder	83
4.11	Raman spectra of synthesized TiC powder	84
4.12	Comparison of Raman spectra of commercial TiC powder and synthesized TiC powder	85
4.13	Particle size distribution of synthesized TiC powder	86
4.14	Particle size distribution of commercial TiC powder.	86
5.1	XRD patterns of TiC powder and Al-TiC composites containing 5- 20 Vol. % TiC	90
5.2	Field emission scanning electron micrograph of (a) pure Al and composites reinforced with TiC particles having (b) 5 (c) 10 and (d) 20 Vol. % TiC particles in Pure Al matrix	91
5.3	EDX analysis of 5 Vol. % Al-TiC composite	92
5.4	Compositional mapping of 5 Vol. % Al-TiC composites	92
5.5	EDX analysis of 10 Vol. % Al-TiC composite	93
5.6	Compositional mapping of 10Vol. % Al-TiC composites	93
5.7	EDX analysis of 20Vol. % Al-TiC composite	94
5.8	Compositional mapping of 20 Vol. % Al-TiC composites	94
5.9	Young's modulus and Vickers hardness with respect to volume % of TiC in Al-TiC composites	95
5.10	Load vs Displacement curve for 5 to 20 Vol. % of TiC in Al-TiC composites	97

6.1	Variation of micro-hardness of the composites with TiC content	102
6.2	Effect of control factors on erosion rate	105
6.3	Effect of impingement angle on erosion rate	106
6.4	Surface morphology of un-eroded composite	107
6.5	10 % filled composite eroded at an impingement angle of $60^{\circ}$ , impact velocity 47 m/s	108
6.6	15 % filled composite eroded at an impingement angle of $60^{\circ}$ , impact velocity 33 m/s	108
6.7	20 % filled composite eroded at an impingement angle of $60^{\circ}$ , impact velocity 57m/s	109
6.8	20 % filled composite eroded at an impingement angle of $90^{\circ}$ , impact velocity 33m/s	109
6.9	0 % filled composite eroded at an impingement angle of $45^{\circ}$ , impact velocity 68 m/s	110