

Contents

Chapter 1	GENERAL INTRODUCTION	01-61
1.1	Introduction	01
1.2	Natural rubber – Properties and uses	02
1.3	Vulcanization	04
1.4	Compounding Ingredients	05
1.4.1	Vulcanizing agents	06
1.4.1.1	Sulphur vulcanization systems	06
1.4.2	Accelerators and activators	08
1.4.3	Fillers	08
1.4.3.1	Properties of fillers	09
1.4.3.2	Carbon black	12
1.4.3.3	Non-black fillers	13
1.4.3.3.1	Silica	14
1.4.3.4	Effect of fillers on physical properties of rubber	16
1.4.4	Other chemicals	17
1.5	Silane coupling agents	17
1.6	Epoxidised natural rubber	20
1.7	Filler-filler and rubber-filler interaction	22
1.7.1	Payne effect	22
1.7.2	Bound rubber content	24
1.8	Accelerated Sulphur vulcanization system	26
1.8.1	Single and Binary accelerator system	29
1.9	Carcinogenic effects of rubber chemicals	30
1.10	Regulated nitrosamine generating accelerators	32
1.10.1	Dithiocarbamates	36

1.10.2	Sulfenamides-----	36
1.10.3	Sulphur donors -----	37
1.10.4	Thiurams -----	37
1.10.5	Chemicals containing secondary amines -----	38
1.11	Carcinogenicity tests -----	38
1.11.1	The Ames test-----	39
1.11.2	Cytotoxicity tests-----	39
1.11.2.1	Extract tests -----	40
1.11.2.1.1	MTT assay-----	40
1.11.2.1.2	Neutral red uptake assay -----	42
1.11.2.2	Direct contact test-----	43
1.12	Alternatives for regulated nitrosamine generating accelerators -----	43
1.12.1	Compounding with accelerators that produce non-regulated nitrosamines -----	44
1.13	Scope and objectives of the present work-----	46
	References -----	49

Chapter 2 MATERIALS AND EXPERIMENTAL TECHNIQUES ----- 63-90

2.1	Materials -----	63
2.1.1	Natural rubber (NR)-----	63
2.1.2	Epoxidised natural rubber (ENR 25) -----	64
2.1.3	Vulcanizing agent – Sulphur-----	64
2.1.4	Accelerators -----	64
2.1.4.1	N-oxydiethylene 2-benzothiazolesulfenamide (MBS)-----	64
2.1.4.2	Tertiarybutyl benzothiazolesulfenamide (TBBS) -----	65
2.1.4.3	N,N-dicyclohexyl-2-benzothiazolesulfenamide (DCBS)-----	65

2.1.4.4	N,N-dibenzyl-2-benzothiazolesulfenamide (DBBS)-----	65
2.1.4.5	Tetramethyl thiuramdisulfide (TMTD) -----	65
2.1.4.6	Tetrabenzyl thiuramdisulfide (TBzTD)-----	66
2.1.5	Fillers-----	66
2.1.5.1	High abrasion furnace black (HAF-black)-----	66
2.1.5.2	Precipitated silica -----	66
2.1.6	Antioxidants-----	67
2.1.6.1	N-(1,3-dimethylbutyl)-N'-phenyl-p-phenylenediamine (6PPD) -----	67
2.1.6.2	Polymerized 1,2-dihydro-2,2,4-trimethyl quinoline (TQ) -----	67
2.1.6.3	High pure grade TQ (HPG) -----	67
2.1.7	Other chemicals-----	68
2.1.7.1	Zinc oxide (ZnO) -----	68
2.1.7.2	Stearic acid -----	68
2.1.7.3	Naphthenic oil-----	68
2.1.7.4	Diethylene glycol (DEG) -----	69
2.1.7.5	Coupling agent -----	69
2.1.7.6	Toluene-----	69
2.1.7.7	Diesel oil -----	70
2.1.7.8	Lube oil-----	70
2.2	Experimental techniques -----	70
2.2.1	Mixing and homogenization of the NR compounds -----	70
2.2.2	Cure characteristics -----	71
2.2.3	Assessment of rubber-filler interactions -----	72
2.2.3.1	Strain-sweep analysis -----	72
2.2.3.2	Bound rubber content -----	73

2.2.4	Moulding -----	74
2.3	Tests on vulcanizates -----	74
2.3.1	Mechanical properties -----	74
2.3.1.1	Stress-strain properties-----	74
2.3.1.2	Tear strength-----	74
2.3.1.3	Thermo-oxidative ageing-----	75
2.3.1.4	Hardness -----	75
2.3.1.5	Compression set-----	75
2.3.1.6	Rebound resilience -----	76
2.3.1.7	Abrasion resistance -----	76
2.3.2	Swelling studies-----	77
2.3.2.1	Transport properties -----	77
2.3.2.2	Crosslink density-----	78
2.3.2.3	Gibbs free energy change and entropy change -----	80
2.3.3	Fluid resistance -----	81
2.3.4	Thermogravimetric analyses -----	81
2.3.5	Scanning electron microscopy (SEM) -----	82
2.3.6	Dynamic mechanical analysis -----	82
2.3.7	<i>In vitro</i> cytotoxic effect of the NR vulcanizates -----	83
2.3.7.1	MTT assay -----	84
	References -----	87

Chapter 3 **NATURAL RUBBER VULCANIZATES PREPARED
USING REGULATED (MBS & TMTD) / NON-
REGULATED (TBBS & TBzTD) BINARY
ACCELERATORS - A COMPARATIVE STUDY-----91-127**

3.1	Introduction -----	92
-----	--------------------	----

PART A

REPLACEMENT OF MBS WITH TBBS (SAFE ACCELERATOR)

3.A.1	Preparation of the mixes-----	96
3.A.2	Cure characteristics -----	96
3.A.3	Mechanical properties of the vulcanizates -----	98
3.A.4	Cytotoxicity (MTT assay) of the vulcanizate containing MBS and TMTD -----	104

PART B

REPLACEMENT OF TMTD WITH TBzTD (SAFE ACCELERATOR)

3.B.1	Preparation of the NR compounds -----	106
3.B.2	Cure characteristics of the mixes-----	107
3.B.2.1	Kinetics of vulcanization -----	108
3.B.2.2	Reversion resistance-----	111
3.B.3	Mechanical properties of the vulcanizates -----	112
3.B.4	Fluid resistance -----	118
3.B.5	Thermogravimetric analysis -----	119
3.B.6	Cytotoxicity of the vulcanizate containing non-regulated accelerators -----	121
3.2	Summary-----	122
	References -----	123

Chapter 4

NON-REGULATED ACCELERATOR (DCBS / DBBS)

INCORPORATED NATURAL RUBBER

VULCANIZATES----- 129-148

4.1	Introduction -----	129
4.2	Preparation of the mixes containing various dosages of DCBS / DBBS-----	130
4.3	Cure characteristics -----	131

4.3.1	Kinetics of vulcanization -----	133
4.4	Mechanical properties of the vulcanizates -----	134
4.4.1	Mechanical properties of the NR vulcanizates containing DCBS -----	134
4.4.2	Mechanical properties of the NR vulcanizates containing DBBS -----	139
4.5	Fluid resistance -----	143
4.6	Cytotoxicity of the vulcanizates containing DCBS / DBBS -----	144
4.7	Summary-----	145
	References -----	147

Chapter 5 **EFFECT OF FILLERS ON PROPERTIES OF SAFE
NATURAL RUBBER VULCANIZATES ----- 149-215**

PART A

**EFFECT OF CARBON BLACK ON PROPERTIES
OF SAFE NATURAL RUBBER VULCANIZATES**

5.A.1	Introduction -----	152
5.A.2	Preparation of carbon black-filled NR compounds -----	153
5.A.3	Cure characteristics of the carbon black-filled NR compounds-----	154
5.A.3.1	Cure kinetics-----	156
5.A.3.2	Westlinning-Wolff's equation -----	157
5.A.4	Mechanical properties of the NR vulcanizates containing carbon black. -----	160
5.A.5	Sorption studies-----	168
5.A.5.1	Transport mechanism -----	172
5.A.6	Fluid resistance -----	173
5.A.7	Assessment of rubber-filler interactions -----	174
5.A.7.1	Strain-sweep studies-----	174

5.A.7.2 Bound rubber content -----	176
5.A.8 Scanning electron microscopy -----	177
5.A.9 Thermogravimetric analysis (TGA) -----	178
5.A.10 Cytotoxicity of the carbon black-filled NR vulcanizate -----	180
5.A.11 Summary -----	181
References -----	183

PART B

EFFECT OF PRECIPITATED SILICA ON PROPERTIES OF SAFE NATURAL RUBBER VULCANIZATES

5.B.1 Introduction -----	187
5.B.2 Preparation of silica-filled NR compounds -----	189
5.B.3 Cure characteristics -----	190
5.B.3.1 Cure kinetics -----	192
5.B.3.2 Westlinning-Wolff's equation -----	192
5.B.4 Mechanical properties of the silica- filled NR vulcanizates -----	194
5.B.5 Sorption studies -----	200
5.B.6 Fluid resistance -----	203
5.B.7 Scanning electron microscopy -----	204
5.B.8 Thermogravimetric analysis -----	205
5.B.9 Assessment of rubber-filler interactions -----	207
5.B.9.1 Bound rubber content -----	207
5.B.9.2 Strain-sweep analysis -----	207
5.B.10 Cytotoxicity of the silica-filled NR vulcanizate -----	211
5.B.11 Summary -----	211
References -----	213

**Chapter 6 EPOXIDISED NATURAL RUBBER - A
SUBSTITUTE FOR SILANE COUPLING AGENT IN
SAFE SILICA-FILLED NATURAL RUBBER
FORMULATIONS ----- 217-271**

6.1 Introduction -----218

PART A

**EFFECT OF SILANE COUPLING AGENT ON
PROPERTIES OF SILICA-FILLED NR COMPOUNDS**

6.A.1 Preparation of silane modified silica-
filled natural rubber compounds -----221

6.A.2 Cure characteristics -----222

6.A.2.1 Cure kinetics-----224

6.A.3 Mechanical properties of silane
modified silica-filled NR vulcanizates -----224

6.A.4 Sorption studies -----231

6.A.5 Fluid resistance -----233

6.A.6 Scanning electron microscopy-----234

6.A.7 Thermogravimetric analysis -----235

6.A.8 Assessment of rubber-filler interactions -----237

6.A.8.1 Bound rubber content -----237

6.A.8.2 Strain-sweep analysis -----238

6.A.9 Cytotoxicity (MTT assay) of silane
modified silica-filled NR vulcanizate -----241

PART B

**EFFECT OF EPOXIDISED NATURAL RUBBER
(ENR) ON PROPERTIES OF SILICA-FILLED NR
COMPOUNDS**

6.B.1 Preparation of ENR modified silica-
filled NR compounds -----243

6.B.2 Cure characteristics -----243

6.B.2.1 Cure kinetics-----245

6.B.3	Mechanical properties of ENR modified silica-filled NR vulcanizates -----	246
6.B.4	Sorption studies -----	253
6.B.5	Fluid resistance -----	255
6.B.6	Filler-rubber interaction -----	256
6.B.6.1	Bound rubber content -----	256
6.B.6.2	Strain-sweep analysis -----	257
6.B.7	Scanning electron microscopy -----	259
6.B.8	Thermogravimetric analysis -----	260
6.B.9	Dynamic mechanical analysis -----	262
6.B.10	Cytotoxicity of ENR modified silica-filled NR vulcanizate -----	263
6.2	Summary -----	264
	References -----	266

Chapter 7 **EFFECT OF ANTIOXIDANTS ON THERMO-
OXIDATIVE AGEING PROPERTIES OF SAFE
ACCELERATOR INCORPORATED NATURAL
RUBBER VULCANIZATES ----- 273-299**

7.1	Introduction -----	274
7.2	Formulations of the mixes containing 6PPD, commercial TQ and HPG -----	275
7.3	Cure characteristics -----	276
7.4	Mechanical properties of the vulcanizates containing 6PPD, commercial TQ and HPG -----	278
7.4.1	Ageing mechanism -----	286
7.4.2	Crosslink density of the aged vulcanizates -----	290
7.5	Fluid resistance -----	292
7.6	Thermogravimetric analysis -----	293
7.7	Cytotoxicity of the vulcanizates containing commercial TQ and HPG -----	294

7.8	Summary	-----	296
	References	-----	298
<i>Chapter 8</i>	CONCLUSIONS	-----	301-305
	LIST OF SYMBOLS AND ABBREVIATIONS	-----	307-310
	PUBLICATIONS	-----	311-314
	CURRICULUM VITAE	-----	315-316

