

REFERENCES

- [1] Kim P., Jones S. C, Hotchkiss P. J, Haddock J. N, Kippelen B, Marder S. R, and Perry J. W, "Phosphonic acid- modified barium titanate polymer nanocomposites with high permittivity and dielectric strength", *Adv. Mater.*, Vol. 19, pp.1001-1005, 2007.
- [2] Nelson SO and Datta AK, "Dielectric Properties of Food Materials and Electric Field Interactions", In Datta A.K., Anantheswaran, R.C. (Eds). *Handbook of Microwave Technology for Food Application*, Marcel Dekker, Inc. New York, 2001.
- [3] Yano S, "Dielectric relaxation and molecular motion in poly (vinylidene fluoride)", *J. Polym. Sci. Part B. Polym Phys.*, Vol. 8, pp. 1057-1072, 1970.
- [4] Nalwa HS, Eiichi F and Shigeru T, "Polyureas and Polythioureas", In Nalwa, H.S. (Eds). *Ferroelectric Polymers: Chemistry, Physics and Applications*, Marcel Dekker, Inc. New York, 1995.
- [5] Kao KC, "Dielectric Phenomena In Solids", Elseveir Academic Press, London, 2004.
- [6] Jonscher AK, "Dielectric Relaxation in Solids", Chelsea Dielectrics Press Ltd, London, 1983.
- [7] Rao Y and Wong C. P, "Material characterization of a high-dielectric-constant polymer-ceramic composite for embedded capacitor to RF applications", *J. Appl. Polym. Sci.*, Vol. 92, pp. 2228-2231, 2004.
- [8] Barber P., Balasubramanian S, Anguchamy Y, Gong S, Wibowo A, Gao H, Ploehn H. J, and ZurLoye H. C, "Polymer composite and

nanocomposite dielectric materials for pulse power energy storage”, *Materials.*, Vol. 2, pp. 1697-1733, 2009.

- [9] Yao S. H., Yuan J. K, Gonon P, Bai J, Pairis S, and Sylvestre A, “Effect of oxygen vacancy on the dielectric relaxation of BaTiO₃ thin films in a quenched state”, *J. Appl. Phys.*, Vol. 111, pp. 104109-104109:5, 2012.
- [10] Dang Z. M., Yuan J. K, Zha J. W, Zhou T, Li S. T, and Hu G. H, “Fundamentals, processes and applications of high-permittivity polymer-matrix composites”, *Progress in Material Science.*, Vol. 57, pp. 660-723, 2012.
- [11] Li J. Y., Zhang L, and Ducharme S, “Electric energy density of dielectric nanocomposites”, *Appl. Phys. Lett.*, Vol. 90, pp. 132901-132901:5, 2007.
- [12] Bartnikas R, “Electrical Properties of Solid Insulating Materials: Measurement Techniques”, *Engineering Dielectrics*, American Society for Testing and Materials, 1987.
- [13] Scaife BKP, “Principles of Dielectrics” (Monographs on the Physics and Chemistry of Materials), Oxford University Press, 1998.
- [14] Nalwa H, “Handbook of Low and High Dielectric Constant Materials and their Applications”, Academic Press, London, 1999.
- [15] David RL, “CRC Handbook of Chemistry and Physics”, CRC Press, Boca Raton, FL, USA, pp. 1-2661, 2005.
- [16] Buchanan RC, “Ceramic Materials for Electronics”, Marcel Dekker, Inc. New York, 2004.
- [17] Deshmukh K, Ahamed MB, Deshmukh R, Pasha SKK, Bhagat PR, and Chidambaram K, “Biopolymer Composites with High Dielectric

- Performance: Interface Engineering”. In Sadasivuni K. K., Ponnamma D., Kim. J., Cabibihan J. J., AlMaadeed, M. A. (Eds). *Biopolymer Composites in Electronics*, Elsevier, Amsterdam, 2017.
- [18] Thakur VK and Kessler MR, “Polymer Nanocomposites: New Advanced Dielectric Materials for Energy Storage Applications”. In Tiwari A., Valyukh, S. (Eds). *Advanced Energy Materials*, John Wiley & Sons, Inc. Hoboken, NJ, USA, 2014.
- [19] Malik NH, Al Arainy AA, and Qureshi MI (Eds), “Electrical Insulation in Power Systems”, Marcel Dekker, New York, 1998.
- [20] Dakin TW, “Conduction and Polarization Mechanisms and Trends in Dielectrics”, *IEEE Electrical Insulation Magazine*, Vol. 22, pp. 11-28, 2006.
- [21] Raju GG, “Dielectrics in Electric Fields”, Marcel Dekker, Inc. New York, 2003.
- [22] Zhou Z., Carr J, Mackey M, Yin K, Schuele D, Zhu L, and Baer E, “Interphase/Interface modification on the dielectric properties of polycarbonate/poly(vinylidene-fluoride-co-hexafluoropropylene) multilayer films for high energy density capacitors”, *J. Polym. Sci. Part B. Polym. Phys.*, Vol. 51, pp. 978-991, 2013.
- [23] Okada A, Kawasumi M, Usuki A, Kojima Y, Karauchi T, and Kamigaito O, “Synthesis and Properties of Nylon-6/Clay Hybrids”. In Schaefer D. W, Mark, J. E. (Eds). *Polymer Based Molecular Composites*, Materials Research Society, Inc. Pittsburgh, Pennsylvania, PA, USA, 1990.
- [24] Garces J. M., Moll D. J, Bicerano J, Fibiger R, and Mcleod D. G, “Polymer nanocomposites for automotive applications”, *Adv. Mater.*, Vol. 12, pp. 1835-1839, 2000.

- [25] Zhang S., Wang H. L, Ong S. E, Sun D, and Bui X. L, “Hard yet tough nanocomposite coatings—present status and future trends”, *Plasma Processes and Polymers.*, Vol. 4, pp. 219-228, 2007.
- [26] Beyer G, “Nanocomposites: a new class of flame retardants for polymers”, *Plast. Add. Comp.*, Vol. 4, pp. 22-28, 2002.
- [27] Naffakh M., Diez - Pascual A. M, Marco C, Ellis G. J, and Gomez – Fatou M. A, “Opportunities and challenges in the use of inorganic filler like nanoparticles to produce advance polymer nanocomposites”, *Prog. Polym. Sci.*, Vol. 38, pp. 1163-1231, 2013.
- [28] Alexandre M and Dubois P, “Polymer-layered silicate nanocomposites: preparation, properties and uses of new class of materials”, *Mater. Sci. Eng. R.*, Vol. 28, pp. 1-63, 2000.
- [29] Leroux F and Besse J. P, “Polymer intercalated layered double hydroxide: A new emerging class of nanocomposites”, *Chem. Mater.*, Vol. 13, pp. 3507-3515, 2001.
- [30] Vaia R. A and Wagner H. D, “Framework for nanocomposites”, *Mater. Today.*, Vol. 7, pp. 32-37, 2004.
- [31] Verdejo R., Bernal M. M, Romasanta L. J, and Manchado M. A, “Graphene filled polymer nanocomposites”, *J. Mater. Chem.*, Vol. 21, pp. 3301-3310, 2011.
- [32] Terrones M., Martín O, González M, Pozuelo J, Serrano B, Cabanelas J. C, Vega-Díaz S. M, and Baselga J, “Interphases in graphene polymer-based nanocomposites: achievements and challenges”, *Adv. Mater.*, Vol. 23, pp. 5302-5310, 2011.

- [33] Coleman J. N., Khan U, Blau W. J, and Gunko, "Small but strong: a review of the mechanical properties of carbon nanotube-polymer composites", *Carbon.*, Vol. 44, pp. 1624-1652, 2006.
- [34] Lin B., Gelves G. A, Haber J. A, and Sundararaj U, "Electrical, rheological and mechanical properties of polystyrene/copper nanowire nanocomposites", *Ind. Eng. Chem. Res.*, Vol. 46, pp. 2481-2487, 2007.
- [35] Okada A and Usuki A, "Twenty years of polymer clay nanocomposites", *Macromol. Mater. Eng.*, Vol. 291, pp. 1449-1476, 2006.
- [36] Fasolino A., Los J. H, and Katsnelson M. I, "Intrinsic ripples in graphene", *Nat. Mater.*, Vol. 6, pp. 858-861, 2007.
- [37] Liu Y., Wang A, and Claus R, "Molecular self-assembly of TiO₂/polymer nanocomposite films", *J. Phys. Chem. B.*, Vol. 101, pp. 1385-1388, 1997.
- [38] Huang J., He C, Xiao Y, Mya K. Y, Dai J, and Siow Y. P, "Polyimide/POSS nanocomposites: interfacial interaction, thermal properties and mechanical properties", *Polymer.*, Vol. 44, pp. 4491-4499, 2003.
- [39] Baibarac M and Gomez-Romeo P, "Nanocomposites based on conducting polymers and carbon nanotubes: from fancy materials to functional applications", *J. Nano Sci. Nanotechnol.*, Vol. 6, pp. 1-14, 2006.
- [40] Baughman R. H., Zakhidov A. A, and De Heer W. A, "Carbon nanotubes- the route toward applications", *Science.*, Vol. 297, pp. 787-792, 2002.
- [41] Moniruzzaman M and Winey K. I, "Polymer nanocomposites containing carbon nanotubes", *Macromolecules.*, Vol. 39, pp. 5194-5205, 2006.

- [42] Kothurkar NK, "Solid State Transparent Cadmium Sulphide-Polymer Nanocomposites", University of Florida, USA, pp. 1-153, 2004.
- [43] Chuang S., Hsu S. L, and Liu Y, "Synthesis and properties of fluorine-containing polybenzimidazole/silica nanocomposite membranes for proton exchange membrane fuel cells", J. Membr. Sci., Vol. 305, pp. 353-363, 2007.
- [44] Ahmadpoor P., Nateri A. S, and Motaghitalab V, "The optical properties of PVA/TiO₂ composite nanofibers", J. Appl. Polym. Sci., Vol. 130, pp. 78-85, 2013.
- [45] Chang J., Dommer M, Chang C, and Lin L, "Piezoelectric nanofibers for energy scavenging applications", Nanoenergy., Vol. 1, pp. 356-371, 2012.
- [46] Lebrun L., Guyomar D, Guiffard B, Cottinet P. J, and Putson C, "The characterization of the harvesting capabilities of an electrostrictive polymer composites", Sens. Actuators. A., Vol. 153, pp. 251-257, 2009.
- [47] Yoon M. S., Mahmud I, and Ur S. C, "Phase formation, microstructure and piezoelectric/dielectric properties of BiYO₃-doped Pb (Zr_{0.53}Ti_{0.47}) for piezoelectric energy harvesting devices", Cer. Intern., Vol. 39, pp. 8581-8588, 2013.
- [48] Wolkoff K and Hillering U, "Solution processed inverter based on zinc oxide nanoparticle thin film transistors with poly (4-vinylphenol) gate dielectric", Solid State Electron., Vol. 62, pp. 110-114, 2011.
- [49] Jang J., Song Y, Yoo D, Kim T. Y, Jung S. H, Hong S, Lee J. K, and Lee T, "Microscale twistable organic field effect transistors and complimentary inverters fabricated by orthogonal photolithography on flexible polyimide substrate", Org. Electron., Vol.15, pp. 2822-2829, 2014.

- [50] Rahimabady M., Mirshekarloo M. S, Yao K, and Lu L, "Dielectric behaviors and high energy storage density of nanocomposites with core-shell BaTiO₃ @ TiO₂ in poly (vinylidene fluoride – hexafluoropylene)", *Phys. Chem. Chem. Phys.*, Vol. 15, pp. 16242-16248, 2013.
- [51] Li Y., Krentz T. M, Wang L, Benicewiz B. C, and Schadler L. S, "Ligand engineering of polymer nanocomposites: from the simple to the complex", *ACS Appl. Mater. Interfaces.*, Vol. 6, pp. 6005-6021, 2014.
- [52] Wang Q and Zhu L, "Polymer nanocomposites for electrical energy storage", *J. Polym. Sci. Part B. Polym. Phys.*, Vol. 49, pp.1421-1429, 2011.
- [53] Mukherjee C. D., Bardhan K, and Heaney M. B, "Predictable electrical breakdown in composites", *Phys. Rev. Lett.*, Vol. 83, pp. 1215-1218, 1999.
- [54] Srivastava N. K and Mehra R. M, "Study of structural, electrical and dielectric properties of polystyrene/foiated graphite nanocomposites developed via insitu polymerization", *J. Appl. Polym. Sci.*, Vol. 109, pp. 3991-3999, 2008.
- [55] Thakur V. K., Tan E. J, Lin M. F, and Lee P. S, "Polystyrene grafted polyvinylidene fluoride copolymers with high capacitive performance", *Polym. Chem.*, Vol. 2, pp. 2000-2009, 2011.
- [56] Choi H., Heo Y, Lee J, Kim J, Lee H, Park E, Kim J. J, Lee H. Y, and Chung Y. K, "Effects of Ni particle size on dielectric properties of PMMA-Ni-BaTiO₃ composites", *Integr. Ferroelectric.*, Vol. 87, pp. 85-93, 2007.
- [57] Wang J. W., Wang Y, Wang F, Li S. Q, Xiao J, and Shen Q. D, "A large enhancement in dielectric properties of poly (vinylidene fluoride) based all organic nanocomposite", *Polymer.*, Vol. 50, pp. 679-684, 2009.

- [58] Dang Z. M., Shen Y, and Nan C. W, "Dielectric behaviour of three phase percolative Ni-BaTiO₃/polyvinylidene fluoride composites", *Appl. Phys. Lett.*, Vol. 81, pp. 4814-4816, 2002.
- [59] Valentini L., Puglia D, Frulloni E, Armentano I, Kenny J. M, and Santucci S, "Dielectric behavior of epoxy matrix/single walled carbon nanotube composites", *Comp. Sci. Technol.*, Vol. 64, pp. 23-33, 2004.
- [60] Cheng H., Zhang Q. M, and Ji S, "High dielectric constant all polymer percolative composites", *Appl. Phys. Lett.*, Vol. 82, pp. 3502-3504, 2003.
- [61] Geim A. K and Novoselov K. S, "The rise of graphene", *Nat. Mat.*, Vol. 6, pp. 183-191, 2007.
- [62] Novoselov K. S., Geim A. K, Morozov S. V, Jiang D, Zhang Y, Dubonos S. V, Grigorieva I. V, and Firsov A. A, "Electric field effect in atomically thin carbon films", *Science.*, Vol. 306, pp. 666-669, 2004.
- [63] Geim A. K and MacDonald A. H, "Graphene: exploring carbon flatland", *Phys. Today.*, Vol. 60, pp. 35-41, 2007.
- [64] Si Y and Samulski E. T, "Synthesis of water soluble graphene", *Nano Lett.*, Vol. 8, pp. 1679-1682, 2008.
- [65] Avouris P and Dimitrakopoulos C, "Graphene synthesis and applications", *Mater. Today.*, Vol. 15, pp. 86-97, 2012.
- [66] Zhu Y., Murali S, Cai W, Li X, Suk J. W, Potts J. R, and Ruoff R. S, "Graphene and graphene oxide: synthesis, properties and applications", *Adv. Mater.*, Vol. 22, pp. 3906-3924, 2010.
- [67] Dreyer D. R., Park S, Bielawski C. W, and Ruoff R. S, "The chemistry of graphene oxide", *Chem. Soc. Rev.*, Vol. 39, pp. 228-240, 2010.

- [68] Wang G., Shen X, Wang B, Yao J, and Park J, "Synthesis and characterisation of hydrophilic and organophilic graphene nanosheets", *Carbon.*, Vol. 47, pp. 1359-1364, 2009.
- [69] Novoselov K. S., Falko V. I, Colombo L, Gellert P. R, Schwab M. G, and Kim K, "A roadmap for graphene", *Nature.*, Vol. 490, pp. 192-200, 2012.
- [70] Lee C., Wei X, Kysar J. W, and Hone J, "Measurements of the elastic properties and intrinsic strength of monolayer graphene", *Science.*, Vol. 321, pp. 385-388, 2008.
- [71] Balandin A. A., Gosh S, Bao W, Calizo I, Teweldetorhan D, Miao F, and Lau C. N, "Superior thermal conductivity of single layer graphene", *Nano Lett.*, Vol. 8, pp. 902-907, 2008.
- [72] Zhang Y., Tan Y. W, Stormer H. L, and Philip K, "Experimental observation of quantum hall effect and Berry's phase in graphene", *Nature.*, Vol. 438, pp. 201-204, 2005.
- [73] Novoselov K. S., Geim A. K, Morozov S. V, Jiang D, Katnelson M. I, Grigoria I. V, Dubonos S. V, and Firsov A. A, "Two dimensional gas of massless dirac fermions in graphene", *Nature.*, Vol. 438, pp. 197-200, 2005.
- [74] Wu Z. S., Zhou G, Yin L. C, Rencai W, Li F, and Cheng H. M, "Graphene/metal oxide composite electrode materials for energy storage", *Nano Energy.*, Vol. 1, pp. 107-131, 2012.
- [75] Avouris P, "Graphene: electronic and photonic properties and devices", *Nano Lett.*, Vol. 10, pp. 4285-4294, 2010.

- [76] Wang X., Zhi L, and Mullen K, "Transparent, conductive graphene electrodes for dye-sensitized solar cells", *Nano Lett.*, Vol. 8, pp. 323-327, 2008.
- [77] Ang P. K., Chen W, Wee A. T. S, and Loh K. P, "Solution-gated epitaxial graphene as pH sensor", *J. Am. Chem. Soc.*, Vol. 130, pp. 14392-14393, 2008.
- [78] Singh V., Joung D, Zhai L, Das S, Khondaker S. I, and Seal S, "Graphene based materials: past, present and future", *Prog. Mater. Sci.*, Vol. 56, 1178-1271, 2011.
- [79] Brennan L. J., Byrne M. T, Bari M, and Gunko Y. K, "Carbon nanomaterials for dye-sensitized solar cell applications: a bright future", *Adv. Energy Mater.*, Vol. 1, pp. 472-485, 2011.
- [80] Stankovich S., Dikin D. A, Dommett G. H. B, Kohlhaas K. M, Zimney E. J, Stach E. A, Piner R. D, Nguyen S. T, and Ruoff R. S, "Graphene-based composite materials", *Nature.*, Vol. 442, pp. 282-286, 2006.
- [81] Kuilla T., Bhadra S, Yao D, Kim N. H, Bose S, and Lee J. H, "Recent advances in graphene based polymer composite", *Prog. Polym. Sci.*, Vol. 35, pp.1350-1375, 2010.
- [82] Villar R. S., Paredes J. I, Martinez A. A, and Tascon J. M, "Preparation of graphene dispersions and graphene-polymer composites in organic media", *J. Mater. Chem.*, Vol.19, pp. 3591-3593, 2009.
- [83] Kinaret J., Ferrari A. C, Falko V, and Kivioja J, "Graphene driven revolutions in ICT and beyond", *Proc. Comp. Sci.*, Vol. 7, pp. 30-33, 2011.

- [84] Mittal G., Dhand V, Rhee K. Y, Park S. J, and Lee W. R, "A review on carbon nanotubes and graphene as fillers in reinforced polymer nanocomposites", *J. Ind. Eng. Chem.*, Vol. 21, pp. 11- 25, 2015.
- [85] Novoselov K. S., Jiang Z, Zhang Y, Morozov S. V, Stormer H. L, Zeitler U, Maan J. C, Boebinger G. S, Kim P, and Geim A. K, "Room temperature quantum hall effect in graphene", *Science.*, Vol. 315, pp. 1379-1379, 2007.
- [86] Hernandez Y., Nicolosi V, Lotya M, Bhig F. M, Sun Z, De S, McGovern I. L, Brendan H, Michele B, Yurii K. G, John J. B, Peter N, Georg D, Satheesh K, Robbie G, John H, Vittorio S, Andrea C. F, and Jonathan N. C, "High-yield production of graphene by liquid-phase exfoliation of graphite", *Nat. Nanotechol.*, Vol. 3, pp. 563-568, 2008.
- [87] Blake P., Brimicombe P. D, Nair R. R, Booth T. J, Jiang D, Schedin F, Leonid A. P, Sergey V. M, Helen F. G, Ernie W. H, Andre K. G, and Novoselov K. S, "Graphene based liquid crystal device", *Nano Lett.*, Vol. 8, pp. 1704-1708, 2008.
- [88] Park S., An J, Jung I, Piner R. D, An S. J, Li X, Aruna V, and Ruoff R. S, "Colloidal suspensions of highly reduced graphene oxide in a wide variety of organic solvents", *Nano Lett.*, Vol. 9, 1593-1597, 2009.
- [89] Paredes J. I., Villar R. S, Martinez A. A, and Tascon J. M. D, "Graphene oxide dispersions in organic solvents", *Langmuir.*, Vol. 24, pp. 10560-10564, 2008.
- [90] Bourlions A. B., Geogakilas V, Zboril R, Steriotis T. A, and Stubos A. K, "Liquid phase exfoliation of graphite towards solubilised graphene", *Small.*, Vol. 5, pp. 1841-1845, 2009.

- [91] Ciesieki A and Samori P, "Graphene via sonication assisted liquid phase exfoliation", *Chem. Sec. Rev.*, Vol. 43, pp. 381-398, 2014.
- [92] Niu L., Li M, Tao X, Xie Z, Zhou X, Raju A. P. A, Robert J. Y, and Zijian Z, "Salt assisted direct exfoliation of graphite into high quality, large size, few layer graphene sheets", *Nanoscale.*, Vol. 5, pp. 7202-7208, 2013.
- [93] Lotya M., Hernandez Y, King P. J, Smith R. J, Nicolsi V, Karlsson L. S, Fiona M. B, Sukanta D, Zhiming W, McGovern I. T, Georg S. D, and Jonathan N. C, "Liquid phase production of graphene by exfoliation of graphite in surfactant / water solution", *J. Am. Chem. Soc.*, Vol. 131, pp. 3611-3620, 2009.
- [94] Berger C., Song Z, Li T, Li X, Ogbazghi A. Y, Feng R, Dai Z, Marchenkov A. N, Conrad E. H, First P. N, and Heer W. A. D, "Ultrathin epitaxial graphite: 2D electron gas properties and a route toward graphene-based nanoelectronics", *J. Phys. Chem. B.*, Vol. 108, pp. 19912-19918, 2004.
- [95] Sutter P. W., Flege J. I, and Sutter E. A, "Epitaxial graphene on ruthenium", *Nature Materials.*, Vol. 7, pp. 406-411, 2009.
- [96] Heer W. A., Berger C, Wu X, First P. N, Conrad E. H, Li X, Li T, Sprinkle M, Hass J, Sadowski M. L, Potemski M, and Martinez G, "Epitaxial graphene", *Solid State Commun.*, Vol. 143, pp. 92-100, 2007.
- [97] Kedzierski J., Pei L. H, Paul H, Peter W. W, Craig L. K, Mike S, Claire B, and Walt A. D. H, " Epitaxial graphene transistors on SiC substrates", *IEEE Trans. Electron Devices.*, Vol. 55, pp. 2078-2085, 2008.
- [98] Coraux J., Diaye A. T. N, Busse C, and Michely T, "Structural coherency of graphene on Ir (111)", *Nano Lett.*, Vol. 8, pp. 565-570, 2008.

- [99] Hamilton J. C and Blakely J. M, "Carbon segregation to single crystal surfaces of Pt, Pd and Co", *Surf. Sci.*, Vol. 91, pp. 199-217, 1980.
- [100] Eizanberg M and Blakely J. M, "Carbon monolayer phase condensation on Ni (111)", *Surf. Sci.*, Vol. 82, pp. 228-236, 1979.
- [101] Bae S., Kim H, Lee Y, Xu X, Park J. S, Zheng Y, Jayakumar B, Tian L, Kim H. R, Young Il S, Kim Y. J, Kwang S. K, Barbaros O, Jong H. A, Byung H. H, and Iijima S, "Roll to roll production of 30 inch graphene films for transparent electrodes", *Nature Nanotech.*, Vol. 5, pp. 574-578, 2010.
- [102] Kim J., Masatou I, Koga Y, Tsugawa K, and Masataka H, "Low temperature synthesis of large area graphene based transparent conductive films using surface wave plasma chemical vapor deposition". *Appl. Phys. Lett.*, Vol. 98, pp. 091505, 2011.
- [103] Bo Z., Yang Y, Chen J, Yu K, Yan J, and Cen K, "Plasma enhanced chemical vapor deposition synthesis of vertically oriented graphene nanosheets", *Nanoscale.*, Vol. 5, pp. 5180-5204, 2013.
- [104] Malesevic A., Vitchev R, Schouteden K, Volondis A, Zhang I, Tendeloo G. V, Vanhulsel A, and Chris V. H, "Synthesis of few layer graphene via microwave plasma enhanced chemical vapor deposition", *Nanotechnology.*, Vol. 19, pp. 305604-306510, 2008.
- [105] Wang J., Zhu M, Outlaw R. A, Zhao X, Manos D. M, and Holloway B. C, "Synthesis of carbon nanosheets by inductively coupled radio frequency plasma enhanced chemical vapor deposition", *Carbon.*, Vol. 42, pp. 2867-2872, 2004.
- [106] Krivchenko V. A., Dvorkin V. V, Dzbanovsky N. N, Timufeyev M. A, Stepanov A. S, Rakhimov A. T, Suetin N. V, Vilkov O. Y, and Yashina L. V, "Evolution of carbon film structure during its catalyst free growth in the

- plasma of direct current glow discharge”, *Carbon.*, Vol. 50, pp. 1477-1487, 2012.
- [107] Dato A., Radmilovic V, Lee Z, Philips J, and Frenklach M, “Substrate free gas phase synthesis of graphene sheets”, *Nano Lett.*, Vol. 8, pp. 2012-2016, 2008.
- [108] Wu S., Yin Z, He Q, Lu G, Zhou X, and Zhang H, “Electrochemical deposition of Cl-doped n-type Cu_2O on reduced graphene oxide electrodes”, *J. Mater. Chem.*, Vol. 21, pp. 3467-3470, 2011.
- [109] Acik M., Lee G, Mattevi C, Pirkle A, Wallace R. M, Chhowalla M, Cho K, and Chabal Y, “The role of oxygen during thermal reduction of graphene oxide studied by infrared absorption spectroscopy”, *Journal of Physical Chemistry C.*, Vol. 115, pp. 19761-19781, 2011.
- [110] Min S and Lu G, “Dye-sensitized reduced graphene oxide photocatalysts for highly efficient visible-light-driven water reduction”, *J. Phys. Chem. C.*, Vol. 115, pp. 13938-13945, 2011.
- [111] Compton O. C., Dikin D. A, Putz K. W, Brinson L. C, and Nguyen S. T, “Electrically conductive “alkylated” graphene paper via chemical reduction of amine-functionalized graphene oxide paper”, *Adv. Mater.*, Vol. 22, pp. 892-896, 2010.
- [112] Wang G. X., Yang J, Park J, Gou X. L, Wang B, Liu H, and Yao J, “Facile synthesis and characterization of graphene nanosheets”, *J. Phys. Chem C.*, Vol. 112, pp. 8192-8195., 2008.
- [113] Fernandez-Merino M. J., Guardia L, Paredes J. I, Villar-Rodil S, Solis-Fernandez P, Martinez-Alonso A, and Tascon J. M. D, “Vitamin C is an ideal substitute for hydrazine in the reduction of graphene oxide suspensions”, *J. Phys. Chem. C.*, Vol. 114, pp. 6426-6432, 2010.

- [114] Gao J., Liu F, Liu Y. L, Ma N, Wang Z. Q, and Zhang X, "Environment-friendly method to produce graphene that employs vitamin C and amino acid", *Chem. Mater.*, Vol. 22, pp. 2213-2218, 2010.
- [115] Zhu C. Z, Guo S. J, Fang Y. X, and Dong S. J, "Reducing sugar: new functional molecules for the synthesis of graphene nanosheets", *ACS Nano.*, Vol. 4, 2429-2437, 2010.
- [116] Ramanathan T., Abdala A. A, Stankovich S, Dikin D. A, Herrera-Alonso M, Piner R. D, Adamson D. H, Schniepp H. C, Chen X, Ruoff R. S, Nguyen S. T, Aksay I. A, Prud'homme R. K, and Brinson L. C, "Functionalized graphene sheets for polymer nanocomposites", *Nature Nanotechnol.*, Vol. 3, pp. 327-331, 2008.
- [117] Zhang H. B., Wang W, Yan Q, Zheng W. G, Chen C, and Yu Z. Z, "Vacuum - assisted synthesis of graphene from thermal exfoliation and reduction of graphite oxide", *J. Mater. Chem.*, Vol. 21, pp. 5392-5397, 2011.
- [118] Yang D., Velamakanni A, Bozoklu G, Park S, Stoller M, Piner R. D, Stankovich S, Jung I, Field D. A, Ventrice C. A, and Ruoff R. S, "Chemical analysis of graphene oxide films after heat and chemical treatments by X-ray photoelectron and micro-Raman spectroscopy", *Carbon.*, Vol. 47, pp. 145-152, 2009.
- [119] Hassan H. M. A., Abdelsayed V, Khaled A. E. R. S, Abouzeid K. M, Terner J, Shall M. S. E, Resayes S. I. A, and Azhary A. A. E, "Microwave synthesis of graphene sheets supporting metal nanocrystals in aqueous and organic media", *J. Mater. Chem.*, Vol. 19, pp. 3832-3837, 2009.

- [120] Cote L. J., Silva R. C, and Huang J. X, "Flash reduction and patterning of graphite oxide and its polymer composites", *J. Am. Chem. Soc.*, Vol. 131, pp.11027-11032, 2009.
- [121] McAllister M. J., Li J. L, Adamson D. H, Schniepp H. C, Abdala A. A, Liu J, Herrera-Alonso M, Milius D. L, Car R, Prud'homme R. K, and Aksay I. A, "Single sheet functionalized graphene of oxidation and thermal expansion of graphite", *Chem. Mater.*, Vol. 19, pp. 4396-4404, 2007.
- [122] Kudin K. N., Ozbas B, Schniepp H. C, Prud'homme R. K, Aksay I. A, and Car R, "Raman spectra of graphite oxide and functionalized graphene sheets", *Nano Letters.*, Vol. 8, pp. 36-41, 2007.
- [123] Schniepp H. C., Li J. L, McAllister M. J, Sai H, Herrera-Alonso M, Adamson D. H, Prud'homme R. K, Car R, Saville D. A, and Aksay I. A, "Functionalized single graphene sheets derived from splitting graphite oxide", *J. Phys. Chem. B.*, Vol. 110, pp. 8535-8539, 2006.
- [124] Wang Y., Xu X, Lu J, Lin M, Bao Q, Ozyilmaz B, and Loh K. P, "Toward high throughput interconvertible graphane-to-graphene growth and patterning", *ACS Nano.*, Vol. 4, pp. 6146-1652, 2010.
- [125] Dimiev A. M and Tour J. M, "Mechanism of graphene oxide formation", *ACS Nano.*, Vol. 8, pp. 3060-3068, 2014.
- [126] Szabo T., Berkesi O, Forgo P, Josepovits K, Sanakis Y, Petridis D, and Dekany I, "Evaluation of surface functional group in a series of progressively oxidized graphite oxides", *Chem. Mater.*, Vol. 18, pp. 2740-2749, 2006.
- [127] Dikin D. A., Stankovich S, Zimney E. J, Piner R. D, Domnett G. H. D, Evmenenko G, Nguyen S. T, and Ruoff R. S, "Preparation and

characterization of graphite oxide paper”, *Nature.*, Vol. 448, pp. 457-460, 2007.

- [128] Stankovich S., Dilan D. A, Piner R. D, Kilhaar K. A, Kleinhammes K. A, Jia A, Wu Y, and Nguyen S. T, “Synthesis of graphene based nanosheets via chemical reduction of exfoliated graphite oxide”, *Carbon.*, Vol. 45, pp. 1558-1565, 2007.
- [129] Mo Z., Gou H, He J, Yang P, Feng C, and Guo R, “Controllable synthesis of functional nanocomposites: covalently functionalize graphene sheets with biocompatible L-lysine”, *Appl. Surf. Sci.*, Vol. 258, pp. 8623-8628, 2012.
- [130] Bourlinos A. B., Gournis D, Petridis D, Szabo T, Szeri A, and Dekany I, “Graphene oxide: chemical reduction to graphite and surface modification with primary aliphatic amines and amino acids”, *Langmuir.*, Vol. 19, pp. 6050-6055, 2003.
- [131] Quintana M., Vazquez E, and Prato M, “Organic functionalization of graphene in dispersions”, *Acc. Chem. Res.*, Vol. 46, pp.138-148, 2013.
- [132] Luo S., Xu X, Zhou G, Liu C, Tang Y, and Liu Y, “Amino siloxane oligomer- linked graphene oxide as an efficient absorbent for removal of Pb(II) from waste water”, *J. Hazard. Mater.*, Vol. 274, pp. 145-155, 2014.
- [133] Fuente E., Menendez J. A, Suarez D, and Montes-Moran M. A, “Basic surface oxides on carbon materials: a global view”, *Langmuir.*, Vol.19, pp. 3505-3511, 2003.
- [134] Stankovich S., Piner R. D, Chen X. Q, Wu N. Q, Nguyen S. T, and Ruoff R. S, “Stable aqueous dispersions of organic nanoplatelets via the reduction of exfoliated graphite oxide in the presence of poly (sodium 4-styrenesulfonate)”, *J. Mater. Chem.*, Vol. 16, pp.155-158, 2006.

- [135] Liu J. Q., Tao L, Yang W. R, Li D, Boyer C, Wuhner R, Braet F, and Davis T. P, "Synthesis, characterization and multilayer assembly of pH sensitive graphene-polymer nanocomposites", *Langmuir.*, Vol. 26, pp. 10068-10075, 2010.
- [136] Cai D., Song M, and Xu C, "Highly conductive carbon-nanotube/graphite-oxide hybrid films", *Adv. Mater.*, Vol. 20, pp. 1706-1709, 2008.
- [137] Cai D and Song M, "Preparation of fully exfoliated graphite oxide nanoplatelets in organic solvents", *J. Mater. Chem.*, Vol. 17, pp. 3678-3680, 2007.
- [138] Kim F., Cote L. J, and Huang J. X, "Graphene oxide: surface activity and two-dimensional assembly", *Adv. Mater.*, Vol. 22, pp. 1954-1958, 2010.
- [139] Loh K. P., Bao Q, Eda G, and Chhowalla M, "Graphene oxide as a chemically tunable platform for optical applications", *Nat. Chem.*, Vol. 2, pp. 1015-1024, 2010.
- [140] Gilje S., Han S, Wang M, Wang K. L, and Kaner R. B, "A chemical route for graphene for device applications", *Nano Lett.*, Vol. 7, pp. 3394-3398, 2007.
- [141] Chen D., Feng H, and Li J, "Graphene oxide: preparation, functionalization, and electrochemical applications", *Chem. Rev.*, Vol. 112, pp. 6027-6053, 2012.
- [142] Eda G and Chhowalla M, "Chemically derived graphene oxide: towards large-area thin-film electronics and optoelectronics", *Adv. Mater.*, Vol. 22, pp. 2393-2415, 2010.
- [143] Robertson J, "Diamond-like amorphous carbon", *Mater. Sci. Eng. R.*, Vol. 37, pp. 129-281, 2002.

- [144] Gokus T., Nair R. R, Bonetti A, Bohmlert M, Lombardo A, Novoslevo S, Geim A. K, Ferrari A. C, and Hartschuh A, "Making graphene luminescent by oxygen plasma treatment", *ACS Nano.*, Vol. 3, pp. 3963-3968, 2009.
- [145] Sun X., Liu Z, Weisher K, Robinson J. T, Goodwin A, Zaric S, and Dai H, "Nano-graphene oxide for cellular imaging and drug delivery", *Nano Res.*, Vol. 1, pp. 203-212, 2008.
- [146] Eda G., Kin Y. Y, Mattevi C, Yamaguchi H, Chen H. A, Chen I. S, Chen C. W, and Chhowalla M, "Blue photoluminescence from chemically derived graphene oxide", *Adv. Mater.*, Vol. 22, pp. 505-509, 2010.
- [147] Qu Q., Yang S, and Feng X, "2D sandwich-like sheets of iron oxide grown on graphene as high energy anode material for supercapacitors", *Adv. Mater.*, Vol. 23, pp. 5574-5580, 2011.
- [148] Mohanty N and Berry V, "Graphene-based single-bacterium resolution bio device and DNA transistor: interfacing graphene derivatives with nanoscale and microscale bio components", *Nano Lett.*, Vol. 8, pp. 4469-4476, 2008.
- [149] Chen H., Muller M. B, Gilmore K. J, Wallace G. G, and Li D, "Mechanically strong, electrically conductive, and biocompatible graphene paper", *Adv. Mater.*, Vol. 20, pp. 3557-3561, 2008.
- [150] Chen C., Yang Q. H, Yang Y, LV W, Wan Y, Hou P. X, Wang M, and Cheng H. M, "Self-assembled free-standing graphite oxide membrane", *Adv. Mater.*, Vol. 21, pp. 3007-3011, 2009.
- [151] Park S., Lee K. S, Bozoklu G, Cai W, Nguyen S. T, and Ruoff R. S, "Graphene oxide paper modified by divalent ions-enhancing mechanical properties via chemical cross-linking", *ACS Nano.*, Vol. 2, pp. 572-578, 2008.

- [152] Park S., Dikin D. A, Nguyen S. T, and Ruoff R. S, "Graphene oxide sheets chemically crosslinked by polyallylamine", *J. Phys. Chem. C.*, Vol. 113, pp. 15801-15804, 2009.
- [153] Lin X. Y., Shen X, Zheng Q, Yousefi N, Ye L, Mai Y. W, and Kim J. K, "Fabrication of highly-aligned, conductive, and strong graphene papers using ultra large graphene oxide sheets", *ACS Nano.*, Vol. 6, pp. 10708-10719, 2012.
- [154] Compton O. C., Cranford S. W, Putz K. W, An Z, Brinson L. C, Buehler M. J, and Nguyen S. T, "Tuning the mechanical properties of graphene oxide paper and its associated polymer nanocomposites by controlling cooperative intersheet hydrogen bonding", *ACS Nano.*, Vol. 6, pp. 2008-2019, 2012.
- [155] Lee J. K., Smith K. B, Hayner C. M, and Kung H. H, "Silicon nanoparticles- graphene paper composites for Li ion battery anodes", *Chem. Commun.*, Vol. 46, pp. 2025-2027, 2010.
- [156] Eda G., Lin Y. Y, Miller S, Chen C. W, Su W. F, and Chhowalla M, "Transparent and conducting electrodes for organic electronics from reduced graphene oxide", *Appl. Phys. Lett.*, Vol. 92, pp. 233305, 2008.
- [157] Krishnamoorthy K., Mohan R, and Kim S. J, "Graphene oxide as a photocatalytic material", *Appl. Phys. Lett.*, Vol. 98, pp. 244101-244103, 2011.
- [158] Khan U., May P, Neil A. O, and Coleman J. N, "Development of stiff, strong, yet tough composites by the addition of solvent exfoliated graphene to polyurethane", *Carbon.*, Vol. 48, pp. 4035-4041, 2010.

- [159] Vasu K. S., Chakraborty B, Sampath S, and Sood A. K, "Probing top-gated field effect transistor of reduced graphene oxide monolayer made by dielectrophoresis", *Solid State Comm.*, Vol. 150, pp.1295-1298, 2010.
- [160] Basu S and Bhattacharyya P, "Recent developments on graphene and graphene oxide based solid state gas sensor", *Sens. Actuator B.*, Vol. 173, pp. 1-21, 2012.
- [161] Liu J., Cui L, and Losic D, "Graphene and graphene oxide as new nanocarriers for drug delivery applications", *Acta Biomater.*, Vol. 9, pp. 9243-9257, 2013.
- [162] Wang L., Lee K, Sun Y. Y, Lucking M, Chen Z, Zhao J. J, and Zhang S. B, "Graphene oxide as an ideal substrate for hydrogen storage", *ACS Nano.*, Vol. 3, pp. 2995-3000, 2009.
- [163] Karim M. R., Hatakeyama K, Matsui T, Takehira H, Taniguchi T, Koinuma M, Matsumoto Y, Akutagawa T, Nakamura T, Noro S, Yamada T, Kitagawa H, and Hayami S, "Graphene oxide nanosheet with high proton conductivity", *J. Am. Chem. Soc.*, Vol. 135, pp. 8097-8100, 2013.
- [164] Han Y., Jiang Y, and Gao C, "High flux graphene oxide nanofiltration membrane intercalated by carbon nanotubes", *ACS Appl. Mater.*, Vol. 7, pp. 8147-8155, 2015.
- [165] Chang Y., Yang S. T, Liu J. H, Dong E, Wang Y, Cao A, Liu Y, and Wang H, "In vitro toxicity evaluation of graphene oxide on A549 cells", *Toxicol. Lett.*, Vol. 200, pp. 201-210, 2011.
- [166] Krishnan D., Kim F, Luo J, Silva R. C, Cote L. J, Jang H. D, and Huang J, "Energetic graphene oxide: challenges and opportunities", *Nanotoday.*, Vol. 7, pp. 137-152, 2012.

- [167] Brodie B. C, "On the atomic weight of graphite", Philos. Trans. R. Soc. London., Vol. 149, pp. 249 – 259, 1859.
- [168] Staudenmaier L, "Verfahren zur darstellung der graphitsaure", Ber. Deutch. Chem. Ges., Vol. 31, pp. 1481-1487, 1898.
- [169] William S., Hummers J. R, and Offeman R. E, "Preparation of graphitic oxide", J. Am. Chem Soc., Vol. 80, pp. 1339-1339, 1958.
- [170] Chen J., Yao B, Li C, and Shi G, "An improved hummers method for eco-friendly synthesis of graphene oxide", Carbon., Vol. 64, pp. 225-229, 2013.
- [171] Marcano D. C., Kosynkin D. V, Berlin J. M, Sinitskii A, Sun Z, Slesarev A, Alemany L. B, Lu W, and Tour J. M, "Improved synthesis of graphene oxide", ACS Nano., Vol. 4, pp. 4806 – 4814, 2010.
- [172] Wissler M, "Graphite and carbon powders for electrochemical applications", J. Power Sources., Vol. 156, pp.142 – 150, 2006.
- [173] Hofmann U and Holst R, "Über die saurenatur und die methylierung von graphitoxyd", Ber. Dtsch. Chem. Ges., Vol. 72, pp. 754-771, 1939.
- [174] Ruess G, "Über das graphitoxhydroxyd (graphitoxyd)", Monatsch Chem., Vol. 76, pp. 381 – 417, 1947.
- [175] Scholz W and Boehm H. P, "Untersuchungen am graphitoxid. VI. betrachtungen zur struktur des graphitoxids", Anorg. Allg. Chem., Vol. 369, pp. 327 – 340, 1969.
- [176] Nakajima T and Matsuo Y, "Formation process and structure of graphite oxide", Carbon., Vol. 32, pp. 469-475, 1994.

- [177] Lerf A., He H, Forster M, and Klinowski J, "Structure of graphite oxide revisited", *J. Phys. Chem. B.*, Vol. 102, pp. 4477-4482, 1998.
- [178] Ponnamma D and Sadasivuni KK, "Graphene/Polymer Nanocomposites: Role in Electronics", In Sadasivuni K. K., Ponnamma D., Kim J., Thomas, S. (Eds). *Graphene – Based Polymer Nanocomposites in Electronics*, Springer International Publishing AG, Switzerland, 2015.
- [179] Zhao L., Zhao F, and Zeng B, "Preparation and application of sunset yellow imprinted ionic liquid polymer – ionic liquid functionalized graphene composite film coated glassy carbon electrodes", *Electrochim. Acta.*, Vol. 115, pp. 247-254, 2014.
- [180] Li C and Shi G, "Synthesis and electrochemical applications of the composites of conducting polymers and chemically converted graphene", *Electrochim. Acta.*, Vol. 56, pp. 10737-10743, 2011.
- [181] Lee S and Oh E. S, "Performance enhancement of a lithium ion battery by incorporation of a graphene/polyvinylidene fluoride conductive adhesive layer between the current collector and the active material layer", *J. Power Source.*, Vol. 244, pp. 721-725, 2013.
- [182] Kundu D., Krumeich F, and Nesper R, "Investigation of nano-fibrous selenium and its polypyrrole and graphene composite as cathode material for rechargeable Li-batteries", *J. Power Source.*, Vol. 236, pp.112-117, 2013.
- [183] Guo W., Su J, Li Y. H, Wan L. J, and Guo Y. G, "Nitroxide radical polymer/graphene nanocomposite as an improved cathode material for rechargeable lithium batteries", *Electrochim. Acta.*, Vol. 72, pp. 81-86, 2012.

- [184] Liu Y., Zhu L, Zhang Y, and Tang H, “Electrochemical sensing of 2,4-dinitrophenol by using composites of graphene oxide with surface molecular imprinted polymer”, *Sens. Actuator B: Chem.*, Vol. 171 – 172, pp. 1151-1158, 2012.
- [185] Zeng Y., Zhou Y, Kong L, Zhou T, and Shi G, “A novel composite of SiO₂-coated graphene oxide and molecularly imprinted polymers for electrochemical sensing dopamine”, *Biosens. Bioelectron.*, Vol. 45, pp. 25-33, 2013.
- [186] Jeon Y. J., Yun J. M, Kim D. Y, Na S. I, and Kim S. S, “High-performance polymer solar cell with moderately reduced graphene oxide as an efficiently hole transporting layer”, *Sol. Energy Mater. Sol. Cells.*, Vol. 105, pp. 96-102, 2012.
- [187] Liu Z., Liu L, Li H, Dong Q, Yao S, Kidd A. B, Zhang X, Li J, and Tian W, ““Green” polymer solar cell based on water soluble poly[3-(potassium-6-hexonate) thioiphen-2,5-diyl] and aqueous-dispersible noncovalent functionalized graphene sheets”, *Sol. Energy Mater. Sol. Cells.*, Vol. 97, pp. 28 – 33, 2012.
- [188] Gupta A., Akhtar A. J, and Sha S. K, “In-situ growth of P3HT/graphene composites for supercapacitor applications”, *Mater. Chem. Phys.*, Vol. 140, pp. 616-621, 2013.
- [189] Sahoo S., Dhibar S, Hatui G, Bhattacharya P, and Das C. K, “Graphene polypyrrole nanofiber nanocomposite as electrode material for electrochemical supercapacitor”, *Polymer.*, Vol. 54, pp.1033-1042, 2013.
- [190] Tamilarasan P and Ramaprabhu S, “Graphene based all-solid-state supercapacitors with ionic liquid incorporated polyacrylonitrile electrolyte”, *Energy.*, Vol. 51, pp. 374-381, 2013.

- [191] Crock C. A., Rogensues A. R, Shan W, and Tarabara V. V, "Polymer nanocomposites with graphene-based hierarchical fillers as materials for multifunctional water treatment membranes", *Water Res.*, Vol. 47, pp. 3984-3996, 2013.
- [192] Zinadini S., Zinatizedeh A. A, Rahini M, Vatanpour V, and Zangench H, "Preparation of novel antifouling mixed matrix PES membrane by embedding graphene oxide nanoplates", *J. Member. Sci.*, Vol. 453, pp. 292-301, 2014.
- [193] Depan D., Shah J, and Misra R. D. K, "Controlled release of drug from folate-decorated and graphene mediated drug delivery system: synthesis, loading efficiency, and drug release response", *Mater. Sci. Eng. C.*, Vol. 31, pp. 1305-1312, 2011.
- [194] Kavita T., Kang I. K, and Park S. Y, "Poly (N-vinyl caprolactum) grown on nanographene oxide as an effective nanocargo for drug delivery", *Coll. Surf. B: Biointerfaces.*, Vol. 115, pp. 37-45, 2014.
- [195] Justin R and Chen B, "Characterisation and drug release performance of biodegradable chitosan-graphene oxide nanocomposites", *Carbohydrate Polym.*, Vol. 103, pp. 70-80, 2014.
- [196] Yang G., Su J, Gao J, Hu X, Geng C, and Fu Q, "Fabrication of well-controlled porous foams of graphene oxide modified poly(propylene-caronate) using supercritical carbon dioxide and its potential tissue engineering applications", *J. Supercrit. Fluids.*, Vol. 73, pp. 1-9, 2013.
- [197] Sayyar S., Murray E, Thompson B. C, Gambhir S, Officer D. L, and Wallace G. G, "Covalently linked biocompatible graphene/polycaprolactone composites for tissue engineering", *Carbon.*, Vol. 52, pp. 296-304, 2013.

- [198] Hu K., Kulkarni D. D, Choi I, and Tsukruk V. V, "Graphene-polymer nanocomposites for structural and functional applications", *Prog. Polym. Sci.*, Vol. 39, pp. 1934 – 1972, 2014.
- [199] Zhan Y., Wu J, Xia H, Yan N, Fei G, and Yuan G, "Dispersion and exfoliation of graphene in rubber by an ultrasonically-assisted latex mixing and in situ reduction process", *Macromol. Mater. Eng.*, Vol. 296, pp. 590 – 602, 2011.
- [200] Bai X., Wan C, Zhang Y, and Zhai Y, "Reinforcement of hydrogenated carboxylated nitrile-butadiene rubber with exfoliated graphene oxide", *Carbon.*, Vol. 49, pp. 1608 – 1613, 2011.
- [201] Singh V. K., Shukla A, Patra M. K, Saini L, Jani R. K, Vadera S. R, and Kumar N, "Microwave absorbing properties of a thermally reduced graphene oxide/nitrile butadiene rubber composite", *Carbon.*, Vol. 50, pp. 2202 – 2208, 2012.
- [202] Kang H., Zuo K, Wang Z, Zhang L, Liu L, and Guo B, "Using a green method to develop graphene oxide/elastomers nanocomposites with combination of high barrier and mechanical performance", *Comp Sci. Tech.*, Vol. 92, pp. 1 – 8, 2014.
- [203] Du J and Cheng H. M, "The fabrication properties and uses of graphene / polymer composites", *Macromol. Chem. Phys.*, Vol. 213, pp. 1060 – 1077, 2012.
- [204] Mu Q and Feng S, "Thermal conductivity of graphite/silicon rubber prepared by solution intercalation", *Thermochim. Acta.*, Vol. 462, pp. 70 – 75, 2007.

- [205] Sadasivuni K. K., Ponnamma D, Thomas S, and Grohens Y, “Evolution from graphite to graphene elastomer composites”, *Prog. Polym. Sci.*, Vol. 39, pp. 749 – 780, 2014.
- [206] Kalaitzidou K., Fukushima H, and Drzal L. T, “A new compounding method for exfoliated graphite-polypropylene nanocomposites with enhanced flexural properties and lower percolation threshold”, *Comp. Sci. Tech.*, Vol. 67, pp. 2045 – 2051, 2007.
- [207] Lee J. H., Kim S. K, and Kim N. H, “Effects of the addition of multi-walled carbon nanotubes on the positive temperature coefficient characteristics of carbon-black-filled high-density polyethylene nanocomposites”, *Scr. Mater.*, Vol. 55, pp.1119 – 1122, 2006.
- [208] Kim H., Miura Y, and Macosko C. W, “Graphene/polyurethane nanocomposites for improved gas barrier and electrical conductivity”, *Chem. Mater.*, Vol. 22, pp. 3441 – 3450, 2010.
- [209] Yang J., Tian M, Jia Q. X, Shi J. H, Zhaug L. Q, Lim S. H, Yu Z. Z, and Mai Y. W, “Improved mechanical and functional properties of elastomer / graphite nanocomposites prepared by latex compounding”, *Acta Mater.*, Vol. 55, pp. 6372 - 6382, 2007.
- [210] Nan C. W., Shen Y, and Ma J, “Physical properties of composites near percolation”, *Annual Rev. Mater. Res.*, Vol. 40, pp. 131 – 151, 2010.
- [211] He F., Lau S, Chen H. L, and Fan J, “High dielectric permittivity and low percolation threshold in nanocomposites based on poly (vinylidene fluoride) and exfoliated graphite nanoplates”, *Advanced Materials.*, Vol. 21, pp. 710 – 715, 2009.
- [212] Wang D., Bao Y, Zha J. W, Zhao J, Dang Z. M, and Hu G. H, “Improved dielectric properties of nanocomposites based on poly (vinylidene

fluoride) and poly(vinyl alcohol)-functionalized graphene”, ACS. Appl. Mater. Interf., Vol. 4, pp. 6273 – 6279, 2012.

- [213] Zhang X., Ma Y, Zhao C, and Yang W, “High dielectric performance composites with a hybrid BaTiO₃/graphene as filler and poly (vinylidene fluoride) as matrix”, ECS J. Solid State Sci. Tech., Vol. 4, pp. N47 -N54, 2015.
- [214] Wang D., Zhou T, Zha J. W, Zhao J, Shi C. Y, and Dang Z. M, “Functionalized graphene–BaTiO₃/ferroelectric polymer nanodielectric composites with high permittivity, low dielectric loss, and low percolation threshold”, J. Mater. Chem. A., Vol. 1, pp. 6162 – 6168, 2013.
- [215] Kim J. Y., Lee W. H, Suk J. W, Potts J. R, Chou H, Kholmanov I. N, Piner R. D, Lee J, Akinwande D, and Ruoff R. S, “Chlorination of reduced graphene oxide enhances the dielectric constant of reduced graphene oxide/polymer composites”, Adv. Mater., Vol. 25, pp. 2308 – 2313, 2013.
- [216] Fang X., Liu X, Cui Z. K, Qian J, Pan J, Li X, and Zhuang Q, “Preparation and properties of thermostable well functionalized graphene oxide/polyimide composite films with high dielectric constant, low dielectric loss and high strength via in situ polymerization”, J. Mater. Chem. A., Vol. 3, pp. 10005-10012, 2015.
- [217] Cui L., Lu X, Chao D, Liu H, Li Y, and Wang C, “Graphene-based composite materials with high dielectric permittivity via an in situ reduction method”, Phys. Status Solidi A., Vol. 208, pp. 459 – 461, 2011.
- [218] Li M., Huang X, Wu C, Xu H, Jiang P, and Tanaka T, “Fabrication of two-dimensional hybrid sheets by decorating insulating PANI on reduced graphene oxide for polymer nanocomposite with low dielectric loss and high dielectric constant”, J. Mater. Chem., Vol. 22, pp. 23477–23484, 2012.

- [219] Liu P., Yao Z, and Zhou J, “Mechanical, thermal and dielectric properties of graphene oxide / polyimide resin composite”, *High Perform. Polym.*, Vol. 28, pp. 1033– 1042, 2016.
- [220] Mensah B., Kumar D, Lim D. K, Kim S. G, Jeong B. H, and Nah C, “Preparation and properties of acrylonitrile-butadiene rubber-graphene nanocomposites”, *J. Appl. Polym. Sci.*, Vol. 132, pp. 42457-42468, 2015.
- [221] Romasanta L. J., Hernandez M, Lopez-Manchado M. A, and Verdejo R, “Functionalized graphene sheets as effective high dielectric constant fillers”, *Nanoscale. Res. Lett.*, Vol. 6, pp. 1 - 6, 2011.
- [222] Chen M., Yin J, Jin R, Yao L, Su B, and Lei Q, “Dielectric and mechanical properties and thermal stability of polyimide-graphene oxide composite films”, *Thin Solid Films.*, Vol. 584, pp. 232-237, 2015.
- [223] He L and Tjong S. C, “Low percolation threshold of graphene/polymer composites prepared by solvothermal reduction of graphene oxide in the polymer solution”, *Nanoscale. Res. Lett.*, Vol. 8, pp. 1 - 7, 2013.
- [224] Yao S. H., Dang Z. M, Xu H. P, Jiang M. J, and Bai J. B, “Exploration of dielectric constant dependence on evolution of microstructure in nanotube/ ferroelectric polymer nanocomposites”, *Appl. Phys. Lett.*, Vol. 92, pp. 082902, 2008.
- [225] Sadasivuni K. K., Ponnamma D, Kumar B, Strankowski M, Cardinaels R, Moldenaers P, Thomas S, and Grohens Y, “Dielectric properties of modified graphene oxide filled polyurethane nanocomposites and its correlation with rheology”, *Comp. Sci. Tech.*, Vol. 104, pp. 18 - 25, 2014.
- [226] An N., Liu S, Fang C, Yu R, Zhou X, and Cheng Y, “Preparation and properties of β -phase graphene oxide/PVDF composite films”, *J. Appl. Polym. Sci.*, Vol.132, pp. 41577-41584, 2015.

- [227] Tian M., Wei Z, Zan X, Zhang L, Zhang J, Ma Q, Ning N, and Nishi T, "Thermally expandable graphene nanoplates/polydimethylsiloxane composites with high dielectric constant, low dielectric loss and improved actuated strain", *Comp. Sci. Tech.*, Vol. 99, pp. 37- 44, 2014.
- [228] He F. A., Lam K. H, Fan J. T, and Chan L. W, "Novel syndiotactic polystyrene/BaTiO₃-graphite nanosheets three-phase composites with high dielectric permittivity", *Polym. Test.*, Vol. 32, pp. 927-931, 2013.
- [229] Chan T., Pan L, Lin M, Wang B, Liu L, Li Y, Qiu J, and Zhu K, "Dielectric, mechanical, and electro-stimulus response properties studies of polyurethane dielectric elastomer modified by carbon nanotube – graphene nanosheet hybrid fillers", *Polym. Test.*, Vol. 47, pp. 4-11, 2015.
- [230] Dang Z., Wang L, Yin Y, Zhang Q, and Lei Q. Q, "Giant dielectric permittivities in functionalized carbon-nanotube / electroactive-polymer nanocomposites", *Adv. Mater.*, Vol. 19, pp. 852-857, 2007.
- [231] Shen Y., Guan Y, Hu Y, Lei Y, Song Y, Lin Y, and Nan C. W, "Dielectric behavior of graphene/BaTiO₃/polyvinylidene fluoride nanocomposite under high electric field", *Appl. Phys. Lett.*, Vol. 103, pp. 072906, 2013.
- [232] Nan C. W, "Physics of inhomogeneous inorganic materials", *Prog. Mater. Sci.*, Vol. 37, pp. 1-116, 1993.
- [233] Chen T., Qiu J, Zhu K, and Li J, "Electro-mechanical performance of polyurethane dielectric elastomer flexible micro actuator composite modified with titanium dioxide-graphene hybrid fillers", *Materials and Design.*, Vol. 90, pp.1069-1076, 2016.
- [234] Liu S., Tian M, Yan B, Yao Y, Zhang L, Nishi T, and Ning N, "High performance dielectric elastomers by partially reduced graphene oxide

and disruption of hydrogen of polyurethanes”, *Polymer.*, Vol. 56, pp. 375-384, 2015.

- [235] Cho S., Lee J. S, and Jang J, “Poly (Vinylidene fluoride)/NH₂- treated graphene nanodot/reduced graphene oxide nanocomposites with enhanced dielectric performance for ultra high energy density capacitor”, *Appl. Mater. Interf.*, Vol. 7, pp. 9668-9681, 2015.
- [236] Yao S. H., Dang Z. M, Jiang M, and Bai J, “BaTiO₃-carbon nanotube / polyvinylidene fluoride three-phase composites with high dielectric constant and low dielectric loss”, *Appl. Phys. Lett.*, Vol. 93, pp. 182905, 2008.
- [237] Li H., Chen Z, Liu L, Chen J, Jiang M, and Xing C, “Poly(vinyl pyrrolidone)-coated graphene/poly(vinylidene fluoride) composite films with high dielectric permittivity and low loss”, *Comp. Sci. Tech.*, Vol. 121, pp. 49–55, 2015.
- [238] Sun J., Xue Q, Guo Q, Tao Y, and Xing W, “Excellent dielectric properties of polyvinylidene fluoride composites based on sandwich structured MnO₂/graphene nanosheets/MnO₂”, *Composites: Part A.*, Vol. 67, pp. 252-258, 2014.
- [239] Filik J, “Raman spectroscopy a simple, non destructive way to characteristic diamond and diamond like materials”, *Spectroscopy Europe.*, Vol. 17, pp. 10-17, 2005.
- [240] Skoog DA, Holler FJ and Croueh SR, “Principle of Instrumental Methods of Analysis”, CBS Publisher & Distributors, 7th Ed. New Delhi, 1998.
- [241] Settle FA, “Hand Book of Instrumental Techniques For Analytical Chemistry”, Prentice Inc. New Jersey, USA, 1997.

- [242] Chalmers JM, Edwards HGM, and Hargearer MD, "Infrared And Raman Spectroscopy In Forensic Sciences", 1st Ed. John Miley & Sons Ltd. United Kingdom, 2012.
- [243] Ribeiro – Soares J., Cancado L. G, Falcao N. P. S, Martins Ferreira E. H, Achete C. A, and Jorio A, "The use of Raman spectroscopy to characterize the carbon materials found in amazonian anthrosoils", J. Raman Spec., Vol. 44, pp. 283-287, 2013.
- [244] Bokobza L and Zhang J, "Raman spectroscopy characterization of multiwall carbon nanotubes and of composites", Exp. Polym. Lett., Vol. 6, pp. 601- 608, 2012.
- [245] Bokobza L., Bruneel J. I, and Couzi M, "Raman spectroscopic investigations of carbon based materials and their composites comparison between carbon nanotubes and carbon black", Chem. Phys. Lett., Vol. 590, pp. 153-159. 2013.
- [246] Bokobza L., Bruneel J. I, and Couzi M, "Raman spectroscopy as a tool for the analysis of carbon based materials (highly oriented pyrolytic Graphite, multilayer graphene and multi walled carbon nanotubes and of some of their elastomeric composite", Vibrat. Spect., Vol. 74, pp. 57-63, 2014.
- [247] Blanton T. N., Majumdar D, and Melpolder S. M, "Microstructure of clay – polymer composite", Adv. X – Ray Analysis., Vol. 42, pp. 562 -568, 2000.
- [248] Dang Z. M., Zhang Y. H, and Tjong S. C, "Dependence of dielectric behaviour on the physical property of fillers in the polymer matrix composites", Synth. Met., Vol. 146, pp. 79-84, 2010.
- [249] Chrissanthopoulos A., Baskoutas S, Bouropouls N, Dracopoulos V, Tasis D, and Yannoopoulos S. N, "Novel ZnO nanostructures grown on carbon

nanotubes by thermal evaporation”, *Thin Solid Films.*, Vol. 515, pp. 8524-8528, 2007.

- [250] Meng Y and Lin Y, “Electrodeposition for the synthesis of ZnO nanorods modified by surface attachment with ZnO nanoparticles and their dye sensitized solar cell applications”, *Cer. Inter.*, Vol. 40, pp.1693-1698, 2014.
- [251] Wang X., Zhao M, Liu F, Jia J, Li X, and Cao L, “C₂H₂ gas sensor based on Ni-doped ZnO electrospun nanofibers”, *Cer. Inter.*, Vol. 39, pp. 2883-2887, 2013.
- [252] Jun J. H., Seong H, Cho K, Moon B. M, Kim S, “Ultraviolet photodetectors based on ZnO nanoparticles”, *Cer. Inter.*, Vol. 35, pp. 2797-2801, 2009.
- [253] Chen Y. L., Hu Z. A, Chang Y. Q, Wang H. W, Zhang Z. Y, Yang Y. Y, and Wu H. Y, “Zinc oxide/reduced graphene oxide composites and electrochemical capacitance enhanced by homogeneous incorporation of reduced graphene oxide sheets in zinc oxide matrix”, *J. Phys. Chem. C.*, Vol. 115, pp. 2563-2571, 2011.
- [254] Zhang Z., Ren L, Han W, Meng L, Wei X, Qi X, and Zhang J, “One-pot electrodeposition synthesis of ZnO/graphene composite and its use as binder-free electrode for supercapacitor”, *Cer. Inter.*, Vol. 41, pp. 4374-4380, 2015.
- [255] Bonderer L. J., Studart A. R, and Gauckler L. J, “Bio inspired design and assembly of platelet reinforced polymer films”, *Science.*, Vol. 319, pp.1069-1073, 2008.
- [256] Ahmad J., Deshmukh K, and Hagg M. B, “Influence of TiO₂ on the chemical, mechanical, and gas separation properties of polyvinyl alcohol-

titanium dioxide (PVA-TiO₂) nanocomposite membranes”, *Int. J. Polym. Anal. Charac.*, Vol. 18, pp. 287-296, 2013.

- [257] Deshmukh K., Ahmad J, and Hagg M. B, “Fabrication and characterization of polymer blends consisting of cationic polyallylamine and anionic polyvinyl alcohol”, *Ionics.*, Vol. 20, pp. 957-967, 2014.
- [258] Wang L., Dong W, and Xu Y, “Synthesis and characterization of hydroxypropyl methylcellulose and ethyl acrylate graft copolymers”, *Carbohydrate Polymers.*, Vol. 68, pp. 626-636, 2007.
- [259] Xu Y., Wang Y, Liang J, Hunag Y, Ma Y, Wan X, and Chen Y, “A hybrid material of graphene and poly (3, 4-ethyldioxythiophene) with high conductivity, flexibility, and transparency”, *Nano Res.*, Vol. 2, pp. 343-348, 2009.
- [260] Ashkenov N., Mbenkum B. N, Bundesmann C, Riede V, Lorenz M, Spemann D, Kaidashev E. M, Kasic K, Schubert M, Grundmann M, Wagner G, and Neumann H, “Infrared dielectric functions and phonon modes of high-quality ZnO films”, *J. Appl. Phys.*, Vol. 93, pp. 126-133, 2003.
- [261] Umar A., Rahman M. M, Vaseem M, and Hahn Y. B, “Ultra-sensitive cholesterol biosensor based on low-temperature grown ZnO nanoparticles”, *Electrochem. Commun.*, Vol. 11, pp. 118-121, 2009.
- [262] Ferrari A. C, “Raman spectroscopy of graphene and graphite: disorder, electron–phonon coupling, doping and nonadiabatic effects”, *Solid State Commun.*, Vol. 143, pp. 47-57, 2007.
- [263] Chen C., Cai W, Long M, Zhaou B, Yu Y, Wu D, and Feng Y, “Synthesis of visible-light responsive graphene oxide/TiO₂ composites with p/n heterojunction”, *ACS Nano.*, Vol. 4, pp. 6425-6432, 2010.

- [264] Tuinstra F and Koenig J. L, "Raman spectrum of graphite", *J. Chem. Phys.*, Vol. 53, pp. 1126-1130, 1970.
- [265] Graf D., Molitor F, Ensslin K, Stampfer C, Jungen A, Hierold C, and Wirtz L, "Spatially resolved Raman spectroscopy of single-and few-layer graphene", *Nano Lett.*, Vol. 7, pp. 238-242, 2007.
- [266] Ferrari A. C and Robertson J, "Interpretation of Raman spectra of disordered and amorphous carbon", *Phys. Rev.*, Vol. B61, pp. 14095-14107, 2000.
- [267] Ahmad J., Deshmukh K, Habib M, Hagg M. B, "Influence of TiO₂ nanoparticles on the morphological, thermal and solution properties of PVA/TiO₂ nanocomposite membranes", *Arab. J. Sci. Eng.*, Vol. 39, pp. 6805-6814, 2014.
- [268] Yukoh S., Sumihiro S, and Makoto O, "A novel white film for pharmaceutical coating formed by interaction of calcium lactate pentahydrate with hydroxypropyl methylcellulose", *Int. J. Pharm.*, Vol. 317, pp. 120-126, 2006.
- [269] Park S., An J, Potts J. R, Nelamakanmi A, Murli S, and Ruoff R. S, "Hydrazine-reduction of graphite-and graphene oxide", *Carbon.*, Vol. 49, pp. 3019-3023, 2011.
- [270] Deshmukh K., Ahmad M. B, Khadheer Pasha S. K, Deshmukh R. R, and Bhagat P. R, "Highly dispersible graphene oxide reinforced polypyrrole/polyvinyl alcohol blend nanocomposites with high dielectric constant and low dielectric loss", *RSC Advances.*, Vol. 5, pp. 61933-61945, 2015.
- [271] Shang J. W., Zhang Y. H, Yu L, Shen B, Lv F. Z, and Chu P. K, "Fabrication and dielectric properties of oriented polyvinylidene fluoride

nanocomposites incorporated with graphene nanosheets”, *Mater. Chem. Phys.*, Vol. 134, pp. 867-874, 2012.

- [272] Mohanapriya M. K., Deshmukh K, Ahamed M. B, Chidambaram K, and Pasha S. K. K, “Structural, morphological and dielectric properties of multiphase nanocomposites consisting of polycarbonate, barium titanate and carbon black nanoparticles”, *Int. J. Chem. Tech. Res.*, Vol. 8, pp. 32-41, 2015.
- [273] Huang X. Y., Zhi C. Y, Jiang P. K, Golberg D, Bando Y, and Tanaka T, “Temperature-dependent electrical property transition of graphene oxide paper”, *Nanotechnology.*, Vol. 23, pp. 455705, 2012.
- [274] Yang K., Hunag X, Fang L, He J, and Jiang P, “Fluoro-polymer functionalized graphene for flexible ferroelectric polymer-based high-k nanocomposites with suppressed dielectric loss and low percolation threshold”, *Nanoscale.*, Vol. 6, pp. 14740-14753, 2014.
- [275] Wang G. S., Wu Y. Y, Zhang X. J, Li Y, Guo L, Cao M. S, “Controllable synthesis of uniform ZnO nanorods and their enhanced dielectric and absorption properties”, *J. Mater. Chem. A.*, Vol. 2, pp. 8644-8651, 2014.
- [276] Li Y. C., Tjong S. C, and Li R. K. Y, “Dielectric properties of binary polyvinylidene fluoride/barium titanate nanocomposites and their nanographite doped hybrids”, *Exp. Polym. Lett.*, Vol. 5, pp. 526-534, 2011.
- [277] Zhang Y., Wang Y, Li M, and Bai J, “Enhanced dielectric properties of ferroelectric polymer composites induced by metal-semiconductor Zn-ZnO core-shell structure”, *ACS Appl. Mater. Interfaces.*, Vol. 4, pp. 65-68, 2012.

- [278] Shen Y., Lin Y, Li M, and Nan C. W, "High dielectric performance of polymer composite films induced by a percolating interparticle barrier layer", *Adv. Mater.*, Vol. 19, pp. 1418-1422, 2007.
- [279] Sebastian M. T and Jantunen H, "Polymer–ceramic composites of 0–3 connectivity for circuits in electronics: a review", *Int. J. Appl. Ceram. Technol.*, Vol. 7, pp. 415-434, 2010.
- [280] Li Y., Huang X, Hu Z, Jiang P, Li S, and Tanaka T, "Large dielectric constant and high thermal conductivity in poly (vinylidene fluoride)/barium titanate/silicon carbide three-phase nanocomposites", *ACS Appl. Mater. Interfaces.*, Vol. 3, pp. 4396-4403, 2011.
- [281] Benseddik E., Makhlonki M, Bernede J. C, Lefrant S, and Pron A, "XPS studies of environmental stability of polypyrrole-poly (vinyl alcohol) composites", *Synthetic. Metals.*, Vol. 72, pp. 237-242, 1995.
- [282] Pawde S. M., Deshmukh K, and Parab S, "Preparation and characterization of poly (vinyl alcohol) and gelatin blend films", *J. Appl. Polym. Sci.*, Vol. 109, pp. 1328-1337, 2008.
- [283] Pawde S. M and Deshmukh K, "Characterization of polyvinyl alcohol/gelatin blend hydrogel films for biomedical applications", *J. Appl. Polym. Sci.*, Vol. 109, pp. 3431-3437, 2008.
- [284] Su N., Li H. B, Yuan S. J, Yi S. P, and Yin E. Q, "Synthesis and characterization of polypyrrole doped with anionic spherical polyelectrolyte brushes", *Exp. Polym. Lett.*, Vol. 6, pp. 697-705, 2012.
- [285] Saunders B. R., Murray K. S, Fleming R. J, McCulloch D. G, Brown L. J, and Cashion J. D, "Physical and spectroscopic studies of polypyrrole films containing transition-metal EDTA chelates", *Chem. Mat.*, Vol. 6, pp. 697-706, 1994.

- [286] Shen Y and Wan M, "In situ doping polymerization of pyrrole with sulfonic acid as a dopant", *Synth. Met.*, Vol. 96, pp. 127-132, 1998.
- [287] Zidan H. M, "Effect of AgNO₃ filling and UV-irradiation on the structure and morphology of PVA films", *Polym. Test.*, Vol. 18, pp. 449-461, 1999.
- [288] Zhang Y., Ma H, Zhang Q, Peng J, Li J, Zhai M, Yu Z, "Facile synthesis of well-dispersed graphene by γ -ray induced reduction of graphene oxide", *J. Mater. Chem.*, Vol. 22, pp. 13064-13069, 2012.
- [289] Zou P., Feng H, Xu Z, Zhang L, Zhang Y, Xia W, and Zhang W, "Fabrication of biocompatible and mechanically reinforced graphene oxide-chitosan nanocomposite films", *Chem. Cent. J.*, Vol. 7, pp. 39-49, 2013.
- [290] Zhang J., Qiao J, Jiang G, Liu L, and Liu Y, "Cross-linked poly (vinyl alcohol)/poly (diallyldimethylammonium chloride) as anion-exchange membrane for fuel cell applications", *J. Power Sources.*, Vol. 240, pp. 359-367, 2013.
- [291] Fan B. H., Zha J. W, Wang D, Zhao J, and Dang Z. M, "Size-dependent low-frequency dielectric properties in the BaTiO₃/poly (vinylidene fluoride) nanocomposite films", *Appl. Phys. Lett.*, Vol. 100, pp. 012903, 2012.
- [292] Facchetti A., Yoon M. H, and Marks T. J, "Gate dielectrics for organic field-effect transistors: new opportunities for organic electronics", *Adv. Mater.*, Vol. 17, pp. 1705-1725, 2005.
- [293] Adachi M., Murata Y, Takao J, Jiu J, Sakamoto M, and Wang F, "Highly efficient dye-sensitized solar cells with a titania thin-film electrode composed of a network structure of single-crystal-like TiO₂ nanowires made by the "oriented attachment" mechanism", *J. Am. Chem. Soc.*, Vol. 126, pp. 14943-14949, 2004.

- [294] Zakrzewska K, "Mixed oxides as gas sensors", *Thin Solid Films.*, Vol. 391, pp. 229-238, 2001.
- [295] Lei Y., Zhang L. D, and Fan J. C, "Fabrication, characterization and raman study of TiO₂ nanowire arrays prepared by anodic oxidative hydrolysis of TiCl₃", *Chem. Phys. Lett.*, Vol. 338, pp. 231-236, 2001.
- [296] Wang Y. J and Kim D, "Crystallinity, morphology, mechanical properties and conductivity study of in situ formed PVDF/LiClO₄/TiO₂ nanocomposite polymer electrolytes", *Electrochim. Acta.*, Vol. 52, pp. 3181-3189, 2007.
- [297] Yang S., Feng X, and Mullen K, "Sandwich-like, graphene-based titania nanosheets with high surface area for fast lithium storage", *Adv. Mater.*, Vol. 23, pp. 3575-3579, 2011.
- [298] Qiu Y., Yan K, Yang S, Jin L, Deng H, and Li W, "Synthesis of size-tunable anatase TiO₂ nanospindles and their assembly into anatase@titanium oxynitride/titanium nitride-graphene nanocomposites for rechargeable lithium ion batteries with high cycling performance", *ACS Nano.*, Vol. 4, pp. 6515-6526, 2010.
- [299] Liang Y., Wang H, Casalongue H. S, Chen Z, and Dai H, "TiO₂ nanocrystals grown on graphene as advanced photocatalytic hybrid materials", *Nano Res.*, Vol. 3, pp. 701-705, 2010.
- [300] Qiong Z., YunQiu H, Xiaogang C, DongHu H, LinJiang L, Ting Y, and LingLi J, "Structure and photocatalytic properties of TiO₂-graphene oxide intercalated composite", *Chin. Sci. Bull.*, Vol. 56, pp. 331-339, 2011.
- [301] Stengl V., Bakardjieva S, Grygar T. M, Bludska J, and Kormunda M, "TiO₂-graphene oxide nanocomposite as advanced photocatalytic materials", *Chem. Centr. J.*, Vol. 7, pp. 41-52, 2013.

- [302] Pawde S. M and Deshmukh K, "Surface characterization of air plasma treated poly vinylidene fluoride and poly methyl methacrylate films", *Polym. Eng. Sci.*, Vol. 49, pp. 808-818, 2009.
- [303] Pawde S. M and Deshmukh K, "Investigation of the structural, thermal, mechanical, and optical properties of poly (methyl methacrylate) and poly (vinylidene fluoride) blends", *J. Appl. Polym. Sci.*, Vol. 114, pp. 2169-2179, 2009.
- [304] Zhang S. H., Zhang N. Y, Huang C, Ren K. L, and Zhang Q. M, "Microstructure and electromechanical properties of carbon nanotube/poly (vinylidene fluoride-trifluoroethylene-chlorofluoroethylene) composites", *Adv. Mater.*, Vol. 7, pp. 1897-1901, 2005.
- [305] Zhicheng Z and Mike-Chung T. C, "The structure- property relationship of poly (vinylidene difluoride)-based polymers with energy storage and loss under applied electric fields", *Macromolecules.*, Vol. 40, pp. 9391-9397, 2007.
- [306] Fan P., Wang L, Yang J, Chen F, Zhong M, "Graphene/poly (vinylidene fluoride) composites with high dielectric constant and low percolation threshold ", *Nanotechnology.*, Vol. 23, pp. 365702-365709, 2012.
- [307] Dang Z. M., Lin Y. H, and Nan C. W, "Novel ferroelectric polymer composites with high dielectric constants", *Adv. Mater.*, Vol. 15, pp. 1625-1629, 2003.
- [308] Liu F., Huo R, Huang X, Lei Q, and Jiang P, "Crystalline properties, dielectric response and thermal stability of in-situ reduced graphene oxide/poly (vinylidene fluoride) nanocomposites", *IEEE Trans Dielect. Electr. Insul.*, Vol. 21, pp. 1446-1454, 2014.

- [309] Pawde S. M and Deshmukh K, "Studies on surface properties of polymeric coated paper material", J. Appl. Polym. Sci., Vol. 101, pp. 4167-4171, 2006.
- [310] Upadhyay R. H and Deshmukh R. R, "Investigation of dielectric properties of newly prepared β -phase polyvinylidene fluoride–barium titanate nanocomposite films", J. Electrostatics., Vol. 71, pp. 945-950, 2013.
- [311] Yang Y., Zhang H, Wang P, Zheng Q, and Li J, "The influence of nano-sized TiO_2 fillers on the morphologies and properties of PSF UF membrane", J. Membr. Sci., Vol. 288, pp. 231-238, 2007.
- [312] Mohanapriya M. K., Deshmukh K, Ahamed M. B, Chidambaram K, and Pasha S. K. K, "Zeolite 4A filled poly (3,4-ethylenedioxythiophene) :(polystyrenesulfonate) (PEDOT: PSS) and polyvinyl alcohol (PVA) blend nanocomposites as high-k dielectric materials for embedded capacitor applications", Adv. Mater. Lett., Vol. 7, pp. 996-1002, 2016.
- [313] He F., Lau S, Chan H. L, and Fan J, "High dielectric permittivity and low percolation threshold in nanocomposites based on poly (vinylidene fluoride) and exfoliated graphite nanoplates", Adv. Mater., Vol. 21, pp. 710-715, 2009.
- [314] Roy M., Nelson J. K, MacCrone R. K, Schadler L. S, Reed C. W, and Keefe R, "Polymer nanocomposite dielectrics-the role of the interface", IEEE. Trans. Dielectr. Electr. Insul., Vol. 12, pp. 629-643, 2005.
- [315] Deshmukh K., Ahamed M. B, Deshmukh R. R, Bhagat P. R, Pasha S. K. K, Bhagat A, Shirbhate R, Telare F, and Lakhani C, "Influence of K_2CrO_4 doping on the structural, optical and dielectric properties of polyvinyl alcohol/ K_2CrO_4 composite films", Polym. Plast. Tech. Eng., Vol. 55, pp. 231-241, 2016.

- [316] Kumar S. K., Castro M, Saiter A, Delbreilh L, Feller J. F, Thomas S, and Grohens Y, "Development of poly (isobutylene-co-isoprene)/reduced graphene oxide nanocomposites for barrier, dielectric and sensing applications", *Materials Letters.*, Vol. 96 pp. 109–112, 2013.
- [317] Hao X, "A review on the dielectric materials for high energy storage applications", *J. Adv. Dielectrics.*, Vol. 3, pp. 1330001-1330014, 2013.
- [318] Zhang Q. M., Li H. F, Poh M, Xia F, Cheng Z. Y, Xu H. S, and Huang C, "An all-organic composite actuator material with a high dielectric constant", *Nature.*, Vol. 419, pp. 284-287, 2002.
- [319] Deshmukh K., Ahamed M. B, Deshmukh R. R, Khadheer Pasha S. K, Sadasivuni K. K, Ponnamma D, and Chidambaram K, "Synergistic effect of vanadium pentoxide and graphene oxide in polyvinyl alcohol for energy storage application", *Euro. Polym. J.*, Vol. 76, pp. 14-27, 2016.
- [320] Wang J. Y., Yang S. H, Huang Y. L, Tien H. W, and Ma C. C, "Preparation and properties of graphene oxide/polyimide composite films with low dielectric constant and ultrahigh strength via in situ polymerization", *J. Mater. Chem.*, Vol. 11, pp. 13569-13575, 2011.
- [321] Tsutsumi H., Fukuzawa S, Ishikawa M, Morita M, and Matsuda Y, "Preparation of polyaniline-poly (p-styrenesulfonic acid) composite by the post-polymerization method", *Synth. Met.*, Vol. 72, pp. 231-235, 1995.
- [322] Lin C. W., Huang Y. F, and Kannan A. M, "Semi-interpenetrating network based on cross-linked poly (vinyl alcohol) and poly (styrene sulfonic acid-co-maleic anhydride) as proton exchange fuel cell membranes", *J. Power Sources.*, Vol. 164, pp. 449-456, 2007.
- [323] Kang M. S., Kim J. H, Won J, Moon S. H, and Kang Y. S, "Highly charged proton exchange membranes prepared by using water soluble

polymer blends for fuel cells”, J. Membr. Sci., Vol. 247, pp. 127-135, 2005.

- [324] Kim D. S., Guiver M. D, Nam S. Y, Yun T. II, Seo M. Y, Kim S. J, Hwang H. S, and Rhim J. W, “Preparation of ion exchange membranes for fuel cell based on crosslinked poly (vinyl alcohol) with poly (styrene sulfonic acid-co-maleic acid)”, J. Membr. Sci., Vol. 281, pp. 156-162, 2006.
- [325] Kucera F and Jancer J, “Homogeneous and heterogeneous sulfonation of polymers: a review”, Polym. Eng. Sci., Vol. 38, pp. 783-792, 1998.
- [326] Zhu M. L., He B. Q, Shi W. Y, Feng Y. H, Ding C. J, Li X. J, and Zeng F. D, “Preparation and characterization of PSSA/PVA catalytic membrane for biodiesel production”, Fuel., Vol. 89, pp. 2299-2304, 2010.
- [327] Bekri-Abbes I., Bayoudh S, and Baklouti M, “Converting waste polystyrene into adsorbent: potential use in the removal of lead and cadmium ions from aqueous solution”, J. Polym. Environ., Vol. 14, pp. 249-256, 2006.
- [328] Li Z., Young R. J, and Kinloch I. A, “Interfacial stress transfer in graphene oxide nanocomposites”, ACS Appl. Mater. Interfaces., Vol. 5, pp. 456–463, 2013.
- [329] Xin Z., Katherine S. Z, Kun Z, Donald R, Li. L, Shiren W, Louisa J. H. W, and Brandon L. W, “Large-area preparation of high-quality and uniform three-dimensional graphene networks through thermal degradation of graphene oxide–nitrocellulose composites”, ACS Appl. Mater. Interfaces., Vol. 7, pp. 1057-1064, 2015.
- [330] Deshmukh K., Ahamed M. B, Deshmukh R. R, Khadheer Pasha S. K, Chidambaram K, Sadasivuni K. K, Ponnamma D, and AlMaadeed M. A. A, “Eco-friendly synthesis of graphene oxide reinforced hydroxypropyl

methylcellulose/polyvinyl alcohol blend nanocomposites filled with zinc oxide nanoparticles for high-k capacitor applications”, *Polym. Plast. Tech. Eng.*, Vol. 55, pp. 1240-1253, 2016.

- [331] Deshmukh K., Ahamed M. B, Deshmukh R. R, Pasha S. K. K, Sadasivuni K. K, Polu A. R, Ponnamma D, AlMaadeed M. A. A, and Chidambaram K, “Newly developed biodegradable polymer nanocomposites of cellulose acetate and Al_2O_3 nanoparticles with enhanced dielectric performance for embedded passive applications”, *J. Mater Sci: Mater Electron.*, Vol. 28, pp. 973-986, 2017.
- [332] Li Z., Fredin L. A, Tewari P, Dibenedetto S. A, Lanagan M. T, Ratner M. A, and Marks T. J, “In situ catalytic encapsulation of core-shell nanoparticles having variable shell thickness: dielectric and energy storage properties of high-permittivity metal oxide nanocomposites”, *Chem. Mater.*, Vol. 22, pp. 5154-5164, 2010.
- [333] Brochu P and Pei Q, “Advances in dielectric elastomers for actuators and artificial muscles”, *Macromol. Rapid Commun.*, Vol. 31, pp. 10-36, 2010.
- [334] Arbatti M., Shan X. B, and Cheng Z. Y, “Ceramic–polymer composites with high dielectric constant”, *Adv. Mater.*, Vol. 19, pp. 1369-1372, 2007.
- [335] Muhammed F and Syed K, “Broadband electromagnetic shielding and dielectric properties of Polyaniline-stannous oxide composites”, *J. Mater. Sci: Mater. Electron.*, Vol. 24, pp. 2202-2210, 2013.
- [336] Parveen S and Veena C, “Enhanced electromagnetic interference shielding effectiveness of polyaniline functionalized carbon nanotubes filled polystyrene composites”, *J. Nanoparticles Res.*, vol. 14, pp. 1415-1422, 2013.

- [337] Gomez-Navarro C., Burghard M, and Kern K, "Elastic properties of chemically derived single graphene sheets", *Nano Lett.*, Vol. 8, pp. 2045 - 2049, 2008.
- [338] Ramamohan K., Achari V. B. S, Sharma A. K, and Xiuyang L, "Electrical and structural characterization of PVA/PEG polymer blend electrolyte films doped with NaClO₄", *Ionics.*, Vol. 21, pp. 1333-1340, 2015.
- [339] Sawatari C and Kondo T, "Interchain hydrogen bonds in blend films of poly (vinyl alcohol) and its derivatives with poly (ethylene oxide)", *Macromolecules.*, Vol. 32, pp. 1949-1955, 1999.
- [340] Ahmad M. B., Tay M. Y, Shameli K, Hussein M. Z, and Lim J. Y, "Green synthesis and characterization of silver/chitosan/polyethylene glycol nanocomposites without any reducing agent", *Int. J. Mol. Sci.*, Vol. 12, pp. 4872-4884, 2011.
- [341] Fan W., He M, Wu X, Chen B, and Hu B, "Graphene oxide/polyethyleneglycol composite coated stir bar for sorptive extraction of fluoroquinolones from chicken muscle and liver", *J. Chromatography. A.*, Vol. 1418, pp. 36-44, 2015.
- [342] Zhu S., Chen J, Li H, and Cap Y, "Structure and conformation of poly (ethylene glycol) in confined space of montmorillonite", *Appl. Surf. Sci.*, Vol. 264, pp. 500-506, 2013.
- [343] Potts J. R., Dreyer D. R, Bielawski C. W, and Ruoff R. S, "Graphene-based polymer nanocomposites", *Polymer.*, Vol. 52, pp. 5-25, 2011.
- [344] Pawde S. M and Deshmukh K, "Influence of γ irradiation on the properties of polyacrylonitrile films", *J. Appl. Polym. Sci.*, Vol. 110, pp. 2569 - 2578, 2008.

- [345] Sadasivuni K. K., Castro M, Saiter A, Delberilh I, Feller J. F, Thomas S, and Grohens Y, "Development of poly (isobutylene-co-isoprene)/reduced graphene oxide nanocomposites for barrier, dielectric and sensing applications", *Mater. Lett.*, Vol. 96, pp. 109-112, 2013.
- [346] Chan C. K., Peng H, Twesten R. D, Jarausch K, Zhang F, and Cui Y, "Fast, completely reversible Li insertion in vanadium pentoxide nanoribbons", *Nano Letters.*, Vol. 106, pp. 490-495, 2007.
- [347] Raiblea I., Burghardb M, Schlechtb U, Yasuda A, and Vossmeyera T, "V₂O₅ nanofibres: novel gas sensors with extremely high sensitivity and selectivity to amines", *Sens. Actuators B.*, Vol. 106, pp. 730-735, 2005.
- [348] Whittingham M. S, "Lithium batteries and cathodes", *Chem. Rev.*, Vol. 104, pp. 4271-4301, 2004.
- [349] Sakamoto J. S and Dunn B, "Vanadium oxide-carbon nanotube composite electrodes for use in secondary lithium batteries", *J. Electrochem. Soc.*, Vol. 149, pp. A26-A30, 2002.
- [350] Ren L., Cao M. H, Shi S. F, and Hu C. W, "Vanadium oxide nanodisks: synthesis, characterization, and electrochemical properties", *Mater. Res. Bull.*, Vol. 47, pp. 85-91, 2012.
- [351] Zou C. W., Yan X. D, Han J, Chen R. Q, and Gao W, "Microstructures and optical properties of β -V₂O₅ nanorods prepared by magnetron sputtering", *J. Phys. D. Appl. Phys.*, Vol. 42, pp. 145402, 2009.
- [352] Li C. G., Pang S. P, Jiang L, Guo Z. Y, and Zhang Z. K, "Environmentally friendly chemical route to vanadium oxide single-crystalline nanobelts as a cathode material for lithium-ion batteries", *J. Phys. Chem. B.*, Vol. 110, pp. 9383-9386, 2006.

- [353] Krumeich F., Muhr H. J, Niederberger M, Bieri F, Schnyder B, and Nesper R, "Morphology and topochemical reactions of novel vanadium oxide nanotubes", *J. Am. Chem. Soc.*, Vol. 121, pp. 8324-8331, 1999.
- [354] Liu H. M and Yang W. S, "Ultralong single crystalline V_2O_5 nanowire/graphene composite fabricated by a facile green approach and its lithium storage behaviour", *Energy Environ. Sci.*, Vol. 4, pp. 4000-4008, 2011.
- [355] Rui X. H., Zhu J. X, Sim D, Xu C, Zeng Y, Hng H. H, Lim T. M, and Yan Q. Y, "Ultrathin V_2O_5 nanosheet cathodes: realizing ultrafast reversible lithium storage", *Nanoscale.*, Vol. 5, pp. 556-560, 2013.
- [356] Wang Z. L., Xu D, Huang Y, Wu Z, Wang L. M, and Zhang X. B, "Facile, mild and fast thermal-decomposition reduction of graphene oxide in air and its application in high-performance lithium batteries", *Chem. Commun.*, Vol. 48, pp. 976-978, 2012.
- [357] Wang Z., Nelson J. K, Hillborg H, Zhao S, and Schadler L. S, "Graphene oxide filled nanocomposite with novel electrical and dielectric properties", *Adv. Mater.*, Vol. 24, pp. 3134–3137, 2012.