

REFERENCES

- Abbi S.P.S, K.K Srivastava and A.K. Makhaotra (1978)** Estimation of water balance of Mahanaanin Catchment Area up to Hirahud Dam Site 1962-66 by Thornthwaite Technique Indian Journal of Meteorology Hydrology and Geophysics, 29 (4), pp. 717-724.
- Agarwal. K.S, (1953)** The diurnal and seasonal and seasonal variations of the surface wind at Visakhapatnam, Indian Journal of Meteorology and Geophysics, 4 (1), pp.76-81.
- Ahmed Rasheed, (2010)** Rainfall Characteristics and its Distribution in Maldives, SAARC Workshop on Drought Risk Management in South Asia, Maldives Meteorological Services, pp.105 – 110
- Ahmed. A. and Siddiquei. M.F, (1967)** Crop association patterns in the Lunit Basin, Geographer, Vol. 14, pp.69-80
- Ajit Tyagi, H. R. Hatwar and Pai. D. S, (2009)** Monsoon, IMD Met Monograph No: Synoptic Meteorology No: 09 /2010, India Meteorological Department, Edited by National Climate Centre, India Meteorological Department, Pune, Designed and Printed at The meteorological office press, pp. 1-159
- Alaguraja. P, Manivel.M, Nagarathinam S.R Sakthivel. R and Yuvaraj D, (2010)** Rainfall Distribution Study in Coimbatore District Using GIS, Recent Trends in Water Research Remote Sensing and General Perspectives, I.K International Publishing House Pvt. Ltd. New Delhi – pp. 92-115.
- Amalkumar Sen (1972)** Agro - climatic regions of Rajasthan, Annals of Arid Zone, 11 pp. 3 - 4).
- Amalkumar Sen and K.N.Gupta (1976)** Some Agro - climographic aspects in different agro - climatic regions of Rajasthan, Annals of Arid Zone, 15 (1 and 2), pp.121-128.
- Amani K.Z, (1966)** Variability of rainfall in relation to agriculture in the Central Ganga, Yamuna Doab, The Geographer 13, pp.35 - 47.

- Attan Singh (1979)** Moisture fluctuation, moisture use and water balance under principal landuse system of arid region, *Annals of Arid Zone*, 18, pp.1 - 2.
- Ayansina Ayanlade (2009)** Seasonal rainfall variability in Guinea Savanna part of Nigeria: a GIS approach", *International Journal of Climate Change Strategies and Management*, Vol. 1 Iss: 3, pp.282 – 296.
- Badekar.V.C. and Banerjee. A.K, (1953)** A study of climatological and other rainfall pattern over Central India, *Indian Journal of Meteorology and Geophysics*, 4 (2), pp.23-30
- Balasubramanian, C. and M. Stephen Durairaj (1959)** Rainfall pattern at Nanjanad and its agricultural significance, *The Indian Geographical Journal*, 24 (1 & 2), pp.25-31
- Balasubramanian. C. (1954)** Rainfall in the Central zone of the Madras State, *The Indian Geographical Journal*, (29), (1), pp.23-27
- Balasubramanian. C. and Krishnan. K. A, (1954)** A note on the variation of rainfall in Malabar, *Indian Journal of Meteorology and Geophysics*, 5 (4), pp.305-314
- Banerjee C.R. (1972)** Agro - climatic soil regions of West Bengal", in *Proceeding of the Symposium on cropping patterns in India*, ICAR, New Delhi, pp.623.
- Banerjee C.R. and Banerjee. D.N, (1972)** Crop patterns of agro - climatic zones of West Bengal, in *Proceeding of the symposium on cropping patterns in Indian*, ICAR, New Delhi, pp.435-442
- Banukumar. K,** Climatic Classification of Tamil Nadu State, India, Unpublished Ph.D thesis submitted to Bharathidasan University, Tiruchirappalli, pp.1- 205.
- Banukumar. K, Rajamanickam. G.V and Aruchamy. S, (2005)** Study of Drought Prone Areas in Pudukkottai Taluk, Tamil Nadu –A Hydrogeomorphological Approach, *Indian Journal of Geomorphology*, Volume 10 1 and 2 pp.23-36.
- Banukumar. K, S.Aruchamy, (2007)** Climatic Types of Tamil Nadu, India, *Journal of Spatial Science*, Volume I 1 and 2, pp.1-8

- Banukumar. K. (1998)** Rainfall Analysis of Pudukkottai District, Unpublished M.Sc., Dissertation, School of Earth Sciences, Bharathidasan University, Tiruchirappalli. pp.1- 76.
- Banukumar. K. Victor Rajamanickam. G and Aruchamy .S (2004)** Integrated Drought Mitigation Assessment for Land, Water and Agricultural Management, Chandrasekharan. H, Sharma, R. K and Sundaram. K.V. Ed. Water Resources Development and Management, Mittal Publications, New Delhi, pp. 171-182
- Begchi .K. and jean, M.M. (1974)** The Crop combination and spatial pattern of land utilization in lower silabaty basin, Geographical Review of India, 36, 4, pp.323-22.
- Berndt .R.D and White B.J, (1976)** A simulation based evaluation of three crop systems on clay soil in a summer rainfall environment, Agricultural Meteorology, 16, pp.211-229.
- Bhatia .S.S, (1960)** An index of crop Diveratification, professional Geographer, 12(2), pp.3-4.
- Bhatia .S.S, (1965),** Crop concentrations and Diveraifications, Economic Geography, 41 (1), pp38-56.
- Bishnoi .O.P and Sexena .K (1978)** A study of rainfall pattern in relation to crop planning order the Harayana State, Indian Journal of Meteorology and Geophysics 29(3),pp501 -507.
- Bishnoi .O.P, (1977)** Assessment of soil moisture storage from rainfall and its utility in crop planning in Harayana State, Indian Journal of meteorology Hydrology and Geophysics, 26 (1), pp.101-104
- Bishnoi .O.P. (1975)** A study of the reliability deficiency and excess of rainfall over the Harayana State, Indian Journal of Meterorology, logy and Geophysics, 29 (3), pp.501-507
- Bishnoi.O.P. (1975)** Effective Rainfall in Harayana State, Annals of Arid zone, 14 (2), pp.92-99.

- Biswas .B.C. (1973)** Estimation of soil moisture deficits from meteorological factors, Indian Journal of Meteorology and Geophysics, 24 (3) pp. 355-358.
- Bunting .A. C, (1961)** Some problems of agriculture climatology in tropical Africa, Geography, 4 (T.3 UM.3, M.84), pp.283-286.
- Chakkaravarti .A.K, (1960)** Micro climatology and its application to develop the agriculture of the arid zone of Rajasthan, National Geographer, 3, pp.11-14.
- Charrejee .B.N. et al. (1972)** Weather conditions and their effect on crops grown in sequence, on the Haringhata farm- Nadia, West Bengal in Proceeding of the symposium on cropping patterns in India, ICAR, New Delhi,pp.198-201.
- Chowdhury .A., Gokhale .S.S and Rentala G.S, (1979)** Spells of dry days related to agricultural drought in India, mausam, 30 (4), pp.501-510.
- Chowdhury A. et al. (1980)** Meteorological aspects of arid and semiarid regions of India with special reference to Thar desert, Mausam, 31(1) pp.111-118.
- Das .D (2011)** Advances in the research of aquatic environment and environmental earth sciences vol.2 pp.37- 44
- Das K.C, (1972)** Effects of droughts on kharif rice yield Symposium on drought in the Asiatic Monsoon Area, Indian Meteorological Department, Pune, pp.18.
- Das.H.P, (1995)** A rational approach to determine the crop growing period on Probabilistic basis. Agro-ecosystems Management Proceedings of a national symposium, Visva Bharati Sriniketan, West Bengal, pp. 18-21,
- Dikshit. K.R. (1973)** Agricultural Regions of Maharashtra, Geographical Review of India, 35(4), pp.384-396.
- Fao (1996)** Agro-Ecological Zoning Guidelines, Land and Water Development Division, FAO Soils Bulletin 73, Rome, pp.69
- Forkuor. G, Pavelic.P, Asare.E and Obuobie.E, (2013)** Modelling potential areas of groundwater development for agriculture in northern Ghana using GIS/RS,Hydrological Sciences Journal pp- 437-451

- Gangai .P, (2011)** Agro - climatic Aspects of Pudukkottai District, Tamil Nadu, India, Unpublished Ph.D thesis submitted to Bharathidasan University, Tiruchirappalli, pp.1-175
- Gangai. P, Aruchamy. S and Selvam, K, (2008)** Rainfall Characteristics and Drought Prone Area of Pudukkottai District, Tamilnadu, Indian National Geographer, 23(1 and 2), pp 59-70.
- Garavaglia.F, Lang.M, Paquet.E, Gailhard.J, Garcon.R, and Renard .B, (2010)** Reliability and robustness of rainfall compound distribution model based on Weather pattern sub-sampling, Hydrology Earth System Science Discuss., 7, pp, 6757–6792,
- Genesis Tambang Yengoh, Frederick Ato Armah, Edward Ebo Onumah and Justice O. Odoi, (2010)** Trends in Agriculturally-Relevant Rainfall Characteristics for Small-Scale Agriculture in Northern Ghana Journal of Agricultural Science Vol. 2, No. 3; September 2010 Geophysics, 27 pp.23-28.
- George. C.J and Ramasashi K.S. (1975)** Agricultural drought of 1972 kharif season, Indian Journal of Meteorology, Hydrology and Geophysics, 26 (1), pp. 89-96
- George. C.J, (1972)** An index of agricultural drought, Symposium on drought in the Asiatic Monsoon Area, Indian Meteorological Department, pune, pp.18.
- Guhathakurta.P and M. Rajeevan (2006),** Trends in the rainfall pattern over India, National Climate Centre, Research Report No: 2/2006, Meteorological Department pune. India, pp.1-23
- Guhathakurta.P Preetha Menon, A. B. Mazumdar and O. P. Sreejith (2010)** Changes in extreme rainfall events and flood risk in India during the last century, National Climate Centre Research Report No: 3/2010, Designed & Printed at The meteorological office press, pp-1-22
- Gupta.S.K (1970)** Effective rainfall of Dehra Dun under rainfed conditions, Indian Journal of Agronomy, 15, pp.150-153)
- Gupta.S.K, Tejwani, K.G. and Ram Babu, (1972)** Effective rainfall of Dehradun under Irrigated conditions, Symposium on Soil and Water Management, ICAR, Hissar, March 11-13, 1969.pp.62-70

- Hariharan, P.S and Sajnani.P.P, (1954)** A study of the special and frequency distribution of rainfall in the Ratnagiri district, Indian Journal of Meteorology and Geophysics, 5 (4), pp.25-29.
- Higgins .G. M and Kassam, A.H, (1981)** The FAO agro-ecological zone approach to the determination of land potential. Pedologi, Ghent 31: pp.147-168.
- Hose .P.N, (1962)** Rainfall, rice yields and irrigation needs in West Bengal, Geography, 49 (2), pp.114-117.
- Huda .A. K. S, (1975)** Contribution of climatic variables in predicting rice yield, Agricultural Meteorology, (15) pp.71-86.
- Hussain .M, (1970)** Variability of rainfall in relation to agriculture in the Upper Ganga Yamuna Doabs. The Indian Geographical Journal of India, 16, pp.71-75.
- Hussain. M, (1979)** Agricultural Geography. Inter India Publication, New Delhi.pp.62-63
- Ishappa Muniyappa Rathod and Aruchamy.S, (2010)** Rainfall Trends and Pattern of Kongu Upland, Tamil Nadu, India using GIS. Techniques (2010) International Journal of Environmental Sciences Volume 1, No 2, pp, 109-122
- Ishappa Muniyappa Rathod and Aruchamy.S, (2010)** Spatial Analysis of Rainfall Variation in Coimbatore District Tamil Nadu using GIS. International Journal of Geomatics and Geosciences Volume 1, No 2, 2010, pp, 106-118
- Jagannadha Sarma V.V (2005),** Rainfall pattern in the coastal zone of Krishna-Godavary basin Andhra Pradesh, India, Journal of applied hydrology, 28(1&2) pp. 177-199.
- Jagannathan. P. and Parthasarathy.B, (1972)** Fluctuations in the seasonal oscillations of temperature in India, Indian Journal of Meteorology and Geophysics, 23 (1), pp. 15-22.
- Jain .B.L, Singh.R.S, Giri. J.D, Sharma, J.P. and Shyampura.R.L, (2003)** Agro - ecological assessment of arid regions of Gujarat for crop planning. Human impact on desert environment, pp.39-43.

- Jain A.C. (1972)** Disease problems in new cropping pattern, proceeding of the symposium on cropping pattern in India, ICAR, New Delhi, pp 554-556.
- Jayanthi (1973)** The extreme value analysis of Maximum and Minimum temperature over India, Indian Journal of Meteorology and Geophysics 24 (4), pp.367-370.
- Jegankumar.R, Nagarathinam.S.R and Kanadasan .K, (2012)** Spatial Distribution of Rainfall in Salem and Namakkal Districts, International Journal of Geomatics and Geosciences Volume 2, pp.967-994.
- Jethamalani .S.C, (1972)** Existing cropping pattern and proposed pattern of improve intensity and production in Madhya Pradesh”, Proceedings of the symposium on cropping pattern in India, ICAR, New Delhi. Journal of Meteorology Geophysics 4, (4) pp.291-309.
- Joshi U. R. and Rajeevan .M (2006)** Trends in Precipitation Extremes over India, National Climate Centre Research Report No: 3/2006, Designed and Printed at The meteorological office press, pp-1-25
- Khambate N.N. and Biswar. B.C, (1978)** Characteristics of short period rainfall in Gujarat, Indian Journal of Meteorology and Geophysics 29, pp: 501 -507.
- Khambete . N.N and Venkataraman. S, (1979)** Influence of weather sequence on Rabi, Jowar Crops yield at Solapur, Mausam 30 (1), pp.95-98.
- Khan, S.A. and Saha.A, (1996)** Agro-meteorological approach towards rational crop planning at rain fed condition, Environment and Ecology, 14 (3): pp.691-694.
- Kingra .P.K., Mahi, G.S. and Hundal, S.S, (2004)** Climatic water balance of different Agro - climatic zones for contingent crop planning in Punjab. Journal of Agro-meteorology, 6 (Special Issue) pp. 66-71.
- Krishnan .A and M. Singh, (1972)** Soil climatic zones in relation to cropping pattern, proceeding of the Symposium on cropping pattern in India, ICAR, New Delhi, pp.172-185.
- Krishnan .A and Tiwari K.P. (1977)** Adequacy of rainfall for crop growing in Bikaner district, Annals of Arid zone, 16 (4), pp.405-416.

- Krishnan .A, (1972)** A Climatic approach to cropping pattern adoptability in western Rajasthan, Proceeding of the Symposium on Cropping Patterns in India, ICAR, New Delhi, ICAR, pp. 165-171.
- Krishnan. A, (1972)** Water balance approach to better crop scheduling and irrigation planning in India, Proceeding of the Symposium on cropping pattern in India, ICAR, New Delhi, pp.192-197.
- Krishnan.A, (1972)** Some aspects of water management for crop production in arid and semiarid zones of India, Annual of Arid zone, 8 (1), pp.1-17.
- Kusre. B.C, Singh Kh.S, (2012)** Study of spatial and temporal distribution of rainfall in Nagaland, India, International Journal of Geomatics and Geosciences, volume -2, pp. 712 – 722.
- Mahanta .K.C and B.C.Barthakur, (1972)** Cropping pattern adaptability in Assam, Proceeding of the symposium on cropping pattern in India, ICAR New Delhi, pp.443-452.
- Majid Hussain, (1972)** Crop Combination Regions of Utter Pradesh – A Study in Methodology, Geographical Review of India, 34(2), pp.134-156.
- Mallik .A. K, (1972)** Rainfall deficiency hazard in crop planning, Proceeding of the symposium on cropping pattern in India, ICAR, New Delhi, pp.186-192.
- Mallik A.K, (1958)** An examination of the crop yields at crop weather stations with special reference to rainfall, Indian Journal of Meteorology and Geophysics, 9 (1), pp.1-8.
- Mather. J.R, (1974)** Climatology: Fundamental and applications, McGraw Hill book Company, New York, pp.412
- Mathur .V.S, (1944)** Climate of Western UP (West of the Ganges), annuals of Arid Zone, 19(4), pp.132-138.
- Maunder. W.J, (1970)** The Value of weather Methuen Company Ltd., London, pp.55.
- Mohammand .N and Amani K.Z, (1970)** crop combination in the Trends Ghaghera plain, Geographical Review of India 32, 1, pp. 47-60.

- Moolani .M.K, (1963)** Crop yields and ecological optimum, The Indian Geographical Journal, 38(2), pp.53-57.
- Mukherjee .A. K and B. Shyamala (1979)** Study of normal rainfall of Satara District, Mausam, 30(4), pp.493-500.
- Nagarathinam, S.R, (1990)** Agroclimatological Aspects of Coimbatore District, Unpublished Ph.D., Thesis, Madras University, Chennai, pp.1- 153
- Nield R.E and Grelg, (1972)** An agro - climatic procedure to determine growing seasons for vegetables. Agricultural Meteorology 9, pp.225-240.
- Nitya Nand, (1972)** Crop combination in Rajasthan, Geographical Review of India, 34(1), pp.46-60
- Owor. M, Taylor.R.G, Tindimugaya.C and Mwesigwa.D, (2009)** Rainfall intensity and groundwater recharge: empirical evidence from the Upper Nile Basin. Environmental Research Letters. 4 (2009) 035009, pp.6.
- Padmanabamurthy .B, (1972)** An agro - climatic index of aridity, Proceeding symposium on cropping patterns on India, ICAR, New Delhi, pp.216-221.
- Padmanabamurthy B. and Subbha reddy. E.V, (1970)** A preliminary study of potential evapotranspiration by Penman's method, Indian Journal of Meteorology, Hydrology and Geophysics, 21 (4), pp.607-612.
- Padmanabhan .S.Y, (1972)** Common diseases of rice in Orissa and method of controlling them, Proceeding of the symposium on cropping pattern on India, ICAR, New Delhi, pp.634-636.
- Pai .D.S, Jyoti Bhate, Sreejith.O.P and Hatwar.H.R, (2009)** Impact of MJO on the Intraseasonal Variation of Summer Monsoon Rainfall over India, National Climate Centre Research Report No: 4/2009, Pune,pp.1-33
- Pai. D.S.and Rajeevan.M, (2007)** Indian Summer Monsoon Onset: Variability and Prediction, National Climate Centre India Meteorological Department PUNE. National Climate Centre Research Report No: 4/2007, Designed & Printed at The meteorological office press, pp-1-25

- Pai.D.S, Latha Sridhar, Pulak Guhathakurta and Hatwar H. R. (2010)** District-wise Drought Climatology of The Southwest Monsoon Season over India, Based on Standardized Precipitation Index (SPI) National Climate Centre India Meteorological Department pune. Designed and Printed at The meteorological office press, pp-1-24,
- Paramani .S.K and Jagannathan. P, (1954)** Climatic Changes in India; Temperatures, Indian Journal of Meteorology and Geophysics 5 (1), pp.29-45.
- Paramanik .S.K and Jaganathan. P, (1953)** Climatic changes in India – 1 Rainfall, Indian Journal of Meteorology and Geophysics 4, (4), pp. 291-309.
- Parthasarathy .B and Dhar O.N. (1976)** A study of trends and periodicity in the seasonal and annual rainfall of India, Indian Journal of Meteorology, Hydrology, and Geophysics, 27 (2) pp.23-28.
- Pattanaik D. R, (2012)** Indian Monsoon Variability, Monsoon Monograph, Vol - 2, India Meteorological Department, New Delhi, pp, 35-59.
- Rafiullah .S.M, (1956)** A New Approach to Functional classification of towns, Geographer, 30, pp40-53
- Raghavendra .V. K, (1974)** Trends and periodicities of rainfall in subdivision of Maharashtra State, Indian Journal of Meteorology, hydrology and Geophysics, 25 (2), pp.197-210.
- Raheja .P.C, (1961)** Water requirements of Indian Field Crops, Indian Council of Agricultural Research Series No.28, New Delhi, pp.1
- Raj .D, (1973)** Climatological factors in relation to dry land agriculture, Indian Journal of Meteorology and Geophysics, 24 (2), pp. 159-162.
- Rajeevan .M and Pai. D. S, (2006)** On El Nino-Indian Monsoon Predictive Relationships, National Climate Centre, Research Report No: 4/2006, Designed & Printed at The meteorological office press, pp-1-20
- Rajeevan .M, Sulochana Gadgil and Jyoti Bhate, (2008)** Active and Break Spells of the Indian summer Monsoon, National Climate Centre India Meteorological

Department Pune. National Climate Centre Research Report No: 2008,
Designed and Printed at The meteorological office press, pp-1-45

Rajeevan. M and Jyoti Bhate, (2008) Development of a High Resolution Daily Gridded Rainfall Data Set (1971-2005) for Mesoscale Meteorological Studies 2008, National Climate Centre India, Research Report No: 9/2008 Meteorological Department, Pune India, pp 411

Rakhecha .P, (1974) The study of drought by water budget method over Andhra Pradesh, Indian Journal of Meteorology, Hydrology and Geophysics, 25 (3 & 4), pp. 411- 416.

Ramadas .L. A, Jaganathan and Gopal Rao. S, (1954) Prediction of data of establishment of south west monsoon along the west coast of India; Indian Journal of Meteorology, Hydrology, and geophysics, 5 (4).pp.341-345.

Ramadas L.A. (1964) Rainfall and agriculture, Indian Journal of Meteorology Hydrology and Geophysics 15(3), pp: 262 -274.

Ramakrishnan .K.P, (1953) A Study of 50 years rainfall of Madras city, Indian Journal of Meteorology and Geophysics 4(2), pp. 123 -144.

Ramakrishnan .K.P, (1963) Crop regions of India, The Indian Geographic Journal, 38 (2), pp.58-64.

Ramamurthy .K, (1943) A study of the rainfall regimes at Vellore, Indian Geophysics Journal, 18 (4), pp. 197-203.

Ramamurthy .K, (1950) Some aspects of the regional geography of Tamil Nadu, Indian Geophysics Journal, 25 (1), pp. 34-46.

Raman .C.R.V. Venkataraman .S and (1970) Assessment of soil moisture storage from rainfall in dry farming area of Mysore State, Indian Meteorology Department, Science Report pp.131.

Raman .P.K. (1943). Winds break effects of crops. Indian Journal of Agricultural Science, pp.273.

- Raman Rao B.V (1978)** A study on the occurrence of optimum sowing rains in Bangalore district, Indian Journal of Meteorology Hydrology and Geophysics, 29 (4), pp. 731-742.
- Raman Rao, B.V. (1979)** A study on occurrence of sowing rains for long medium and short duration crops in Bangalore region, Annals of Arid Zone, 18 (1 & 2), pp.75-79.
- Ramana Rao B.V, (1978)** A climatological study on double cropping under rainfed conditions in Bangalore Region, Indian Journal of Meteorology hydrology, and geophysics, 29 (4), pp. 663-666.
- Ramanth .B, (1973)** Climatic factors influencing agriculture in the low rainfall tract of Bellary in Mysore State, Indian Journal of Meteorology and Geophysics, 24(1), pp.153-158.
- Ramasundaram. M, Banukumar. K, Alaguraja. P, Yuvaraj D and Nagarathinam .S.R, (2012)** A study on crop combination regions in Tamil Nadu, India using , MapInfo and GIS , International Journal of Advances in Remote Sensing and GIS, Vol. 1, pp.1- 8.
- Ramos, (2001)** Rainfall distribution pattern and their over time in a Mediterranean area. Theoretical and Applied Climatology, 69, pp 163-170
- Rao .K.N, (1958)** Some studies on rainfall of Rajasthan with particular reference to trends, Indian Journal of Meteorology and Geophysics, 9 (2), pp.97-116.
- Rao .K.N, (1972)** An Analysis of the speak distribution of rainfall in India and Pakistan, Indian Journal of Meteorology and Geophysics, 3(1) pp. 1- 16.
- Rao .K.N, (1972)** Nature of the frequency distribution of Indian Rainfall Monsoon and Annual, Indian Journal of Meteorology and geophysics, 23 (4), pp.507-514.
- Rao .K.N. and C.V. Raman (1971)** Evaporation over India. Indian Journal of Meteorology, Hydrology and geophysics 22 (4) pp.551-558.
- Rao.K.N and Prasada Rao .V.V.R, (1958)** Average amount of rainfall on a rainy day in India, Indian Journal of Meteorology and geophysics, 9 (2) pp.129-140.

- Ratham .B.P, (1973)** A study of water balances in dry sub-humid and semiarid climatic of Mysore state, *Journal of agricultural Science*, pp.312-325.
- Ratham .B.P, (1975)** Frequency and probability of dry spells at Dharwar, *Annals of Arid Zone*, 14 (3), pp.201-205.
- Ratham.B.P. and Joshi. S.N, (1975)** Climatic shifts at Dharwar, *Annals of Arid Zones*, 14 (1). pp.49-52.
- Rawat .R.R, (1972)** Pest problems in cropping pattern. Proceeding of the Symposium on cropping pattern in India, ICAR, New Delhi, pp.565-571.
- Raychandhari .S.P, (1972)** Some important plant disease problems in the new cropping patterns in intensive agricultural programmees, Proceeding of the symposium on cropping patterns in India, ICAR, New Delhi, pp.578-581
- Renguang Wu and Bin wang, (2002)** A Contrast of the East Asian Summer Monsoon-ENSO Relationship between 1962–77 and 1978–93, *Journal of Climate*, volume. 15, pp. 3266- 3279
- Richard M. Cowlin.G, Fernando Ojeda, Byron B. Lamont, Phillip W. Rundel and Richard Lechmere - Oertel (2005)** Rainfall reliability, a neglected factor in explaining convergence and divergence of plant traits in fire-prone Mediterranean-climate ecosystems. *Global Ecology and Biogeography* 14, pp.509-519
- Roy.B.K, (1967)** crop combinations and changes in crops in Gengrahaghara Doab East, *National Geographical Journal of India*, 13(4), 194- 207.
- Sadhuram .Y and Ramana Murthy T.V, (2008)** Simple Multiple Regression Model for long range forecasting of Indian Summer Monsoon Rainfall, *Meteorology and Atmospheric Physics*, 99, pp.17–24.
- Saharabudhe.K. R, (1972)** Climatic approach to cropping pattern – agro climatic zones of Maharashtra states, Proceeding of the symposium on cropping pattern India, ICAR, New Delhi India, pp.409-417.
- Sahu .B.N, (1972)** Climatic approach to cropping pattern adaptability, Proceeding of the symposium on cropping pattern in India ICAR, New Delhi, pp.202-215

- Samta Shah and H. J. Dalwadi, (2011)** Critical appraisal of an irrigation command and water productivity based on satellite remote sensing, *International Journal of Water Resources and Environmental Engineering* Vol. 3(2), February 2011, pp. 41–45,
- Sanbagavalli .S, Sumathi .I, Balasubramanian. T.N and Ganesan. K, (2001)** Computation of length of growing period (LGP) by FAO model. *Madras Agricultural Journal*, 88(1/3) pp. 130-132.
- Sastri .A.S.Ras and Ramakrishna. Y.S, (1980)** A modified scheme of drought classification application to the arid zone of western Rajasthan, *Annual of arid zone*, 19(1&2), pp.65-72
- Selvam.G, Banukumar.K, Srinivasan.D, Selvakumar.R and Alaguraja. P.** Identification of ground water potential zone in hard rock terrain - A case study from parts of Manapparai block Tamilnadu using Remote Sensing and GIS Techniques, *International Journal of Advances in Remote Sensing and GIS*, Vol. 1, pp. 8- 18.
- Sen. A.K and Abraham. C.J, (1966)** Crop belts and cropping pattern or Rajasthan, Influence of rainfall, humidity sunshine maximum and minimum temperature on the yield of cotton at Coimbatore, *Indian Journal of Meteorology, Hydrology and Geophysics*, 26 (4), pp. 18-524.
- Senthilvelan.A, Ganesh.A and Banukumar.K, (2012)** Markov Chain Model for probability of weekly rainfall in Orathanadu Taluk, Thanjavur District, Tamil Nadu, *International Journal Of Geomatics And Geosciences* Volume 3, No 1, ,pp,191-203,
- Shanbhag . G.Y, (1956)** The climates of India and its vicinity according to a new method of classification, *The Indian Geographic Journal* 31 (1 & 2), pp.1-25.
- Sharma .P.R, (1972)** Crop cultivation intensity their ranking and crop- association, regions in Chhattisgarh region, A geographical analysis, *National Geographical Journal of India*, 18, 2, pp 91-101.
- Sharma .S.C, (1971)** Cropping pattern and crop combination regions in between Middle Gangayamuna Doab, *The Deccan Geographer*, 9(1), pp.71-92.

- Sinha .K.L, (1952)** An Analysis of the speak distribution of rainfall in Indian, and Pakistan, Indian journal of meteorology and Geophysics, 3(1) pp. 1-16.
- Sinha .K.L, (1952)** An analysis of the spell distribution of rainfall it India and Pakistan, Indian Journal of Meteorology and Geophysics, (1) pp. 1-16.
- Sinha B.N, (1968)** Crop combination technique – A search for an ideal tool, The Decan Geographer.6 (2) pp.35-36.
- Smith .L.P, (1972)** The effect of climate and size of farm on the type of farming, Agricultural Meteorology, 9, pp. 217-233
- Sreenivasan .P.S and Banerjee J.R, (1973)** The influence of rainfall on the yield of rainfall rice at Karjat (Coloba district), Agricultural Meteorology, 11.pp: 285 - 292.
- Sreenivasan .P.S, (1974)** Influence of rainfall on wheat varieties at Jagaon and Niphad, Agricultural Meteorology, 13, pp.267-278.
- Srinivasamurthy .B, (1973)** Weekly water availability to crops at Bellory Bijapur; Gadag and Raichur, Science report 197, India Meteorological Department, Pune. pp.197.
- Srinivasamurthy .B, (1976)** some aspects of water availability in dry land crops on Maharashtra, Science report, India Meteorological Department, Pune.pp. 76-14.
- Srinivasan .P.S and Banerjee J.R. (1974)** A comparative study of rainfall and cotton crop under crop weather scheme at Akola and Nagpur, Indian Journal of Meteorology, hydrology and Geophysics, 25 (2), pp. 151-160.
- Srivastava .K.K, (1977)** Estimation of water balance of lower Sutlej Catchment upto Bhakra Dam site, Indian Journal of Meteorology Hydrology and Geophysics, 28 (4), pp.507-514.
- Subrahmanyam .V.P, (1956)** Climatic types of India according to the ration all classification of Thornthwaite, Indian Journal of Meteorology and Geophysics, 7, pp.3,

- Subrahmanyam .V.P, (1956)** Water balance of India according to Thornthwaite's concept of potential evapotranspiration, *Annals of the Association of American Geographers*, 44, pp.3,
- Subrahmanyam .V.P, (1958)** The climatic types of India in relation to the distribution of National Vegetation, *Indian Geographer*, pp.2 - 3,
- Subrahmanyam .V.P, (1958)** The role of water balance in climatic research, *Bulletin National Institute of Science India*, (11), pp.101-104.
- Subrahmanyam .V.P, (1965)** Koppen and Thornthwaite system of climatic classification as applied to India, *Annals of Arid Zone*, 4(4), pp. 47-55.
- Subrahmanyam .V.P, (1968)** Some climatic aspects of water balance of the Indian Region, *Journal of Indian Geography*, 5, pp.2.
- Subrahmanyam .V.P and Subramanian. A.R, (1964)** Application of water balance concepts for climatic study of droughts in South India, *Indian Journal of Meteorology, Hydrology and Geophysics*, 15, pp.3.
- Subramanian .A.R and Prasad Rao. G.S.L.H.V, (1980)** Meridional variation of water balance in Rajasthan State, *Annals of Arid Zone*, 19 (1&2) pp.146-150.
- Subramanian .C, (1962)** Climatic features of Andhra Pradesh, *Journal of Indian Social and Soil Science*, 10 , pp.2.
- Subramanyam V.P. and Sastri .C.V, (1969)** A study of aridity and drought at Visakhapatnam. *Annals of arid zone* 8 (1) pp.18 -22.
- Suja Rose R.S and Krishnan.N (2009)** Spatial analysis of groundwater potential using remote sensing and GIS in the Kanyakumari and Nambiyar basins, India, *Indian Journal of Remote Sensing*, December 2009, Volume 37, Issue 4, pp 681-692.
- Thimmarayappa .H.M and Krishnaiah Setty B.N, (1976)** Probabilities of fortnightly rainfall during the crop growing season in Raichur district *Indian Journal of Meteorology Hydrology and Geophysics*, 27(3), pp.77-78.

- Thiruvengadanathan .A, (1982)** Pune district rainfall, Indian Journal of Meteorology and Geophysics; 23(2) pp: 219 -221.
- Thorntwaite .C.W and Mather .J.R, (1955)** The Water Balance in Climatology, VIII (1), Drexel Institute of Technology, New Jersey, USA. pp-104.
- Thorntwaite .C.W and Mather .J.R, (1957)** Instructions and Tables for computing potential evapotranspiration and the water Balance, Publication in Climatology, 10, pp.188-311.
- Umamathi. S and Aruchamy. S,(2011)** Rainfall Rhythm of Suruli AR Watershed, Theni District, Tamilnadu – A GIS Approach, International Journal of Geomatics and Geosciences, 20, pp. 219-230.
- Usha Bhuvaneswari. N, (2002)** Evolution of Groundwater Suitability for Irrigated Agriculture in the Noyil River Basin, Tamil Nadu, India, Unpublished Ph.D thesis submitted to Bharathidasan University, Tiruchirappalli, pp.1-130.
- Vasanth Devi, (1964)** Some aspects of the Agricultural Geography of South India, 39 (3&4), pp.59-122.
- Weaver .J.C, (1954)** Changing patterns of cropland use in the Middle West, Economic Geography 30(1) pp.1-47.
- Weaver. J.C, (1954)** Crop combination regions for 1919 and 1929 in the Middle West, Geographical review, 44(4), pp.560 – 572.