

BIBLIOGRAPHY

- Adebamowo CA, Cho E, Sampson L, Katan MB, Spiegelman D, Willett WC, Holmes MD.(2005). Dietary flavonols and flavonol-rich foods intake and the risk of breast cancer. *International journal of cancer*, 114(4):628-33.
- Adhami VM, Ahmad N, Mukhtar H.(2003). Molecular targets for green tea in prostate cancer prevention. *J Nutr*, 133(7 Suppl):2417S-2424S.
- Adlercreutz H, Markkanen H, Watanabe S. (1993). Plasma concentrations of phytoestrogens in Japanese men. *Lancet* 342(8881):1209-10.
- Agarwal C, Tyagi A, Kaur M, Agarwal R.(2007). Silibinin inhibits constitutive activation of Stat3, and causes caspase activation and apoptotic death of human prostate carcinoma DU145 cells. *Carcinogenesis*, 28(7):1463-70.
- Agarwal R. 2000). Cell signaling and regulators of cell cycle as molecular targets for prostate cancer prevention by dietary agents. *Biochem Pharmacol*, 60(8):1051-9.
- Ahamad MS, Siddiqui S, Jafri A, Ahmad S, Afzal M, Arshad M (2014) Induction of apoptosis and antiproliferative activity of naringenin in human epidermoid carcinoma cell through ROS generation and cell cycle arrest. *PLoS ONE* 9: e110003.
- Ahn J, Urist M, Prives C. (2004). The Chk2 protein kinase. *DNA Repair (Amst)* 3(8-9):1039-47.
- Ahonen MH, Tenkanen L, Teppo L, Hakama M, Tuohimaa P. (2000). Prostate cancer risk and prediagnostic serum 25-hydroxyvitamin D levels (Finland). *Cancer Causes Control*, 11(9):847-52.
- American Cancer Society. *Cancer Facts & Figures 2018*. Atlanta, Ga: American Cancer Society; 2018.
- Amin A, Gali-Muhtasib H, Ocker M, Schneider-Stock R (2009) Overview of major classes of plant-derived anticancer drugs. *Int J Biomed Sci*, 5: 1–1.

- Amin A, Gali-Muhtasib H, Ocker M, Schneider-Stock R (2009) Overview of major classes of plant-derived anticancer drugs. *Int J Biomed, Sci* 5: 1–1.
- Amrutha K, Nanjan P, Shaji SK, Sunilkumar D, Subhalakshmi K, Rajakrishna L, Banerji A (2014) Discovery of lesser known flavones as inhibitors of NF-kB signaling in MDA-MB-231 breast cancer cells-A SAR study. *Bioorg Med Chem Lett*, 24: 4735–42.
- An J, Tzagarakis-Foster C, Scharschmidt TC, Lomri N, Leitman DC. (2001). Estrogen receptor beta-selective transcriptional activity and recruitment of coregulators by phytoestrogens. *J Biol Chem*, 276(21):17808-14.
- Andersson SO, Wolk A, Bergstrom R. (1997). Body size and prostate cancer: a 20-year follow-up study among 135006 Swedish construction workers. *Journal of the National Cancer Institute*; 89(5):385-9.
- Armstrong, B, Doll R. (1975). Environmental factors and cancer incidence and mortality in different countries, with special reference to dietary practices. *International journal of cancer*; 15(4):617-31.
- Azam S, Hadi N, Khan NU, Hadi SM. (2004). Prooxidant property of green tea polyphenols epicatechin and epigallocatechin-3-gallate: implications for anticancer properties. *Toxicol In Vitro*, 18(5):555-61.
- Azad, M. B., Chen, Y., & Gibson, S. B. (2009). Regulation of autophagy by reactive oxygen species (ROS): implications for cancer progression and treatment. *Antioxidants & redox signaling*, 11(4), 777-790.
- Bakkenist CJ, Kastan MB. (2003) DNA damage activates ATM through intermolecular autophosphorylation and dimer dissociation. *Nature*, 421(6922):499-506.

- Bakar, M. F. A., Mohamad, M., Rahmat, A., Burr, S. A., & Fry, J. R. (2010). Cytotoxicity, cell cycle arrest, and apoptosis in breast cancer cell lines exposed to an extract of the seed kernel of *Mangifera pajang* (bambangan). *Food and chemical toxicology*, 48(6), 1688-1697.
- Bartkova J1, Horejsí Z, Koed K, Krämer A, Tort F, Zieger K, Guldberg P, Sehested M, Nesland JM, Lukas C, Ørntoft T, Lukas J, Bartek J.(2000). DNA damage response as a candidate anti-cancer barrier in early human tumorigenesis. *Nature*, 434(7035):864-70.
- Basly JP, Lavier MC.(2005). Dietary phytoestrogens: potential selective estrogen enzyme modulators? *Planta medica*, 71(4):287-94.
- Beck V, Unterrieder E, Krenn L, Kubelka W, Jungbauer A.(2003). Comparison of hormonal activity (estrogen, androgen and progestin) of standardized plant extracts for large scale use in hormone replacement therapy. *The Journal of steroid biochemistry and molecular biology*, 84(2-3):259-68.
- Bennets HW, Underwood FL, Shier A.(1946). A specific breeding problem of sheep on subterranean clover pastures in Western Australia. *Aust Vet J*, 22:124-9.
- Bentsath A, St. Rusznyak I, Szent-Gyorgyi A. Vitamin nature of flavones. *Nature* 1936; 138.
- Bernini R, Crisante F, Ginnasi MC (2011) A convenient and safe O-methylation of flavonoids with dimethyl carbonate (DMC). *Molecules* 16: 1418–25.
- Bonjour JP, Chevalley T, Fardellone P.(2007). Calcium intake and vitamin D metabolism and action, in healthy conditions and in prostate cancer. *The British journal of nutrition*, 97(4):611-6.

- Boots AW, Balk JM, Bast A, Haenen GR.(2005). The reversibility of the glutathionyl-quercetin adducts spreads oxidized quercetin-induced toxicity. *Biochem Biophys Res Commun*, 338(2):923-9.
- Bors W, Heller W, Michel C, Saran M.(1990). Flavonoids as antioxidants: determination of radical-scavenging efficiencies. *Methods in enzymology*, 186:343-55.
- Bosetti C1, Bravi F, Talamini R, Parpinel M, Gnagnarella P, Negri E, Montella M, Lagiou P, Franceschi S, La Vecchia C. (2006). Flavonoids and prostate cancer risk: a study in Italy. *Nutr Cancer*, 56(2):123-7.
- Bosetti C1, Spertini L, Parpinel M, Gnagnarella P, Lagiou P, Negri E, Franceschi S, Montella M, Peterson J, Dwyer J, Giacosa A, La Vecchia C. (2005). Flavonoids and breast cancer risk in Italy. *Cancer Epidemiol Biomarkers Prev*, 14(4):805-8.
- Bostwick DG (1989) Prostatic intraepithelial neoplasia (PIN). *Urology* 34:16-22
- Bostwick DG, Pacelli ALopez-Beltran A (1996). Molecular biology of prostatic intraepithelial neoplasia. *Prostate* 29:117-134
- Boutwell RK, Brush MK, Rusch HP. (1949). The stimulating effect of dietary fat on carcinogenesis. *Cancer research*, 9(12):741-6.
- Boyd NF, Stone J, Vogt KN, Connelly BS, Martin LJ, Minkin S.(2003). Dietary fat and breast cancer risk revisited: a meta-analysis of the published literature. *British journal of cancer*, 89(9):1672-85.
- Breslow N, Chan CW, Dhom G, Drury RA, Franks LM, Gellei B, Lee YS, Lundberg S, Sparke B, Sternby NH, Tulinius H. (1977). Latent carcinoma of prostate at autopsy in seven areas. The International Agency for Research on Cancer, Lyons, France. *Int J Cancer*, 20:680-688

- Brown JP. (1980). A review of the genetic effects of naturally occurring flavonoids, anthraquinones and related compounds. *Mutation research* 75(3):243-77.
- Brusselmans K, Vrolix R, Verhoeven G, Swinnen JV.(2005). Induction of cancer cell apoptosis by flavonoids is associated with their ability to inhibit fatty acid synthase activity. *J Biol Chem*, 280(7):5636-45.
- Budihardjo I, Oliver H, Lutter M, Luo X, Wang X.(1999). Biochemical pathways of caspase activation during apoptosis. *Annu Rev Cell Dev Biol*, 15:269-90.
- Burley VJ. (1997). Sugar consumption and cancers of the digestive tract. *Eur J Cancer Prev*, 6(5):422-34.
- Busino L, Chiesa M, Draetta GF, Donzelli M.(2004), Cdc25A phosphatase: combinatorial phosphorylation, ubiquitylation and proteolysis. *Oncogene*, 23(11):2050-6.
- Campbell TC. (2007) Dietary protein, growth factors, and cancer. *The American journal of clinical nutrition*, 85(6):1667
- Cao G, Sofic E, Prior RL.(1997). Antioxidant and prooxidant behavior of flavonoids: structure- activity relationships. *Free radical biology & medicine*, 22(5):749-60.
- Castle EP, Thrasher JB.(2002). The role of soy phytoestrogens in prostate cancer. *Urol Clin North Am*, 29(1):71-81,8-9.
- Catalona WJ1, Partin AW, Slawin KM, Brawer MK, Flanigan RC, Patel A, Richie JP, deKernion JB, Walsh PC, Scardino PT, Lange PH, Subong EN, Parson RE, Gasior GH, Loveland KG, Southwick PC. (1998) Use of the percentage of free prostate-specific antigen to enhance differentiation of prostate cancer from benign prostatic disease: a prospective multicenter clinical trial. *JAMA*, 279:1542-1547
- Chahar MK, Sharma N, Dobhal MP, Joshi YC (2011) Flavonoids: a versatile source of anticancer drugs. *Pharmacogn Rev*, 5: 1–2.

- Chan JM, Gann PH, Giovannucci EL.(2005). Role of diet in prostate cancer development and progression. *J Clin Oncol*, 23(32):8152-60.
- Chang KL, Kung ML, Chow NH, Su SJ.(2004). Genistein arrests hepatoma cells at G2/M phase: involvement of ATM activation and upregulation of p21waf1/cip1 and Wee1. *Biochem Pharmacol*, 67(4):717-26
- Choi EJ. (2006). The prooxidant, rather than antioxidant, acts of daidzein in vivo and in vitro: daidzein suppresses glutathione metabolism. *European journal of pharmacology*, 542(1-3):162-9.
- Choi YH, Lee WH, Park KY, Zhang L. (2000). P53-independent induction of p21 (WAF1/CIP1), reduction of cyclin B1 and G2/M arrest by the isoflavone genistein in human prostate carcinoma cells. *Jpn J Cancer Res*, 91(2):164-73.
- Chokkalingam AP, McGlynn KA, Gao YT. (2001) Vitamin D receptor gene polymorphisms, insulin-like growth factors, and prostate cancer risk: a population-based case-control study in China. *Cancer Res* 61:4333-4336
- Chokkalingam AP, Pollak M, Fillmore CM, Gao YT, Stanczyk FZ, Deng J, Sesterhenn IA, Mostofi FK, Fears TR, Madigan MP, Ziegler RG, Fraumeni JF Jr, Hsing AW. (2001) Insulin-like growth factors and prostate cancer: a population-based case-control study in China. *Cancer Epidemiol Biomarkers Prev*, 10:421-427
- Chow HH, Cai Y, Hakim IA, Crowell JA, Shahi F, Brooks CA, Dorr RT, Hara Y, Alberts DS. (2003). Pharmacokinetics and safety of green tea polyphenols after multiple-dose administration of epigallocatechin gallate and polyphenon E in healthy individuals. *Clin Cancer Res* 9(9):3312-9.
- Chu KO, Wang CC, Chu CY, Rogers MS, Choy KW, Pang CP.(2004); Determination of catechins and catechin gallates in tissues by liquid chromatography

- with coulometric array detection and selective solid phase extraction. *Journal of chromatography*, 810(2):187-95.
- Chung W1, Kwabi-Addo B, Ittmann M, Jelinek J, Shen L, Yu Y, Issa JP (2008) Identification of novel tumor markers in prostate, colon and breast cancer by unbiased methylation profiling. *PLoS ONE*, 3(4):e2079.
 - Circu ML and Aw TY.(2010). Reactive oxygen species, cellular redox systems, and apoptosis. *Free Radic Biol Med.*, 15; 48(6):749-62.
 - Colli JL, Grant WB. (2008). Solar ultraviolet B radiation compared with prostate cancer incidence and mortality rates in United States. *Urology*, 71(3):531-5.
 - Cook LS1, Goldoft M, Schwartz SM, Weiss NS. (1999) Incidence of adenocarcinoma of the prostate in Asian immigrants to the United States and their descendants. *J Urol*, 161:152-155
 - Cory S, Adams JM. (2002). The Bcl2 family: regulators of the cellular life-or-death switch. *Nat Rev Cancer*, 2(9):647-56.
 - Czaplinska M, Czepas J, Gwo_zdzinski K. (2012). Structure, antioxidative and anticancer properties of flavonoids. *Postepy Biochem*, 58: 235–44.
 - Day AJ, Gee JM, DuPont MS, Johnson IT, Williamson G.(2003). Absorption of quercetin-3- glucoside and quercetin-4'-glucoside in the rat small intestine: the role of lactase phlorizin hydrolase and the sodium-dependent glucose transporter. *Biochemical pharmacology*, 65(7):1199-20
 - DeMarzo AM1, Nelson WG, Isaacs WB, Epstein JI. (2003). Pathological and molecular aspects of prostate cancer. *Lancet*, 361:955-964
 - Doerge DR, Sheehan DM.(2002). Goitrogenic and estrogenic activity of soy isoflavones. *Environmental health perspectives*, 110 Suppl 3:349-53.

- Doll R, Peto R. (1981). The causes of cancer: quantitative estimates of avoidable risks of cancer in the United States today. *Journal of the National Cancer Institute*, 66(6):1191-308.
- Dunnick JK, Hailey JR. (1992). Toxicity and carcinogenicity studies of quercetin, a natural component of foods. *Fundam Appl Toxicol*, 19(3):423-31.
- Engeland A, Tretli S, Bjorge T.(2003). Height, body mass index, and ovarian cancer: a follow-up of 1.1 million Norwegian women. *Journal of the National Cancer Institute*, 95(16):1244-8.
- Enstrom JE. (1981). Reassessment of the role of dietary fat in cancer etiology. *Cancer research*, 41(9 Pt 2):3722-3.
- Etminan M, Takkouche B, Caamano-Isorna F.(2004) The role of tomato products and lycopene in the prevention of prostate cancer: a meta-analysis of observational studies. *Cancer Epidemiol Biomarkers Prev*, 13(3):340-5.
- Fadeel B, Xue D.(2009). The ins and outs of phospholipid asymmetry in the plasma membrane: roles in health and disease. *Crit Rev Biochem Mol Biol*, 44(5):264-77.
- Fang H1, Tong W, Branham WS, Moland CL, Dial SL, Hong H, Xie Q, Perkins R, Owens W, Sheehan DM..(2003) Study of 202 natural, synthetic, and environmental chemicals for binding to the androgen receptor. *Chemical research in toxicology*, 16(10):1338-58.
- Farhan H, Wahala K, Cross HS.(2003). Genistein inhibits vitamin D hydroxylases CYP24 and CYP27B1 expression in prostate cells. *The Journal of steroid biochemistry and molecular biology*, 84(4):423-9.
- Fattaey A, Booher RN.(1997). Myt1: a Wee1-type kinase that phosphorylates Cdc2 on residue Thr14. *Prog Cell Cycle Res*, 3:233-40.

- Feneley MR1, Young MP, Chinyama C, Kirby RS, Parkinson MC. (1996) Ki-67 expression in early prostate cancer and associated pathological lesions. *J Clin Pathol*, 49:741-748
- Fontana L, Klein S, Holloszy JO.(2006). Long-term low-protein, low-calorie diet and endurance exercise modulate metabolic factors associated with cancer risk. *The American journal of clinical nutrition*, 84(6):1456-62
- Freedland SJ1, Mavropoulos J, Wang A, Darshan M, Demark-Wahnefried W, Aronson WJ, Cohen P, Hwang D, Peterson B, Fields T, Pizzo SV, Isaacs WB. (2008). Carbohydrate restriction, prostate cancer growth, and the insulin-like growth factor axis. *Prostate*, 68(1):11-9.
- Fritschi L, D C Glass, J S Tabrizi, J E Leavy, and G L Ambrosini. (2007). Occupational risk factors for prostate cancer and benign prostatic hyperplasia: a case-control study in Western Australia. *Occup Environ Med*, 64:60-65
- Galati G, O'Brien PJ. (2004). Potential toxicity of flavonoids and other dietary phenolics: significance for their chemopreventive and anticancer properties. *Free Radic Biol Med*, 37(3):287-303.
- Gann PH1, Ma J, Giovannucci E, Willett W, Sacks FM, Hennekens CH, Stampfer MJ. (1999) Lower prostate cancer risk in men with elevated plasma lycopene levels: results of a prospective analysis. *Cancer Res*, 59:1225-30
- Ganry O.(2005). Phytoestrogens and prostate cancer risk. *Preventive Medicine*, 41(1):1-6.
- Gao X, LaValley MP, Tucker KL. (2005). Prospective studies of dairy product and calcium intakes and prostate cancer risk: a meta-analysis. *Journal of the National Cancer Institute*, 97(23):1768-77.

- Garabedian EM, Humphrey PA, Gordon JI (1998) A transgenic mouse model of metastatic prostate cancer originating from neuroendocrine cells. *Proc Natl Acad Sci*, 95:15382-15387.
- Gennaro L1, Leonardi C, Esposito F, Salucci M, Maiani G, Quaglia G, Fogliano V..(2002). *Flavonoid* and carbohydrate contents in Tropea red onions: effects of homelike peeling and storage. *Journal of Agricultural and Food Chemistry*, 50(7):1904-10.
- Gilad LA, Tirosh O, Schwartz B. (2006). Phytoestrogens regulate transcription and translation of vitamin D receptor in colon cancer cells. *The Journal of Endocrinology*, 191(2):387-98.
- Giovannucci E (1999) Tomatoes, tomato-based products, lycopene, and cancer: review of the epidemiologic literature. *J Natl Cancer Inst*, 91:317-331.
- Giovannucci E, Rimm EB, Liu Y, Stampfer MJ, Willett WC. (2002). A prospective study of tomato products, lycopene, and prostate cancer risk. *Journal of the National Cancer Institute*, 94(5):391-8.
- Giovannucci E, Rimm EB, Stampfer MJ, Colditz GA, Ascherio A, Willett WC.(1994). Intake of fat, meat, and fiber in relation to risk of colon cancer in men. *Cancer Research*, 54(9):2390-7.
- Giovannucci E. (2007). Does prostate-specific antigen screening influence the results of studies of tomatoes, lycopene, and prostate cancer risk? *Journal of the National Cancer Institute*, 99(14):1060-2.
- Giovannucci E1, Rimm EB, Colditz GA, Stampfer MJ, Ascherio A, Chute CG, Willett WC. (1993) A prospective study of dietary fat and risk of prostate cancer. *J Natl Cancer Inst*, 85:1571-1579.

- Giovannucci E1, Stampfer MJ, Colditz GA, Manson JE, Rosner BA, Longnecker M, Speizer FE, Willett WC (1993). A comparison of prospective and retrospective assessments of diet in the study of breast cancer. *American Journal of Epidemiology*, 137(5):502-11.
- Gleason DF and Mellinger GT (1974) Prediction of prognosis for prostatic adenocarcinoma by combined histological grading and clinical staging. *J Urol* 111:58-64
- Goodman MT, Wilkens LR, Hankin JH, Lyu LC, Wu AH, Kolonel LN.(1997) Association of soy and fiber consumption with the risk of endometrial cancer. *American Journal of Epidemiology*, 146(4):294-306.
- Grant WB, Garland CF.(2004). A critical review of studies on vitamin D in relation to colorectal cancer. *Nutr Cancer*, 48(2):115-23.
- Grant WB. An estimate of premature cancer mortality in the U.S. due to inadequate doses of solar ultraviolet-B radiation. *Cancer* 2002; 94(6):1867-75.
- Griffiths LA, Barrow A. (1972). Metabolism of flavonoid compounds in germ-free rats. *The Biochemical Journal*, 130(4):1161-2.
- Gronberg H (2003) Prostate cancer epidemiology. *Lancet* 361:859-864 [9] *Cancer society facts & figures 2005*. 2005. American cancer society, Inc. Ref Type: Report
- Guns ES, Cowell SP.(2005). Drug Insight: lycopene in the prevention and treatment of prostate cancer. *Nature Clinical Practice*, 2(1):38-43.
- Gupta S, Afaq F, Mukhtar H.(2001). Selective growth-inhibitory, cell-cycle deregulatory and apoptotic response of apigenin in normal versus human prostate carcinoma cells. *Biochem Biophys Res Commun*, 287(4):914-20.

- Gupta S, Afaq F, Mukhtar H.(2002). Involvement of nuclear factor-kappa B, Bax and Bcl-2 in induction of cell cycle arrest and apoptosis by apigenin in human prostate carcinoma cells. *Oncogene*, 21(23):3727-38.
- Gupta S, Ahmad N, Nieminen AL, Mukhtar H. (2000). Growth inhibition, cell-cycle dysregulation, and induction of apoptosis by green tea constituent (-)-epigallocatechin-3-gallate in androgen-sensitive and androgen-insensitive human prostate carcinoma cells. *Toxicol Appl Pharmacol*, 164(1):82-90.
- Gupta S, Hussain T, Mukhtar H. (2003). Molecular pathway for (-)-epigallocatechin-3-gallate- induced cell cycle arrest and apoptosis of human prostate carcinoma cells. *Archives of biochemistry and biophysics*, 410(1):177-85
- Hackett JC, Kim YW, Su B, Brueggemeier RW. (2005). Synthesis and characterization ofazole isoflavone inhibitors of aromatase. *Bioorganic & medicinal chemistry*, 13(12):4063-70.
- Halliwell B (1997). Antioxidants and human disease: a general introduction. *Nutrition Reviews*, 55(1 Pt 2):S44-9 discussion S9-52.
- Halliwell B, Rafter J, Jenner A.(2005). Health promotion by flavonoids, tocopherols, tocotrienols, and other phenols: direct or indirect effects? Antioxidant or not? *The American Journal of Clinical Nutrition*, 81(1 Suppl):268S-76S.
- Halliwell B.(1994). Free radicals, antioxidants, and human disease: curiosity, cause, or consequence? *Lancet*, 344(8924):721-4.
- Halliwell B.(2003). Oxidative stress in cell culture: an under-appreciated problem? *FEBS letters*, 540(1-3):3-6.
- Halliwell B.(2007). Oxidative stress and cancer: have we moved forward? *The Biochemical Journal*, 401(1):1-11.

- Hamilton-Reeves JM, Rebello SA, Thomas W, Slaton JW, Kurzer MS.(2007). Isoflavone-rich soy protein isolate suppresses androgen receptor expression without altering estrogen receptor- beta expression or serum hormonal profiles in men at high risk of prostate cancer. *J Nutr*, 137(7):1769-75.
- Hankey BF, Ries LA, Edwards BK. (1999). The surveillance, epidemiology, and end results program: a national resource. *Cancer Epidemiol Biomarkers Prev*, 8:1117-1121
- Hansel DE, DeMarzo AM, Platz EA et al (2007). Early prostate cancer antigen expression in predicting presence of prostate cancer in men with histologically negative biopsies. *J Urol* 177:1736-1740
- Harborne J. *The Flavonoids: Advances in Research Since 1986*: CRC Press; 1994.
- Harnly JM1, Doherty RF, Beecher GR, Holden JM, Haytowitz DB, Bhagwat S, Gebhardt S..(2006); Flavonoid content of U.S. fruits, vegetables, and nuts. *Journal of Agricultural and Food Chemistry*, 54(26):9966-77.
- Harwood M, Danielewska-Nikiel B, Borzelleca JF, Flamm GW, Williams GM, Lines TC.(2007). A critical review of the data related to the safety of quercetin and lack of evidence of in vivo toxicity, including lack of genotoxic/carcinogenic properties. *Food Chem Toxicol*, 45(11):2179-205.
- Hastak K, Gupta S, Ahmad N, Agarwal MK, Agarwal ML, Mukhtar H.(2003). Role of p53 and NF-kappaB in epigallocatechin-3-gallate-induced apoptosis of LNCaP cells. *Oncogene*, 22(31):4851-9.
- Hedelin M1, Klint A, Chang ET, Bellocco R, Johansson JE, Andersson SO, Heinonen SM, Adlercreutz H, Adami HO, Grönberg H, Bälter KA..(2006). Dietary phytoestrogen, serum enterolactone and risk of prostate cancer: the cancer prostate Sweden study (Sweden). *Cancer Causes Control*, 17(2):169-80.

- Heinonen OP1, Albanes D, Virtamo J, Taylor PR, Huttunen JK, Hartman AM, Haapakoski J, Malila N, Rautalahti M, Ripatti S, Mäenpää H, Teerenhovi L, Koss L, Virolainen M, Edwards BK. (1998). Prostate cancer and supplementation with alpha-tocopherol and beta-carotene: incidence and mortality in a controlled trial. *Journal of the National Cancer Institute*, 90(6):440-6.
- Heldring N1, Pike A, Andersson S, Matthews J, Cheng G, Hartman J, Tujague M, Ström A, Treuter E, Warner M, Gustafsson JA.. (2007). Estrogen receptors: how do they signal and what are their targets. *Physiological Review*, 87(3):905-31.
- Helzlsouer KJ1, Huang HY, Alberg AJ, Hoffman S, Burke A, Norkus EP, Morris JS, Comstock GW..(2000). Association between alpha-tocopherol, gamma-tocopherol, selenium, and subsequent prostate cancer. *Journal of the National Cancer Institute*, 92(24):2018-23.
- Hertog MG, Hollman PC, Katan MB, Kromhout D.(1993) Intake of potentially anticarcinogenic flavonoids and their determinants in adults in The Netherlands. *Nutr Cancer*, 20(1):21-9.
- Hill M. Meat,(2002). Cancer and dietary advice to the public. *European Journal of Clinical Nutrition*, 56 Suppl 1:S36-41.
- Hirvonen T, Virtamo J, Korhonen P, Albanes D, Pietinen P.(2001). Flavonol and flavone intake and the risk of cancer in male smokers (Finland). *Cancer Causes Control*, 12(9):789-96.
- Hodnick WF, Kung FS, Roettger WJ, Bohmont CW, Pardini RS.(1986). Inhibition of mitochondrial respiration and production of toxic oxygen radicals by flavonoids. A structure- activity study. *Biochemical Pharmacology*, 35(14):2345-57.

- Hollman PC, Bijsman MN, van Gameren Y, Cnossen EP, de Vries JH, Katan MB.(1999) The sugar moiety is a major determinant of the absorption of dietary flavonoid glycosides in man. *Free Radical Research*, 31(6):569-73.
- Hollman PC, de Vries JH, van Leeuwen SD, Mengelers MJ, Katan MB.(1995). Absorption of dietary quercetin glycosides and quercetin in healthy ileostomy volunteers. *The American Journal of Clinical Nutrition*, 62(6):1276-82.
- Hollman PC, Van Het Hof KH, Tijburg LB, Katan MB.(2001). Addition of milk does not affect the absorption of flavonols from tea in man. *Free Radical Research*, 34(3):297-300.
- Hollman PC, vd Gaag M, Mengelers MJ, van Trijp JM, de Vries JH, Katan MB.(1996) Absorption and disposition kinetics of the dietary antioxidant quercetin in man. *Free Radical Biology & Medicine*, 21(5):703-7.
- Holmes MD, Liu S, Hankinson SE, Colditz GA, Hunter DJ, Willett WC.(2004). Dietary carbohydrates, fiber, and breast cancer risk. *American Journal of Epidemiology*, 159(8):732-9.
- Hoshiyama Y1, Kawaguchi T, Miura Y, Mizoue T, Tokui N, Yatsuya H, Sakata K, Kondo T, Kikuchi S, Toyoshima H, Hayakawa N, Tamakoshi A, Ohno Y, Yoshimura T.(2002). A prospective study of stomach cancer death in relation to green tea consumption in Japan. *British Journal of Cancer*, 87(3):309-13.
- Hsing AW and Chokkalingam AP. (2006). Prostate cancer epidemiology. *Front Biosci*, 11:1388-1413
- Hsing AW1, Chua S Jr, Gao YT, Gentschein E, Chang L, Deng J, Stanczyk FZ. (2001). Prostate cancer risk and serum levels of insulin and leptin: a population-based study. *Journal of the National Cancer Institute*, 93(10):783-9.

- Hsu JY, Feldman D, McNeal JE, Peehl DM.(2001). Reduced 1 α -hydroxylase activity in human prostate cancer cells correlates with decreased susceptibility to 2 hydroxyvitamin D₃- induced growth inhibition. *Cancer Research*, 61(7):2852-6.
- Hu FB, Willett WC. (2002). Optimal diets for prevention of coronary heart disease. *Jama*, 288(20):2569-78.
- Huang HY, Alberg AJ, Norkus EP, Hoffman SC, Comstock GW, Helzlsouer KJ.(2003). Prospective study of antioxidant micronutrients in the blood and the risk of developing prostate cancer. *American Journal of Epidemiology*, 157(4):335-44.
- Ide R1, Fujino Y, Hoshiyama Y, Mizoue T, Kubo T, Pham TM, Shirane K, Tokui N, Sakata K, Tamakoshi A, Yoshimura T (2007). A prospective study of green tea consumption and oral cancer incidence in Japan. *Annals of Epidemiology*, 17(10):821-6.
- Ikezoe T, Chen SS, Heber D, Taguchi H, Koeffler HP.(2001). Baicalin is a major component of PC-SPES which inhibits the proliferation of human cancer cells via apoptosis and cell cycle arrest. *Prostate*, 49(4):285-92.
- Isbrucker RA, Bausch J, Edwards JA, Wolz E.(2006). Safety studies on epigallocatechin gallate (EGCG) preparations. Part 1: genotoxicity. *Food Chem Toxicol*, 44(5):626-35.
- Isbrucker RA, Edwards JA, Wolz E, Davidovich A, Bausch J.(2006). Safety studies on epigallocatechin gallate (EGCG) preparations. Part 3: teratogenicity and reproductive toxicity studies in rats. *Food Chem Toxicol*, 44(5):651-61.
- Isbrucker RA, Edwards JA, Wolz E, Davidovich A, Bausch J.(2006). Safety studies on epigallocatechin gallate (EGCG) preparations. Part 2: dermal, acute and short-term toxicity studies. *Food Chem Toxicol*, 44(5):636-50.

- J. Ferlay FB, P. Pisani and D.M. Parkin. GLOBOCAN 2002: Cancer Incidence, Mortality and Prevalence Worldwide. Lyon: IARC Press; 2004.
- J.P.J. Marais BD, R.A Dixon, and D. Ferreira.(2006.) The Stereochemistry of Flavonoids. In: Grotewold E editor. *The Science of Flavonoids*: Springer Science.
- Jacobs ET, Giuliano AR, Martinez ME, Hollis BW, Reid ME, Marshall JR.(2004). Plasma levels of 25-hydroxyvitamin D, 1, 25-dihydroxyvitamin D and the risk of prostate cancer. *The Journal of Steroid Biochemistry and Molecular Biology*, 89-90(1-5):533-7.
- Janisch KM, Williamson G, Needs P, Plumb GW. (2004). Properties of quercetin conjugates: modulation of LDL oxidation and binding to human serum albumin. *Free Radical Research*, 38(8):877-84.
- Jeffery P. Struewing, M.D., Patricia Hartge, Sc.D., Sholom Wacholder, Ph.D., Sonya M. Baker, B.S., Martha Berlin, B.A., Mary McAdams, M.S et al. (1997). The risk of cancer associated with specific mutations of BRCA1 and BRCA2 among Ashkenazi Jews. *N Engl J Med*, 336:1401-1408.
- Jemal A1, Murray T, Ward E, Samuels A, Tiwari RC, Ghafoor A, Feuer EJ, Thun MJ. (2005) Cancer statistics, 2005. *CA Cancer J Clin*, 55:10-30.
- Jiang Z1, Wu CL, Woda BA, Dresser K, Xu J, Fanger GR, Yang XJ. (2002) .P504S/alpha-methylacyl-CoA racemase: a useful marker for diagnosis of small foci of prostatic carcinoma on needle biopsy. *Am J Surg Pathol*, 26:1169-1174.
- Jovanovic SV, Simic MG.(2000). Antioxidants in nutrition. *Annals of the New York Academy of Sciences*, 899:326-34.
- Jovanovic SV, Steenken S, Tomic M, Marjanovic B, Simic M.(1994). Flavonoids as Antioxidants. *Journal of the American Chemical Society*, 116(11):4846-51

- Jung JI1, Lim SS, Choi HJ, Cho HJ, Shin HK, Kim EJ, Chung WY, Park KK, Park JH. (2006). Isoliquiritigenin induces apoptosis by depolarizing mitochondrial membranes in prostate cancer cells. *J Nutr Biochem*, 17(10):689-96.
- K.Moore and A.Dalley, (1999). *Clinically Oriented Anatomy.*, Lippincott Williams & Wilkins, Baltimore, Maryland.
- Kasper S1, Sheppard PC, Yan Y, Pettigrew N, Borowsky AD, Prins GS, Dodd JG, Duckworth ML, Matusik RJ. (1998). Development, progression, and androgen-dependence of prostate tumors in probasin-large T antigen transgenic mice: a model for prostate cancer. *Lab Invest*, 78:319-333.
- Kavanaugh CJ, Trumbo PR, Ellwood KC.(2007).The U.S. Food and Drug Administration's evidence-based review for qualified health claims: tomatoes, lycopene, and cancer. *Journal of the National Cancer Institute*, 99(14):1074-85.
- Key TJ, Spencer EA. (2007).Carbohydrates and cancer: an overview of the epidemiological evidence. *European Journal of Clinical Nutrition*, 61 Suppl 1:S112-21.
- Khanna KK, Jackson SP. (2001). DNA double-strand breaks: signaling, repair and the cancer connection. *Nat Genet*, 27(3):247-54.
- Kikuchi N, Ohmori K, Shimazu T, Nakaya K, Kuriyama S, Nishino Y, Tsubono Y, Tsuji I .(2006). No association between green tea and prostate cancer risk in Japanese men: the Ohsaki Cohort Study. *British Journal of Cancer*, 95(3):371-3.
- Kim YH, Lee YJ. (2007). TRAIL apoptosis is enhanced by quercetin through Akt dephosphorylation. *Journal of Cellular Biochemistry*, 100(4):998-1009.
- Kirsh VA, Peters U, Mayne ST, Subar AF, Chatterjee N, Johnson CC, Hayes RB.(2007). Prospective study of fruit and vegetable intake and risk of prostate cancer. *Journal of the National Cancer Institute*, 99(15):1200-9.

- Klein EA1, Thompson IM, Lippman SM, Goodman PJ, Albanes D, Taylor PR, Coltman C..(2001) SELECT: the next prostate cancer prevention trial. Selenium and Vitamin E Cancer Prevention Trial. *The Journal of Urology*, 166(4):1311-5.
- Knekt P1, Järvinen R, Seppänen R, Hellövaara M, Teppo L, Pukkala E, Aromaa A. (1997). Dietary flavonoids and the risk of lung cancer and other malignant neoplasms. *American Journal of Epidemiology*, 146(3):223-30.
- Knekt P1, Kumpulainen J, Järvinen R, Rissanen H, Heliövaara M, Reunanen A, Hakulinen T, Aromaa A. (2002). Flavonoid intake and risk of chronic diseases. *The American journal of Clinical Nutrition*, 76(3):560-8.
- Kobayashi T, Nakata T, Kuzumaki T.(2002). Effect of flavonoids on cell cycle progression in prostate cancer cells. *Cancer Lett*, 176(1):17-23.
- Kolonel LN, Altshuler DHenderson BE (2004) The multiethnic cohort study exploring genes, lifestyle and cancer risk. *Nat Rev Cancer*, 4:519-527
- Kolonel LN, Nomura AM, Cooney RV.(1999). Dietary fat and prostate cancer: current status. *Journal of the National Cancer Institute*, 91(5):414-28.
- Kolonel LN. (2001). Fat, meat, and prostate cancer. *Epidemiologic Reviews*, 23(1):72-81.
- Kramer BS1, Brown ML, Prorok PC, Potosky AL, Gohagan JK. (1993). Prostate cancer screening: hat we know and what we need to know. *Ann Intern Med*, 119:914-923.
- Kristal AR, Cohen JH, Qu P, Stanford JL.(2002). Associations of energy, fat, calcium, and vitamin D with prostate cancer risk. *Cancer Epidemiol Biomarkers Prev*, 11(8):719-25.

- Kuiper GG, Carlsson B, Grandien K, Enmark E, Häggblad J, Nilsson S, Gustafsson JA..(1997). Comparison of the ligand binding specificity and transcript tissue distribution of estrogen receptors alpha and beta. *Endocrinology*, 138(3):863-70.
- Kuiper GG1, Lemmen JG, Carlsson B, Corton JC, Safe SH, van der Saag PT, van der Burg B, Gustafsson JA..(1998). Interaction of estrogenic chemicals and phytoestrogens with estrogen receptor beta. *Endocrinology*, 139(10):4252-63.
- Kumar S, Suresh PK, Vijayababu MR, Arunkumar A, Arunakaran J. (2006). Anticancer effects of ethanolic neem leaf extract on prostate cancer cell line (PC-3). *J Ethnopharmacol*, 105: 246–50.
- Kurahashi N, Sasazuki S, Iwasaki M, Inoue M, Tsugane S.(2008). Green tea consumption and prostate cancer risk in Japanese men: a prospective study. *American Journal of Epidemiology*, 167(1):71-7.
- Kurzer MS.(2002). Hormonal effects of soy in premenopausal women and men. *J Nutr*, 132(3):570S-3S.
- Kushi L, Giovannucci E. (2002). Dietary fat and cancer. *The American Journal of Medicine*, 113 Suppl 9B:63S-70S.
- Kyobutungi C, Ronellenfitsch U, Razum O. (2006) Mortality from cancer among ethnic German immigrants from the Former Soviet Union, in Germany. *Eur J Cancer* ,42:2577-2584
- L.H. Sobin, Ch. Wittekind. (2002). *TNM Classification of malignant tumours*, 0-471-22288-7
- Langstaff G. (1817). Cases of fungus haematodes, with observations. *Medico-Chirurgical Transactions*, 8:272-305
- Larsson SC, Wolk A. (2005). Tea consumption and ovarian cancer risk in a population-based cohort. *Archives of Internal Medicine*, 165(22):2683-6.

- Le Marchand L.(2002). Cancer preventive effects of flavonoids--a review. *Biomed Pharmacother*, 56(6):296-301.
- Lea AJ. (1966). Dietary factors associated with death-rates from certain neoplasms in man. *Lancet*, 2(7458):332-3.
- Lee MM, Gomez SL, Chang JS, Wey M, Wang RT, Hsing AW. (2003). Soy and isoflavone consumption in relation to prostate cancer risk in China. *Cancer Epidemiol Biomarkers Prev*, 12(7):665-8.
- Lee MM, Wang RT, Hsing AW, Gu FL, Wang T, Spitz M. (1998). Case-control study of diet and prostate cancer in China. *Cancer Causes Control*, 9(6):545-52.
- Lee WH1, Morton RA, Epstein JI, Brooks JD, Campbell PA, Bova GS, Hsieh WS, Isaacs WB, Nelson WG. (1994) Cytidine methylation of regulatory sequences near the pi-class glutathione S-transferase gene accompanies human prostatic carcinogenesis. *Proc Natl Acad Sci, U S A* 91:11733-11737.
- Lichtenstein P and Annas P (2000) Heritability and prevalence of specific fears and phobias in childhood. *J Child Psychol Psychiatry*, 41:927-937.
- Lin CC, Kuo CL, Lee MH, Lai KC, Lin JP, Yang JS, et al. (2001). Wogonin triggers apoptosis in human osteosarcoma U-2 OS cells through the endoplasmic reticulum stress, mitochondrial dysfunction and caspase-3-dependent signaling pathways. *Int J Oncol.*, 39:217–24.
- Lin J, Zhang SM, Wu K, Willett WC, Fuchs CS, Giovannucci E.(2006). Flavonoid intake and colorectal cancer risk in men and women. *American Journal of Epidemiology*, 164(7):644-51.
- Lipski BA, Garcia RL, Brawer MK. (1996). Prostatic intraepithelial neoplasia: significance and management. *Semin Urol Oncol*, 14:149-155

- Lotito SB, Frei B.(2006). Consumption of flavonoid-rich foods and increased plasma antioxidant capacity in humans: cause, consequence, or epiphenomenon? *Free Radical Biology & Medicine*, 41(12):1727-46.
- Luo J1, Inoue M, Iwasaki M, Sasazuki S, Otani T, Ye W, Tsugane S. (2007). Green tea and coffee intake and risk of pancreatic cancer in a large-scale, population-based cohort study in Japan (JPHC study). *Eur J Cancer Prev*, 16(6):542-8.
- Lyn-Cook BD, Rogers T, Yan Y, Blann EB, Kadlubar FF, Hammons GJ.(1999). Chemopreventive effects of tea extracts and various components on human pancreatic and prostate tumor cells in vitro. *Nutr Cancer*, 35(1):80-6.
- Maggiolini M, Recchia A, Bonofiglio D, Catalano S, Vivacqua A, Carpino A, Rago V, Rossi R, Ando S (2005) The red wine phenolics piceatannol and myricetin act as agonists for estrogen receptor α in human breast cancer cells. *J Mol Endocrinol* 35(2):269–28.
- Maggiolini M1, Bonofiglio D, Marsico S, Panno ML, Cenni B, Picard D, Andò S. (2001). Estrogen receptor alpha mediates the proliferative but not the cytotoxic dose-dependent effects of two major phytoestrogens on human breast cancer cells. *Molecular Pharmacology*, 60(3):595-602.
- Manach C, Donovan JL. (2004). Pharmacokinetics and metabolism of dietary flavonoids in humans. *Free Radical Research*, 38(8):771-85.
- Manson JE1, Willett WC, Stampfer MJ, Colditz GA, Hunter DJ, Hankinson SE, Hennekens CH, Speizer FE.. (1995). Body weight and mortality among women. *The New England Journal of Medicine*, 333(11):677-85.
- Manthey JA, Guthrie N.(2002). Antiproliferative activities of citrus flavonoids against six human cancer cell lines. *J Agric Food Chem*, 50(21):5837-43.

- Martin PM, Horwitz KB, Ryan DS, McGuire WL. (1978). Phytoestrogen interaction with estrogen receptors in human breast cancer cells. *Endocrinology*, 103(5):1860-7.
- Martínez M1, España F, Royo M, Vera CD, Estellés A, Jiménez-Cruz JF, Medina P, Aznar J. (2000). Prostate-specific antigen complexed to alpha (1)-antichymotrypsin in the early detection of prostate cancer. *Eur Urol*, 38:85-90
- Maya R1, Balass M, Kim ST, Shkedy D, Leal JF, Shifman O, Moas M, Buschmann T, Ronai Z, Shiloh Y, Kastan MB, Katzir E, Oren M. (2001). ATM-dependent phosphorylation of Mdm2 on serine 395: role in p53 activation by DNA damage. *Genes Dev*, 15(9):1067-77.
- Mayr U, Butsch A, Schneider S.(1992). Validation of two in vitro test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology*, 74(2-3):135-49.
- Mazoyer S. (2005). Genomic rearrangements in the BRCA1 and BRCA2 genes. *Hum Mutat*, 25:415-422
- McClain RM, Wolz E, Davidovich A, Edwards J, Bausch J.(2007). Reproductive safety studies with genistein in rats. *Food Chem Toxicol*, 45(8):1319-32.
- McClain RM, Wolz E, Davidovich A, Pfannkuch F, Bausch J. (2005). Subchronic and chronic safety studies with genistein in dogs. *Food Chem Toxicol*, 43(10):1461-82.
- McCullough ML, Giovannucci EL. (2004). Diet and cancer prevention. *Oncogene*, 23(38):6349-64.
- McGowan CH, Russell P.(2004). The DNA damage response: sensing and signaling. *Curr Opin Cell Biol*, 16(6):629-33.
- McNeal JE (1988) Normal histology of the prostate. *Am J Surg Pathol* 12:619-633
McNeal JE (1981) The zonal anatomy of the prostate. *Prostate* 2:35-49 H.Steive,

(1930) Männliche Genitalorgane, in: *Handbuch Der Mikroskopischen Anatomie Des Menschen*, Springer, Berlin, 1930 pp. 1-399

- McNeal JE and Bostwick DG. (1986). Intraductal dysplasia: a premalignant lesion of the prostate. *Hum Pathol*, 17:64-71
- Mellinger GT, Gleason DBailar J, III (1967) The histology and prognosis of prostatic cancer. *J Urol*, 97:331-337
- Mennen LI, Walker R, Bennetau-Pelissero C, Scalbert A. (2005). Risks and safety of polyphenol consumption. *The American Journal of Clinical Nutrition*, 81(1 Suppl):326S-9S.
- Merritt RJ, Jenks BH.(2004). Safety of soy-based infant formulas containing isoflavones: the clinical evidence. *J Nutr*, 134(5):1220S-4S.
- Metodiewa D, Jaiswal AK, Cenas N, Dickancaite E, Segura-Aguilar J. (1999). Quercetin may act as a cytotoxic prooxidant after its metabolic activation to semiquinone and quinoidal product. *Free Radical Biology & Medicine*, 26(1-2):107-16.
- Michael McClain R, Wolz E, Davidovich A, Bausch J. (2006). Genetic toxicity studies with genistein. *Food Chem Toxicol*, 44(1):42-55.
- Michael McClain R, Wolz E, Davidovich A, Pfannkuch F, Edwards JA, Bausch J.(2006). Acute, subchronic and chronic safety studies with genistein in rats. *Food Chem Toxicol*, 44(1):56-80.
- Michels G, Haenen GR, Watjen W, Rietjens S, Bast A.(2004). The thiol reactivity of the oxidation product of 3,5,7-trihydroxy-4H-chromen-4-one containing flavonoids. *Toxicology letters*, 151(1):105-11.

- Millar DS, Ow KK, Paul CL et al (1999) Detailed methylation analysis of the glutathione S-transferase pi (GSTP1) gene in prostate cancer. *Oncogene*, 18:1313-1324
- Milner JA. (2004). Molecular targets for bioactive food components. *J Nutr*, 134(9):2492S-8S.
- Miltyk W1, Craciunescu CN, Fischer L, Jeffcoat RA, Koch MA, Lopaczynski W, Mahoney C, Jeffcoat RA, Crowell J, Paglieri J, Zeisel SH..(2003). Lack of significant genotoxicity of purified soy isoflavones (genistein, daidzein, and glycitein) in 20 patients with prostate cancer. *The American Journal of Clinical Nutrition*, 77(4):875-82.
- Mira L, Fernandez MT, Santos M, Rocha R, Florencio MH, Jennings KR.(2002). Interactions of flavonoids with iron and copper ions: a mechanism for their antioxidant activity. *Free Radical Rresearch*, 36(11):1199-208.
- Missmer SA1, Smith-Warner SA, Spiegelman D, Yaun SS, Adami HO, Beeson WL, van den Brandt PA, Fraser GE, Freudenheim JL, Goldbohm RA, Graham S, Kushi LH, et al.(2002). Meat and dairy food consumption and breast cancer: a pooled analysis of cohort studies. *International journal of Epidemiology*, 31(1):78-85.
- Morre DJ, Bridge A, Wu LY, Morre DM. Preferential inhibition by (-)-epigallocatechin-3- gallate of cell surface NADH oxidase and growth of transformed cell in culture *Biochem Pharmacol.*, 60(7):937-46..
- Morton MS1, Chan PS, Cheng C, Blacklock N, Matos-Ferreira A, Abranches-Monteiro L, Correia R, Lloyd S, Griffiths .(1997). Lignans and isoflavonoids in plasma and prostatic fluid in men: samples from Portugal, Hong Kong, and the United Kingdom. *The Prostate*, 32(2):122-8.

- Moyad MA.(2002). Dietary fat reduction to reduce prostate cancer risk: controlled enthusiasm, learning a lesson from breast or other cancers, and the big picture. *Urology*, 59(4 Suppl1):51-62.
- Murakami A, Nakamura Y, Torikai K, Tanaka T, Koshiha T, Koshimizu K, Kuwahara S, Takahashi Y, Ogawa K, Yano M, Tokuda H, Nishino H, Mimaki Y, Sashida Y, Kitanaka S, Ohigashi H. (2000). Inhibitory effect of citrus nobiletin on phorbol ester-induced skin inflammation, oxidative stress, and tumor promotion in mice. *Cancer Res* 60, 5059–66.
- Naderi A, Hughes-Davies L. (2008). A functionally significant cross-talk between androgen receptor and ErbB2 pathways in estrogen receptor negative breast cancer. *Neoplasia (NY)* 10(6):542.
- Nahas EA, Nahas-Neto J, Orsatti FL, Carvalho EP, Oliveira ML, Dias R.(2007). Efficacy and safety of a soy isoflavone extract in postmenopausal women: a randomized, double-blind, and placebo-controlled study. *Maturitas* 58(3):249-58.
- Naik P, Karrim J, Hanahan D (1996) The rise and fall of apoptosis during multistage tumorigenesis: down-modulation contributes to tumor progression from angiogenic progenitors. *Genes Dev* 10: 2105–16.
- Naik P, Karrim J, Hanahan D. (1996). The rise and fall of apoptosis during multistage tumorigenesis: down-modulation contributes to tumor progression from angiogenic progenitors. *Gene Dev* 10: 2015-16
- Nam RK, Zhang WW, Trachtenberg J et al (2003) Comprehensive assessment of candidate genes and serological markers for the detection of prostate cancer. *Cancer Epidemiol Biomarkers Prev* 12:1429-1437

- Naughton CK, Miller DC, Mager DE et al (2000) A prospective randomized trial comparing 6 versus 12 prostate biopsy cores: impact on cancer detection. *J Urol* 164:388-392
- Navarro Silvera SA and Rohan TE (2007) Trace elements and cancer risk: a review of the epidemiologic evidence. *Cancer Causes Control* 18:7-27
- Nemeth K, Piskula MK.(2007). Food content, processing, absorption and metabolism of onion flavonoids. *Critical reviews in food science and nutrition*; 47(4):397-409.
- Neuhouser ML.(2004). Dietary flavonoids and cancer risk: evidence from human population studies. *Nutr Cancer*, 50(1):1-7.
- Nielsen IL, Williamson G. (2007); Review of the factors affecting bioavailability of soy isoflavones in humans. *Nutr Cancer* 57(1):1-10.
- Nomura AM, Stemmermann GN, Lee J, Craft NE. (1997). Serum micronutrients and prostate cancer in Japanese Americans in Hawaii. *Cancer Epidemiol Biomarkers Prev*; 6(7):487-91.
- Noroozi M, Angerson WJ, Lean ME. (1998). Effects of flavonoids and vitamin C on oxidative DNA damage to human lymphocytes. *Am J Clin Nutr*, 67(6):1210-8
- Nothlings U, Murphy SP, Wilkens LR, Henderson BE, Kolonel LN. 2007) Flavonols and pancreatic cancer risk: the multiethnic cohort study. *American journal of epidemiology*; 166(8):924-31.
- Oki T, Sowa Y, Hirose T, et al. (2004). Genistein induces Gadd45 gene and G2/M cell cycle arrest in the DU145 human prostate cancer cell line. *FEBS letters*, 577(1-2):55-9.

- O'Prey J, Brown J, Fleming J, Harrison PR. (2003). Effects of dietary flavonoids on major signal transduction pathways in human epithelial cells. *Biochemical pharmacology*, 66(11):2075-88.
- Ott M, Gogvadze V, Orrenius S, Zhivotovsky B (2007) Mitochondria, oxidative stress and cell death. *Apoptosis* 12: 913–22.
- Øyvind M. Andersen KRM. (2006). Flavonoids: Chemistry, Biochemistry and Applications: CRC Press;
- Pandey R, Maurya R, Singh G, Sathiamoorthy B, Naik S (2005) Immunosuppressive properties of flavonoids isolated from *Boerhaavia diffusa* Linn. *Int Immunopharmacol* 5: 541–53.
- Parekh DJ, Ankerst DP, Troyer D et al (2007) Biomarkers for prostate cancer detection. *J Urol* 178:2252-2259
- Park JH, Jin CY, Lee BK, Kim GY, Choi YH, Jeong YK.(2008). Naringenin induces apoptosis through downregulation of Akt and caspase-3 activation in human leukemia THP-1 cells. *Food Chem Toxicol*, 46:3684–90
- Park M, Chae HD, Yun J, *et al.* (2000). Constitutive activation of cyclin B1-associated cdc2 kinase overrides p53-mediated G2-M arrest. *Cancer Res*, 60(3):542-5.
- Park OJ, Surh YJ. (2004). Chemopreventive potential of epigallocatechin gallate and genistein: evidence from epidemiological and laboratory studies. *Toxicol Lett*, 150(1):43-56.
- Paul B, Dhir R, Landsittel D et al (2005) Detection of prostate cancer with a blood-based assay for early prostate cancer antigen. *Cancer Res* 65:4097-4100

- Peehl DM, Skowronski RJ, Leung GK, Wong ST, Stamey TA, Feldman D.(1994) Antiproliferative effects of 1,25-dihydroxyvitamin D3 on primary cultures of human prostatic cells. *Cancer research*, 54(3):805-10.
- Peters U, Leitzmann MF, Chatterjee N et al (2007) Serum lycopene, other carotenoids, and prostate cancer risk: a nested case-control study in the prostate, lung, colorectal and ovarian cancer screening trial. *Cancer Epidemiol Biomarkers Prev* 16:962-968
- Pettersson K, Delaunay F, Gustafsson JA. Estrogen receptor beta acts as a dominant regulator of estrogen signaling. *Oncogene* 2000; 19(43):4970-8.
- Pietta PG. (2000). Flavonoids as antioxidants. *Journal of natural products*, 63(7):1035-42.
- Pike AC, Brzozowski AM, Hubbard RE, et al. (1999). Structure of the ligand-binding domain of oestrogen receptor beta in the presence of a partial agonist and a full antagonist. *The EMBO journal*, 18(17):4608-18.
- Pino AM, Valladares LE, Palma MA, Mancilla AM, Yanez M, Albala C. (2008). Dietary isoflavones affect sex hormone-binding globulin levels in postmenopausal women. *The Journal of clinical endocrinology and metabolism* 5(8):2797-800.
- Piskula MK, Yamakoshi J, Iwai Y. (1999). Daidzein and genistein but not their glucosides are absorbed from the rat stomach. *FEBS letters*; 447(2-3):287-91.
- Platz EA and Helzlsouer KJ (2001) Selenium, zinc, and prostate cancer *Epidemiol Rev* 23:93-101
- Platz EA, Leitzmann MF, Hollis BW, Willett WC, Giovannucci E.(2004); Plasma 1,25- dihydroxy- and 25-hydroxyvitamin D and subsequent risk of prostate cancer. *Cancer Causes Control* 15(3):255-65.

- Polascik TJ, Oesterling JEPartin AW (1999) Prostate specific antigen: a decade of discovery--what we have learned and where we are going. *J Urol* 162:293-306
- Pollak M (2001) Insulin-like growth factors and prostate cancer. *Epidemiol Rev* 23:59-66
- Porojnicu A, Robsahm TE, Berg JP, Moan J.(2007). Season of diagnosis is a predictor of cancer survival. Sun-induced vitamin D may be involved: a possible role of sun-induced Vitamin D. *The Journal of steroid biochemistry and molecular biology*;103(3-5):675-8.
- Prasain JK, Barnes S. (2007). Metabolism and bioavailability of flavonoids in chemoprevention: current analytical strategies and future prospectus. *Mol Pharm*; 4(6):846-64.
- Prasain JK, Barnes S.(2007). Metabolism and Bioavailability of Flavonoids in Chemoprevention: Current Analytical Strategies and Future Prospectus. *Mol Pharm* 4(6):846-64
- Proverbs-Singh T, Feldman JL, Morris MJ, Autio KA, Traina TA. (2015). Targeting the androgen receptor in prostate and breast cancer: several new agents in development. *Endocr Relat Cancer*, 22(3):R87-R106.
- Qaingba c,Gama Q, Zhan D,Riren B,(2006) zhong hua en cao ,volume of tibetan medicine.Shanghai Science and Technology press ,Shanghai, pp 260-261.
- Qin LQ, Xu JY, Wang PY, Kaneko T, Hoshi K, Sato A.(2004). Milk consumption is a risk factor for prostate cancer: meta-analysis of case-control studies. *Nutr Cancer*; 48(1):22-7.
- Quinn M and Babb P (2002) Patterns and trends in prostate cancer incidence, survival, prevalence and mortality. Part I: international comparisons. *BJUInt* 90:162-173

- Rampurwala M, Wisinski KB, O'Regan R.(2016). Role of the androgen receptor in triple-negative breast cancer. *Clin Adv Hematol Oncol.*, 14(3):186-93.
- Raso GM, Meli R, Di Carlo G, Pacilio M, Di Carlo R.(2001). Inhibition of inducible nitric oxide synthase and cyclooxygenase-2 expression by flavonoids in macrophage J774A.1. *Life sciences*, 68(8):921-31.
- Ren F, Zhang S, Mitchell SH, Butler R, Young CY.(2000). Tea polyphenols down-regulate the expression of the androgen receptor in LNCaP prostate cancer cells. *Oncogene*, 19(15):1924-32.
- Renehan AG, Zwahlen M, Minder C, O'Dwyer ST, Shalet SM, Egger M.(2004). Insulin-like growth factor (IGF)-I, IGF binding protein-3, and cancer risk: systematic review and meta- regression analysis. *Lancet*; 363(9418):1346-53.
- Rice-Evans C. (2001). Flavonoid antioxidants. *Current medicinal chemistry*; 8(7):797-807.
- Richard D. Verschoyle, Peter Greaves, Hong Cai, Arndt Borkhardt, Massimo Broggin, Maurizio D'Incalci, E. Riccio, Rupa Doppalapudi.(2006). Preliminary safety evaluation of the putative cancer chemopreventive agent tricetin, a naturally occurring flavone. *Cancer Chemotherapy and Pharmacology*, 57(1):1-6.
- Ricketts ML, Moore DD, Banz WJ, Mezei O, Shay NF. 2005 Molecular mechanisms of action of the soy isoflavones include activation of promiscuous nuclear receptors. *A review. J Nutr Biochem*, 16(6):321-30.
- Rodriguez C, McCullough ML, Mondul AM, *et al.*(2003). Calcium, dairy products, and risk of prostate cancer in a prospective cohort of United States men. *Cancer Epidemiol Biomarkers Prev*; 12(7):597-603.

- Rodriguez C, Patel AV, Calle EE, Jacobs EJ, Chao A, Thun MJ.(2001). Body mass index, height, and prostate cancer mortality in two large cohorts of adult men in the United States. *Cancer Epidemiol Biomarkers Prev*; 10(4):345-53.
- Rosenberg Zand RS, Jenkins DJ, Brown TJ, Diamandis EP. (2002) Flavonoids can block PSA production by breast and prostate cancer cell lines. *Clinica chimica acta; international journal of clinical chemistry* 317(1-2):17-26.
- Rothstein WG.(2006). Dietary fat, coronary heart disease and cancer: a historical review. *Preventive medicine*, 43(5):356-60.
- Routledge EJ, White R, Parker MG, Sumpter JP. (2000). Differential effects of xenoestrogens on coactivator recruitment by estrogen receptor (ER) alpha and ERbeta. *J Biol Chem*, 275(46):35986-93.
- Rozman KK, Bhatia J, Calafat AM, *et al.* (2006). NTP-CERHR expert panel report on the reproductive and developmental toxicity of genistein. *Birth defects research* 77(6):485-638.
- Rubin E., (2001) Essential pathology, Lippincott Williams and Wilkins, Philadelphia.
- McNeal JE (1969) Origin and development of carcinoma in the prostate *Cancer* 23:24-34
- McNeal JE (1978) Origin and evolution of benign prostatic enlargement. *Invest Urol* 15:340-345
- Rubin MA, Zhou M, Dhanasekaran SM *et al* (2002) alpha-Methylacyl coenzyme A racemase as a tissue biomarker for prostate cancer. *JAMA* 287:1662-1670
- Sahmoun AE, Case LD, Jackson SA *et al* (2005) Cadmium and prostate cancer: a critical epidemiologic analysis. *Cancer Invest* 23:256-263

- Saito S, Goodarzi AA, Higashimoto Y, *et al.* (2002). ATM mediates phosphorylation at multiple p53 sites, including Ser (46), in response to ionizing radiation. *J Biol Chem*, 277(15):12491-4.
- Sajid KM, Khan AA, Loothar BA et al (2004) Prostate specific antigen level in a fertilizer factory workers. *J Coll Physicians Surg Pak*, 14:290-293
- Sak K (2014) Cytotoxicity of dietary flavonoids on different human cancer types. *Pharmacogn Rev* 8(16):122
- Saraste, A., & Pulkki, K. (2000). Morphologic and biochemical hallmarks of apoptosis. *Cardiovascular research*, 45(3), 528-537.
- Sarkar FH, Li Y.(2003). Soy isoflavones and cancer prevention. *Cancer Invest* 21(5):744-57.
- Scalbert A, Johnson IT, Saltmarsh M.(2005). Polyphenols: antioxidants and beyond. *The American journal of clinical nutrition*, 81(1 Suppl):215S-7S.
- Scardino PT (1989). Early detection of prostate cancer. *Urol Clin North Am*, 16:635-655
- Schwartz GG, Hulka BS. (1990). Is vitamin D deficiency a risk factor for prostate cancer? (Hypothesis). *Anticancer research*, 10(5A):1307-11
- Schwartz GG, Wang MH, Zang M, Singh RK, Siegal GP.(1997). Alpha, 25-Dihydroxyvitamin D (calcitriol) inhibits the invasiveness of human prostate cancer cells. *Cancer Epidemiol Biomarkers Prev*;6(9), 727-32.
- Schwartz GG, Whitlatch LW, Chen TC, Lokeshwar BL, Holick MF.(1998). Human prostate cells synthesize 1, 25-dihydroxyvitamin D₃ from 25-hydroxyvitamin D₃. *Cancer Epidemiol Biomarkers Prev*, 7(5):391-5.
- Segi M. (1965) Formal discussion: epidemiology of cancer: spatial-temporal aggregation. *Cancer research*, 25(8):1375-9.

- Severson RK, Nomura AM, Grove JS, Stemmermann GN. A prospective study of demographics, diet, and prostate cancer among men of Japanese ancestry in Hawaii.
- Shao ZH, Vanden Hoek TL, Xie J, *et al.*(2003). Grape seed proanthocyanidins induce pro- oxidant toxicity in cardiomyocytes. *Cardiovascular toxicology*, 3(4):331-9.
- Sharma MK, Jalewa J, Holscher C (2014) Neuroprotective and anti-apoptotic effects of liraglutide on SH-SY5Y cells exposed to methylglyoxal stress. *J Neurochem* 128
- Shen JC, Klein RD, Wei Q, *et al.*(2000). Low-dose genistein induces cyclin-dependent kinase inhibitors and G (1) cell-cycle arrest in human prostate cancer cells. *Molecular carcinogenesis*, 29(2):92-102.
- Shiloh Y, Kastan MB.(2001). ATM: genome stability, neuronal development, and cancer cross paths. *Adv Cancer Res*, 83:209-54.
- Shimizu H, Ross RK, Bernstein L et al (1991) Cancers of the prostate and breast among Japanese and white immigrants in Los Angeles County. *Br J Cancer* 63:963-966
- Shirai T, Asamoto M, Takahashi S et al (2002) Diet and prostate cancer. *Toxicology* 181-182:89-9
- Shoji T, Akazome Y, Kanda T, Ikeda M. (2004). The toxicology and safety of apple polyphenol extract. *Food Chem Toxicol*; 42(6):959-67.
- Shukla S, Gupta S.(2006). Molecular targets for apigenin-induced cell cycle arrest and apoptosis in prostate cancer cell xenograft. *Mol Cancer Ther*, 5(4):843-52.
- Shukla S, Gupta S. (2007). Apigenin-induced cell cycle arrest is mediated by modulation of MAPK, PI3K-Akt, and loss of cyclin D1 associated retinoblastoma dephosphorylation in human prostate cancer cells. *Cell cycle (Georgetown, Tex* 6(9):1102-14

- Siddiqui S, Arshad M. (2014). Osteogenic potential of *Punica granatum* through matrix mineralization, cell cycle progression and runx2 gene expression in primary rat osteoblasts. *Daru*, 22(1): 72.
- Silverstone H, Tannenbaum A.(1950), The effect of the proportion of dietary fat on the rate of formation of mammary carcinoma in mice. *Cancer research*, 10(7), 448 - 53.
- Singh RP, Agrawal P, Yim D, Agarwal C, Agarwal R.(2005). Acacetin inhibits cell growth and cell cycle progression, and induces apoptosis in human prostate cancer cells: structure-activity relationship with linarin and linarin acetate. *Carcinogenesis*, 26(4):845-54.
- Skibola CF, Smith MT.(2000). Potential health impacts of excessive flavonoid intake. *Free Radical Biology & Medicine*, 29(3-4):375-83.
- Skowronski RJ, Peehl DM, Feldman D. (1993). Vitamin D and prostate cancer: 1,25 dihydroxyvitamin D₃ receptors and actions in human prostate cancer cell lines. *Endocrinology*, 132(5):1952-60.
- Smith DM, Glennie CW, Harborne JB (1971) Identification of eupalitin, eupatolitin and patuletin glycosides in *Ipomopsis aggregata*. *Phytochemistry*, 10: 3115–20.
- Smith DM, Glennie CW, Harborne JB. (1971). Identification of eupalitin, eupatolitin and patuletin glycosides in *Ipomopsis aggregata*. *Phytochemistry*, 10: 3115–20.
- Soete G, Verellen D, Storme G. (2008). Image guided radiotherapy for prostate cancer. *Bull Cancer*, 95:374-380.
- Sohal RS, Weindruch R. (1996) Oxidative stress, caloric restriction, and aging. *Science*, 273.(5271):59-63.

- Spencer JP, Abd-el-Mohsen MM, Rice-Evans C. (2004); Cellular uptake and metabolism of flavonoids and their metabolites: implications for their bioactivity. *Archives of Biochemistry and Biophysics*, 423(1):148-61.
- Spencer JP, Chowrimootoo G, Choudhury R, Debnam ES, Srai SK, Rice-Evans C. (1999). The small intestine can both absorb and glucuronidate luminal flavonoids. *FEBS Letters*, 458(2):224-30.
- Stanford JL and Ostrander EA. (2001). Familial prostate cancer. *Epidemiol Rev*, 23:19-23.
- Steinberg GD1, Carter BS, Beaty TH, Childs B, Walsh PC. (1990) Family history and the risk of prostate cancer. *Prostate*, 17:337-347.
- Stenman UH. (1997). Prostate-specific antigen, clinical use and staging: an overview. *Br J Urol*, 79 Suppl 1:53-60.
- Stephan C , Klaus J, Terukazu N, George M Y, Glen K, Eleftherios P D. (2006). Serum human glandular kallikrein 2 (hK2) for distinguishing stage and grade of prostate cancer. *Int J Urol*, 13:238-243.
- Stopper H, Schmitt E, Kobras K. (2005). Genotoxicity of phytoestrogens. *Mutation Research*, 574(1-2):139-55.
- Sun CL, Yuan JM, Arakawa K, Low SH, Lee HP, Yu MC.(2002). Dietary soy and increased risk of bladder cancer: the Singapore Chinese Health Study. *Cancer Epidemiol Biomarkers Prev*, 11(12):1674-7.
- Szkudelska K, Nogowski L. (2007). Genistein--a dietary compound inducing hormonal and metabolic changes. *The Journal of Steroid Biochemistry and Molecular Biology*, 105(1-5):37-45.

- Tannenbaum A, Silverstone H.(1949). The influence of the degree of caloric restriction on the formation of skin tumors and hepatomas in mice. *Cancer Research*, 9(12):724-7.
- Taylor JA 3rd, Gancarczyk KJ, Fant GV, McLeod DG. (2002). Increasing the number of core samples taken at prostate needle biopsy enhances the detection of clinically significant prostate cancer. *Urology*, 60:841-845
- Taylor LP, Grotewold E. (2005). Flavonoids as developmental regulators. *Current Opinion in Plant Biology*, 8(3):317-23.
- Telisman S, Colak B, Pizent A et al (2007) Reproductive toxicity of low-level lead exposure in men. *Environ Res* 105:256-266
- Tewari-Singh N, Jain AK, Inturi S, Agarwal C, White CW, Agarwal R. (2012). Silibinin attenuates sulfur mustard analog-induced skin injury by targeting multiple pathways connecting oxidative stress and inflammation. *PLoS ONE*, 9: e46149
- Timberlake CF, Henry BS.(1986).Plant pigments as natural food colours. *Endeavour*, 10(1):31-6.
- Torres-Sanchez L, Lopez-Carrillo L, Lopez-Cervantes M, Rueda-Neria C, Wolff MS. Food sources of phytoestrogens and breast cancer risk in Mexican women. *Nutr Cancer*, 2000; 37(2):134-9.
- Trachootham D, Alexandre J, Huang P (2009) Targeting cancer cells by ROS-mediated mechanisms: a radical therapeutic approach? *Nat Rev Drug Discov*, 8: 579–91.
- Travis RC, Allen NE, Appleby PN, Spencer EA, Roddam AW, Key TJ.(2008); A prospective study of vegetarianism and isoflavone intake in relation to breast cancer risk in British women. *International Journal of Cancer*, 122(3):705-10.

- Truswell AS.(2002). Meat consumption and cancer of the large bowel. *European journal of Clinical Nutrition*, 56 Suppl 1:S19-24.
- Tsubono Y1, Nishino Y, Komatsu S, Hsieh CC, Kanemura S, Tsuji I, Nakatsuka H, Fukao A, Satoh H, Hisamichi S..(2001). Green tea and the risk of gastric cancer in Japan. *The New England Journal of Medicine*, 344(9):632-6.
- Tulinius H, Sigfusson N, Sigvaldason H, Bjarnadottir K, Tryggvadottir L.(1997). Risk factors for malignant diseases: a cohort study on a population of 22,946 Icelanders. *Cancer Epidemiol Biomarkers, Prev*, 6(11):863-73.
- Tyagi A, Singh RP, Agarwal C, Agarwal R.(2006). Silibinin activates p53-caspase 2 pathways and causes caspase-mediated cleavage of Cip1/p21 in apoptosis induction in bladder transitional- cell papilloma RT4 cells: evidence for a regulatory loop between p53 and caspase 2. *Carcinogenesis*, 27(11):2269-80.
- Tzonou A, Signorello LB, Laggiou P, Wu J, Trichopoulos D, Trichopoulou A.(1999). Diet and cancer of the prostate: a case-control study in Greece. *International Journal of Cancer* , 80(5):704-8.
- USDA Database for the Flavonoid Content of Selected Foods. 2003 [cited; Available from: <http://www.nal.usda.gov/fnic/foodcomp/Data/Flav/flav.html>
- Valachovicova T, Slivova V, Sliva D.(2004). Cellular and physiological effects of soy flavonoids. *Mini Rev Med Chem*, 4(8):881-7.
- Van der Woude H, Ter Veld MG, Jacobs N, van der Saag PT, Murk AJ, Rietjens IM.(2005). The stimulation of cell proliferation by quercetin is mediated by the estrogen receptor. *Molecular Nutrition & Food Research*, 49(8):763-71.
- Van Genderen HO, Kenis H, Hofstra L, Narula J, Reutelingsperger CP. (2008). Extracellular annexin A5: functions of phosphatidylserine-binding and two-dimensional crystallization. *Biochim Biophys Acta*, 1783(6):953-63.

- Van Hoorn DE1, Nijveldt RJ, Van Leeuwen PA, Hofman Z, M'Rabet L, De Bont DB, Van Norren K. (2002). Accurate prediction of xanthine oxidase inhibition based on the structure of flavonoids. *European Journal of Pharmacology*, 451(2):111-8.
- Van Zanden JJ, Geraets L, Wortelboer HM, van Bladeren PJ, Rietjens IM, Cnubben NH. (2004). Structural requirements for the flavonoid-mediated modulation of glutathione S-transferase P1-1 and GS-X pump activity in MCF7 breast cancer cells. *Biochemical Pharmacology*, 67(8):1607-17.
- Vanangamudi A, Gandhidasan R, Raman PV. (1997). Eupalitin 3-O- b-D-galactopyranoside from *Tephrosia spinosa*. *Fitoterapia*, 68: 560–64.
- Vaucher RA, da Motta Ade S, Brandelli A. (2010). Evaluation of the in vitro cytotoxicity of the antimicrobial peptide. *Cell Biol*, P34.
- Ververidis F, Trantas E, Douglas C, Vollmer G, Kretzschmar G, Panopoulos N. (2007). Biotechnology of flavonoids and other phenylpropanoid-derived natural products. Part II: Reconstruction of multienzyme pathways in plants and microbes. *Biotechnology Journal*, 2(10):1235-49.
- Vijayababu MR, Kanagaraj P, Arunkumar A, Ilangovan R, Dharmarajan A, Arunakaran J. (2006). Quercetin induces p53-independent apoptosis in human prostate cancer cells by modulating Bcl-2-related proteins: a possible mediation by IGFBP-3. *Oncology Research*, 16(2):67-74.
- Walgren RA, Lin JT, Kinne RK, Walle T. (2000). Cellular uptake of dietary flavonoid quercetin 4'-beta-glucoside by sodium-dependent glucose transporter SGLT1. *The Journal of Pharmacology and Experimental Therapeutics*, 294(3):837-43.
- Walle T (2007) Methoxylated flavones, a superior cancer chemopreventive flavonoid subclass? *Semin Cancer Biol*, 17: 354–62

- Walle T (2007) Methoxylated flavones, a superior cancer chemopreventive flavonoid subclass? *Semin Cancer Biol* 17: 354–62.
- Walle T, Browning AM, Steed LL, Reed SG, Walle UK. (2005). Flavonoid glucosides are hydrolyzed and thus activated in the oral cavity in humans. *J Nutr*, 135(1):48-52
- Walle T. (2007). Methoxylated flavones, a superior cancer chemopreventive flavonoid subclass? *Seminars in cancer biology*, 17(5):354-62.
- Wang TT, Sathyamoorthy N, Phang JM. (1996). Molecular effects of genistein on estrogen receptor mediated pathways. *Carcinogenesis*, 17(2):271-5.
- Wang Y, Kreisberg JI, Ghosh PM. (2007). Cross-talk between the androgen receptor and the phosphatidylinositol 3-kinase/Akt pathway in prostate cancer. *Curr Cancer Drug Targets* 7(6):591–604.
- Weinstein MH. (1998). Digital image analysis of proliferative index: two distinct populations of high-grade prostatic intraepithelial neoplasia in close proximity to adenocarcinoma of the prostate. *Hum Pathol*, 29:620-626.
- West MC.(2007). The impact of dietary oestrogens on male and female fertility. *Current Opinion in Obstetrics & Gynecology*, 19(3):215-21.
- Wijesinha S, Piterman L, Kirby CN. (2013). the male reproductive system—an overview of common problems. *Aust FAM Physician*, 42: 276–8.
- Willett WC, Hu FB. (2006). not the time to abandon the food frequency questionnaire: point. *Cancer Epidemiol Biomarkers Prev*; 15(10):1757-8.
- Willett WC, Hu FB. (2007). the food frequency questionnaire. *Cancer Epidemiol Biomarkers Prev*, 16(1):182-3.

- Willett WC, Sampson L, Stampfer MJ, *et al.* (1985). Reproducibility and validity of a semiquantitative food frequency questionnaire. *American journal of epidemiology*, 122(1):51-65.
- Willett WC, Stampfer MJ, Colditz GA, Rosner BA, Speizer FE. (1990). Relation of meat, fat, and fiber intake to the risk of colon cancer in a prospective study among women. *The New England journal of medicine*, 323(24):1664-72.
- Willett WC. (2001). Diet and cancer: one view at the start of the millennium. *Cancer Epidemiol Biomarkers Prev*, 10(1):3-8
- Willett WC. (2005). Diet and cancer: an evolving picture. *Jama*, 293(2):233-4.
- William J. Catalona, MD; Deborah S. Smith, PhD; Timothy L. Ratliff, PhD (1993) Detection of organ-confined prostate cancer is increased through prostate-specific antigen-based screening. *JAMA*, 270:948-954
- Williams CA, Grayer RJ.(2004). Anthocyanins and other flavonoids. *Natural Product Reports*, 21(4):539-73.
- Williamson G, Day AJ, Plumb GW, Couteau D. (2000). Human metabolic pathways of dietary flavonoids and cinnamates. *Biochemical Society Transactions*, 28(2):16-22.
- Winkel-Shirley B.(2002). Biosynthesis of flavonoids and effects of stress. *Current Opinion in Plant Biology*, 5(3):218-23.
- Winkel-Shirley B.(2001) Flavonoid biosynthesis. A colorful model for genetics, biochemistry, cell biology, and biotechnology. *Plant physiology*, 126(2):485-93.
- Wittwer E, Kern SE.(2006). Role of morphine's metabolites in analgesia: concepts and controversies. *The AAPS Journal*, 8(2):E348-52.
- Woo AY, Cheng CH, Waye MM. (2005). Baicalein protects rat cardiomyocytes from hypoxia/reoxygenation damage via a prooxidant mechanism. *Cardiovascular Research*, 65(1):244-53.

- Woolf SH. (1995). Screening for prostate cancer with prostate-specific antigen. An examination of the evidence. *N Engl J Med*, 333:1401-1405.
- Wuttke W, Jarry H, Seidlova-Wuttke D.(2007). Isoflavones--safe food additives or dangerous drugs? *Ageing Research Reviews* , 6(2):150-88.
- Xiang H, Schevzov G, Gunning P, Williams HM, Silink M.(2002). A comparative study of growth-inhibitory effects of isoflavones and their metabolites on human breast and prostate cancer cell lines. *Nutr Cancer*, 42(2):224-32.
- Xu WH, Zheng W, Xiang YB, Yong Bing Xiang, Zhi Xian Ruan, Jia Rong Cheng, Qi Dai, Yu Tang Gao, Xiao Ou Shu, *et al.*(2004). Soya food intake and risk of endometrial cancer among Chinese women in Shanghai: population based case-control study. *BMJ*, (*Clinical research*, 328(7451):1285.
- Yamakoshi J, Saito M, Kataoka S, Kikuchi M.(2002). Safety evaluation of proanthocyanidin-rich extract from grape seeds. *Food Chem Toxicol*, 40(5):599-607.
- Yamamoto S, Sobue T, Kobayashi M, Sasaki S, Tsugane S.(2003). Soy, isoflavones, and breast cancer risk in Japan. *Journal of the National Cancer Institute*, 95(12):906-13.
- Yang G1, Shu XO, Li H, Chow WH, Ji BT, Zhang X, Gao YT, Zheng W. (2007). Prospective cohort study of green tea consumption and colorectal cancer risk in women. *Cancer Epidemiol Biomarkers Prev*, 16(6):1219-23.
- Yoshizawa K1, Willett WC, Morris SJ, Stampfer MJ, Spiegelman D, Rimm EB, Giovannucci E..(1998). Study of prediagnostic selenium level in toenails and the risk of advanced prostate cancer. *Journal of the National Cancer Institute*, 90(16):1219-24.
- Zand RS, Jenkins DJ, Diamandis EP. (2000). Steroid hormone activity of flavonoids and related compounds. *Breast Cancer Research and Treatment*, 62(1):35-49

- Zeestraten EC, Benard A, Reimers MS, Schouten PC, Liefers GJ, van de Velde CJ, Kuppen PJ.(2013). The prognostic value of the apoptosis pathway in colorectal cancer: a review of the literature on biomarkers identified by immunohistochemistry. *Biomark Cancer*, 5:13-29.
- Zhang M, Xie X, Lee AH, Binns CW, Holman CD.(2005). Body mass index in relation to ovarian cancer survival. *Cancer Epidemiol Biomarkers Prev*, 14(5):1307-10.
- Zheng W1, Dai Q, Custer LJ, Shu XO, Wen WQ, Jin F, Franke AA. (1999). Urinary excretion of isoflavonoids and the risk of breast cancer. *Cancer Epidemiol Biomarkers Prev*, 8(1):35-40.
- Zi X, Agarwal R. (1999). Silibinin decreases prostate-specific antigen with cell growth inhibition via G1 arrest, leading to differentiation of prostate carcinoma cells implications for prostate cancer intervention. *Proceedings of the National Academy of Sciences of the United States of America*, 96(13):7490-5.