

## References

1. Andorf P, Lieb FA, Upper G and Gulttropfet W., Robot Finger, U.S. Patent No. 3,981,528, <https://www.google.com/patents/US3981528>, 1976.
2. Andrew D. Marchese and Daniela Rus, “Design, kinematics, and control of a soft spatial fluidic elastomer manipulator”, *The International Journal of Robotics Research*, Vol. 35(7), pp. 840-869, 2016.
3. Aswath S, Chinmaya Krishna Tilak, Kalyani Jayaprakash, Anila G Nair, Arathi S Nair, Aiswarya Mohan, and Ganesha Udupa, “Innovative Fish Robot based on an Asymmetric Flexible Pneumatic Actuator”, *Int'l Journal of Advances in Mechanical & Automobile Engg. (IJAMAE)* Vol. 1, Issue 1, pp. 101-107, 2014.
4. Atkins, D.J.; Heard, D.C.Y.; Donovan, W.H.: “Epidemiologic Overview of Individuals with Upper-Limb Loss and Their Reported Research Priorities”, *J. of Prosthetics and Orthotics*, Vol. 8, No1, pp. 2-11, 1996.
5. Baer J.I, Material Handling Apparatus, US Patent No US3343864A.
6. G. A. Bekey, R. Tomovic, and I. Zeljkovic, “Control architecture for the Bergrade/USC hand,” in *Dexterous Robot Hand*, S. T. Venkataraman and T. Iberall, Eds. New York: Springer Verlag, 1990, pp. 136–149.
7. Chou, C. P. and Hannaford, B., “Static and Dynamic Characteristics of McKibben Pneumatic Artificial Muscles”, *Proc. IEEE Int. Conf. on Robotics and Automation*, Vol.1, pp. 281–286, San Diego, May, 1994.
8. Cipriani C, Controzzi M, Carrozza MC., “Mechanical design of a transradial cybernetic Hand”, *Proceedings of the 2008 IEEE/RSJ International Conference on Intelligent Robots and Systems*; 2008 Sep 22–26; Nice, France. p. 576–81.  
<https://www.google.com/patents/US3343864,1967>.
9. Clawson A, Segil J, Jones B, Losier Y, Kyberg PJ, Weir R., “Mechanical design of a multifunction hand prosthesis system-The UNB Hand”, *Proceedings of the 13th ISPO World Congress*; 2010 May 10–15; Leipzig, Germany.
10. Craig W. Martin, “Upper Limb Prostheses: A Review of the Literature with a Focus on Myoelectric Hands”, *WorkSafeBC Evidence-Based Practice Group*, February 2011.
11. Daerden F, Lefeber D., “Pneumatic artificial muscles: actuators for robotics and automation”, *European Journal of Mechanical and Environmental Engg*; 47(1):10–21, 2002.
12. Dalley SA, Wiste TE, Withrow TJ, Goldfarb M., “Design of a multifunctional

- anthropomorphic prosthetic hand with extrinsic actuation”, IEEE/ASME Transactions on Mechatronics. 2009;14(6):699–706. <http://dx.doi.org/10.1109/TMECH.2009.2033113>
13. Dechev N, Cleghorn WL, Naumann S., “Multiple finger, passive adaptive grasp prosthetic Hand”, Mechanism Mach Theory. 2001;36(10):1157–73. [http://dx.doi.org/10.1016/S0094-114X\(01\)00035-0](http://dx.doi.org/10.1016/S0094-114X(01)00035-0).
  14. R. Deimel and O. Brock, “A compliant hand based on a novel pneumatic actuator”, in 2013 IEEE International Conference on Robotics and Automation (ICRA), Karlsruhe, Germany, May 2013.
  15. Deimel R and Brock O, “A novel type of compliant and underactuated robotic hand for dexterous grasping”, International Journal of Robotics Research, Available at: <http://ijr.sagepub.com/content/early/2015/08/13/0278364915592961.abstract>, 2015.
  16. DRL Institute of Robotics and Mechatronics, “Datasheet of DLR Hand II”, Cologne (Germany): DLR; 2011. Available from: [http://www.dlr.de/rm/en/desktopdefault.aspx/tabid-3802/6102\\_read-8922/](http://www.dlr.de/rm/en/desktopdefault.aspx/tabid-3802/6102_read-8922/)
  17. Mark R. Cutkosky, Robert D. Howe, “Human Grasp Choice and Robotic Grasp Analysis”, in S.T. Venkataraman and T. Iberall editors, Dexterous Robot hands, Springer-Verlag, 1990, Chapter 1, pp.5-31.
  18. Mosadegh B , Polygerinos P , Keplinger C , Wennstedt S , Shepherd R F , Gupta U, Shim J, Bertoldi K, Walsh C J and Whitesides G M, “Pneumatic Networks for Soft Robotics that Actuate Rapidly”, Advanced Functional Materials. DOI: 10.1002/adfm.201303288, 2013.
  19. R. S. Fearing, “Tactile sensing mechanisms,” Int. J. Robot. Res., vol. 9, no. 3, pp. 3–23, 1990.
  20. Festo: Fluidic muscle dmsp, with press-fitted connections/fluidic muscle mas, with screwed connections (Festo catalog); 2005.
  21. T Fukuda, H Hosokai, M Uemura, “Rubber gas actuator driven by hydrogen storage alloy for In-pipe inspection mobile robot with flexible structure”, in Proc. IEEE Int. Conf. Robotics and Automation, pp. 1847-1852, 1989.
  22. Gaiser I, Schulz S, Kargov A, Klosek H, Bierbaum A, Pylatiuk C, Oberle R, Werner T, Asfour T, Bretthauer G and Dillmann R, “A New Anthropomorphic Robotic Hand”, in 8<sup>th</sup> IEEE-RAS International Conference on Humanoid Robots, Daejeon, Korea, pp. 418-422, 1-3 December 2008.
  23. I. Gaiser, S. Schulz, H. Breitwieser and G. Bretthauer, “Enhanced Flexible Fluidic

- Actuators for Biologically Inspired Lightweight Robots with Inherent Compliance”, Proceedings of the 2010 IEEE International Conference on Robotics and Biomimetics December 14-18, 2010, Tianjin, China, pp. 1423-1428.
24. Gaiser I, Pylatiuk C, Schulz S, Kargov A, Oberle R, Werner T., “The FLUIDHAND III: A multifunctional prosthetic hand”, *Am Acad Orthot Prosthet.* 2009; 21(2):91–96.
  25. Aline De Greef, Pierre Lambert, Alain Delchambre, “Towards flexible medical instruments: Review of flexible fluidic actuators”, *Precision Engineering*, Vol 33, 2009, pp. 311–321.
  26. J.P. Den Hartog, “Advanced Strength of Materials”, McGraw-Hill, 1952.
  27. Madaleine Hermann and Anders Jonsson., “Static Characteristics of Flexible Bellows”, Master’s Degree Thesis, University of Karlskrona/Ronneby, Karlskrona, Sweden, 1997.
  28. Hirai, S., Tanigawa, H., Cusin, P., Masui, T., Konishi, S., and Kawamura, S., “Qualitative Synthesis of Deformable Cylindrical Actuators through Constraint Topology”, *Proc. IEEE/RSJ Int. Conf. on Intelligent Robots and Systems*, Vol.1, pp. 197–202, Takamatsu, October, 2000.
  29. S.Hirai, T.Masui and S.Kawamura, “Prototyping Pneumatic Group Actuators Composed of Multiple Single-motion Elastic Tubes”, *Proc. Elps in Seoul*, May 2001.
  30. S. Hirose and Y. Umetani, “The development of soft gripper for the versatile Robot hand,” *Mechanism and Machine Theory*, vol.13,no.6, pp.351 – 359, 1978.
  31. R. D. Howe, “Tactile sensing and control of robotic manipulation,” *Adv. Robot.*, vol. 8, no. 3, pp. 245–261, 1994.
  32. Huichan Zhao, Kevin O’Brien, Shuo Li, Robert F. Shepherd, “Optoelectronically innervated soft prosthetic hand via stretchable optical waveguides”, *Science Robotics*, 2016, pp. 1-10.
  33. Ilievski F, Mazzeo AD, Shepherd RF, Chen X, and Whitesides GM, “Soft robotics for chemists”, *Angewandte Chemie International Edition*, 50 (8): 1890–1895, 2011.
  34. S.C. Jacobsen et al., “The Utah/MIT Dexterous Hand: work in progress,” *Int. Journal of Robotic Research*, vol.3, no.4, pp.21 – 50, 1984.
  35. B. M. Jau, “Dexterous telemanipulation with four fingered hand system,” in *Proc. IEEE Robotics and Automation*, 1995, pp. 338–343.
  36. J. Jockusch, J. Walter, and H. Ritter, “A tactile sensor system for a three-fingered robot manipulator,” in *Proc. IEEE Int. Conf. Robotics and Automation*, 1997, pp. 3080–3086.
  37. D. Johnston, P. Zhang, J. Hollerbach, and S. Jacobsen, “A full tactile sensing suite for

- dextrous robot hands and use in contact force control,” in Proc. IEEE Int. Conf. Robotics and Automation, 1996, pp. 3222–3227.
38. Kamikawa Y, Maeno T., “Underactuated five-finger prosthetic hand inspired by grasping force distribution of humans”, Proceedings of the 2008 IEEE/RSJ International Conference on Intelligent Robots and Systems; 2008 Sep 22–26; Nice, France. p. 717–22.
  39. H. Kawasaki and T. Komatsu, “Development of an anthropomorphic robot hand driven by built-in servo-motors,” in Proc. 3rd Int. Conf. ICAM, vol. 1, 1998, pp. 215–220.
  40. H. Kawasaki and T. Komatsu, “Mechanism design of anthropomorphic robot hand: Gifu hand I,” J. Robot. Mechatron., vol. 11, no. 4, pp. 269–273, 1999.
  41. Haruhisa Kawasaki, Tsuneo Komatsu, and Kazunao Uchiyama, “Dexterous Anthropomorphic Robot Hand with Distributed Tactile Sensor: Gifu Hand II”, IEEE/ASME Transactions on Mechatronics, Vol. 7, No. 3, September 2002.
  42. Kevin Tai, Abdul-Rahman El-Sayed, Mohammadali Shahriari, Mohammad Biglarbegian and Shohel Mahmud, “State of the Art Robotic Grippers and Applications”, Robotics, 5, 11; doi:10.3390/robotics5020011, pp. 1-20, 2016.
  43. K. J. Kyriakopoulos, A. Zink, and H. E. Stephanou, “Kinematic analysis and position/force control of the anthropot dextrous hand,” IEEE Trans. Syst., Man Cybern. B, vol. 27, pp. 95–104, Feb. 1997.
  44. Thierry Laliberte and Clement M. Gosselin, “Simulation and Design Of Underactuated Mechanical Hands”, Mech. Mach. Theory" Vol. 33, No. 1/2, pp. 39-57, Elsevier Science Ltd, 1998.
  45. Lee, Y.K.; Shimoyama, I, “A skeletal framework artificial hand actuated by pneumatic artificial muscles”, Proc. IEEE Intl. Conf. on Robotics and Automation, Detroit, Michigan, May 1999.
  46. Libin Zhang, GuanJun Bao, Qinghua Yang, Jian Ruan and Liyong Qi, “Static Model of Flexible Pneumatic Bending Joint”, ICARCV 2006.
  47. Light CM, Chappell PH., “Development of a lightweight and adaptable multiple-axis hand Prosthesis”, Med Eng Phys. 2000; 22(10):679–84. [PMID: 11334753]  
[http://dx.doi.org/10.1016/S1350-4533\(01\)00017-0](http://dx.doi.org/10.1016/S1350-4533(01)00017-0)
  48. L. R. Lin and H. P. Huang, “Integrating fuzzy control of the dexterous National Taiwan University (NTU) hand,” IEEE/ASME Trans. Mechatron., vol. 1, pp. 216–229, Sept. 1996.
  49. H. Liu, J. Butterfass, S. Knoch, P. Meusel, and G. Hirzinger, “Multisensory articulated

- hand”, *IEEE Control Syst. Mag.*, vol. 19, pp. 47–54, Apr. 1999.
50. Liu H, Wu K, Meusel P, Seitz N, Hirzinger G, Jin MH, Liu YW, Fan SW, Lan T, Chen ZP, “Multisensory five-fingered dexterous hand: The DLR/HIT Hand II”, *Proceedings of the 2008 IEEE/RSJ International Conference on Intelligent Robots and System*; 2008 Sep 22–26; Nice, France, pp. 3692–97.
  51. Losier Y, Clawson A, Wilson A, Scheme E, Englehard K, Kyberg P, Hudgins B., “An overview of the UNB hand system”, *Proceeding of the 2011 Myoelectric Controls/Powered Prosthetics Symposium*; 2011; New Brunswick, Canada.
  52. Lotti F, Tiezzi P, Vassura G, Biagiotti L, Palli G, Melchiorri C., “Development of UB Hand 3: Early results”, *Proceedings of the 2005 IEEE International Conference on Robotics and Automation*; 2005 Apr; Barcelona, Spain, pp. 4488–93.
  53. Massa B, Roccella S, Carrozza MC, Dario P., “Design and development of an underactuated prosthetic hand”, *Proceedings of the 2002 IEEE International Conference on Robotics and Automation*; 2002 May 11–15; Washington, DC, pp. 3374–79.
  54. R. Miodrag, “Multifingered Robot hand with self-adaptability,” *Robotics and Computer Integrated Manufacturing*, vol.5, no.2/3, pp. 269 – 276, 1989.
  55. Otto Bock Michelangelo operation manual. Duderstadt (Germany); 2012.
  56. Otto Bock System electric hand size 7, Duderstadt (Germany); 2013. Available from: [http://www.ottobock.com/cps/rde/xchg/ob\\_us\\_en/hs.xsl/6952.html](http://www.ottobock.com/cps/rde/xchg/ob_us_en/hs.xsl/6952.html)
  57. Otto Bock Sensor Hand speed Duderstadt (Germany); 2013. Available from: [http://www.ottobock.com/cps/rde/xchg/ob\\_com\\_en/hs.xsl/3652.html](http://www.ottobock.com/cps/rde/xchg/ob_com_en/hs.xsl/3652.html)
  58. Ottobock Prosthetics upper limb catalogue. Available at <http://www.ottobock.co.uk>.
  59. Ouerfelli, M., Kumar, V., and Harwin, W., “An Inexpensive Pneumatic Manipulator for Rehabilitation Robotics”, *Proc. IEEE Int. Conf. on Robotics and Automation*, Vol.1, pp. 636–641, Atlanta, May, 1993.
  60. Paynter, H. M., “Low-Cost Pneumatic Arthroblots Powered by Tug-and-Twist Polymer Actuators”, *Proc. Japan-U.S.A. Symp. on Flexible Automation*, Vol.1, pp. 107–110, Otsu, July, 1996.
  61. Polygerinos P, Wang Z, Overvelde J T B, Galloway K C, Wood R J, Bertoldi K, and Walsh C J, "Modeling of Soft Fiber-Reinforced Bending Actuators," in *IEEE Transactions on Robotics*, vol. 31, no. 3, pp. 778-789, doi: 10.1109/TRO.2015.2428504, 2015.
  62. Pons JL, Rocon E, Ceres R, Reynaerts D, Saro B, Levin S, Van Moorleghe W., “The

- MANUS-HAND, Dextrous Robotics Upper Limb Prosthesis: Mechanical and manipulation aspects”, *Auton Robots*. 2004; 16:143–63.  
<http://dx.doi.org/10.1023/B:AURO.0000016862.38337.f1>
63. S. Qian, L. Zhang, Q. Yang, G. Bao, Z. Wang, L. Qi, “Research on output force of flexible pneumatic bending joint”, in 10th International Conference on Control, Automation, Robotics and Vision, ICARCV, pp. 144–148, 2008.
  64. Yang Qinghua, Zhang Libin, Bao Guanjun, Ruan Jian, “Research on Novel Flexible Pneumatic Actuator FPA [A]”, IEEE Conference on Robotics, Automation and Mechatronics, Singapore, pp. 385-389, December 2004.
  65. M. H. Raibert and J. J. Craig, “Hybrid position/force control of manipulators,” *Trans. ASME*, vol. 102, pp. 126–133, 1981.
  66. S S Rao, “The Finite Element Method in Engineering”, 5<sup>th</sup> ed., Elsevier Pub., 2011.
  67. RSL Steeper web site, Leeds (United Kingdom): RSL Steeper; 2013. Available from: <http://rslsteeper.com/>
  68. M. Rosheim, *Robot Evolution*. New York: Wiley, 1994, pp. 216–224.
  69. J. K. Salisbury and J. J. Craig, “Articulated hands: Force control and kinematic issues,” *Int. J. Robot. Res.*, vol. 1, no. 1, pp. 4–17, 1982.
  70. D.Sasaki, T.Noritsugu, and M.Takaiwa, “Development of Active Support Splint Driven by Pneumatic soft actuator,” *Journal of Robotics and Mechatronics*, vol.16, no.5, pp. 497-503, 2004.
  71. S. Schulz, C. Pylatiuk and G. Bretthauer, “A New Ultralight Anthropomorphic Hand”, *Proceedings of the 2001 IEEE International Conference on Robotics & Automation*, Seoul, Korea, pp 1-5, May 2001.
  72. Aimee E. Schultz, Susan P. Baade, Todd A. Kuiken, “Expert opinions on success factors for upper-limb prostheses”, *Journal of Rehabilitation Research & Development*, Volume 44, Number 4, Pages 483–490, 2007.
  73. Shadow Robot Hand, <https://www.shadowrobot.com/products/dexterous-hand/>
  74. Shimizu, T., Hayakawa, Y., and Kawamura, S., “Development of a Hexahedron Rubber Actuator”, *Proc. IEEE Int. Conf. on Robotics and Automation*, pp. 2619–2624, Nagoya, May, 1995.
  75. M. Shimojo, S. Sato, Y. Seki, and A. Takahashi, “A system for simulating measuring grasping posture and pressure distribution,” in *Proc. IEEE Int. Conf. Robotics and Automation*, 1995, pp. 831–836.

76. Shuichi Wakimoto, Keiko Ogura, Koichi Suzumori, Yasutaka Nishioka, “Miniature Soft Hand with Curling Rubber Pneumatic Actuators”, IEEE International Conference on Robotics and Automation, Kobe, Japan, pp. 556-561, May 12-17, 2009.
77. K. Suzumori, S. Iikura and H. Tanaka, “Development of Flexible Microactuator and its Applications to Robotic Mechanisms”, IEEE international conference on Robotics and Automation, Sacramento, California, pp. 1622-1627, April 1991.
78. K. Suzumori, T. Maeda, H. Watanabe and T. Hisada., “Fiberless Flexible Microactuator designed by Finite-Element Method”, IEEE/ASME Transactions on Mechatronics, vol.2, no. 4, pp. 281-286, Dec.1997.
79. K. Suzumori, K. Hori and T.Miyagawa, “A Direct-Drive Pneumatic stepping motor for Robots: Designs for Pipe-Inspection Microrobots and for Human-care Robots,” Proc. IEEE international Conf. on Robotics and Automation, pp. 3047-3052, May 1998.
80. Koichi Suzumori, “Elastic materials producing compliant robots”, Robotics and Autonomous Systems, Elsevier Publications, Vol. 18, pp. 135-140, 1996.
81. Koichi Suzumori, “Micro Rubber Structure Realizing Multi-Legged Passive Walking”, IEEE/RSJ International Conference on Intelligent Robots and Systems Acropolis Convention Center, Nice, France, Sept, 22-26, 2008.
82. Koichi Suzumori, Satoshi Endo, Takefumi Kanda, Naomi Kato, Hiroyoshi Suzuki, “A Bending Pneumatic Rubber Actuator Realizing Soft-bodied Manta Swimming Robot”, 2007 IEEE International Conference on Robotics and Automation Roma, Italy, 10-14 April, 2007, pp. 4975-4980.
83. Tabata, T., Konishi, S., Cusin, P., Ito, Y., Kawai, F., Hirai, S., and Kawamura, S., “Microfabricated Tunable Bending Stiffness Device”, Proc. IEEE 13th Annual Int. Conf. on Micro ElectroMechanical Systems, pp. 23–27, Miyazaki, January, 2000.
84. Tedford, J.D., “Developments in robot grippers for soft fruit packing in New Zealand”, Robotica, 8(4), pp. 279–283. doi: 10.1017/S026357470000031X, 1990.
85. Touch Bionics web site, Mansfield (MA): Touch Bionics Inc; 2013. Available from: <http://www.touchbionics.com/>
86. Touch Bionics Catalogue, 2017. Available at <http://www.touchbionics.com/>.
87. Deepak Trivedi, Christopher D. Rahn, William M. Kier and Ian D. Walker, “Soft robotics: Biological inspiration, state of the art, and future research”, Journal of Applied Bionics and Biomechanics, Vol. 5, No. 3, pp. 99–117, September 2008.
88. Tsagarakis, N. and Caldwell, D. G., “Improved Modelling and Assessment of Pneumatic

- Muscle Actuators”, Proc. IEEE Int. Conf. on Robotics and Automation, pp. 3641–3646, San Francisco, April, 2000.
89. Udupa, Ganesha “Study and Development of an unconventional device for industrial applications including robots and instrumentation”, M.Tech. Thesis, Govt. B.D.T. College of Engineering, Davangere, India, 1992.
  90. Udupa, Ganesha and R. Krishna Murthy, “A new Flexing Technique for Soft Gripper Design”, Proc. 16th All India Manufacturing Technology Design and Research Conference, Bangalore, pp. 353-358, Dec 1994.
  91. Udupa G, Artificial Robotic Hand and Process of Manufacturing Thereof, Patent No: 3631/CHE/2011 Dated 24/10/2011.
  92. VINCENT hand, Weingarten (Germany): Vincent Systems; 2013. Available from: <http://handprothese.de/vincent-hand/>
  93. Shuichi Wakimoto, Koichi Suzumori and Keiko Ogura, “Miniature Pneumatic Curling Rubber Actuator Generating Bidirectional Motion with One Air-Supply Tube”, Journal of Advanced Robotics Vol. 25, pp. 1311–1330, 2011.
  94. Xiaopeng Yang, Kihyo Jung, Jangwoon Park, Heecheon You, “Development of a 25-DOF Hand Forward Kinematic Model Using Motion Data”, available from [http://esk.or.kr/2010\\_data02/pdf/](http://esk.or.kr/2010_data02/pdf/)
  95. Yoel Shapiro, Alon Wolf, Kosa Gabor, “Bi-bellows: Pneumatic bending actuator, Sensors and Actuators”, 167, 484–494, 2011.
  96. <https://www.darpa.mil/program/revolutionizing-prosthetics>
  97. <http://cronos.rutgers.edu/~mavro/robot>
  98. [https://www.ecs.soton.ac.uk/research/projects/132#\\_ga=2.157642366.512461679.1515932804-398101269.1515932804](https://www.ecs.soton.ac.uk/research/projects/132#_ga=2.157642366.512461679.1515932804-398101269.1515932804)