

Contents

Chapter 1 Introduction	1
1.1 Soft and Hard Robotics	1
1.2 Motivation	3
1.3 Objectives and Scope of Present Work	7
1.4 Thesis Outline	8
Chapter 2 Review of Flexible Soft Actuators and Multi-Fingered Robotic Hands	9
2.1 Types of Flexible Soft Actuators and Multi-fingered Robotic Hands	9
2.1.1 Flexible Micro Actuator (FMA) [Suzumori K, et al, 1991]	14
2.1.2 Flexible Pneumatic Actuator (FPA) [Qinghua Y, et al, 2004]	14
2.1.3 Flexible Fluidic Actuators [Gaiser I, et al, 2010]	15
2.1.4 PneuFlex Actuators [Deimel R, et al, 2013]	16
2.1.5 Pneumatic Muscle Actuator (PMA) [Lee Y K, et al, 1999]	17
2.1.6 Differential Pressure Flexible Pneumatic Actuator (DPFPA) [Tedford J D, 1990]	18
2.1.7 Composite Material Flexible Pneumatic Actuator (CMFPA) [Baer J I, 1967]	19
2.1.8 Optoelectronically innervated soft hand [Zhao H, et al, 2016]	20
2.2 Types of commercial prosthetic hands	21
2.2.1 Bebionic Myoelectric Hand [R S L Steeper, 2013]	21
2.2.2 DARPA's Brain Controlled Prosthetic Arm [DARPA, 2012]	22
2.2.3 Michelangelo Hand [Ottobock, 2012]	23
2.2.4 I-Limb [Touch Bionics, 2013]	24
2.2.5 Shadow Hand [Shadow Robot Company, 2012]	25
2.3 Anatomy of Hand	27
2.4 Bio-Mechanics of Hand	28
2.5 Modelling of Soft Actuators	30
2.5.1 Robot independent models	30
2.5.2 Robot dependent models	31
2.6 Conclusion	32
Chapter 3 Principle and Mathematical Modelling	34
3.1 Working Principle of Asymmetric Soft Actuators	34
3.1.1 Bending Theory	35
3.2 Methods to Enhance Curving and Gripping	36
3.3 Static Bending Characteristics	39
3.3.1 Springs in Parallel	40
3.3.2 Bending of Asymmetric Bellow Flexible Pneumatic Actuator (ABFPA) made of Nitrile Rubber	41
3.3.3 Bending of Metallic Asymmetric Bellow Flexible Pneumatic Actuator (ABFPA)	42
3.3.3.1 Bending Due to the Moment Induced by the Eccentricity in Cross Section	42

3.3.3.2 Bending Due To Differential Expansion	43
3.4 Dynamic Characteristics of the tapered ABFPA	45
3.5 Governing FEM equation of a Taper Bellow ABFPA	47
3.5.1 A 10x10 FEM model for a tapered ABFPA	47
3.5.2 18x18 FEM model for a tapered ABFPA	51
3.6 Conclusion	54
Chapter 4 Computer Aided Design and Analysis of Asymmetric Flexible Pneumatic Actuators	55
4.1 Design of Asymmetric tube and bellow flexible actuators for various applications	55
4.2 Selection of Actuator Shapes and Sizes	57
4.2.1 Actuators of various external and internal geometries	57
4.2.2 Square-corrugated ABFPA	60
4.2.3 Triangular-corrugated ABFPA	70
4.2.4 Circular Bellow with Different Top and Base Thickness	75
4.2.5 Finger Design	75
4.2.6 Asymmetric Metallic Square ABFPA with circular Corrugations	82
4.3 Effect of Eccentricity on Bending of ABFPA	87
4.4 Conclusion	92
Chapter 5 Manufacturing of Robot Grippers and Multi-fingered Hand	94
5.1 Materials used for Asymmetric Flexible Actuators	94
5.1.1 Nitrile Rubber	94
5.1.1.1 Physical Properties	95
5.1.1.2 Chemical Properties	95
5.1.2 Stress-Strain graph for Nitrile Rubber	96
5.1.3 Silicone Rubber	98
5.1.2.1 Physical Properties	99
5.1.2.2 Chemical Properties	99
5.1.4 Nickel 200	100
5.2 Mould Manufacturing	101
5.2.1 Manufacturing of Mould for Asymmetric Flexible Pneumatic Actuator (AFPA)	101
5.2.1.1 Manufacturing of Asymmetric Flexible Pneumatic Actuator (AFPA)	102
5.2.1.2 Sample properties of AFPA Sample	104
5.2.2 Mould Manufacturing for Semi-circular, 5-Corrugated, Asymmetric Bellow Flexible Pneumatic Actuator (ABFPA)	105
5.2.3 Manufacture of Square 6-Corrugated ABFPA	110
5.2.4 Manufacture of Triangular Tapered 3-Corrugation ABFPA	111
5.2.5 Asymmetric Metal Bellow Actuator	113
5.3 Design and Manufacturing of Grippers and Multi-fingered Hand	114
5.3.1 Fabrication of Four-fingered Gripper using Polymer AFPA	114
5.3.2 Fabrication of a Four-fingered Gripper using Nitrile rubber	

AFPA	114
5.3.3 Fabrication of a Miniature Three-fingered Soft Gripper	115
5.4 Design and Manufacturing of Multi-fingered Robotic Hand	115
5.4.1 Multi-fingered Hand with Silicone Rubber Glove	115
5.4.2 Manufacturing of Hand using Triangular Taper ABFPA	116
5.4.2.1 Palm and Arm made of Foam and Cardboard	116
5.4.2.2 Manufacturing of 10 DoF ABFPA Hand with Moulded FRP Palm and Arm	120
5.4.3 Manufacturing of 10 DoF Hand using Metallic ABFPA	121
5.4.4 Manufacturing of 5 DoF Hand using Nitrile Rubber ABFPA	123
5.5 Conclusion	123
Chapter 6 Results and Discussions	124
6.1 Weight Carrying Capacity	124
6.1.1 Three fingered Miniature Gripper	124
6.1.2(a) Four fingered Macro Gripper made of PVC actuators	125
6.1.2(b) Four fingered Macro Gripper made of Nitrile rubber Actuators	126
6.1.3(a) Multi fingered Hand made of semi-circular square corrugated ABFPAs with rubber glove	127
6.1.3(b) 10 DoF Multi fingered Hand made of Triangular Corrugated Tapered ABFPAs with both internal and external corrugations	128
6.1.3(c) 5 DoF Multi fingered hand made of Square Corrugated ABFPAs	131
6.1.4(d) Multi fingered Hand made of Nickel 200 ABFPAs	131
6.2 Static Bending Characteristics of AFPA	132
6.2.1 Bending Characteristics of Circular AFPA	132
6.2.2 Bending Characteristics of Square-Corrugated ABFPA	135
6.2.3 Bending characteristics of Semi-circular Corrugated ABFPA	137
6.2.4 Bending Characteristics of Triangular Corrugated Tapered ABFPA	138
6.3 Dynamic Characteristics of ABFPA	139
6.4 Comparison of Experimental, Simulation and FEM Results of Triangular corrugated taper ABFPA made of Nitrile rubber	141
6.5 Force generated by the Actuator	142
6.6 Bending Characteristics for semi-circular-corrugated ABFPA	143
6.6.1 Experimental results of the ABFPA	143
6.6.2 FEM solution for the ABFPA	143
6.7 Characteristics and Functionality of Multi-fingered Hand made of Rubber ABFPA	146
6.8 Conclusion	147
Chapter 7 Conclusions and Future Work	148
Appendix A Anti-Bourdon Tube Pressure Gauge	153
A.1 Motivation	153

A.2 Principle	154
A.3 Experimentation of Asymmetric Copper and Brass Tubes	155
A.4 Pressure Gauge based on Asymmetric Metallic Bellow (AMB)	157
A.4.1 Design of the AMB	157
A.4.2 Finite element analysis of the Asymmetric Metallic Bellow Actuator	158
A.4.3 Manufacturing of the ABT	160
A.4.4 Experimental Verification and Results	161
A.5 Alternative designs for the pressure sensing element in ABT	164
A.5.1 Different Configurations of ABT	165
A.6 Conclusion	166
Appendix B Numerical results for bending angle for ABFPA	168
Appendix C Matlab code to obtain stress-strain curve for nitrile rubber	171
List of Publications/Achievements as part of work	172
References	175