

LIST OF FIGURES

S.No	Title	Page no
Fig :1	Agr- Quorum sensing system	18
Fig :2	Study Protocol	44
Fig :3	Agr Duplex PCR – Agr type II and III	109
Fig :4	Duplex PCR Agr type I and IV	110

LIST OF PICTURES

S.No	Title	Page no
Picture :1	Strains stored at -20 ⁰ C in glycerol broth until revived for study	42
Picture :2	Strains revived in Muller Hinton agar for further analysis	43
Picture :3	Catalase test, Mannitol Motility test and Coagulase test	45
Picture :4	Detection of MRSA in 6 µg oxacillin screen agar	47
Picture :5	Detection of MRSA using 30µg cefoxitin disc	48
Picture :6	Detection of Vancomycin MIC using vancomycin E-strip	49
Picture :7	Screening of hVISA in Brain Heart Infusion agar containing 6 µg vancomycin	51
Picture: 8	PAP-AUC method- Colonies of Mu3 strain (10 ⁻⁶ dilution) on BHIA agar containing varying concentration of vancomycin	53
Picture: 9	Triton X – 100 induced lysis carried out in flat bottom microtitre plate	54
Picture : 10	Trypticase soft agar plate showing non – spreading intact and spreading colony	55
Picture : 11	Slime production demonstrated in 5% sucrose containing congo red agar	58
Picture : 12	Biofilm assay - Bacterial strains grown in flat bottom plate were washed in plate washer and stained with crystal violet (0.06%)	60

S.No	Title	Page no
Picture : 13	Hemagglutination carried out in round bottom microtitre plate using 1% O group RBC's	61
Picture : 14	Quantitative assay for DNase and hemolysins	63
Picture 15	Detection of high and low level mupirocin resistance by Minimum inhibitory concentration	65
Picture 16	hVISA strains showing mixed colony morphology small and large colony variants	83
Picture 17 a	TEM analysis – Mu50 strain (VISA) showing thick cellwall (Magnification- 25,000X)	90
Picture 17 b	TEM analysis – hVISA- RA 390 strain showing thick cellwall (Magnification- 25,000X)	91
Picture 17 c	TEM analysis – ATCC 25923 (VSSA) strain showing thick cellwall (Magnification- 25,000X)	92
Picture 17 d	TEM analysis – comparative analysis of cellwall thickness in Mu50 (VISA) /test strain(hVISA) / ATCC 25923 (VSSA)	93
Picture 18	Slime producing strain depicting black crystalline consistency in CRA	96
Picture 19	Hemagglutination produced by <i>S.aureus</i> with 1% O group RBC's	97
Picture 20	DNAase test carried out in DNAase agar Picture depicts zone of clearing around the bacterial spot inoculum	98
Picture : 21	Detection of hemolysis on 5% sheep blood agar	99

S.No	Title	Page no
Picture : 22	Microscopic view of the bacterial colony showing dispersed and intact margins	100
Picture: 23	Quantitation of hemolysin and DNAase (Zone of lysis and clearing around the well)	107
Picture 24	High and low level mupirocin resistance by MIC method	114
Picture: 25	Fusidic acid susceptibility for HLMR strains	115

LIST OF CHARTS

S.no	Title	Page no
Chart:1	Distribution of <i>S.aureus</i> isolates from various clinical samples	69
Chart :2	Prevalence of MRSA isolates from various clinical specimen	70
Chart :3	Distribution of MRSA within each clinical sample	71
Chart :4	Virulence factors of MRSA strains	73
Chart :5a -k	Population analysis profile of ATCC 25923, ATCC700699(Mu 3), ATCC 700698 (Mu50) and test strains (3 hVISA strains in each graph)	76-81
Chart :6	Prevalence of hVISA/VISA among total <i>S.aureus</i> strains	84
Chart :7	Prevalence of hVISA within each clinical samples	85
Chart :8a - h	Triton X 100 induced autolytic assay Absorbance represented as % of absorbance (OD _{600nm}).	86-89
Chart :9	Virulence factors of hVISA/VISA	95
Chart :10	Quantitative analysis of DNAase production- Figures represent no. of hVISA isolates and the different zone diameters (in mm) when tested using varying concentration of DNAase in culture filtrate	101

S.no	Title	Page no
Chart :11	Isolates with higher rate of DNAase synthesis secreted in the culture filtrate	102
Chart :12	Comparative analysis of DNAase detection methods Direct colony method and culture filtrate method	103
Chart :13	Quantitative analysis of hemolysin production- Figures represent no. of hVISA isolates and the different zone diameters (in mm) when tested using varying concentration of hemolysin in culture filtrate	104
Chart :14	Isolates with higher rate of hemolysin synthesis secreted in the culture filtrate	105
Chart :15	Comparative analysis of hemolysin detection methods Direct colony method and culture filtrate method	106
Chart :16	Antibiotic Resistance pattern of MRSA isolates	111
Chart :17	Antibiotic Resistance pattern of hVISA isolates	112
Chart :18	High and low level mupirocin resistance among MRSA and hVISA	113