

LIST OF FIGURE/GRAPHS

<i>Figure No.</i>	<i>Titles</i>	<i>Page No.</i>
Figure No. 1.1	Five year trends in overall Infant Mortality Rate and Neonatal Mortality Rate (per 1000 live births)	2
Figure No. 1.2	Causes of neonatal and child mortality in India	4
Figure No. 1.3	Improvement in numbers	6
Figure No. 1.4	Maternal Mortality Ratio	8
Figure No. 3.1	Schematic Representation of the Study	59
Figure No. 3.2	Conceptual Framework for Newborn Care	64
Figure No. 4.1	Age of the respondents	68
Figure No. 4.2	Literacy status	68
Figure No. 4.3	School going Status	69
Figure No. 4.4	Educational Status	70
Figure No. 4.5	Type of family	71
Figure No. 4.6	Religion	71
Figure No. 4.7	Caste/ Sub-caste	72
Figure No. 4.8	Monthly income of the Family	73
Figure No. 4.9	Type of House	73
Figure No. 4.10	Source of Drinking Water at Home	74
Figure No. 4.11	Latrine facility in House	75
Figure No. 4.12	Occupation	75
Figure No. 4.13	Source for Cooking Food	76
Figure No. 4.14	Age at Marriage	77
Figure No. 4.15	Pregnancy registered with the ANM, AWW, ASHA or other health provider	77
Figure No. 4.16	Pregnancy registration	78
Figure No. 4.17	Month of pregnancy registration	78
Figure No. 4.18	Registration card obtained	79
Figure No. 4.19	Receive antenatal care/check up during the pregnancy	79
Figure No. 4.20	Place of antenatal care	80

Figure No. 4.21	Number of times antenatal check up was received	80
Figure No. 4.22	Quantity of food intake increased during pregnancy	81
Figure No. 4.23	Period of increased food intake	81
Figure No. 4.24	Preparation for Delivery	82
Figure No. 4.25	TT injection administered	83
Figure No. 4.26	Month of pregnancy when TT vaccination was administered	83
Figure No. 4.27	Receive Iron Folic Acid or syrup	84
Figure No. 4.28	Supplementary nutrition received from Anganwadi center during this pregnancy	84
Figure No.4.29	Supplementary nutrition from Anganwadi center was regularly received	85
Figure No. 4.30	Consumption of the nutrition received from the Anganwadi center	85
Figure No. 4.31	Regular afternoon rest during the last three months of pregnancy	86
Figure No. 4.32	Place of Delivery	87
Figure No. 4.33	Assistance at the time of delivery	87
Figure No. 4.34	Instrument used to cut the Umbilical Cord Percent	88
Figure No. 4.35	Tie the cord	88
Figure No. 4.36	Surface used to cut the Umbilical cord	89
Figure No. 4.37	Ungent applied on the cord	89
Figure No. 4.38	Factors for choosing Hospital for Delivery	90
Figure No. 4.39	Mode of transport was used to go to the hospital	90
Figure No. 4.40	Escort to the Hospital	91
Figure No. 4.41	Payment of fee for services during delivery	91
Figure No. 4.42	Personnel who did the delivery	92
Figure No. 4.43	Type of delivery in hospital	92
Figure No. 4.44	Number of days stay in the hospital	93
Figure No. 4.45	Time taken to clothe the Neonatal	94
Figure No. 4.46	Bathe the baby on the day of birth	94

Figure No. 4.47	Bathing Frequency	95
Figure No. 4.48	Methods to keep the baby warm at home	95
Figure No. 4.49	Baby cry immediately after birth	96
Figure No. 4.50	Religious practices followed after child birth	96
Figure No. 4.51	Methods to clear the Airway	97
Figure No. 4.52	Breastfeeding begin time	97
Figure No. 4.53	Reasons for late initiation of breast feeding	98
Figure No. 4.54	Colostrum given to the baby	98
Figure No. 4.55	Bottle feed the baby	99
Figure No. 4.56	Reasons for bottle feeding the baby	99
Figure No. 4.57	Nutriments besides breast milk giving to the infant	100
Figure No. 4.58	Breast feed when you are ill	100
Figure No. 4.59	Polio vaccine at the time of birth	101
Figure No. 4.60	BCG vaccine given to the neonate	101
Figure No. 4.61	The child was treated when unwell	102
Figure No. 4.62	Home remedies given to the neonate in case of stomach ache	102
Figure No. 4.63	Home remedies to treat diarrhea	103
Figure No. 4.64	Home remedies to treat cold and cough	103
Figure No. 4.65	Infant given massages	104
Figure No. 4.66	Lubricants used to massage the infant	104
Figure No. 4.67	Frequency of massage	105
Figure No. 4.68	Methods to clean the airway for normal breathing of the neonate	106
Figure No. 4.69	Breastfeeding begin time	106
Figure No. 4.70	Advantages of giving colostrums to the baby	107
Figure No. 4.71	No. of months baby should be breast fed only	108
Figure No. 4.72	Reasons for feeding the infant in illness	108
Figure No. 4.73	Signs when the baby is seriously ill	109
Figure No. 4.74	Danger signs	110
Figure No. 4.75	Advantages of massage	110

Figure No. 4.76	Mothers know by themselves how to breast feed their child, so counseling is not required	111
Figure No. 4.77	For the first 6 months of life baby should not be given water, “JanamGhhuti,” honey or any other milk except breast milk	112
Figure No. 4.78	Immunizing the child is important as this will save the child from many diseases	112
Figure No. 4.79	Breast milk provides nourishment to the newborn	113
Figure No. 4.80	Wash hands thoroughly with soap and water before handing the newborn	113
Figure No. 4.81	Breast feeding helps in forming an emotional bond between the mother and the newborn	114
Figure No. 4.82	Massaging with oil before bath helps to keep the newborn skin healthy and improves blood circulation	115
Figure No. 4.83	Child should always be taken to a big hospital if he/she falls sick	115
Figure No. 4.84	The newborn should be immunized during the first week of life with BCG,OPV, and hepatitis B	116
Figure No. 4.85	Children get loose motions due to effect of evil eye	116
Figure No. 4.86	Colostrum is harmful to the newborn	117
Figure No. 4.87	The newborn should be bathed immediately after birth	117
Figure No. 4.88	The practice of applying kajal to the newborn eyes is good	118
Figure No. 4.89	Newborn should not be dressed with soft and cleaned clothes	118
Figure No. 4.90	Breast milk is not best food for newborn	119
Figure No. 4.91	A baby less than 2.5 kg will definitely gain weight and so needs no special care	119