

- Abdel-Hamid, H.F. (2003) Molluscicidal and *in-vitro* schistosomicidal activities of the latex and some extracts of some plants belonging to Euphorbiaceae. J. Egypt. Soc. Parasitol. 33(3): 947-954.
- *Aboin, A.N. (1946) L'organe interrenal des cyclostomes et des poissons. Port. Acta. Biol. Ser. A, 1: 353-383.
- Ada S.E., Al- yahya, M.A., Al- Farhan, A.H. (2001) Acute toxicity of various oral doses of dried *Nerium oleander* leaves in sheep. Am. J. Chin. Med. 29: 525-532.
- Adeyemo, O.K., (2008). Histological alterations observed in the gills and ovaries of *Clarias gariepinus* exposed to environmentally relevant lead concentrations. J. Environ. Health, 70: 48-51.
- Ahmad, M.K., Sharma, D.K., Ansari, S. and Ansari, B .A. (2012) Effect of lambda-cyhlathrin and neemgold on some biochemical parameters in the gill, liver and ovary of zebrafish, *Danio rerio* (Cyprinidae). Arch. Pol. Fish. 20: 19-25.
- Ahmad, N. and Swarup, K. (1979) Corpuscles of Stannius of *Mystus vittatus* in relation to calcium and sodium rich environments. Arch. Biol. 90: 1-22.
- Ahmad, N. and Swarup, K. (1987) Behaviour of prolactin cells in response to experimental hypercalcemia in a freshwater catfish, *Mystus vittatus* (Bloch). Nat. Acad. Sci. Letters 10: 357-359.
- Ahmad, N. and Swarup, K. (1988) Seasonal changes in the functional morphology of the ultimobranchial body in relation to the reproductive cycle and changes in serum calcium level of a freshwater female catfish, *Mystus vittatus* (Bloch). Proc. Natl. Acad. Sci. 58: 359-363.
- Ahmad, M.F., Alim, A., Sen, N.S., Lakra, G., Mishra, K.P., Raza, B., Chakarborty, B., Rao, N.V.A. and Bonga, S.E.W. (2002) Electron microscopic studies of the corpuscles of Stannius of an airbreathing teleost (*Heteropneustes fossilis*). J. Biosci. 27: 509-513.
- Aida, K., Nishioka, R.S. and Bern, H.A. (1980 a) Changes in the corpuscles of Stannius of coho salmon (*Oncorhynchus kisitch*) during smoltification and seawater adaptation. Gen. Comp. Endocrinol. 41: 296-304.
- Aida, K., Nishioka, R.S. and Bern, H.A. (1980 b) Degranulation of the Stannius corpuscles of coho salmon (*Oncorhynchus kisitch*) in response to ionic changes *in vitro*. Gen. Comp. Endocrinol. 41: 305-313.
- Akram, M., Hafeez, M.A. and Nabi, G. (1999) Histopathological changes in the kidney of a freshwater cyprinid fish, *Barilius vagra*, following exposure to cadmium. Pakistan J. Zool. 31: 77-80.
- Alard, F., S. Freets and E.T.L. Triest (1991) Toxicity 'D' *Ambrosia maritime* L. Plant molluscicides, sur less organisme aquatiques Non-cibles. Toxicon. 29: 745-750.

- Aler, G.M., Bage, G. and Fernholm, B. (1971) On the existence of prolactin in cyclostomes. *Gen. Comp. Endocrinol.* 16: 498-503.
- Aslani M.R., Movassaghi, A.R., Mohri, M., Abbasian, A., Zarehpour, M. (2004) Clinacal and pathological aspects of experimental oleander (*Nerium oleander*) toxicosis in sheep. *Vet. Res. Common.* 28: 609-616.
- APHA, AWWA and WPCF (1998) Standard methods for the examination of water and wastewater. 15th edition, APHA, Washington, DC.
- Ball, J.N. and Baker, B.I. (1969) The pituitary gland. Anatomy and histopathology. In "Fish Physiology", vol. II (Hoar, W.S. and Randall, D.J., eds.), pp. 1-110, Academic Press, New York and London.
- *Ball, J.N. and Olivereau, M. (1964) Role de la prolactine dans la survie en eau douce de *Poecilia latipinna* hypophysectomise et arguments en faveur de sa synthese peer les cellules erythrosinophiles et a de l'hypophyse des teleosteens. *C.R. Acad. Sci. (Paris)* 259: 1443-1446.
- Ball, J.N. and Pickford, G.E. (1964) Pituitary cytology and freshwater adaptation in the killifish, *Fundulus heteroclitus*. *Anat. Rec.* 148: 358.
- Ballesteros, M.L., Durando, P.E., Nores, M.I., Diaz, M.P., Bistoni, M.A., Wunderlin, D.A. (2009) Endosulfan induces change in spontaneous swimming activity and acetylcholinesterase activity of *Jenynsia multidentata* (Anabelpidae, Cyprinodontiformes), *Environ. Pollut.* 157: 1537-1580.
- Bani, S., Suri, K.A., Suri, O.P., Sharma, O.P. (1998) Analgesic and antipyretic propertirs of *Euphorbia royleana* latex. *Phytotherapy research.* 11(8): 597-599.
- Bano, Y. (1982) Effect of aldrin on serum and liver constituents of freshwater catfish *Clarias batrachus* (L.). *Proc. Ind. Acad. Sci. (Anim. Sci.)* 91: 27-32.
- Bansal, S.K., Verma, S.R., Gupta, A.K. and Dalela, R.C. (1979) Physiological dysfunction of the haemopoietic system in a frshwater teleost *Labeo rohita* following chronic chlordane exposure.I. Alteration in certain hematological parameters. *Bull. Environ. Contam. Toxicol.* 22: 666-673.
- Barbosa, R.R., Fontenele-Neto, J.D., Soto-Blanco, B. (2007) Toxicity in goats caused by oleander (*Nerium oleander*). *Res Vet Sci* (DOI: 10.1016/J.rvsc.2007.10.004)
- *Barr, W.A. (1968) Patterns of ovarian activity. In "Perspectives in Endocrinology", (Barrington, E.J.W. and Jorgensons, C.B., eds.), pp. 164-238, Academic Press, New York and London.
- Basak, S.K., Bakshi P.K., Basu, S., Basak, s. (2009) Keratouveitis caused by *Euphorbia* plant sap. *Indian J. Ophthalmol.* 57(4): 311-313.
- *Bauchot, R. (1953) Anatomie comparee des corpuscules de Stannius chez les Teleosteens. *Arch. Zool. Exptl. Gen.* 89: 147-169.

- Begum, G., Vijayaraghavan, S. (1996) Alteration in protein metabolism of muscles tissue in fish *Clarias batrachus* (Linn) by commercial grade dimethoate, Bull. Environ. Contam. Toxicol. 57: 223-228.
- Begum, G., Vijayaraghavan, S. (2001) Carbofuran toxicity on total lipids and free fatty acids in air breathing fish during exposure and cessation of exposure in vivo. Environ. Monit. Asses 70: 233-239.
- Belsare, D.K. (1974) Histomorphology of ultimobranchial gland in *Heteropneustes fossilis* (Bloch). Mikroskopie 30: 31-33.
- Belsare, D.K. (1973 a) Histogenesis of the interrenal corpuscles, the chromaffin tissue and the corpuscles of Stannius in *Channa punctatus* (Bloch) (Actinopterygii, Percomorphi). La. Cellule. 6: 343-349.
- Belsare, D.K. (1973 b) Comparative anatomy and histology of the corpuscles of Stannius in teleosts. Z. Mikrosk-anat. Forsch. 87: 445-456.
- Bengeri, K.V., Shivraj, K.M. and Patil, H.S. (1984) Toxicity of dimethylparathion to freshwater fish *Labeo rohita* and oxygen uptake rate of exposed fish. Environ. Ecol. 2: 1-4.
- Bhattacharya, T.K., Butler, D.G. and Youson, J.H. (1982) Ultrastructure of the corpuscles of Stannius in the gar pike (*Lepisosteus platyrhynchus*). Gen. Comp. Endocrinol. 46: 29-42.
- Bhattacharya, T.K. and Butler, D.G. (1978) Fine structure of the corpuscles of Stannius in the toadfish. J. Morphol. 155: 271-286.
- Biddulph, D.M. and Maibenco, H.C. (1972) Response of hamster thyroid light cells to plasma calcium. Anat. Rec. 173: 25-43.
- Bjornsson, B.Th., Haux, C., Bern, H.A. and Deftos, L.J. (1989) 17β -estradiol increases plasma calcitonin levels in salmonid fish. Endocrinology 125: 1754-1760.
- Bjornsson, B.Th., Haux, C., Forlin, L. and Deftos, L.J. (1986) The involvement of calcitonin in the reproductive physiology of the rainbow trout. J. Endocrinol. 108: 17-23.
- Blum, L.M. And Rieders, F. (1987) Oleandrin distribution in a fatality from rectal and oral *Nerium oleander* extract administration. J. Anal Toxicol. 11(5): 219-221.
- *Bobin, G. (1949) Images histocytologiques des Corpuscules de l'anguille europeenne. Arch. Zool. Exptl. Gen. 86:1-7.
- Bradbury, S.P., Coats, J.R. and McKim, J.M. (1985) Differential toxicity and uptake of two fenvalerate formulations in fathead minnows (*Pimephales promelas*). Environ. Toxicol. Chem. 4: 533-541.
- Bradbury, S.P., McKim, J.M. and Coats, J.R. (1987 a) Physiological response of rainbow trout (*Salmo gairdneri*) to acute fenvalerate intoxication. Pestic. Biochem. Physiol. 27: 275-288.

- Bradbury, S.P., Symonik, D.M., Coats, J.R. and Atchinson, G.J. (1987 b) Toxicity of fenvalerate and its constituent isomers to the fathead minnow (*Pimephales promelas*) and bluegill (*Lepomis macrochirus*). Bull. Environ. Contam. Toxicol. 38: 727-735.
- Bretschneider, L.H. and Duyvene de Wit, J.J. (1947) Sexual endocrinology of non-mammalian vertebrates. Monog. Prog. Res. Holland, Elsevier, Amsterdam.
- Butler, D.G. (1969). Corpuscles of Stannius and renal physiology in the eel (*Anguilla rostrata*). J. Fish. Res. Bd. Canada 26: 639-654.
- Butler, D.G. (1999). Osmoregulation in North American eels (*Anguilla rostrata* LeSueur) on land and in freshwater: effects of the corpuscles of Stannius. J. Comp. Physiol. 169B: 139-147.
- Cagauan, A.G (2004) Evaluation of botanical pestiides on Nile tilapia *Oreochromis niloticus* L. and Mosquiti fish *Gambusia affinis* baird and girard. Proceeding of ISTA, 12-16 september, Manila, Phillipines 179-187.
- *Camp, W.E. (1917) The development of suprapericardial (postbranchial ultimobranchial) body in *Squalus acanthias*. J. Morphol. 28: 369-415.
- Camargo, M.M.P., & Martinez, C.B.R., (2007). Histopathology of gills, kidney and liver of a neotropical fish caged in an urban stream. *Neotropical Ichthyology*, 5: 327-336.
- Candiotti, J.V., Natale, S.G., Soloneski, S., Ronco, A.E., Larramendy, M.L. (2010) Sublethal and lethal effects on *Rhinella Arenarum* (Anura, Bufonidae) tadpoles exerted by the pirimicarb-containing formulation insecticide Aficida, Chemosphere 78: 249-255.
- Carpenter, S.J. and Heyl, H.L. (1974) Fine structure of the corpuscles of Stannius of the Atlantic salmon during the freshwater spawning journey. Gen. Comp. Endocrinol. 23: 212-223.
- Cengiz, E.I., (2006). Gill and kidney Histopathology in the freshwater fish *Cyprinus carpio* after acute exposure to deltamethrin. Environ. Toxicol. and Pharmacol. 22: 200-204.
- Cengiz EI, Unlu E (2002) Histopathological changes in the gills of mosquitofish *Gambusia affinis* exposed to Endosulfan. Bull. Environ. Contam. Toxicol. 68: 290-296.
- Cengiz EI, Unlu E (2003) Histopathology of gills in mosquitofish *Gambusia affinis* after long-term exposure to sublethal concentration of malathion. J. Environ. Sci. Health B 38: 581-589.
- Chaisuksant, Y., Yu, Q. and Connell, D.E. (1998) Effects of halobenzenes on growth rate of fish (*Gambusia affinis*). Ecotoxicol. Environ. Saf. 39: 120-130.
- Chan, D.K.O., Rankin, J.C. and Chester Jones, I. (1969) Influence of the adrenal cortex and the corpuscles of Stannius on osmoregulation in

- the European eel, *Anguilla anguilla* L. adapted to freshwater. Gen. Comp. Endocrinol. (Suppl.) 2: 353.
- Chan, D.K.O. and Chester Jones, I. (1968) Regulation and distribution of plasma calcium and inorganic phosphate in the European eel (*Anguilla anguilla* L.). J. Endocrinol. 32: 109-117.
- Chan, D.K.O., Chester Jones, I., Henderson, I.W. and Rankin, J.C. (1967) Studies on the experimental alteration of water and electrolyte composition of the eel, *Anguilla anguilla* L. J. Endocrinol. 37: 297-317.
- Chan, D.K.O. (1970) Endocrine regulation of calcium and inorganic phosphate balance in freshwater adapted teleost fish, *Anguilla anguilla* and *A. japonica*. Proc. 3rd Intern. Congr. Endocrinol, Mexico city, 1968. Excerpta Medica Foundation, Amsterdam. Intern. Congr. Series 184: 709-716.
- Chan, D.K.O. (1972) Hormonal regulation of calcium balance in teleost fish. Gen. Comp. Endocrinol. 3: 411-420.
- Chan, D.K.O., Chester Jones, I. and Smith, R.N. (1968 a) The effect of mammalian calcitonin on the plasma levels of calcium and inorganic phosphate in the European eel (*Anguilla anguilla*). Gen. Comp. Endocrinol. 11: 243-245.
- Chan, D.K.O., Chester Jones, I. and Moseley, W. (1968 b) Pituitary and adrenocortical factor in the control of the water and electrolyte composition of the freshwater European eel (*Anguilla anguilla* L.). J. Endocrinol. 42: 91-98.
- *Chartier, M.M. (1973) Presence et thermostabilite de proteines liant le calcium dans les mugeuses intestinales et branchiales de divers teleosteens. C.R. Acad. Sci. (Paris) Ser. D 275: 785-788.
- *Chartier, M.M. (1974) Osmoregulation et proteine liant le calcium (CaBP) des mugeuses intestinales et branchiales de la truite arc-ch-ciel, *Salmo gairdneri*. C.R. Acad. Sci. (Paris) Ser. D 279: 927-930.
- Chatterjee, S., Dutta, A.B. and Ghosh, R. (1997) Impact of carbofuran in the oocyte maturation of catfish, *Heteropneustes fossilis* (Bloch). Arch. Environ. Contam. Toxicol. 32: 426-430.
- Chester Jones, I. and Henderson, I.W. (1965) Electrolyte changes in the European eel, *Anguilla anguilla* L. J. Endocrinol. 32: 3-4.
- Chester Jones, I., Henderson, I.W. and Butler, D.G. (1965) Water and electrolyte flux in European eel, *Anguilla anguilla* L. Arch. Anat. Microsc. Morph. Exp. 54: 453-470.
- Chester Jones, I., Henderson, I.W., Chan, D.K.O., Rankin, J.C., Mosley, W., Brown, J.J., Lever, A.F., Robertson, J.I.S. and Tree, M. (1966) Pressor activity in extracts in extracts of the corpuscles of Stannius from the European eel, *Anguilla anguilla* L. J. Endocrinol. 34: 393-408.
- Chopra, R.N., Chopra I.C., Honda, L.K. and Kapoor, L.D. (1958) Chopra's indigenous drugs of India. U.N. Dhar and Sons Pvt. Calcutta. 816pp.

- Clark, W.C. and Bern, H.A. (1980) Comparative endocrinology of prolactin. In "Hormonal Proteins and Peptides", vol. 8 (Li, C.H., ed.), pp. 105-197, Academic Press, New York.
- Cohen, R.S., Pang, P.K.T. and Clark, N.B. (1975) Ultrastructure of the Stannius corpuscles of the killifish, *Fundulus heteroclitus* and its relation to calcium regulation. *Gen. Comp. Endocrinol.* 27: 414-423.
- Colvin, H.J. and Phillips, A.T. (1968) Inhibition of electron transport enzymes and cholinesterase by endrin. *Bull. Environ. Contam. Toxicol.* 3: 106-115.
- Copp, D.H. (1969) The ultimobranchial glands and calcium regulation. In "Fish Physiology", vol. II (Hoar, W.S. and Randall, D.J., eds.), pp. 377-398, Academic Press, New York and London.
- Copp, D.H., Cockroft, D.W. and Kueh, Y. (1967) Calcitonin from ultimobranchial glands of dogfish and chicken. *Science* 158: 924-925.
- Copp, D.H., Cockroft, D.W., Kueh, Y. and Melville, M. (1968) Calcitonin-ultimobranchial hormone. In "Calcitonin", (Taylor, S., ed.), pp. 306-321, Springer-Verlag, New York.
- Dacke, C.G. (1979) Calcium Regulation in Submammalian Vertebrates, pp. 222, Academic Press, New York and London.
- Dalela, R.C., Rani, S., Kumar, V. and Verma, S.R. (1981) *In vivo* hematological alteration in a freshwater teleost *Mystus vittatus* following subacute exposure to pesticides and their combination. *J. Environ. Biol.* 2: 79.
- de Smet, D. (1962) Considerations on the Stannius corpuscles and interrenal tissue of bony fishes, especially based on researches into *Amia*. *Acta Zool. (Stockh.)* 43: 201-219.
- Dharmamba, M. and Maetz, J. (1972) Effects of hypophysectomy and prolactin on the sodium balance of *Tilapia mossambica* in freshwater. *Gen. Comp. Endocrinol.*, 19: 175-183.
- Dharmamba, M. and Nishioka, R.S. (1968) Response of prolactin secreting cells of *Tilapia mossambica* to environmental salinity. *Gen. Comp. Endocrinol.* 10: 409-420.
- *Diamare, V. (1953) Ricerche isotofisologiche e morfologiche e annotazioni storiche e critiche. *Atti. Acad. Della Sci. Fish e Mat. Napoli* 3:1-69.
- Dorval, J., Hontela, A., (2003) Role of glutathione redox cycle and catalase in defence against oxidative stress induced by endosulfan in adrenocortical cells of rainbow trout (*Oncorhynchus mykiss*), *Toxicol. Appl. Pharmacol* 192: 191-200.
- Dubey, N.K., Shukla, R., Kumar, A., Singh, P. and Prakash, B. (2010) Prospects of botanical pesticides in sustainable agriculture. *Current Sci.* 98: 479-480.

- Edwards, R.P., Millburn, P. and Huston, D.H. (1985) Comparative toxicity of cis-cypermethrin in rainbow trout, frog, mouse and quail. *Toxicol. Appl. Pharmacol.* 84: 512-522.
- *Eggert, B. (1938) Der ultimobranchial korper der knochenfische. *Z.Zell. Mikr. Anat.* 27: 754-763.
- *Eisler, R. (1967) U.S. Bur. Sport Fish. Wildl. Tech. Paper 17, pp 15. In "Pesticides and Ecology", (Edwards, R.P., ed.), pp. 213-251.
- El-Sayed, Y.S., & Saad, T.T., (2007). Subacute intoxication of a deltamethrin-based preparation (Butox 5% EC) in monosex Nile tilapia, *Oreochromis niloticus* L.. *Basic Clinical Pharmacology and Toxicology*, 102: 293-299.
- El-Shazly, M.M., Nassar, M.I., el-Sherief, H.A., (1996) Toxic effect of ethanolic extract of *Nerium oleander* (Apocynaceae) leaves against different developmental stages of *Muscina stabulans* (Diptera-Muscidae). *J. Egypt. Soc. Parasitol* 26: 461-473.
- Emmart, E.W. (1969) The localization of endogenous "prolactin" in the pituitary gland of the goldfish, *Carassius auratus* L. *Gen. Comp. Endocrinol.* 12: 519-525.
- Engelhardt, F.R., Wong, M.P. and Duey, M.E. (1981) Hydromineral balance and gill morphology in rainbow trout *Salmo gairdneri* acclimated to fresh and seawater, as effected by petroleum exposure. *Aquat. Toxicol.* 1: 175-186.
- Erkman, M.C., Yerli, S.V. (2000) Histopathological effects of cyphenothrin on the gills of *Labistes reticulatus*. *Vet. Hum. Toxicol.* 42:5-7.
- Fanta E, Rios FS, Romao S, Vianna ACC, Freiburger S (2003) Histopathology of the fish *Carydoras paleatus* contaminated with sub lethal levels of organophosphorus in water and food. *Ecotoxicol Environ Safe* 54: 119-130.
- Fargher, R.C. and McKeown, B.A. (1989) The effect of prolactin on calcium homeostasis on coho salmon (*Oncorhynchus kisutch*). *Gen. Comp. Endocrinol.* 73: 398-403.
- Fenwick, J.C. (1978) Role of the ultimobranchial body and the corpuscles of Stannius in the regulation of calcium in the eel. In "Comparative Endocrinology", (Gaillard, P.J. and Boer, H.H., eds.), pp. 255-258, Elsevier/North Holland, Amsterdam.
- Fenwick, J.C. (1974) The corpuscles of Stannius and calcium regulation in the North American eel (*Anguilla rostrata* LeSueur). *Gen. Comp. Endocrinol.* 23: 127-135.
- Fenwick, J.C. (1976) Effect of Stanniectomy on calcium activated adenosine triphosphatase activity in the gills of freshwater adapted north American eel, *Anguilla rostrata* LeSueur. *Gen. Comp. Endocrinol.* 29: 383-387.

- Fenwick, J.C. and Forster, M.E. (1972) Effects of stanniectomy and hypophysectomy on total plasma cortisol levels in the eel (*Anguilla anguilla* L.). Gen. Comp. Endocrinol. 19: 184-191.
- Fenwick, J.C. and Gilles Brasseur, J. (1991) Effects of stanniectomy and experimental hypercalcemia on plasma calcium levels and calcium influx in American eels, *Anguilla rostrata* LeSueur. Gen. Comp. Endocrinol. 82: 459-465.
- Fenwick, J.C. and Lam, T.J. (1988) Effects of calcitonin on plasma calcium and phosphate in the mud skipper, *Periophthalmodon schlosseri* (Teleostei), in water and during exposure to air. Gen. Comp. Endocrinol. 70: 224-230.
- Firoz, A.M., Bharti, A.K. and Kumar, K. (1985) Histophysiological study of the corpuscles of Stannius of *Silondia silondia* (Hamilton). Bolm. Fisiol. Animal. 9: 71-74.
- Flik, G., Fenwick, J.C., Kolar, Z., Mayer-Gostan, N. and Wendelaar Bonga, S.E. (1986 b) Effects of ovine prolactin on calcium uptake and distribution in the freshwater cichlid teleost fish, *Oreochromis mossambicus*. Am. J. Physiol. 250: 161-166.
- Flik, G., Fenwick, J.C. and Wendelaar Bonga, S.E. (1989 a) Calcitropic actions of prolactin in freshwater North American eel (*Anguilla rostrata* Le Sueur). Am. J. Physiol. 257: R74-R79.
- Flik, G., Labedz, T., Lafeber, F.P.J.G., Wendelaar Bonga, S.E. and Pang, P.K.T. (1989 c) Studies of teleost corpuscles of Stannius: Physiological and biomedical aspects of synthesis and release of hypocalcin in trout, goldfish and eel. Fish Physiol. Biochem. 7: 343-349.
- Flik, G., Rentier-Delrue, F. and Wendelaar Bonga, S.E. (1994) Calcitropic effects of recombinant prolactins in *Oreochromis mossambicus*. Am. J. Physiol. 266: 1302-1308.
- Flik, G., Van der Velden, J.A., Seegers, H.C.M., Kolar, Z. and Wendelaar Bonga, S.E. (1989 b) Prolactin cell activity and sodium fluxes in tilapia (*Oreochromis mossambicus*) after long term acclimation to acid water. Gen. Comp. Endocrinol. 75: 39-45.
- Follenius, E., Doerr-Schott, J. and Dubois, M.P. (1978) Immunocytology of pituitary cells from teleost fishes. Int. Rev. Cytol. 54: 193-223.
- *Follenius, E. and Porte, A. (1961) Structure fine de l'hypophyse de deux teleosteens *Lebistes reticulatus* R. et *Perca fluviatilis*. Bull. Soc. Zool. Francw 86: 295.
- Fontaine, M. (1956) The hormonal control of water and salt electrolyte metabolism in fish. Mem. Soc. Endocrinol. 5: 69-81.
- Fontaine, M. (1964) Corpuscles de Stannius et regulation ionique (Ca,K,Na) du milieu interieur de l'anguille (*Anguilla anguilla* L.). C.R. Acad. Sci. 259: 875-878.

- *Fontaine, M. (1967) Intervention des corpuscles de Stannius dans l'équilibre phosphocalcique du milieu intérieur d'un poisson téléostéen, L'anguille. C.R. Acad. Sci. Paris 264: 736-737.
- Fontaine, M. and Olivereau, M. (1975) Some aspects of the organization and evolution of the vertebrate pituitary. Am. Zool. 15 (Suppl.): 61-79.
- Ford, P. (1959) Some observations on the corpuscles of Stannius. In "Comparative Endocrinology", (Gorbman, A., ed.), pp. 728-734. Wiley, New York.
- Fouchereau-Peron, M., Arlot-Bonnemains, Y., Maubras, L., Milhaud, G. and Moukhtar, M.S. (1990) Calcitonin variations in male and female trout, *Salmo gairdneri* during the annual cycle. Gen. Comp. Endocrinol. 78: 159-163.
- Fouchereau-Peron, M., Arlot-Bonnemains, Y., Moukhtar, M.S. and Milhaud, G. (1987) Calcitonin induces hypercalcemia in grey mullet and immature freshwater and seawater adapted rainbow trout. Comp. Biochem. Physiol. 87A: 1051-1053.
- Frohne, P., and Fander, J., (1983) A color atlas of poisonous plants. A wolf science book, London.
- Fu, H. (1989) Hormonal responses of fish to cadmium. Ph.D. Thesis, University of Nijmegen, The Netherlands.
- Fujita, H. and Honma, Y. (1967) On the fine structure of the corpuscles of Stannius of the eel, *Anguilla japonica*. Z. Zelforsch. 77: 175-187.
- Galli-Gallardo, S.M., Marusic, E.T. and Pang, P.K.T. (1977) Studies on the Stannius corpuscles of the Chilean clingfish, *Sicyopterus japonicus*. Gen. Comp. Endocrinol. 32: 316-320.
- Garrett, F.D. (1942) The development and phylogeny of the corpuscles of Stannius in ganoid and teleostean fishes. J. Morphol. 70: 41-68.
- *Giacomini, E. (1910) Sistema interrenale e il sistema cromaffine (sistema feocromo) in alcune specie di teleostei con rene cefalico (pronephros) persistente, caratteri differenziali fra interrenale anteriore e corpuscoli di Stannius. Conno Sullo sviluppo di questi organi nei Salmonidi. Rendic. Acad. Sci. Inst. Bologna, New Series 14: 86-103.
- Giacomini, E. (1933) Il sistema interrenale e il sistema cromaffine (sistema feocromo) e i corpuscoli di Stannius dei ganoidi, Rend. Accad. Sci. 1st Bologna. Cl. Sci. Fis., 37: 106-127.
- Giari, L., Simoni, E., Monera, M., & Dezfuli, B. S., (2008). Histo-cytological responses of *Dicentrarchus labrax* (L.) following mercury exposure. *Ecotoxicology and Environmental Safety*, 70: 400-410.
- Gill, T.S. and Punetha, J.C. (1977) Studies on a hill-stream fish, *Pseudoecheneis sulcatus* (Mc Clelland). II. Histocytology of the corpuscles of Stannius. Z. Mikrosk.-anat. Forsch. 90: 651-656.

- Gill, T.S. and Punetha, J.C. (1978) Corpuscles of Stannius in a hill stream teleost *Glyptothorax pectinopterus* (McClelland). *Z. Mikrosk. Anat. Forsc.* 92: 312-316.
- Gill, T.S., Pande, J. and Tewari, H. (1991) Effects of endosulfan on the blood and organ chemistry of freshwater fish *Barbus conchoni* (Ham.). *Ecotoxicol Environ. Safe.* 21: 80-91.
- Gill, T.S., Pant, S.C. and Pant, J. (1988) Gill, liver and kidney lesions associated with experimental exposure to carbaryl and dimethoate in the fish (*Puntius conchoni* Ham.). *Bull. Environ. Contam. Toxicol.* 41: 71-78.
- Girgis, S.I., Galan Galan, F., Arnett, T.R., Rogers, R.M., Bone, Q., Ravazzole, M. and MacIntyre, I. (1980) Immunoreactive human calcitonin-like molecule in the nervous systems of protochordates and cyclostomes, Myxine. *J. Endocrinol.* 87: 375-382.
- Gittes, R.F., Toverud, S.V. and Cooper, C.W. (1968) Effects of hypercalcemia and hypocalcemia on the thyrocalcitonin content of rat thyroid glands. *Endocrinology* 82: 83-90.
- Glickman, A.H., Hamid, A.A.R., Rickert, D.E. and Lech, J.J. (1981) Elimination and metabolism of permethrin isomers in rainbow trout. *Toxicol. Appl. Pharmacol.* 57: 88-98.
- Glover, C.N., Petri, D., Tollefsen, K.-E., Jorum, N., Handy, R.D., Berntsen, M.H.G. (2007) Assessing the sensitivity of Atlantic salmon (*Salmo salar*) to dietary endosulfan exposure using tissue biochemistry and histology, *Aquat. Toxicol.* 84: 346-355.
- Goel, K.A. and Garg, V. (1977) Histopathological changes produced in the liver and kidney of *Channa punctatus* after chronic exposure to 2,3,4 triaminobenzene. *Bull. Environ. Contam. Toxicol.* 25: 124-128.
- Goktas, O., Mammadov, R., Duru, M.E., Ozen, E., Colak A.M. (2007) Application of extracts from the poisonous plant, *Nerium oleander* L. as a wood preservative. *African J. Biotech.* 6: 2000-2003.
- Gopalsamy, N., Guheo, H., Owdally, R. and Hostettaman, K. (1990) Molluscicidal saponins of *polysacias dechrostachya*. *Phytochemistry* 29: 793-795.
- Grant, W.C. and Cooper, G. (1965) IV. Behavioural and integumentary changes associated with induced metamorphosis in *Diemictylus*. *Biol. Bull.* 129: 510-522.
- Grant, W.C. and Grant, J.A. (1958) Water drive studies on hypophysectomized effects of *Diemictylus viridescens*. I. The role of the lactogenic hormone. *Biol. Bull.* 114: 1-9.
- Grau, E.G. and Helms, L.M.H. (1989) The tilapia prolactin cell. A model for stimulus-secretion coupling. *Fish Physiol. Biochem.* 7: 11-19.

- Grau, E.G. and Helms, L.M.H. (1990) In "Progress in Comparative Endocrinology", (Epple, A., Seames, C.G. and Stetson, M.H., eds.), pp.534, Wiley-Liss, New York.
- *Greil, A. (1905) Uber die anlage lungen sowie der ultimobranchialen (postbranchialen, supraperikardialen) korper bei anuren amphibien. Anat. Hefts Arb. Anat. Inst. Wiesbaden 29: 453-506.
- Gupta, O.P. and Shrivastava, R.K. (1971) Studies on the location, anatomy and histology of the endocrine glands of *Xenotodon cancila* (Ham.). Okajimas Folia Anat. Jap. 48: 189-203.
- *Guttman, St., Plesa, J., Hughenin, R.L., Sandrin, E., Bossert, H. and Zehnder, K. (1969) Synthese von salm-calcitonin, einem hochaktiven hypocalcamischen hormone. Helv. Chim. Acta 52: 1789-1795.
- Guyton, A.C. (1991) Text book of medical physiology, eight ed. W.B. Saunders and Company, Harcourt Brace Jovanovich, Inc.
- Haeba , M.H., Mohamed, A.I., Mehdi, A.W., Nair, G.A. (2002) Toxicity of *Nerium oleander* leaf extract in mice. J. Environ. Biol. 23: 231-237.
- Hanke, W. and Chester Jones, I. (1966) Histological and histochemical studies on the adrenal cortex and the corpuscles of Stannius of the European eel (*Anguilla anguilla* L.). Gen. Comp. Endocrinol. 7: 166-178.
- Hanssen, R.G.J.M., Lafeber, F.P.J.G., Flik, G. and Wendelaar Bonga, S.E (1989) Ionic and total calcium levels in the blood of European eel (*Anguilla anguilla*): effects of stanniectomy and hypocalcin replacement therapy. J. Exp. Biol. 141: 177-186.
- Hanssen, R.G.J.M., Aarden, E.M., Van der Venne, W.P.H.G., Pang, P.K.T. and Wendelaar Bonga, S.E. (1991) Regulation of secretion of the teleost fish hormone stanniocalcin: effects of extracellular calcium. Gen. Comp. Endocrinol. 84: 155-163.
- Hardin, J.W., and Arena, J.M. (1974) Human poisoning from native and cultivated plants, 2nd ed. Kingsport, Tennessee, Duke University Press.
- Hasan, N., Das, S., Srivastav Ajai K. and Swarup, K. (1987) Phosphocalcic response of Stannius corpuscles extract in the freshwater snake, *Natrix piscator*. Zool. Sci. 4: 391-344.
- Haux, C. (1979) Effects of DDT on blood plasma electrolytes in the flounder *Platichthys flesus* L. in hypotonic brackish water. AMBIO 8: 171-173.
- Haux, C. and Larsson, A. (1984) Long term sublethal physiological effects on rainbow trout, *Salmo gairdneri*, during exposure to cadmium and after subsequent recovery. Aquat. Toxicol. 5: 129-142.
- Hayes, M.E., Batten, T.F.C., Ingleton, P.M., Guiland Cumming, D., Henderson, I.W., Moseley, W. and Russell, R.G.G. (1984) Endocrine responses to changes in environmental calcium in rainbow trout, *Salmo gairdneri*. Gen. Comp. Endocrinol. 53: 495.

- Haynes, B.E., Bessen, H.A. and Wightman, W.D. (1985) Oleander tea: herbal draught of death. *Ann Emerg Med.* 14(4): 350-353.
- Hendee, J.C. and Mueller, G. (1985) Histology of the adenohypophysis of the kelp greenling *Hexagrammus decagrammus* (Hexagrammidae). *J. Fish Biol.* 27: 273-276.
- Heyl, H.L. (1970) Changes in the corpuscles of Stannius during spawning journey of Atlantic salmon (*Salmo salar*). *Gen. Comp. Endocrinol.* 14: 43-52.
- Hii, Y.S., Lee, M.Y. Chuah, T.S. (2007) Acute toxicity of organochlorine insecticide endosulfan and its effect on behaviour and some hematological parameters of Asian swamp eel (*Monopterus albus*, Zuiew), *Pestic. Biochem. Physiol.* 89: 46-53.
- Hirano, T. (1986) The spectrum of prolactin action in teleosts. In "Comparative Endocrinology: Development and Directions", (Ralph, C.L., ed.), pp. 53-74, Liss, New York.
- Hirano, T., Hasegawa, S., Yamauchi, H. and Orimo, H. (1981) Further studies on the absence of hypocalcemic effects of eel calcitonin in the eel, *Anguilla japonica*. *Gen. Comp. Endocrinol.* 43: 42-50.
- Hiroi, O. (1970) Morphological changes in the corpuscles of Stannius of the chum salmon, *Oncorhynchus keta*, during the migration and maturation. *Bull. Fac. Fish. Hokkaido Univ.* 21: 179-192.
- Hoar, W.S. (1969) Reproduction. In "Fish Physiology", vol. III (Hoar, W.S. and Randall, D.J., eds.), pp. 1-72, Academic Press, New York and London.
- Holmes, R.L. and Ball, J.N. (1974) The pituitary gland. A comparative account. Cambridge Univ. Press, New York and London.
- Holcombe, G.W., Phipps, G.L. and Tanner, D.K. (1982) The acute toxicity of kelthane, dursban, disulfoton, pydrin and permethrin to fathead minnows *Pimephales promelas* and rainbow trout *Salmo gairdneri*. *Environ. Poll.* 29A: 167-178.
- Hostettman, K. and Lea, P.J. (eds) (1987) Biologically active natural products. Clarendon press, Oxford 283 pp.
- Hooker, W.H., McMillan, P.J. and Thaete, L.G. (1979) Ultimobranchial gland of the trout (*Salmo gairdneri*). II. Fine structure. *Gen. Comp. Endocrinol.* 38: 275-284.
- *Huot, E. (1898) Preliminaire sur l'origine des capsules surrenales des poissons lophobranches. *C.R. Acad. Sci.* 126: 49-50.
- Ishibashi, K. and Imai, M. (2002) Prospect of a Stanniocalcin endocrine/paracrine system in mammals. *Am. J. Physiol. Renal Physiol.* 282: F367-F375.
- James, V.A. and Wigham, T. (1986) The effects of cadmium on prolactin cell activity and plasma cortisol levels in the rainbow trout (*Salmo gairdneri*). *Aquat. Toxicol.* 8: 273-280.

- Jayachandran, K., & Pugazhendy, K., (2009). Histopathological changes in the gill of *Labeo rohita* (Hamilton) fingerlings exposed to atrazine. *American-Eurasian Journal of Scientific Research*, 4: 219-221.
- Johnson, D.W. (1972) Variations in the interrenal and corpuscles of Stannius of *Mugil cephalus* from the colorado river and its estuary. *Gen. Comp. Endocrinol.* 19: 7-25.
- Jones, D.K., Hammond, J.I., Relyea, R.A. (2009) Very highly toxic effects of endosulfan across nine species of tadpoles: lag effects and family-level sensitivity. *Env. Toxicol. Chem.* 28: 1939-1945.
- Jorgensen, C.B. (1968) Central nervous control of adenohipophysial functions. In "Perspectives in Endocrinology", (Barrington, E.J.W. and Jorgensen, C.B., eds.), pp. 469-541, Academic Press, New York.
- Jyothi, B. and Narayan, G. (1999) Certain pesticide-induced carbohydrate metabolic disorders in the serum of freshwater fish *Clarias batrachus* (Linn.). *Food Chem. Toxicol.* 37: 417-421.
- Kaneko, T., Hasegawa, S. and Hirano, T. (1992) Embryonic origin and development of corpuscles of Stannius in Chum salmon (*Onchorhynchus keta*). *Cell Tissue Res.* 268: 65-70.
- Karan V, Vitorovic S, Tutundzic V, Poleksic V (1998) Functional enzymes activity and gill histology of carp after copper sulfate exposure and recovery. *Ecotox Environ Saf* 40:49-55
- Kenyon, C.J., Chester Jones, I. and Dixon, R.N.B. (1980) Acute responses of the freshwater eel (*Anguilla anguilla*) to extracts of the corpuscles of Stannius opposing the effects of stanniosomatiectomy. *Gen. Comp. Endocrinol.* 41:531-538.
- Kitoh, J. (1970) Electron microscopic studies of the ultimobranchial body of the elasmobranchs. *Arch. Histol. Jap.* 31: 269-281.
- Knowles, F. and Vollrath, L. (1966 a) The structure and innervation of the pars distalis at different stages of the life cycle. *Phil. Trans. Roy. Soc. London* 250B: 329-342.
- Knowles, F. and Vollrath, L. (1966 b) Changes in the pituitary of the migrating European eel during its journey from rivers to the sea. *Z. Zellforsch. Mikrosk. Anat.* 75: 317-327.
- Koyama, J. and Itazawa, Y. (1977) Effects of oral administration of cadmium on fish. I. Analytical results of the blood and bones. *Bull. Jap. Soc. Sci. Fish.*, 43: 523-526.
- *Krawarik, F. (1936) Uber eine bisher unbekannte Druse ohno Ausfuhrungsgong bei den heimischen Knochenfischen. *Z. Mikrosk. Anat. Forsch.* 39: 555-609.
- Krisfalusi, M., Eroschenko, V.P. and Cloud, J.G. (1998) Exposure of juvenile rainbow trout (*Oncorhynchus mykiss*) to methoxychlor results in a dose-dependent decrease in growth and survival but does not alter

male sexual differentiation. Bull. Environ. Contam. Toxicol. 60: 659-666.

- Krishnamurthy, V.G. (1964) Corpuscles of Stannius of *Colisa lalia* (Hamilton-Buchanan). Naturwiss. 51: 344-345.
- Krishnamurthy, V.G. (1967) Development of the corpuscles of Stannius in the anabantid teleost, *Colisa lalia*. J. Morphol. 123:109-120.
- Krishnamurthy, V.G. (1976) Cytophysiology of corpuscles of Stannius. International Rev. Cytol. 46: 177-246.
- Krishnamurthy, V.G. and Bern, H.A. (1969) Correlative histological study of the corpuscles of Stannius and the juxtaglomerular cells of teleost fishes. Gen. Comp. Endocrinol. 13: 313-335.
- Krishnamurthy, V.G. and Bern, H.A. (1971) Innervation of the corpuscles of Stannius. Gen. Comp. Endocrinol. 16: 162-165.
- Kumar, S. and Pant, S.C. (1981) Histopathologic effects of acutely toxic levels of copper and zinc on gills, liver and kidney of *Puntius conchoni* (Ham.). Ind. J. Exp. Biol. 19: 191-194.
- Kumar, A., Prasad, M., Srivastava, K., Tripathi, S. and Srivastava, Ajai K. (2010) Branchial histopathological study of cat fish *Heteropneustes fossilis* following exposure to purified neem extract, azadirachtin. World J. Zool. 5: 239-243.
- Lafeber, F.P.J.G., Hanssen, R.G.J.M., Choy, Y.M., Flik, G., Hermann-Erlee, M.P.M., Pang, P.K.T. and Wendelaar Bonga, S.E. (1988 a) Identification of hypocalcin (teleocalcin) isolated from trout Stannius corpuscles. Gen. Comp. Endocrinol. 69: 19-30.
- Lafeber, F.P.J.G., Hanssen, R.G.J.M. and Wendelaar Bonga, S.E. (1988 c) Hypocalcemic activity of trout hypocalcin and bovine parathyroid hormone in stanniectomized eels. J. Exp. Biol. 140: 199-208.
- Lafeber, F.P.J.G., Herrmann-Erlee, M.P.M., Van der Meer, J.M., Flik, G., Verboost, P. and Wendelaar Bonga, S.E. (1984) Effects of products released by trout corpuscles of Stannius on calcium mobilization and cAMP formation of mouse calvaria *in vitro* and on plasma calcium levels in eels. Calcif. Tissue Res. 36: 516.
- Lafeber, F.P.J.G. and Perry, S.F. (1988) Experimental hypercalcemia induces hypocalcin release and inhibits branchial Ca^{2+} influx in freshwater trout. Gen. Comp. Endocrinol. 72: 136-143.
- Lafeber, F.P.J.G., Schaefer, H.I.M.B., Hermann-Erlee, M.P.M. and Wendelaar Bonga, S.E. (1986) PTH-like effects of Stannius products of rainbow trout (*Salmo gairdneri*) on bone resorption of embryonic mouse calvaria *in vitro*. Endocrinology 119: 2249-2255.
- Lafeber, F.P.J.G., Wendelaar Bonga, S.E., Flik, G. and Perry, S.F. (1988 b) Hypocalcin from Stannius corpuscles inhibits branchial calcium uptake in trout. Am. J. Physiol. 254: 891-896.

- Lamai, S.L., Warner, G.F. and Walker, C.H. (1999) Effects of dieldrin on life stages of the African catfish, *Clarias gariepinus* (Burchell). *Ecotoxicol. Environ. Saf.* 42: 22-29.
- Larsson, A., Bengtsson, B.E. and Haux, C. (1981) Disturbed ion balance in flounder *Platichthys flesus* L., exposed to sublethal levels of cadmium. *Aquat. Toxicol.* 1: 19-35.
- Larsson, A., Bengtsson, B.E. and Svanberg, O. (1976) Some hematological and biochemical effects of cadmium on fish. In "Effects of Pollutants on Aquatic Organisms", (Lockwood, A.M.P., ed.), pp. 35-45, Cambridge Univ. Press, London.
- Leitz, H. and Donath, K. (1970) Cytochemical evidence for the presence of hormonal peptides in thyroid C cells. In "Calcitonin 1969", (Taylor, S. ed.), pp. 227-239, Proc. 2nd Intern. Symp. London, William Heinemann Medical Books Ltd., London.
- Liu, G., Yang, G., Chang, B., Mercedo-Urbe, I., Huang, M., Zheng, J., Bast, R.C., Lin, S.H., and Liu, J. (2010) Stanniocalcin 1 and ovarian tumorigenesis. *J. Nat. Cancer Inst.* 102: 812-827.
- Lofts, B. (1968) Pattern of testicular activity. In "Perspectives in Endocrinology", (Barrington, E.J.W. and Jorgensen, C.B., eds.), pp. 239-304, Academic Press, New York.
- Longford, S.D., Boor, P.J. (1996) Oleander toxicity: an examination of human and animal toxic exposures. *Toxicology* 109: 01-13.
- *Lopez, E. (1969) Etude histophysiological des corpuscles de Stannius de *Salmo salar* L. au cours des diverses etapes de son cycle vital. *Gen. Comp. Endocrinol.* 12:339-349.
- *Lopez, E. (1970) Les cellulaires d'un poisson teleosteen, *Anguilla anguilla* L. II. Action de l'ablation des corpuscles de Stannius. *Z. Zellforsch. Mikrosk.-anat.* 109:566-572.
- *Lopez, E., Chartier-Baraduc, M.M. and Deville, J. (1971) Mise en evidence de l'action de la calcitonine porcine sur l'os de la demineralisant. *C.R. Acad. Sci. Paris.* 272, 2600-2603.
- Lopez, E. and Peignoux-Deville, J. (1973) Effect of prolonged administration of synthetic salmon calcitonin (SCT) on vertebral bone morphology and on the ultimobranchial body (UBB) activity of the mature female eel *Anguilla anguilla* L. In "Proc. 9th European Symposium on Calcified Tissue", (Czitober, A. and Eschberger, J., eds.), pp. 169-174, Viena: H. Egerman, Eacta Publication.
- *Lopez, E., Peignoux-Deville, J. and Bagot, E. (1968) Etude histophysiological du corps ultimobranchial dun teleosteen, *Anguilla anguilla* L. au cours d'hypercalcemia experimentales. *C.R. Acad. Sci. Paris* 267D:1531-1534.
- Lopez, E., Peignoux-Deville, J., Lallier, F., Martelly, E. and Milet, C. (1976) Effects of calcitonin and ultimobranchialectomy (UBX) on calcium and

- bone metabolism in the eel, *Anguilla anguilla* L. *Calcif. Tissue Res.* 20: 173-186.
- Lopez, E., Tisserand Jochem E.M., Eyquem, A., Milet, C., Hillyard, C.J., Lallier, F., Vidal, B. and MacIntyre, I. (1984 a) Immunocytochemical detection in eel corpuscles of Stannius of a mammalian parathyroid-like hormone. *Gen. Comp. Endocrinol.* 53: 28-36.
- Lopez, E., Tisserand Jochem, E.M., Vidal, B., Milet, C., Lallier, F. and MacIntyre, I. (1984 b) Are corpuscles of Stannius the parathyroid glands in fish? Immunocytochemical and ultrastructural arguments. In "Endocrine Control of Bone and Calcium Metabolism", (Cohn, D.V., Potts, J.T.Jr. and Fujita, T., eds.), pp.181-184, Elsevier Science Publishers, Amsterdam.
- Loretz, C.A. (2008) Extracellular calcium sensing receptors in fishes. *Comp. Biochem. Physiol. A: Molec. Integrat. Physiol.* 149: 225-245.
- Ma, S.W.Y. and Copp, D.H. (1978) Purification, properties and action of a glycopeptide isolated from the corpuscles of Stannius which affects calcium metabolism in the teleost. In "Comparative Endocrinology", (Gaillard, P.J. and Boer, H.H., eds.), pp. 283-286, Elsevier/North Holland Biomedical Press, Amsterdam.
- MacDonald, D.J. and McKeown, B.A. (1983) The effect of Ca^{2+} levels on *in vitro* prolactin from the rostral pars distalis of coho salmon (*Oncorhynchus kisutch*). *Can. J. Zool.* 61: 682-684.
- MacDonald, D.J. and McKeown, B.A. (1985) Calcium fluxes and *in vitro* (3H) prolactin synthesis and release from the rostral pars distalis of coho salmon (*Oncorhynchus kisutch*). *Comp. Biochem. Physiol.* 80A: 533-538.
- Marra, L.E., Groff, K.E. and Youson, J.H. (1995) The corpuscles of Stannius in arawana (*Osteoglossum bicirrhosum*), in an ancient teleost. *Tissue Cell* 27: 425-437.
- Marra, L.E., Youson, J.H., Butler, D.G., Friesen, H.G. and Wagner, G.F. (1992) Stanniocalcin-like immunoreactivity in the corpuscles of Stannius of the bowfin, *Amia culva* L. *Cell Tissue Res.* 267: 283-290.
- Mattheij, J.A.M., Stroband, H.W.J. and Kingma, F.J. (1971) The cell types in the adenohypophysis of the cichlid fish *Cichlasoma biocellatum* Regan, with special attention to its osmoregulatory role. *Z. Zellforsch.* 118: 113-126.
- Mayer-Gostan, N. and Naon, R. (1992) Effects of ambient ion concentrations on gill ATPase in freshwater eel *Anguilla anguilla*. *Fish Physiol. Biochem.* 10: 75-89.
- McMillan, P.J., Hooker, W.M., Roos, B.A. and Deftos, L.J. (1976) Ultimobranchial gland of the trout (*Salmo gairdneri*). I. Immunohistology and radioimmuno-assay of calcitonin. *Gen. Comp. Endocrinol.* 28: 313-319.

- Meats, M., Ingleton, P.M., Chester Jones, I. Garland, H.O. and Kenyon, C.J. (1978) Fine Structure of the corpuscles of Stannius of the trout, *Salmo gairdneri*, structural changes in response to increased environmental salinity and calcium ions. *Gen. Comp. Endocrinol.* 36: 451-461.
- Meites, J. and Nicoll, C.S. (1966) Adenohypophysis: Prolactin. *Ann. Rev. Physiol.* 28: 57-88.
- Meredith, H.O., Richman, N.H., Collier, J.T., Seale, A.P., Riley, L.G., Ball, C.H., Shimoda, S.K., Stetson, M.H. and Grau, E.G. (1999) Pesticide effects on prolactin release from the rostral pars distalis and their effects on growth in the tilapia. In *Environmental toxicology and risk assessment: Standardization of biomarkers for endocrine disruption and Environmental assessment*, 8th volume, Henshel D.S., Black M.C., Harrass M.C. (eds), American society for Testing and materials (ASTM), STP 1364, west Conshohocken, PA: 239-253.
- Metuzals, J., Ballintijn-De Vries, G. and Baerends, G.P. (1968) The correlation of histological changes in the adenohypophysis of the cichlid fish *Aequidens portalegrensis* (Honsel) with behavioural changes during the reproductive cycle. I. *Koninkl. Nederl. Akademie van Wetenschappen, Amsterdam Set. C* 71: 391-410.
- Milliken, C.E., Fargher, R.C., Butkus, A., McDonald, M. and Copp, D.H. (1990) Effects of synthetic peptide fragments of teleocalcin (hypocalcin) on calcium uptake in juvenile rainbow trout (*Salmo gairdneri*). *Gen. Comp. Endocrinol.* 77: 416-422.
- Mishra, D., Rai, R., Srivastav, S.K. and Srivastav, Ajai K., (2010a). Histological alterations in the prolactin cells of a teleost *Heteropneustes fossilis* after exposure to cypermethrin. *Environ. Toxicol.*, doi: 10.1002/tox.20562.
- Mishra, D., Srivastav, S.K., Srivastav, Ajai K., (2004) Plasma calcium and inorganic phosphate levels of a teleost *Heteropneustes fossilis* exposed to metacid50. *Malaysian Applied Biology* 33: 19-25.
- Mishra, D., Srivastav, S.K., Srivastav, Ajai K., (2005a) Effects of the insecticide cypermethrin on plasma calcium and ultimobranchial gland of the teleost *Heteropneustes fossilis*. *Ecotoxicol. Environ. Safe.* 60: 193-197.
- Mishra, D., Srivastav, S.K., Srivastav, Ajai K., (2005b) Acute toxicity and behavioural anomalies of freshwater catfish *Heteropneustes fossilis* to an organophosphate insecticide methyl parathion. *Pollution Research* 24: 307-310
- Mishra, D., Srivastav, S., Srivastav, S.K., and Srivastav, Ajai K. (2001) Plasma calcium and inorganic phosphate levels of a freshwater catfish, *Heteropneustes fossilis* in response to cypermethrin treatment. *J. Ecophysiol. Occupational Hlth.* 1: 131-138.
- Mishra, D., Srivastav, S., Srivastav, S. K. and Srivastav, Ajai K., (2002). Toxicity and behavioural responses of a freshwater catfish, *Heteropneustes fossilis* to a synthetic pyrethroid (cypermethrin). *Journal of Advance Zool.* 23: 39-42.

- Mishra, D., Srivastav, S.K., Suzuki, N. and Srivastav, Ajai K. (2008) Prolactin cells of a teleost, *Heteropneustes fossilis* intoxicated with Metacid-50. Int. J. Biol. Chem. Sci. 2, 339-345.
- Mishra, D., Srivastav, S.K., Suzuki, N. and Srivastav, Ajai K. (2009) Corpuscles of Stannius of a freshwater teleost, *Heteropneustes fossilis* in response to metacid-50 treatment. J. Applied Sci. Environ. Management. 13: 69-77.
- Mishra, D., Srivastav, S.K., Suzuki, N. and Srivastav, Ajai K. (2010b) Corpuscles of Stannius of a teleost, *Heteropneustes fossilis* following intoxication with a pyrethroids (cypermethrin). North-Western J. Zool. 6: 203-208.
- Mishra, D., Rai, R., Srivastav, S.K., and Srivastav, Ajai K. (2011) Histological alteration in the prolactin cells of a teleost, *Heteropneustes fossilis* after exposure to cypermethrin. Environ. Toxicol. 26: 359-363.
- Moore, A. and Waring, C.P. (2001) The effect of a synthetic pyrethroid pesticide on some aspects of reproduction in Atlantic salmon (*Salmo salar* L.). Aquat. Toxicol. 52: 1-12.
- Muramoto, S. (1981) Vertebral column damage and decrease of calcium concentrations in fish exposed experimentally to cadmium. Environ. Pollut. (Ser. A), 24: 125-133.
- Nadkarni, V.G. and Gorbman, A. (1966) Structure of corpuscles of Stannius in normal and radiothyroidectomized chinook fingerlings and spawning pacific salmon. Acta Zool. 47: 61-66.
- Nagahama, Y. and Yamamoto, K. (1970 a) Morphological studies in the pituitary of the chum salmon, *Oncorhynchus keta*. (II). Changes of the prolactin cells during the life cycle. Bull. Fac. Fish. Hokkaido Univ. 21: 169-177.
- Nagahama, Y. and Yamamoto, K. (1970 b) Morphological studies on the pituitary of the chum salmon, *Oncorhynchus keta* (I). Fine structure of the adenohypophysis. Bull. Fac. Fish. Hokkaido Univ. 20: 293-301.
- Nakajima, T., Nakayama, T. and Sokabe, H. (1971) Examination of angiotensin-like substances from renal and external sources in mammalian and nonmammalian species. Gen. Comp. Endocrinol. 17: 458-466.
- Narain, A.S. and Srivastava, P.N. (1979) Haemato-histological responses of the Indian freshwater catfish, *Heteropneustes fossilis* to environmental pollution by sewage fertilizers and insecticides. Arch. Biol. 90: 141.
- Narayan, A., George, K.C. and Diwan, A.D. (1984) Morphology of the pituitary gland of Estuarine teleost fish *Valamugil cunnesius*. Proc. Indian Acad. Anim. Sci. 93: 565-572.
- Narayan, A., George, K.C. and Diwan, A.D. (1985) Histology of the pituitary gland of grey mullet *Mugil cephalus*. J. Fish Biol. 26: 381-390.

- Nath, K. (1985) Some aspects of toxicity of heavy metals on freshwater fish. Ph.D. Thesis, University of Gorakhpur, Gorakhpur, India.
- Nguven, N., Stellwag, E.J. and Jhu, Y. (2008) Prolactin dependent modulation of organogenesis in the vertebrate: Recent discoveries in Zebrafish. *Comp. Biochem. Physiol. C Toxicol. Pharmacol.* PMID 18593647.
- Niall, H., Keutmann, H.T., Copp, D.H. and Potts, J.T. Jr. (1969) Amino acid sequence of salmon ultimobranchial calcitonin. *Proc. Natl. Acad. Sci. USA* 64: 771-778.
- Nicoll, C.S. (1974) Physiological action of prolactin. In "Handbook of Physiology", (Hamilton, D.W. and Greep, R.O. eds.), sec. 7, vol. IV, part 2, pp. 253-292, Williams and Wilkins, Baltimore, Maryland.
- Nicoll, C.S., Farmer, S.W., Nishiokam R.S. and Bern, H.A. (1981) Blood and pituitary prolactin levels in the tilapia (*Sarotherodon mossambica* Teleostei) from different salinities as measured by a homologous radioimmunoassay. *Gen. Comp. Endocrinol.* 44: 365-373.
- Nivedhitha, H., Thangavel, P., Shaik Dawood, A.K., Ramaswamy, M. (1998) Adaptive changes in the patterns of carbohydrate metabolites in blood, liver, muscle and heart tissue of *Sarotherodon mossambicus* (Peters) exposed to the carbamate fungicide ziram, *Pestic. Sci.* 52: 133-137.
- Noda, T. and Narita, K. (1976) Amino acid sequence of eel calcitonin. *J. Biochem. (Tokyo)* 79: 353-359.
- Norman, A.W. and Litwack, G. (1987) *Hormones*. pp. 355-396, Academic Press Inc., New York.
- *Nusbaum-Hilarowicz, J. (1916) Uber bau des Darmkanals bei einigen Tiefseefische. *Anat. Anz.* 48: 497-509.
- O'Dor, R.K., Parkes, C.O. and Copp, D.H. (1969) Amino acid composition of salmon calcitonin. *Can. J. Biochem.* 47: 823-825.
- Ogawa, M. (1959) The kidney structure of the marine fish *Plotosus anguillaris* (Lacepede). *Dobutsugaki Zasshi* 68: 350-357.
- Ogawa, M. (1963) On the corpuscles of Stannius of gold fish treated with seawater. *Sci. Rept. Saitama University* 6B: 181-191.
- Ogawa, M. (1967) Fine structure of the corpuscles of Stannius and the interrenal tissue in goldfish, *Carassius auratus*. *Z. Zellforsch.* 81: 174-189.
- Ogawa, M. (1968) Osmotic and ionic regulation in gold fish following removal of the corpuscles of Stannius or the pituitary gland. *Can. J. Zool.* 46: 669-676.
- Oguri, M. (1966) Electron microscopic observation on the corpuscles of Stannius in goldfish. *Bull. Jap. Soc. Sci. Fish.* 32: 903-908.

- Oguri, M. (1973) Seasonal histologic changes in the ultimobranchial gland of goldfish. Bull. Jap. Soc. Sci. Fish. 39: 851-858.
- Okunji, C.O., and Iwu, M.M. (1988) Control of schistosomiasis using hegerian medicinal plants as molluscicides. International journal of crude Drug Research 26: 246-252.
- Olivereau, M. (1966) Influence d'un sejour en eau demineralisee sur le system hypophyso-surrenalien de l'anguille. Ann. Endocrinol. 27: 665-678.
- *Olivereau, M. (1967) Reactions observees chez l'anguille maintenue dans un milieu prive d'electrolytes, en particulier an niveau du systeme hypothalamo-hypophysaire. Z. Zellforsch. Mikrosk. Anat. 80: 264-285.
- Olivereau, M. (1969) Functional cytology of prolactin secreting cells. Gen. Comp. Endocrinol. (Suppl.) 2: 32-41.
- *Olivereau, M. and Ball, J.N. (1964) Contribution a l'histophysiologie de l'hypophyse des teleosteens en particulier de cell de *Poecilia* species. Gen. Comp. Endocrinol. 4: 523-532.
- Olivereau, M., Chambolle, P. and Dubourg, P. (1981) Ultrastructure of prolactin cells in the eel kept in freshwater, deionized water and normal and concentrated seawater. Biol. Cell 42: 153-166.
- Olivereau, M., Chambolle, P., Dubourg, P. (1983) Ultrastructural changes in the pars intermedia of the goldfish kept in calcium-free environments. Biol. Cell 48: 53-64.
- Olivereau, M., Chambolle, P., Dubourg, P. and Olivereau, J. (1986) Cytological and ultrastructural changes in the pituitary pars distalis of the goldfish kept in calcium-free environments. Biol. Cell 57: 77-88.
- Olivereau, M. and Chartier-Baraduc, M.M. (1965) Action de la prolactin chez l'*Anguilla* et hypophysectomisee.II. Effects sur les electrolytes plasmaliques (sodium, potassium et calcium). Gen. Comp. Endocrinol. 7: 27-36.
- Olivereau, M. and Olivereau, J. (1978) Prolactin, hypercalcemia and corpuscles of Stannius in seawater eels. Cell Tissue Res. 186: 81-96.
- Olivereau, M. and Olivereau, J. (1983) Response of prolactin cells to environmental calcium in the eel (*Anguilla anguilla* L.). Cell Tissue Res. 229: 243-252.
- Olivereau, M. and Olivereau, J. (1984) Effect of 17- α -methyl-testosterone on the cytology of the pituitary and the liver, and on plasma electrolytes in male silver eels. Acta Zool. (Stockh.) 65: 159-169.
- Oner, M., Atli, G. and Canli, M. (2008) Changes in serum biochemical parameters of freshwater fish *Oreochromis niloticus* following prolonged metal (Ag, Cd, Cr, Cu, Zn) exposures. Environ. Toxicol. Chem. 27: 360-366.

- Orimo, H., Fujita, T. Yoshikawa, M. Watanabe, S., Otani, M. and Jinnosuke, J. (1972) Ultimobranchial calcitonin of the eel, *Anguilla japonica*. *Endocrinol. Jap.* 19: 299-302.
- Ortiz JB, Canales De MLG, Sarasquete C (2003) Histopathological changes induced by lindane (gamma-HCH) in various organs of fishes. *Sci Mar* 67: 53-61.
- Oryan, A., Maham, M., Rezakhani, A., Maleki, M. (1996) Morphological studies of experimental oleander poisoning in cattle. *Zentralbl Veterinarmed A* 43: 625-634.
- Otani, M., Noda, T. Yamauchi, H., Watanabe, S., Matsuda, T., Orimo, H. and Narita, K. (1975) Isolation, chemical structure and biological properties of ultimobranchial calcitonin of the eel. In "Calcium Regulating Hormones", (Talmage, R.V., Owen, M. and Parsons, J.A., eds.), pp. 111-115, Excerpta Medica, Amsterdam.
- Otani, M., Yamauchi, H., Meguro, T. Kitazawa, S., Watanabe, S. and Orimo, H. (1976) Isolation and characterization of calcitonin from pericardium and oesophagus of eel. *Biochem.* 79: 345-352.
- Oughterson, S.M., Munoz-Chapuli, R., Andres, V.D., Lawson, R., Heath, S. and Davies, D.H. (1995) The effects of calcitonin on serum calcium levels in immature brown trout *Salmo trutta*. *Gen. Comp. Endocrinol.* 97: 42-48.
- Palaviappan, P.R., Krishnakumar, N., Vadivelu, M., Vijayasundaram, V. (2010) The study of the changes in the biochemical and Mineral contents of bones of *Catla catla* due to lead intoxication. *Environ. Toxicol.* 25: 61-67.
- Pandey, A.K., Krishna, L., Srivastav, Ajai K. and Swarup, K. (1982) Response of serum calcium to administration of an extract from Stannius corpuscles in the anurans. *Experientia* 38: 314-315.
- Pandey, R., Malviya, A. and Das, V.K. (2009) Toxicity of cypermethrin, effects on serum electrolytes (Ca^{+2} , Mg^{+2} and Pi) levels and recovery response in freshwater catfish *Heteropneustes fossilis* Bloch. *Int. J. Biol. Chem. Sci.* 3. 1182-1191.
- Pang, P.K.T. (1971 a) The relationship between corpuscles of Stannius and serum electrolyte regulation in killifish *Fundulus heteroclitus*. *J. Exp. Zool.* 178: 1-8.
- Pang, P.K.T. (1971 b) Calcitonin and ultimobranchial gland in fishes. *J. Exp. Zool.* 178: 89-100.
- Pang, P.K.T. (1973) Endocrine control of calcium metabolism in teleosts. *Am. Zool.* 13: 775-792.
- Pang, P.K.T. (1981) Hypercalcemic effects of ovine prolactin on intact killifish *Fundulus heteroclitus*, subjected to different environmental calcium challenges. *Gen. Comp. Endocrinol.* 43: 252-255.

- Pang, P.K.T., Griffith, R.W. and Pickford, G.E. (1971) Hypocalcemia and tetanic seizures in hypophysectomized killifish, *Fundulus heteroclitus*. Proc. Soc. Exp. Biol. Med. 136: 85-87.
- Pang, P.K.T. and Pang, R.K. (1986) Hormones and calcium regulation in *Fundulus heteroclitus*. Am. Zool. 26: 225-234.
- Pang, P.K.T., Pang, R.K. and Griffith, R.W. (1975) Corpuscles of Stannius: Lack of direct involvement in regulation of serum sodium, potassium and chloride in the teleost, *Fundulus heteroclitus*. Gen. Comp. Endocrinol. 26: 179-185.
- Pang, P.K.T., Pang, R.K. and Sawyer, W.H. (1973) Effects of environmental calcium and replacement therapy on the killifish, *Fundulus heteroclitus* after the surgical removal of the corpuscles of Stannius. Endocrinology 93: 705-710.
- Pang, P.K.T., Pang, R.K. and Sawyer, W.H. (1974) Environmental calcium and the sensitivity of killifish (*Fundulus heteroclitus*) in bioassays for the hypocalcemic response to Stannius corpuscles from killifish and cod (*Gadus morhua*). Endocrinology 94: 548-555.
- Pang, P.K.T., Schreiber, M.P., Balbontin, F. and Pang, R.K. (1978) Prolactin and pituitary control of calcium regulation in the killifish, *Fundulus heteroclitus*. Gen. Comp. Endocrinol. 36: 306-316.
- Panigrahi, A. and Raut, S.K. (1994) *Thevetia peruviana* (Family: Apocyanaceae) in control of slug and snail pests. Mem. Inst. Oswaldo Cruz. 89: 247-250.
- Part, P. and Lock, R.A.C. (1983) Diffusion of calcium, cadmium and mercury in a mucous solution from rainbow trout. Comp. Biochem. Physiol. 76C: 259-263.
- Pearse, A.G.E. and Carvalheira, A.F. (1967) Cytochemical evidence for an ultimobranchial origin of rodent thyroid C cells. Nature Lond. 214: 929-930.
- Peignoux-Deville, J. and Lopez, E. (1970) Le corps ultimobranchial du salmon *Salmo salar*. Etude histophysiologique a diverse etapes de son cycle vital en eau douce. Arch. Anat. Microsc. Exp. 59: 393-402.
- Peignoux-Deville, J., Lopez, E., Lallier, F., Bagot, E.M. and Milet, C. (1975) Responses of ultimobranchial body in eels (*Anguilla anguilla* L.) maintained in seawater and experimentally matured to injections of synthetic salmon calcitonin. Cell Tissue Res. 164: 73-83.
- Perry, S.F., Seguin, D., Labeber, F.P.J.G., Wendelaar Bonga, S.E, and Fenwick, J.C. (1989) Depression of whole body calcium uptake during acute hypercalcemia in American eel *Anguilla rostrata*, is mediated exclusively by corpuscles of Stannius. J. Exp. Biol. 147: 249-261.
- Pickford, G.E. and Atz, J.W. (1957) The physiology of the pituitary gland of fishes. New York Zoological Soc., New York.

- Poleksic, V. and Karan, V. (1999) Effects of trifluralin on carp:biochemical and histological evaluation. *Ecotoxicol. Environ. Saf.* 43: 213-221.
- Poschl, E., Lindley, I., Hoffer, E., Seifert, J.M., Brunowsky, W. and Besemer, J. (1987) The structure of prolactin of the salmon as deduced from its cDNA sequence. *FEBS Lett.* 226: 96-100.
- Potts, W.T.W. and Fleming, W.R. (1970) The effects of prolactin and divalent ions on the permeability to water of *Fundulus kansae*. *J. Exp. Biol.* 53: 317-327.
- Prasad, T.A., Srinivas, T., Rafi, G.M. and Reddy, D.C. (1991) Effect in vivo of atrazine on haematology and O₂ consumption in fish, *Tilapia mossambica*. *Biochem. Int.* 23: 157-161.
- Pratap, H.B., Fu, H., Lock, R.A.C. and Wendelaar Bonga, S.E. (1989) Effect of water borne and dietary cadmium on plasma ions of the teleost *Oreochromis mossambicus* in relation to water calcium level. *Arch. Environ. Contam. Toxicol.* 18: 568-575.
- Prunet, P., Boeuf, G. and Houdebine, L.M. (1985) Plasma prolactin levels in rainbow trout during the adaptation to different salinities. *J. Exp. Zool.* 235: 187-196.
- Rai, R., Mishra, D., Srivastav, S.K., & Srivastav, Ajai K., (2009). Ultimobranchial gland of a freshwater teleost, *Heteropneustes fossilis* in response to cadmium treatment. *Environ. Toxicol.* 24: 589-593.
- Rai, R., Mishra, D., Srivastav, S.K., & Srivastav, Ajai K., (2010). Acute toxicity of cadmium against catfish, *Heteropneustes fossilis* (Siluriformes: Heteropneustidae) in a static renewal bioassay. *Ethiopian J. of Biological Sci.* 12: 74-80
- Rai, R. and Srivastav, Ajai K. (2003) Effects of cadmium on the plasma electrolytes of a freshwater fish *Heteropneustes fossilis*. *J. Ecophysiol. Occupational Health.* 3: 63-70.
- Ramaswamy M., Thangavel, P., Dhanalakshmi, S., Govindaraj, P., Kruppiah, D. (1996) Comparative study on the synergistic and individual effects of dimecron and cumun L on oxygen uptake and hematological parameters of a freshwater edible fish, *Sarotherodon mossambicus* (Peters), *Bull. Environ. Contam. Toxicol.* 56: 796-802.
- Ramaswamy M., Thangavel, P., Panneer Selvam, N. (1999) Glutamic oxaloacetic transaminase (GOT) and glutamic pyruvic transaminase (GPT) enzyme activities in different tissues of *Sarotherodon mossambicus* (Peters) exposed to a carbamate pesticide, carbaryl, *Pestic. Sci.* 55: 1217-1221.
- Ramesh, M., Saravanan, M., and Kavitha, C. (2009) Hormonal responses of the fish *Cyprinus carpio*, to environmental lead exposure. *African J. Biotech.* 17: 4154-4158.
- Rand, G.M. and Petrocelli, S.R. (1985) *Fundamentals of aquatic toxicology: Methods and applications.* Hemisphere Publish. Corp., Washington, pp. 666.

- Rankin, J.C., Chan, D.K.O. and Chester Jones, I. (1967) Kidney function in European eel *Anguilla anguilla*. Gen. Comp. Endocrinol. 9: 484-485.
- Rasquin, P. (1951) Effects of carp pituitary and mammalian ACTH on the endocrine and lymphoid systems of the teleost, *Astyanax mexicanus*. J. Exp. Zool. 117: 317-358.
- Rasquin, P. and Rosenbloom, L. (1954) Endocrine, imbalance and tissue hyperplasia in teleost maintained in darkness. Bull. Am. Mus. Nat. Hist. 104: 363-425.
- Reinboth, R. (1972) Hormonal control of the teleost ovary. Am. Zool. 12: 307-324.
- Riddle, O. (1963) Prolactin in vertebrate function and organization. J. Nat. Cancer Inst. 31: 1039-1110.
- *Ristow, H. (1964) Untersuchungen au Stanniuschen Korperchen des Flubaales. Inaug. Dissert. Dokt. Math. Nat. Fak. Univ. Gottingen 1: 107.
- *Ristow, H. and Piepho, H. (1963) Uber dei Bildung der Sekretgranula in den Stanniusschen koepferchen des Stanniusschen Koepferchen des Flussales. Naturwiss. Dtsch. 50: 382-383.
- Rizkalla, W. (1969) Studies on adrenal gland and corpuscles of Stannius of the teleost Nile fish, *Clarias lazera* C. and V. Acta Veterinaria Academiae Scientiarum Hungaricae 19: 343-350.
- Robertson, D.R. (1967) The morphology of innervation of the ultimobranchial body in the goldfish. Anat. Rec. 157: 510.
- Robertson, D.R. (1969) Some morphological observation of the ultimobranchial gland in the rainbow trout *Salmo gairdneri*. J. Anat. 105: 115-127.
- Robertson, D.R. (1986) The ultimobranchial body. In "Vertebrate Endocrinology: Fundamentals and Biomedical Implications", vol. I (Pang, P.K.T. and Schreibman, M.P., eds.), pp. 235-259, Academic Press, London.
- Roch, M. and Maly, E.J. (1979) Relationship of cadmium induced hypocalcemia with mortality in rainbow trout (*Salmo gairdneri*) and the influence of temperature on toxicity. J. Fish Res. Bd. Can. 36: 1297-1303.
- Sage, M. and Bern, H.A. (1971) Cytophysiology of the teleost pituitary. Int. Rev. Cytol. 31: 339-379.
- Sambasiva Rao, K.R.S. (1999) Pesticide impact on fish metabolism. Discovery publishing House New Delhi, India.
- Saravanan, K., Senthilkumar, S., Elayaraja, M., Suresh, B. (2004) Toxicity of *Nerium indicum* Miller seed extract on bandicoot rat, *Bandicota bengalensis* Gray Indian J. Exp. Biol. 42: 1003-1006.

- Sasayama, Y., Koizumi, T., Oguro, C., Kambegawa, A. and Yoshizawa, H. (1991) Calcitonin immunoreactive cells are present in the brains of some cyclostomes. *Gen. Comp. Endocrinol.* 84: 284-290.
- Sasayama, Y., Matsubara, T. and Takano, K. (1999) Topography and immunohistochemistry of the ultimobranchial glands in some subtropical fishes. *Ichthyol. Res.* 46: 219-222.
- Sasayama, Y., Matsuda, K., Oguro, C. and Kambegawa, A. (1989) Immunohistochemical study of the ultimobranchial gland in chum salmon fry. *Zool. Sci.* 6: 607-610.
- Sasayama, Y., Oguro, C., Yui, R. and Kambegawa, A. (1984) Immunohistochemical demonstration of calcitonin in ultimobranchial glands of some lower vertebrates. *Zool. Sci.* 1: 755-758.
- Sasayama, Y., Suzuki, N. and Magtoon, W. (1995) The location and morphology of the ultimobranchial gland in medaka, *Oryzias latipes*. *Fish Biol. J. Medaka.* 7: 43-46.
- Sasayama, Y., Takemura, M. and Takano, K. (2001) Ultimobranchial glands in the telost (*Plecoglossus altivelis ryukyuensis*): special references to changes of gland volume with maturation. *Okajimas Folia Anat. Jpn.* 78: 101-106.
- Sastry, K.V. and Sharma, S.K. (1978) The effect of endrin on the histopathological changes in the liver of *Channa punctatus*. *Bull. Environ. Contam. Toxicol.* 20: 674-677.
- Sazonova, O., James, K.A., McCudden, C.R., Segal, D., Talebian, A. and Wagner, G.F. (2008) Stanniocalcin-1 secretion and receptor regulation in kidney cells. *Am. J. Physiol. Renal Physiol.* 294: F788-F794.
- Schimmel, S.C., Patrick, J.M. Jr. and Forester, J. (1976) Heptachlor-toxicity to and uptake by several estuarine organisms. *J. Toxic. Environ. Hlth.* 1: 955-965.
- Schoettger, R.A. (1970) Toxicology of thiodon in several fish and aquatic invertebrates. U.S. Dept. Int. Fish Wildl. Ser. Rep. 35:31.
- Schreibman, M.P. (1986) Pituitary gland. In "Vertebrate Endocrinology: Fundamentals and Biomedical Implications", vol. I, (Pang, P.K.T. and Schreibman, M.P., eds.), pp. 11-47, Academic Press, London.
- Schreibman, M.P., Leatherland, J.F. and McKeown, B.A. (1973) Functional morphology of the teleost pituitary gland. *Am. Zool.* 13: 719-742.
- Schreibman, M.P. and Pang, P.K.T. (1975) The histophysiology of transplanted corpuscles of Stannius in the killifish *Fundulus heteroclitus*. *Gen. Comp. Endocrinol.* 26: 186-191.
- Sehe, C.T. (1960) Studies on the ultimobranchial bodies and thyroid gland in vertebrates – fishes and amphibians. *Endocrinology* 67: 671-676.
- Sharma, B. (1999) Effect of carbaryl on some biochemical constituents of the blood and liver of *Clarias batrachus*, a freshwater teleost. *J. Toxicol. Sci.* 24: 157-164.

- Sharma, D.K., Ahmad, M.K., Ansari, S. and Ansari, B .A. (2012) Effect of deltamethrin and neem-based formulation ahook on activities of phosphatases in tissues of Zebrafish *Danio rerio*. Int. J. Curr. Res. 4: 12-16.
- Sharma, D. K. and Ansari, B .A. (2011). Effect of deltamethrin and a neem-based pesticide ahook on some biochemical parameters in tissues liver, ovary and muscle of Zebrafish *Danio rerio* (Cyprinidae). Res. J. Chem. Sci. 1(4): 125-134.
- Sharma, M.L., Agarwal, V.P., Awasthi, A.K. and Tyagi, S.K. (1982) Hematological and biochemical characteristics of *Heteropneustes fossilis* under the stress of congo red (diphenyl diszabine pthionic acid). Toxicol. Letters 14: 237-240.
- Sheikh-Hamad, D. (2010) Mammalian Stanniocalcin-1 activates mitochondrial antioxidant pathways: new paradigms for regulation of macrophages and endothelium. Am. J. Physiol. Renal Physiol. 298, F248-F254.
- Shirozaki, F and Mugiya, Y. (2002) Histomorphometric effects of calcitonin on pharyngeal bone in fed and starved goldfish *Carrius auratus*. Fisheries science.68: 269.
- Singh, A., Singh, D.K. Mishra, T.N. and Agarwal, R.A. (1996) Molluscicides of plant origin. Biological Agriculture and Horticulture 13: 205-252.
- Singh, D.K. and Agarwal, R.A. (1984a) Correlation of the anti-cholinesterase and molluscicidal activity of the latex of *Euphorbia royleana* Bioss. On *Lymnaea acuminata*. Journal of Natural Product 47: 702-705.
- Singh, D.K. and Agarwal, R.A. (1984b) Alteration of biogenic amine level in the snail *Lymnaea acuminata* by the latex of *Euphorbia royleana*. Toxicology Letters 21: 309-314.
- Singh, D.K. and Agarwal, R.A. (1988) Possibility of using latex of Euphorbiales for snail control. The science of the total Environment 77: 231-236.
- Singh, D.K. and Agarwal, R.A. (1990) Molluscicidal and anti-cholinesterase activity of Euphorbiales. Biological Agriculture and Horticulture 7: 81-91.
- Singh, D. K. and Singh, A. (2002) Piscicidal effect of some common plants of India commonly used in freshwater bodies against target animals. Chemosphere 49: 45-49.
- Singh, D.K., Singh, A., Agarwal, R.A. (1993) *Nerium indicum* as a potent molluscicide of plant origin. J. Med. Appl. Malacology 5: 93-95.
- Singh, K., Singh,A. and Singh, D.K. (1998a) The use of piperonyl butoxide and MGK-264 to improve the efficacy of plant derived molluscicides. Pesticide Science 54: 145-149.

- Singh, K., Singh, A. and Singh, D.K. (1998b) Synergistic effect of MGK- 264 and piperonyl butoxide on the toxicity of plant molluscicides. *Chemosphere* 36 (15): 3055-3060.
- Singh, N.N., Das, V.K. and Singh, S. (1996) Effect of aldrin on carbohydrate, protein and ionic metabolism of a freshwater catfish, *Heteropneustes fossilis*. *Bull. Environ. Contam. Toxicol.* 57: 204-210.
- Singh, N.N., Das, V.K. and Srivastava, A.K. (1997) Formothion and propoxur induced ionic imbalance and skeletal deformity in a catfish, *Heteropneustes fossilis*. *J. Environ. Biol.* 18: 357-363.
- Singh, S. (1990) Studies of endocrine glands regulating calcium and inorganic phosphorus homeostasis in *Heteropneustes fossilis*. Ph.D. Thesis, University of Gorakhpur, Gorakhpur, India.
- Singh, S. and Srivastav, Ajai K. (1990) Histophysiology of the corpuscles of Stannius of a freshwater catfish, *Heteropneustes fossilis*. *Bolm. Physiol. Anim.* 14: 75-80.
- Singh, S. and Srivastav, Ajai K. (1993) Effects of calcitonin administration on the serum calcium and inorganic phosphate levels of the fish *Heteropneustes fossilis* maintained either in artificial freshwater, calcium-rich freshwater or calcium-deficient freshwater. *J. Exp. Zool.* 265: 35-39.
- Singh, S. and Srivastav, Ajai K. (1996) Vitamin D₃ induced histological changes in the corpuscles of Stannius of a freshwater catfish, *Heteropneustes fossilis* kept either in artificial freshwater, calcium-rich freshwater or calcium-deficient freshwater. *Okajimas Folia Anat. Japonica* 73: 75-82.
- Skold, H.N., Amundsen, T., Svensson, P.A., Mayer, I., Bjelvenmark, J. and Forsgren, E. (2008) Hormonal regulation of female nuptial coloration in a fish. *Horm. Behav.* 54: 549-556.
- Sokabe, H. (1968) Comparative physiology of the renin angiotensin system. *J. Jap. Med. Assoc.* 59: 502-512.
- Sokabe, H., Nishimura, H., Ogawa, M. and Oguri, M. (1970) Determination of renin in the corpuscles of Stannius of the teleosts. *Gen. Comp. Endocrinol.* 14: 510-516.
- Song, G., Bazer, F.W., Wagner, G.F. and Spencer, T.E. (2006) Stanniocalcin (STC) in the endometrial glands of the ovine uterus: regulation by progesterone and placental hormones. *Biol. Reproduc.* 74: 913-922.
- Sood, G.C., Sofat, B.K. Chandel, R.D. (1971) Injury to the eye by the sap of *Euphorbia royleana*. *Brit. J. Ophthal.* 55: 856.
- Soto-Blanco, B., Fontenele-Noto, J.D., Silva, D.M., Reis, P.F., Nobrega, J.E. (2006) Acute cattle intoxication from *Nerium oleander* pods. *Trop Anim. Health prod.* 38: 451-454.
- Srivastav, Ajai K. (1982) Corpuscles of Stannius of freshwater mud eel *Amphipnous cuchia*. *Bolm. Zool.* 7: 149-153.

- Srivastav, Ajai K. (1983) Calcemic responses in the freshwater mud eel *Amphipnous cuchia* to vitamin D₃ administration. J. Fish Biol. 23: 301-303.
- Srivastav, Ajai K. (1989) Effect of 1,25 dihydroxycholecalciferol administration on prolactin cells of the freshwater catfish *Clarias batrachus*. Zool. Jb. Physiol. 93: 241-244.
- Srivastav, Ajai K. and Singh, Purnima (1989) Response of prolactin cells of the freshwater mud eel, *Amphipnous cuchia* to vitamin D₃ administration. Zool. Jb. Physiol. 93: 235-240.
- Srivastav, Ajai K., Singh, S. and Sasayama, Y. (1995) Vitamin D₃ induced changes in the prolactin cells of the fish, *Heteropneustes fossilis* reared in artificial freshwater, calcium-rich freshwater or calcium-deficient freshwater. J. Reproduct. Biol. Comp. Endocrinol. 7: 72-82.
- Srivastav, Ajai K. and Srivastav, S.P. (1988) Corpuscles of Stannius of *Clarias batrachus* in response to 1,25 dihydroxyvitamin D₃ administration. Zool. Sci. 5: 197-200.
- Srivastav, Ajai K., Srivastava, S. K., Mishra, D., Srivastav, S., Srivastav, S. K., (2002) Ultimobranchial gland of freshwater catfish, *Heteropneustes fossilis* in response to deltamethrin treatment. Bulletin Environmental Contamination Toxicology 68: 584-591.
- Srivastav, Ajai K., Srivastava, S. K., Mishra, D., Srivastav, S.K., Suzuki, N. (2009) Effects of deltamethrin on serum calcium and corpuscles of Stannius of freshwater catfish, *Heteropneustes fossilis*. Toxicological Environmental Chemistry 91: 761-772.
- Srivastav, Ajai K., Srivastava, S.K., Mishra D. and Srivastav, S.K. (2010a) Deltamethrin-induced alterations in serum calcium and prolactin cells of a freshwater teleost, *Heteropneustes fossilis*. Toxicol. Environ. Chem. 92: 1857-1864.
- Srivastav, Ajai K., Srivastava, S.K. and Srivastav, S.K. (1997) Impact of deltamethrin on serum calcium and inorganic phosphate of freshwater catfish *Heteropneustes fossilis*. Bull. Environ. Contam. Toxicol. 59: 841-846.
- Srivastav, Ajai K., Srivastava, S. K., Tripathi, S., Mishra, D. and Srivastav, S. K., (2010b) Chlorpyrifos based commercial formulation: alterations in corpuscles of Stannius of catfish. Int. J. Environ. Health 4: 323-332.
- Srivastav, Ajai K., Srivastava, S. K., Tripathi, S., Mishra, D. and Srivastav, S. K., (2012) Morpho-toxicology of chlorpyrifos to prolactin cells of a freshwater catfish, *Heteropneustes fossilis*. Acta Scientiarum Biol. Sci. (in press).
- Srivastav, Ajai K. and Swarup, K. (1982) Calcemic responses of Stannius corpuscles extract in parrots, *Psittacula psittacula*. Experientia 38: 869.

- Srivastav, Ajai K. and Swarup, K. (1980) Serum calcium of *Heteropneustes fossilis* (Teleost) in response to calcitonin treatment. Nat. Acad. Sci. Letters 3: 373-375.
- Srivastav, Ajai K., Tiwari, P.R.; Srivastav, S.K., Sasayama, Y. and Suzuki, N. (1998 c) Serum calcium and phosphate levels of calcitonin treated freshwater mud eel, *Amphipnous cuchia* kept in different calcium environments. Netherlands J. Zoology, 48: 189-198.
- Srivastav, Ajai K., Tiwari, P.R. and Suzuki, N. (1999) Morphology and histology of ultimobranchial gland of the freshwater mud eel, *Amphipnous cuchia*. J. Adv. Zool. 20: 17-20.
- Srivastav, Ajai K., Yadav, S., Srivastav, S.K. and Suzuki, N. (2008) The ultimobranchial gland in poikilotherms: Morphological and functional aspects. In "Experimental Endocrinology and Reproductive Biology", Science publishers, U.S.A. 269-296.
- Srivastav, Ajai K., Wendelaar Bonga, S.E. and Flik, G. (1998) Plasma calcium and stanniocalcin levels of male tilapia, *Oreochromis mossambicus* fed with calcium-deficient food and treated with 1,25(OH)₂D₃. Gen. Comp. Endocrinol. 110: 290-294.
- Srivastava, P.N. and Narain, A.S. (1985) Catfish blood chemistry under environmental stress. Experientia 41: 955-957.
- Srivastava, S.J., Rai, B.P. and Swarup, K. (1977) Histomorphology of the tinctorial cells in the pituitary gland of *Channa striatus* (Bloch). Arch. Biol. 88: 101-116.
- Srivastava, S.J. and Swarup, K. (1980) Histomorphological identification of the tinctorial cells in the pituitary gland of *Channa marulius* (Ham.). Cell. Molec. Biol. 26: 547-553.
- Srivastava, S.J., Singh, N.D., Srivastava, A.K. and Sinha, R. (1995) Acute toxicity of malachite green and its effect on certain blood parameters of a catfish *Heteropneustes fossilis*. Aquat. Toxicol. 31: 241-247.
- Srivastav, S.K. (1986) Correlative studies on the cyclic changes in pituitary gland and gonads of *Chanda nama*. Ph.D. Thesis, University of Gorakhpur, Gorakhpur, India.
- Srivastava, S.K. Jiaswal, R. and Srivastav, Ajai K. (1997) Lethal toxicity of deltamethrin (decis) to a freshwater catfish *Heteropneustes fossilis*. J. Adv. Zool. 18: 23-26
- Srivastav, S.K., Srivastav, Ajai K. and Suzuki, N. (1998 b) Influence of calcitonin on serum calcium levels of intact or hypophysectomized freshwater catfish, *Heteropneustes fossilis*. General Comp. Endocrinol. 112: 141-145.
- Srivastava, S.K., Tiwari, P.R. and Srivastav, Ajai K. (1989) Chlorpyrifos induced histological changes in the gill of freshwater catfish *Heteropneustes fossilis*. Bolm. Fisiol. Anim. 13: 23-28.

- Srivastava, S.K., Tiwari, P.R. and Srivastav, Ajai K. (1990) Effects of chlorpyrifos on the kidney of freshwater catfish *Heteropneustes fossilis*. Bull. Environ. Contam. Toxicol. 45: 748-751.
- Srivastav, S.P., Swarup, K. and Srivastav, Ajai K. (1985) Structure and behaviour of Stannius corpuscles in relation to vitamin D₃ induced hypercalcemia in male *Clarias batrachus*. Cellular Molecular Biol. 31: 1-5.
- Srivastav, S.P. and Swarup, K. (1985) Structure and behaviour of the corpuscles of Stannius, the ultimobranchial gland and the prolactin cells in response to prolactin induced hypercalcemia in male catfish *Clarias batrachus* (L.). Monitore Zool. Ital. 19: 111-120.
- Srivastava, V.K., Singh, S.K., Rai, M., Singh, A. (2003) Toxicity of *Nerium indicum* and *Euphorbia royleana* lattices against *Culex quinquefasciatus* mosquito larvae. Nigerian J. Natural Products Medicine. 7: 61-64.
- *Stahl, A. (1963) Cytophysiologie de la adenohipophyse des poissons (specialemtn en relation avec la fonction gonadotrope). In "Cytologie de l'adenohipophyse", (Bnoit, J. and Dalage, C., eds.), pp. 331-344, CNRS, Paris.
- *Stannius, H. (1939) Uber Nebennieren bei Knochenfischen. Arch. Anat. Physiol. Wiss. Med. 6: 97-101.
- Subhedar, N. and Prasada Rao, P.D. (1976) On the cytoarchitecture of the corpuscles of Stannius of the catfish *Heteropneustes fossilis* (Bloch). Z. Mikrosk-Anat. Forsch. 90: 737-748.
- Subhedar, N., Khan, F.A. and Jain, M.R. (1997) Calcitonin-like immunoreactivity in the subcommissural organ and Reissner's fiber in the teleost *Clarias batrachus*, frog *Rana tigrina* and lizard *Calotes versicolor*. Brain Research, 751: 13-19.
- Sukumar, A. and Karpagaganapathy, P.R. (1986) Renal dysfunction in a freshwater fish, *Colisa lalia* after carbofuran intoxication. In "Environment and Ecotoxicology", (Dalela, R.C., Sahai, Y.N. and Gupta, S., eds.), pp. 243-247, Acad. Environ Biol. India.
- Suzuki, N., Nishizawa, T., Kase, Y., Sasayama, Y., Takei, Y., Kaiya, H., Ukawa, K., Noso, T., Kambegawa, A. and Srivastav, Ajai K. (1998) Amino acid sequences of N-terminal procalcitonin of some vertebrates. Netherlands J. Zool. 48: 349-360.
- Suzuki, N., Suzuki, T. and Kurokawa, T. (2000) Suppression of osteoclastic activities by calcitonon in the scales of goldfish (freshwater teleost) and nibbler fish (seawater teleost). Peptides. 21: 115-124.
- Suzuki, N., Tabata, M. J., Kambegawa, A., Srivastav Ajai, K., Shimada, A., Takeda, H., Kobayashi, M., Wada, S., Katsumata, T., & Hattori, A., (2006) Tributyltin inhibits osteoblastic activity and disrupts calcium metabolism through an increase in plasma calcium and calcitonin levels in teleosts. Life Sciences, 78: 2533-2541.

- Suzuki, N., Suzuki, D., Sasayama, Y., Srivastav, Ajai K. Kambegawa, A. and Asahina, K. (1999) Plasma calcium and calcitonin levels in eels fed a high calcium solution or transferred to seawater. *Gen. Comp. Endocrinol.* 114: 324-329.
- Swarup, K. and Ahmad, N. (1978) Studies of corpuscles of Stannius of *Notopterus notopterus* in relation to calcium and sodium rich environments. *Nat. Acad. Sci.* 1: 239-240.
- Swarup, K. and Ahmad, N. (1979) Ultimobranchial body of *Notopterus notopterus* in relation to calcium and sodium-rich environments. *Z. Mikrosk. Anat. Forsch.* 93: 662-672.
- Swarup, K., Tewari, N.P. and Srivastav, Ajai K. (1980) Response of calcitonin cells, parathyroid glands and bone to prolonged calcitonin administration in the Indian palm squirrel *Funambulus pennanti* (Wroughton). *Acta Anat.* 106: 180-191.
- Swarup, K. and Srivastav, S.P. (1984) Structure and behaviour of ultimobranchial gland in response to vitamin D₃ induced hypercalcemia in male *Clarias batrachus*. *Arch. Anat. Microsc. Exp.* 73: 223-229.
- Takagi, I. and Yamada, K. (1977) An electron microscopic study of the ultimobranchial body of the crucian carp (*Carassius carassius*). *Okajimas Folia Anat. Jap.* 54: 205-228.
- Takei, Y., Takaashi, A., Watanabe, T.X., Nakajima, K., Sakakibara, S., Sasayama, Y., Suzuki, N. and Oguro, C. (1991) New calcitonin isolated from the ray, *Dasyatis akajei*. *Biol. Bull.* 180: 485-488.
- Tazawa, H., Mukai, M. and Ogawa, M. (1989) Immunohistochemical studies of juxtaglomerular cells and the corpuscles of Stannius in the eel *Anguilla japonica*. *Zool. Sci.* 6: 805-808.
- Thangavel, P., Nivedhitha, M., Ramaswamy, M. (2004) Comparative study on individual and combined effects of dimecron and Ziaram on carbohydrate metabolites in liver, muscle, heart, and blood of a freshwater teleost, *Sarotherodon mossambicus* (Peters), *Bull. Environ. Contam. Toxicol.* 72: 365-372.
- Thangavel, P., Sumathiral, K., Karthikeyan, S. and Ramaswamy, M. (2005) Endocrine response of the freshwater teleost, *Sarotherodon mossambicus* (peters) to dimecron exposure. *Chemosphere.* 61: 1083-1092.
- Thangavel, P., Sumathiral, K., Maheshwari, S., Rita, S. and Ramaswamy, M. (2010) Hormone profile of an edible, freshwater teleost, *Sarotherodon mossambicus* (peters) under endosulfan toxicity. *Pestic. Biochem. Physiol.* DOI: 10.1016/j.pestbp.2010.03.001.
- Tiwari, P.R. (1993) Endocrinal regulation of calcium in teleost. Ph.D. Thesis, University of Gorakhpur, Gorakhpur, India.

- Tiwari, S. and Singh, A. (2003) Toxic and sub-lethal effects of oleandrin on biochemical parameters of freshwater air breathing murrel, *Channa punctatus* (Bloch.). Indian J. Exp. Biol 42: 413-418.
- Tiwari, S. and Singh, A. (2004) Control of common freshwater predatory fish, *Channa punctatus*, through *Nerium indicum* leaf extracts. Chemosphere 53: 865-875.
- Tiwari, S. and Singh, A. (2005) Possibility of using latex extracts of *Nerium indicum* plant for control of predatory fish *Channa punctatus*. Asian Fisheries Science 18: 161-173.
- Tiwari, S., Singh, S. K., Singh, A. (2004) Toxicological effect and biochemical alteration induced by different fractions of *Euphorbia royleana* latex in freshwater harmful vector Snail *Lymnea acuminata*. Indian J. Exp. Biol. 42 (12): 1220-1225.
- Tomasulo, J.A. (1968) Structure of the Stannius corpuscles of the guppy during osmoregulation. Anat. Rec. 160: 441-442.
- Tomasulo, J.A., Belt, W.D. and Hayes, E.R. (1970) The fine structure of the Stannius body of the guppy and its response to deionized water. Am. J. Anat. 129: 307-328.
- Tseng, D.Y., Chou, M.Y., Tseng, Y.C., Hsiao, C.D., Huang, C.J., Kaneko, T. and Hwang, P.P. (2009) Effects of Stanniocalcin 1 on calcium uptake in zebrafish (*Denio rerio*) embryo. Am. J. Physiol.- Reg. Int. Comp. Physiol. 296: R549-R557.
- Tuurala, H. and Soivio, A. (1982) Structural and circulatory changes in the secondary lamellae of *Salmo gairdneri* gills after sublethal exposure to dehydroabietic acid and zinc. Aquat. Toxicol. 2: 21-29.
- Urasa, F.M. and Wendelaar Bonga, S.E. (1985) Stannius corpuscles and plasma calcium levels during the reproductive cycle in the cichlid teleost fish *Oreochromis mossambicus*. Cell Tissue Res. 241: 219-227.
- *Van Bemmelen, J.F. (1886) Über vermuthliches redimenters Kiemenspalten bei Elasmobranchier. Mitt. Zool. Sta. Neapel 6: 165-184.
- Van Oordt, P.C.W.J. (1968) The analysis and identification of the hormone producing cells of the adenohypophysis. In " Perspectives in Endocrinology: Hormones in the Life of Lower Vertebrates", (Barrington, E.J.W. and Jorgensen, C.B., eds.), pp. 405-467, Academic Press, New York and London.
- Van Oordt, P.C.W.J. and Peute, J. (1983) The cellular origin of pituitary gonadotropin in teleosts. In "Fish Physiology", (Hoar, W.S., Randall, D.J. and Donaldson, E.M., eds.), vol. 9, pp. 137-186, Academic Press, New York.
- Van Overbeeke, A.P. and McBride, J.K. (1967) The pituitary gland and the sockeye (*Oncorhynchus nerka*) during sexual maturation and spawning. J. Fish. Res. Bd. Can. 24: 1791-1810.

- Van Vuren, J.H. (1986) The effects of toxicants on the haematology of *Labeo umbratus* (Teleostei: Cyprinidae). *Comp. Biochem. Physiol.* 83C: 155-159.
- Van Vuren, J.H., Van Der Merwe, M. and du Preez, H.H. (1994) The effect of copper on the blood chemistry of *Clarias gariepinus* (Clariidae). *Ecotoxicol. Environ. Saf.* 29: 187-199.
- Velisek, J., Svobodova Z., & Piackova, V., (2009). Effects of acute exposure to bifenthrin on some haematological, biochemical and histopathological parameters of rainbow trout (*Oncorhynchus mykiss*). *Veterinarni Medicina*, 54: 131-137.
- Vellano, C., Peyrot, A. and Mazzi, V. (1967) Effect of prolactin on the pituitothyroid axis, integument and behaviour of the adult male crested newt. *Monitore Zool. Ital.* 1: 207-227.
- Velmurugan B, Selvanayagam M, Cengiz EI, Unlu E (2007) Histopathology of lambda-cyhalothrin on tissues (gill, kidney, liver and intestine) of *Cirrhinus mrigala*. *Environ Toxicol Pharmacol* 24: 286-291.
- Verma, S.R. Gupta, S.P. and Tyagi, M.P. (1975) Studies on the toxicity of lindane on *Colisa fasciatus*. I. TLM measurements and histopathological changes in certain tissues. *Gegenbaurs Morph. Jahrb. Leipzig* 121: 38-54.
- Voyer, R.A., Yevich, P.P. and Barszcz, C.A. (1975) Histological and toxicological responses of the mummichog *Fundulus heteroclitus* (L.) to combinations of levels of cadmium and dissolved oxygen in a freshwater. *Water Res.* 9:1069-1074.
- Wagner, G.F. (1994) The molecular biology of the corpuscles of Stannius and regulation of Stanniocalcin gene expression. In: *Fish Physiology* (Sherwood, N.M. and Hew, C.L., eds.) volume VIII, Academic Press, San Diego, 273-306.
- Wang, H., Cai, W.M., Wang, W.S., Yang, J.M. (2006) Molluscicidal activity of *Nerium indicum* Mill, *Pterocary stenoptera* DC, and *Rumex japonicum* Houtt on *Oncomelania Hupensis*. *Biomed. Environ. Sci.* 19: 245-248.
- *Watzka, M. (1933) Vergleichende untersuchungen uber den ultimobranchialen korper. *Z. Mikrosk. Anat. Forsch.* 34: 485-533.
- Wedemeyer, G. and Yasutake, W.T. (1974) Stress of formalin treatment in juvenile spring chinook salmon (*Oncorhynchus tshawytscha*) and steelhead trout (*Salmo gairdneri*). *J. Fish. Res. Bd. Can.* 31: 179-184.
- Wendelaar Bonga, S.E. (1978 a) The effects of changes in external sodium, calcium and magnesium concentrations on prolactin cells, skin and plasma electrolytes of *Gasterosteus aculeatus*. *Gen. Comp. Endocrinol.* 34: 265-275.
- Wendelaar Bonga, S.E. (1978 b) The role of environmental calcium and magnesium ions in the control of prolactin secretion in the teleost *Gasterosteus aculeatus*. In "Comparative Endocrinology", (Gaillard,

P.J. and Boer, H.H., eds.), pp. 259-262, Elsevier North Holland Biomedical Press, Amsterdam.

- Wendelaar Bonga, S.E. (1980) Effect of synthetic salmon calcitonin and low ambient calcium on plasma calcium, ultimobranchial cells, Stannius bodies and prolactin cells in the teleost *Gasterosteus aculeatus*. Gen. Comp. Endocrinol. 40: 99-108.
- Wendelaar Bonga, S.E. (1981) Effect of synthetic salmon calcitonin on protein bound and free plasma calcium in the teleost *Gasterosteus aculeatus*. Gen. Comp. Endocrinol. 43: 123-126.
- Wendelaar Bonga, S.E. (1997) The stress response in fish. Physiol. Rev. 77: 591-625.
- Wendelaar Bonga, S.E. and Flik, G. (1982) Prolactin and calcium metabolism in a teleost fish *Sarotherodon mossambicus*. In "Comparative Endocrinology of Calcium Regulation", (Oguro, C. and Pang, P.K.T., eds.) pp. 19-26, Jpn. Sci. Soc. Press, Tokyo.
- Wendelaar Bonga, S.E., Flik, G., Lowik, C.W. and Van Eys, C.J. (1985) Environmental control of prolactin secretion in the teleost fish *Oreochromis* (formerly *Sarotherodon*) *mossambicus*. Gen. Comp. Endocrinol. 57: 352-359.
- Wendelaar Bonga, S.E. and Greven, J.A.A. (1975) A second cell type in Stannius bodies of two euohaline teleost species. Cell Tissue Res. 159: 287-290.
- Wendelaar Bonga, S.E. and Greven, J.A.A. (1978) The relationship between prolactin cell activity, environmental calcium and plasma calcium in the teleost *Gasterosteus aculeatus*. Observations on stanniectomized fish. Gen. Comp. Endocrinol. 36: 90-101.
- Wendelaar Bonga, S.E., Greven, J.A.A. and Veenhuis, M. (1976) The relationship between ionic composition of the environment and secretory activity of the endocrine cell types of Stannius corpuscles in the teleost *Gasterosteus aculeatus*. Cell Tissue Res. 175: 297-312.
- Wendelaar Bonga, S.E., Greven, J.A.A. and Veenhuis, M. (1977) Vascularization, innervation and ultrastructure of the endocrine cell types of Stannius corpuscles in the teleost *Gasterosteus aculeatus*. J. Morphol. 153: 225-244.
- Wendelaar Bonga, S.E. and Lammers, P.I. (1982) Effects of calcitonin on ultrastructure and mineral content of bone and scales of the ichlid teleost, *Sarotherodon mossambicus*. Gen. Comp. Endocrinol. 48: 60-70.
- Wendelaar Bonga, S.E. and Lock, R.A.C. (1992) Toxicants and osmoregulation in fish. Netherlands J. Zool. 42, 478-493.
- Wendelaar Bonga, S.E., Lowik, C.J.M. and Van der Meij, J.C.A. (1983) Effects of Mg²⁺ and Ca²⁺ on branchial osmotic water permeability and prolactin secretion in the teleost fish *Sarotherodon mossambicus*. Gen. Comp. Endocrinol. 52:222-231.

- Wendelaar Bonga, S.E. and Pang, P.K.T. (1986) Stannius corpuscles. In "Vertebrate Endocrinology: Fundamentals and Biomedical Implications", vol. 1, (Pang, P.K.T. and Schreibman, M.P., eds.), pp. 436-464, Academic Press, London.
- Wendelaar Bonga, S.E. and Pang, P.K.T. (1989) In "Vertebrate Endocrinology: Fundamentals and Biomedical Implications", (Pang, P.K.T. and Schreibman, M.P., eds.), vol. 3, pp. 207, Academic Press, New York.
- Wendelaar Bonga, S.E. and Pang, P.K.T. (1991) Control of calcium regulating hormones in the vertebrates: Parathyroid hormone, calcitonin, prolactin and stanniocalcin. *Int. Rev. Cytol.* 128: 139-213.
- Wendelaar Bonga, S.E., Smits, P.W.J.M., Flik, G., Kaneko, T. and Pang, P.K.T. (1989) Immunohistochemical localization of hypocalcin in the endocrine cells of the corpuscles of Stannius in three teleost species (trout, flounder and goldfish). *Cell Tissue Res.* 255: 651-656.
- Wendelaar Bonga, S.E. and Van der Meij, J.C. A. (1980) The effect of ambient calcium on prolactin cell activity and plasma electrolytes in *Sarotherodon mossambicus* (*Tilapia mossamica*). *Gen. Comp. Endocrinol.* 40: 391-401.
- Wendelaar Bonga, S.E. and Van der Meij, J.C. A. (1981) Effect of ambient osmolarity and calcium on prolactin cell activity and osmotic water permeability of gills in the teleost *Sarotherodon mossambicus*. *Gen. Comp. Endocrinol.* 43: 432-442.
- Wendelaar Bonga, S.E., Van der Meij, J.C. A. and Flik, G. (1984 a) Prolactin and acid stress in the teleost *Oreochromis* (formerly *Sarotherodon*) *mossambicus*. *Gen. Comp. Endocrinol.* 55: 323-332.
- Wendelaar Bonga, S.E., Van der Meij, J.C.A. and Pang, P.K.T. (1980) Evidence for two secretory cell types in the Stannius bodies of the teleosts *Fundulus heteroclitus* and *Carassius auratus*. *Cell Tissue Res.* 212: 295-306.
- Wingstrand, K.G. (1966) Comparative anatomy and evolution of the hypophysis. In "The Pituitary Gland", I. (Harris, G.W. and Donovan, B.T., eds.), pp.58-136, Butterworth, London and Washington, D.C.
- Woodward, D.F., Riley, R.G. and Smith, C.E. (1983) Accumulation, sublethal effects and safe concentration of a refined oil and evaluated with cutthroat trout. *Arch. Environ. Contam. Toxicol.* 12: 455-464.
- Wood, C.M. and Soivio, A. (1991) Environmental effects on gill function: An introduction. *Physiol. Zool.* 64: 1-3.
- Yamada, J., Tomioka, J., Yamane, S., Iguchi, M. and Nakamura, Y. (1982) In "Comparative Endocrinology of Calcium Regulation", (Oguro, C. and Pang, P.K.T., eds.), p. 143, Jpn. Sci. Soc. Press, Tokyo.
- Yamamoto, T. (1969) Sex differentiation. In "Fish Physiology" vol. III, (Hoar, W.S. and Randall, D.J., eds.), pp. 117-175, Academic Press, New York and London.

- Yamane, S. (1977) Sexual differences in histology of the ultimobranchial gland of mature Japanese eels (*Anguilla japonica*). Zool. Mag. 26: 261-263.
- Yamane, S. (1978) Histology and fine structure of the ultimobranchial gland in the zebrafish, *Brachydanio rerio*. Bull. Fac. Fish. Hokkaido Univ. 29: 2123-221.
- Yamane, S. (1981) Sexual differences in ultrastructure of the ultimobranchial gland of mature eels (*Anguilla japonica*). Bull. Fac. Fish. Hokkaido Univ. 32: 1-5.
- Yamane, S. and Yamada, J. (1977) Histological changes of the ultimobranchial gland through the life history of the masu salmon. Bull. Jap. Soc. Sci. Fish. 43: 375-386.
- Yamauchi, H., Matsuo, M., Yoshida, A. and Orimo, H. (1978) Effect of eel calcitonin on serum electrolytes in the eel *Anguilla japonica*. Gen. Comp. Endocrinol. 34: 343-346.
- Yamazaki, F. (1969) The gonadotropin of fishes. Bull. Jap. Soc. Fish. 35: 695-709.
- Youson, J.H. and Butler, D.G. (1978) Fine structure of the adrenal homolog and the corpuscles of Stannius of *Amia calva*, L. Acta Zool. 57: 217-230.
- Youson, J.H., Butler, D.G. and Chan, A.T.C. (1976) Identification and distribution of the adrenocortical homolog, chromaffin tissue and corpuscles of Stannius in *Amia calva* L. Gen. Comp. Endocrinol. 29: 198-211.
- Youson, J.H., Butler, D.G. and Tsioros, K. (1989) The kidney, adrenocortical homologue and corpuscles of Stannius in the cockscomb prickleback *Anoplarchus purpureus*. Jap. J. Ichth. 36: 1.
- Zaccone, G. (1977) Histology, innervation and histochemistry of the ultimobranchial gland in the mexican cave fish *Anoptichthys jordani* Hubbs et Inns (Teleostei: Characidae). Acta Histochem. 58: 31-38.
- Zaccone, G. (1980) Histochemical identification of fish ultimobranchial cells with polypeptide hormone producing APUD cells. Acta Histochem. 67: 13-16.
- Zaccone, G. and Lo Cascio, P. (1979) Distribution of the endocrine cells of the APUD series in the ultimobranchial bodies of fish. Cell. Molec. Biol. 24: 369-372.

* Not seen in original