

## **BIBLIOGRAPHY**

- Abbot, A.J. 1978. Practice and promise of micropropagation of woody species. *Acta Hort.* 79: 113-127.
- Adsule, P.G., G.S. Karobasappa, K. Banerjee and K. Mundankar. 2006. Status and prospects of raisin industry in India. Souvenir of the International Symposium on Grape Production and Processing, India. Pp. 44-51.
- Aguero, C., Riquelme, C. and R. Tizio 1995. Embryo rescue from seedless grapevines (*Vitis vinifera* L.) treated with growth retardants. *Vitis* 34 (2): 73-76.
- Ahuja, M.R. 1987. *In vitro* propagation of poplar and aspen. In: Bonga, J.M., Durzan, D.J. (Eds.) Cell and Tissue culture in forestry., Vol.3, Martinus Nijhof, Dordrecht, pp 207-223.
- Alleweldt, G. 1997. Genetics of grapevine breeding. *Progress in Botany* 58: 441-454.
- Alleweldt, G. and F. Radler 1962. Interrelationship between behavior of grapes and growth of plant tissues cultures. *Plant Physiol.* 37:376-379.
- Altamura, M., Cersosimo, M.A., Majoli, C. and M. Crespan. 1992. Histological study of embryogenesis and organogenesis from anthers of *Vitis rupestris* du Lot cultured *in vitro*. *Protoplasma.* 171: 134-141.
- Ambid, C., Moisseff, M. and J. Fallot 1983. Interconversion des aldehydes et des alcools monoterpeniques dans les cellules de raisin Muscot cultivees *in vitro*. *Physiol. Veg.* 21:82-92.
- Ammirato, P.V. 1983. Embryogenesis In: techniques for propagation and breeding. Evans D.A., Sharp, W.R., Ammirato, P.V., Yamada, Y. (Eds). Hand Book of plant cultures. Vol. 1 pp 82-123.
- Andersen, S.C., Bastola, D.R., Minocha, S.C. (1998). Metabolism of polyamines in transgenic cells of carrot expressing a mouse ornithine decarboxylase cDNA. *Plant Physiol* 116:299-307.
- Angel, F., Barney, V.E., Tohme, J., and Roca, W.M. 1996. Stability of cassava plants at the DNA level after retrieval from seed cotyledons. *Euphytica* 90: 307-313.
- Anjum, M. A. and H. Ali 2004. Effect of culture medium in direct organogenesis from different explants of various potato genotypes. *Biotechnology* 3(2) : 187-93.
- Arya, H.C., Hilderbrandt, A.C. and A.J. Riker 1962. Growth in tissue cultures of single clones from grape stems and phylloxera galls. *Plant Physiol.* 37:387-392.
- Ashok Kumar, H.G., Murthy, H.N. and Paek, K.Y. 2003. Embryogenesis and plant regeneration from anther cultures of *Cucumis sativus* L. *Sci. Hort.* 98: 213-222.
- Atkins, C.A., R.J.N. Emery and Q. Ma. 1998. Cis and trans isomers of cytokinins in seed development of lupin. Abstract No. 585, Plant Biology Electronic Abstract Center.
- Barbier, P., Perrin, M., Cobanov, P. and B. Walter 2000. Probing pathogen derived resistance against the fan leaf virus in grapevine. In: 7<sup>th</sup> Intern, Symp. On grapevine genetics and Breeding. Bouquet, A. and Boursiquot, J.-M. (Eds). *Acta Hort.* 528: 385-388.
- Baribault, T.J., K.G.M. Skene and N.S. Scott. 1989. Genetic transformation of grapevine cells. *Plant Cell Rep.* 8: 137-140.
- Baribault, T.J., K.G.M. Skene, P.A. Cain and N.S. Scott. 1990. Transgenic grapevines: regeneration of shoots expressing beta-glucuronidase. *J. Exp. Bot.* 41: 1045-1049.
- Barlass, M. 1986. Development of methods applicable to the selection of mutants from *in vitro* culture of grapevines. In: Nuclear Technology and *In vitro* Culture for Plant Improvement. 259-265. IAEA, Vienna.
- Barlass, M. and K.E.M. Skene 1978. *In vitro* propagation of grapevine (*Vitis vinifera*) from fragmented shoot apices. *Vitis*, 17: 335-340.

- Barlass, M. and K.G.M. Skene 1980. Studies on the fragmented shoot apex of grapevine. II Factors affecting growth and differentiation *in vitro*. Journal of Experimental Botany, 31: 489-495.
- Barlass, M., Ramming, D.W. and Davis, H.P. (1988). *In-ovulo* embryo culture – a breeding technique to rescue seedless x seedless table grape crosses. Aust. Grapegrower and Winemaker 292: 123-125.
- Bavaresco, L. and M.A. Walker 1984. Techniques for successfully establishing *Xiphinema index* in dual culture with grapes. Am. J. Enol. Vitic. 45: 273-277.
- Belarbi, B. 1983. Contribution a l etude de la resistance des vitacees a l eutypiose (*Eutypa armeniaca* Hansf. et Carter) et a l Esca (*Stereum hirsutum* Willd. Persoon), These Ecole Nationale Superieure de Montpellier, France.
- Bennici, A., Anzidei, M. and G.G. Vendramin 2004. Genetic stability and uniformity of *Foeniculum vulgare* Mill. Regenerated plants through organogenesis and somatic embryogenesis, Plant Science, 166: 221-227.
- Berres, R., L. Otten, B. Tinland, E. Malgarini-Clog and B. Walter 1992. Transformation of *Vitis* tissue by different strains of *Agrobacterium tumefaciens* containing the T-6b gene. Plant Cell Rep. 11: 192-195.
- Bertoldi, D.; Tassoni, A.; Martinelli, L. and N. Bagni 2004: Polyamines and somatic embryogenesis in two *Vitis vinifera* cultivars. Physiol. Plant. 120(4), 657-665.
- Bhagwat, B. and Lane, D. (2004) *In vitro* regeneration from leaves of sweet cherry (*Prunus avium*) ‘Lapins’ and ‘Sweetheart’. Plant Cell, Tissue Organ Cult 78:173–181
- Bharathy P V, Karibasappa G S, Biradar A B, Kulkarni D D, Solanke A U, Patil S G, Agrawal D C. 2003. Influence of pre-blossom sprays of benzyladenine on *in vitro* recovery of hybrid embryos from crosses of Thompson Seedless and 8 seeded varieties of grape (*Vitis* spp.). *Vitis* 42(4) : 199-202.
- Bharathy, P.V., Karibasappa, G.S., Patil, S.G. and D.C. Agrawal 2005. *In ovulo* resue of hybrid embryos in Flame seedless grapes – Influence of pre-bloom sprays of benzyladenine. Sci. Hort. 106: 353-359.
- Bhatia, P., Ashwath, N., Senaratna, T. and Krauss, S.L. 2005. Genetic analysis of cotyledon derived regenerants of tomato using AFLP markers. Curr. Sci. 88: 280-284.
- Bieri, S., Potrykus, I. and Futterer, J. 2000. Expression of active barley seed ribosome-inactivating protein in transgenic wheat. *Theor. Appl. Genet.* 100, 755–763.
- Bliffeld, M., Mundy, J., Potrykus, I. and Futterer, J. 1999. Genetic engineering of wheat for increased resistance to powdery mildew disease. *Theor. Appl. Genet.* 98, 1079–1086.
- Bogani, P. and Simoni, A., Lio P. Scialpi and buiati, M. 1996. Genome flux in tomato cell clones cultured *in vitro* in different physiological quilibria. II A RAPD analysis of variability. *Genome* 39: 846-853.
- Boller, T., Gehri, A., Mauch, F. and Vogeli, U. 1983. Chitinase in bean leaves: induction by ethylene, purification, properties, and possible function. *Planta* 157: 22-31.
- Bornhoff, B. A., Harst, M., E. Zyprian and R. Topfer 2000. *Agrobacterium tumefaciens* mediated genetic transformation and regeneration of different explants of *Vitis vinifera*. In: 6<sup>th</sup> Intern. Symp. on Grapevine Physiology and Biotechnology. 11-15 June, 2000, Herakion, Greece.
- Bornhoff, B.A., Harst, M. and Zypriyan, E. 2000. Transformation studies on *Vitis vinifera* L. vai *Agrobacterium tumefaciens*. In: 7<sup>th</sup> Intern, Symp. On grapevine genetics and Breeding. Bouquet, A. and Boursiquot, J.-M. (Eds). *Acta Hort.* 528: 359-360.
- Bornhoff, B.A., Harst, M., Zyprian, and R. Topfer 2005. Transgenicplants of *vitis vinifera* cv. Seyval blanc. *Plant Cell Rep.* 24: 433-438.

- Botti C, Garay L and Reginato G. 1993. The influence of culture dates, genotype and size and type of shoot apices on *in vitro* shoot proliferation of *Vitis vinifera* cvs. Thompson seedless, Ribier and Black seedless. *Vitis* 32 : 125-126.
- Botti, C.; Garay L. and Reginato, G.; 1993: The influence culture dates, genotype and type of shoot apices on *in vitro* shoot proliferation of *Vitis vinifera* cvs. Thompson Seedless, Ribier and Black Seedless. *Vitis* 32, 125-6.
- Bouquet A. 1982. Premieres observations sur le de terminisme genetique de la polyembryonie spontanee chez un hybride interspecificue *Vitis vinifera* x *V. riparia*. *Vitis* 21: 33-39.
- Bouquet A. and Davis H.P. 1989. Culture *in vitro* d'ovules et d'embryons de vigne (*Vitis vinifera* L.) appliquee a la selection de varieties de raisins de table sans pepins. *Agronomic* 9: 565-574.
- Bouquet, A. and Y. Danglot 1996. Inheritance of seedless in grapevine (*Vitis vinifera* L.). *Vitis* 35: 35-42.
- Bower, J.E., Dangl, G.S., Vignani, R. and Meredith, C.P. 1996. Isolation and characterization of new polymorphic simple sequence repeat loci in grape (*Vitis vinifera* L.). *Genome* 39: 628-633.
- Brezanu, A., Jordan, M. and A. Rosu 1980. the micropropagation of *Vitis vinifera*. I-the induction and characterization of callus from tissues of somatic origin. *Rev. Roum. Biol. Veget.* 25: 135-142
- Bronner, A. and Olivera, J. 1990. Creation and study of Pinot noir variety lineage. In: Proc. 5<sup>th</sup> Intern. Symp. grape breeding. St.-Martin/Pflaz (Germany). September 1989. *Vitis* (special issue) pp 69-80.
- Burger P. 1992. Embryo culture and its application in table grape breeding. M.Sc. Agric. Thesis, University of Stellenbosch, private bag XI, 7602, Matieland, Stellenbosch.
- Burger P. and Goussard P.G. 1996. *In vitro* culture of ovules and embryos from seedless grapes (*Vitis vinifera* L.). *S. Afr. J. Enol. Vitic.* 17(2): 31-37.
- Burger, P. and I.A. Trautmann 2000. manipulations of ovules to improve *in vitro* development of *vitis vinifera* L. In: Proc. 7<sup>th</sup> Intern. Symp. grapevine genetics and breeding. Montpellier (France) July 1998. *ActaHort.* 528: 613-619.
- Busam, G., Kessenmeyer, H.H. and Matern,U. 1997. Differential expression of chitinase in *V. vinifera* L. responding to systemic acquired resistance activators or fungal challenge. *Plant Physiol.* 115: 1029-1038.
- Cain D.W., Emershad R.L. and Tarailo R.E. 1983. In-ovulo embryo culture and seedling development of seeded grapes (*Vitis vinifera* L.). *Vitis* 22: 9-14.
- Carmi, F., Barizza, E., Cardiman, M. and Schiavo, F.L. 2005. Somatic embryogenesis from stigmas and styles of grapevine. *In vitro Cell. Dev. Biol. Plant* 41:241-252.
- Chalfie, M., Y. Tu, G. Euskirchen, W.W. Ward and D.C. Prasher. 1994. Green fluorescent protein as a marker for gene expression. *Science.* 263: 802-805.
- Chang, Z.M. and Reisch, B.I. 1989. Shoot regeneration from petioles and leaves of *Vitis* x *Labruscana* "Catawba", *Plant Cell Rep.* 8: 403-406.
- Chee R, Pool R M. 1985. *In vitro* propagation of *Vitis*: The effect of organic substances on shoot multiplication. *Vitis* 24 : 106-18.
- Chee R, Pool R M. 1987. Improved Inorganic Media Constituents for *in vitro* shoot multiplication of *Vitis*. *Scientia Horticulturae* 32 : 85-95.
- Chee, R. and Pool, R.M. 1983. *In vitro* vegetative propagation of *Vitis*: Application of previously defined culture conditions to a selection of genotypes. *Vitis*, 22: 363-374.
- Chee, R. and Pool, R.M. 1988. Sucrose and NAA influence growth of subcultured shoots and *in vitro* production of roots in *Vitis*. *Horticultural Sciences*, 23(4): 776.
- Chee, R. and R.M. Pool. 1982. The effects of growth substances and photoperiod on the development of shoot apices of *Vitis* cultures *in vitro*. *Scientia Hort.* 16: 17-27.

- Chen C-C., Chen S.J., Sagare A. P. and H.S. Tsay 2001. Adventitious shoot regeneration from stem internode explants of *Adenophora triphylla* (Thunb.) A. DC. (Campanulaceae) – an important medicinal herb. *Bot. Bull. Acad. Sin.* 42 : 1-7
- Chen J.T., Chang C. and Wang W.C. (1999) Direct somatic embryogenesis on leaf explants of *Oncidium* Glwerr Ramsey and subsequent plant regeneration. *Plant Cell Reports* 19: 143-149.
- Cheng, T., Saka, H. and T. Vogui-Dinh. 1980. Plant regeneration from soyabean cotyledonary node segments in culture. *Plant Sci. Lett.* 19 : 91-99.
- Christou, P. 1996. Rice transformation using particle delivery system : status and potential. In: 5<sup>th</sup> Ann. Meet Nat. Rice Biotechnol Network. IARI pub, New Delhi, India. Pp 19-29.
- Clog, E., Paul Bass and Bernard Walter (1990) Plant regeneration by organogenesis in *Vitis* rootstock species. *Plant Cell Rep.* 8: 726-728.
- Clouster, S. and Landry, B.S. 1994. Molecular markers applied to plant tissue culture. *In vitro Cell Dev. Biol.* 30: 32-39.
- Colby S.M., Junocsa A.M., Stamp J.A. and Meredith C.P. (1991) Developmental anatomy of direct shoot organogenesis from leaf petioles of *Vitis vinifera* (vitaceae). *Amer. J. Bot.* 78:260-269.
- Colby, A.M., and C.P. Meredith. 1990. Kanamycin sensitivity of cultured tissues of *Vitis*. *Plant Cell Rep.* 9: 237-240.
- Colby, S.M., A.M. Juncosa and C.P. Meredith. 1991. Cellular differences in *Agrobacterium* susceptibility and regenerative capacity to restrict the development of transgenic grapevines. *J. Am. Soc. Hortic. Sci.* 116: 356-361.
- Colrat, S., Deswarte, C., Latche, A., Claebe, A., Bouzayen, M., Fallot, J. and J.P. Roustan 1999. Enzymatic detoxification of eutipine, a toxin from *Eutypa lata* by *Vitis vinifera* cells: partial purification of an NADPH-dependent aldehyde reductase. *Planta* 207:544-550.
- Commun, K., Mauro, M.C., Chupeau, Y., Boulay, M., Burrus, M. and Jeandet, P. 2003. Phytoalexin production in grapevine protoplasts during isolation and culture. *Plant Physiol.* 41 : 317-323.
- Dai, G.H., Andary, C., Mondolot-Cosson, L. and D. Boubals 1995. Involvement of phenolic compounds in the resistance of grapevine callus to downy mildew (*plasmopora viticola*). *Eur. J. Plant Pathol.* 101:541-547.
- Das, D.K., M.K. Reddy, K.C. Upadhyaya and S.K. Sopory. 2002. An efficient leaf disc method for the regeneration via somatic embryogenesis and transformation of grape (*Vitis vinifera* L.). *Plant Cell Rep.* 20: 999-1005.
- De Candolle, A. (1886). Origin of cultivated plants (reprint 1964). New York: Hafner Publishing.
- Deblaere, R., Bytebier, B., Greve, H.D., Deboeck, F., Schell, J., and Perani, L.A. 1985. Efficient octopine Ti plasmid derived vectors for *Agrobacterium* –mediated gene transfer to plants. *Nucleic acid research* 13: 4777-4788.
- Decendit, A. and J.M. Merillon 1996. Condensed tannin and anthocyanine production in *Vitis vinifera* cell suspension cultures. *Plant Cell Rep.* 15:762-765.
- Deloire, A. and Mauro, S.C. 1991. Amelioration de la vigne par voie des biotechnologies: realites et perspectives. *Rev. Cytol. Biol. Veget. Bot.* 14: 265-269.
- Deswort, C., Cannot, H., Klabe, A., Roustan, J.P. and J. Fallot. 1996. Transport, cytoplasmic accumulation and mechanism of action of the toxin eutipine in *Vitis vinifera* cells. *J. Plant Physiol.* 149:336-342.
- Devlin, R.M. and Koszanski, Z.K.; 1988: Effect of CPPU on yield and development of 'Early Black' cranberry. *Proc. Plant Growth Regulator Society of America* 15, 136-140.

- Do, C.F. and F. Cormier 1991. Effects of low nitrogen and high sugar concentration on anthocyanine content and composition of grapes (*Vitis vinifera* L.) cell suspension. *Plant Cell Rep.* 9:500-504.
- Dokoozlian, N., B. Peacock and D. Luvisi, 1998. Crimson seedless production practices. The University of California Co-operative Extension, Tulare County. Publ. TB# 5-93: 1-3.
- Drake P.M.W., John A., Power J.B. and Davey M.R. 1997. Cytokinin pulse-mediated shoot organogenesis from cotyledons of Sitka spruce [*Picea sitchensis* (Bong.) Carr.] and high frequency *in vitro* rooting of shoots. *Plant Cell Tiss. Org. Cult.* 50: 147-151.
- Duram-Vila, N., Juarez, J. and J.M. Arreque 1988. Production of viroid free grapevine by shoot tip culture. *Am. J. Enol. Vitic.* 39 : 217-220.
- Durham, R.E., Moore, G.A., Gray, D.J. and J.A. Mortensen 1989. The use of leaf GPI and IDH isoenzymes to examine the origin of polyembryony in culotured ovules of seedless grape. *Plant Cell Rep.* 7:669-672.
- Emershad R.L., Ramming D.W. and Serpe M.D. (1989). In ovulo embryo development and plant formation from stenospermocarpic genotypes of *Vitis vinifera*. *Am. J. Bot.* 76: 397-402.
- Emershad, R.L. and D.W. Ramming. 1984. *In ovulo* embryo culture of *Vitis vinifera* L. cv. Thompson Seedless. *Amer. J. Bot.* 71: 837-877.
- Emershad, R.L. and D.W. Ramming. 1994. Somatic embryogenesis and plant development from immature zygotic embryos of seedless grapes (*Vitis vinifera* L.). *Plant Cell Rep.* 14: 6-17.
- Enrique-Obregon,, G.S., Prieto-Sansonov, D.L., Gustavo A. de la Riva, Perez, M., Selman-Housein, G. and Vazquez-Padron, R.I. 1999. *Agrobacterium* mediated Japonica rice transformation: procedure assisted by an anti-necrotic treatment. *Plant Cell Tiss. Org. Cult.* 59:168-168.
- Ericksson, T., 1965. Studies on the growth measurements of cell cultures of *Haplopappus gracilis*. *Physiol. Plant.*, 18: 976-993.
- Escalettes V, Dosba F (1993) *In vitro* adventitious shoot regeneration from leaves of *Prunus spp.* *Plant Sci* 90:201-209
- Evans D.A., Sharp W.R. and Medina-Filho H.P. 1984. Somaclonal and Genetical variation. *Amer. J. Bot.* 71:159-774.
- Evans PT, Malberg RL (1989) Do polyamines have a role in plant development? *Annu Rev Plant Physiol Plant Mol Biol* 40:235-269
- Fallot, J. 1955. Culture de tissus de quelques especes at varietes du genere *Vitis* et leur compotement. *Bull. Soc. Hist. Nat. Toulouse* 90:163-172
- Fallot, J., Tey-Rull, P., Petitprez, M., Roustan, J.P., Philippe, I., and R. Thabacche. 1990. Cultures *in vitro*, etude de l eutypiose et strategies de creation de somaclones de vigne tolerents. *Les Colloques de l'INRA* 51: 151-159.
- FAO STAT data, 2005. <http://faostat.fao.org/faostat/collections>.
- FAO, 2001. <http://www.fao.org/docrep/003/x6897e/x6897e06.htm>
- Faure, O., Aarrouf, J. and Nougarede, A. (1996) Ontogenesis, differentiation and precocious germination in anther-derived somatic embryos of grapevine (*Vitis vinifera* L.): Embryonic organogenesis. *Ann. Bot.* 78: 29-37.
- Faure, O., M. Mengoli, A. Nougarede and N. Bagni. 1991. Polyamine pattern and biosynthesis in zygotic and somatic embryo stages of *Vitis vinifera*. *J Plant Physiol.* 138: 545-549.
- Favre J-M 1977. Premiers resultats concernant l'obtention *in vitro* de neoformations caulinaires chez la vigne. *Ann. Amelior. Plantes* 27: 151-169.

- Fernandez G.E., Clark J.R. and Moore J.N. 1991. Effect of seed coat manipulation on germination of stenospermocarpic grape embryos cultured in ovulo. *HortSci.* 26: 1220.
- Feucht, W., Treutter, D. and E. Christ 1996. Flavonols in grapevine: *In vitro* accumulation and defense reactions in shoots. *Vitis* 35: 113-118.
- Fienberg, A.A. and Choi, H.H.; Libich, W.P.; Sung, Z.R.; 1984: Developmental regulation and polyamine metabolism and differentiation of carrot culture. *Planta* 162, 532-539.
- Flores, H.E. and Galston, A.W.; 1982: Analysis of polyamines in higher plants by high performance liquid chromatography. *Plant Physiol.* 69, 701-706.
- Fobert, P.R. and Webb, D.T.; 1988: Effects of polyamines, polyamine precursors and polyamine biosynthetic inhibitors on somatic embryogenesis from eggplant (*Solanum melongena*) cotyledons. *Can. J. Bot.* 66, 1734-1742.
- Forneck, A., Merkt, N. and R. Blaich 1998. A tripartite aseptic culture system for grapes (*Vitis* spp.), Phylloxera (*Daktulosphaera vitifoliae*) and mites (*Tarsanemus* sp.). *Vitis* 37: 95-96.
- Franks, T., D.G. He and M. Thomas. 1998. Regeneration of transgenic *Vitis vinifera* L. Sultana plants : genotype and phenotype analysis. *Mol. Breeding.* 4: 321-333.
- Galston, A.W.; Kaur-Sawhney, R.; 1985: Polyamines as endogenous growth regulators. In: P.J. Davies (Ed.): *Plant hormones, Physiology, Biochemistry and Molecular Biology* (2<sup>nd</sup> edn), 158-178. Kluwer Academic Publishers, Dordrecht, The Netherlands.
- Galzy, R. 1964. Technique de thermotherapie des virus de la vigne. *Annales des Epiphyties* 15: 245-256
- Galzy, R. 1969. Remarques sur la croissance de *Vitis rupestris* cultivee *in vitro* sur differents milieux nutritifs. *Vitis* 8: 191-205
- Gamborg, O.L., R.A. Miller and K. Ojima, 1968. Nutrient requirements of suspension cultures of soybean root cells. *Exp. Cell Res.*, 50: 151.
- Garcia, E., Martinez, A. ,Garcia de la Calera, E., Perez, L.J., Cenis, J.L. and J. carreno 2000. *In vitro* Cultre of ovules and embryos of grape for the onbtenton of new seedless table grape vcultivar. In: Proc. 7<sup>th</sup> Intern. Symp. grapevine genetics and breeding. Montpellier (France) July 1998. *ActaHort.* 528: 663-666.
- Garcia-Florenciano, E., Calderon, A.A., Pedreno, M.A., Munoz, R. and A. Ros-Barcelo 1991. The vascular localization of basic isoperoxydases in grapevine suspension cell culture and its significance in indole-3-acetic cataboloism. *Pant Growth Regul.* 10:125-138.
- George, E.f. and P.D. Sherrington 1984. *Plant propagtion by tissue culture. Hand book and directory of commmerical laboratories.* Exegetics Ltd., Eversley Basingstoke, Harts, England, 709.
- Giannakis, C., Bucheli, C.S., Skene, K.G.M., Robinson, S.P. and Scott, N.S. 1998. Chitinase and b-1,3-glucanase in grapevine leaves.: a possible defense against powdery mildew infection. *Aust. J. Grape Wine Res.* 4: 14-22.
- Goldy R.G. and Amborn U. (1987). *In vitro* culturability of ovules from 10 seedless grape clones. *HortSci* 22(5): 952.
- Golles, R., Moser, R., Puhringer, H., Katinger, H., Laimer da Camara Machado, M., da Camara Machado, A., Minafra, A., Savino, V., saldarelli, P. and Martelli, G.P. 2000. Transgenic grapevines expressing coat protein gene sequences of grapevine fan leaf virus, arabis mosaic virus, grapevine virus A, and grapevine virus B. In: 7<sup>th</sup> Intern, Symp. On grapevine genetics and Breeding. Bouquet, A. and Boursiquot, J.-M. (Eds). *Acta Hort.* 528: 305-311.
- Goussard, P.G., 1982. Morphological responses of shoot apices of grapevine cultured *in vitro*: Effects of cytokinins in routine subculturing. *Vitis*, 21: 293-298.

- Goussard, P.G.; 1981: Effects of cytokinin on elongation, proliferation and total mass of shoots derived from shoot apices of grapevine cultured *in vitro*. *Vitis* 20, 228-234.
- Gray, D.J. 1995. Somatic embryogenesis in grapes. In: Gupta P.K., Jain S.M., Newton R.J. (eds.). Somatic embryogenesis in woody perennials., Vol.2. Kluwer Academic Publishers, Dordrecht, the Netherlands. Pp 191-217.
- Gray, D.J. 2000. Non-zygotic embryogenesis. In: Trigiano, R.N. and D.J. Gray (eds.) Plant tissue culture concepts and laboratory exercises. CRC Press, Boca Raton., USA. Pp. 175-189.
- Gray, D.J. and Benton, C.M. 1991. *In vitro* micropropagation and plant establishment of muscadine grape cultivars (*Vitis rotundifolia*). *Plant Cell Tiss.Org. Cult.* 27: 7-14
- Gray, D.J. and C.P. Meredith. 1992. Grape biotechnology. In: Hammerschlag, F.A. and R.E. Litz (eds.) Biotechnology of perennial fruit crops. CAB International, Wallingford, UK. Pp. 229- 262.
- Gray, D.J. and Compton, M.E. 1993. Grape somatic embryo dormancy and quiescence: potential of dehydrated synthetic seeds for germplasm conservation. In: Synseed. Application of synthetic seeds to crop improvement, Redenbaugh K. (Eds). CRC press Inc., pp 367-379.
- Gray, D.J. and J.A. Mortenson. 1987. Initiation and maintenance of long term somatic embryogenesis from anthers and ovaries of *Vitis longii* 'Microsperma'. *Plant Cell Tissue Org. Cult.* 9: 73-80.
- Gray, D.J. and Purohit, A. 1991. Somatic embryogenesis and development of synthetic seed technology. *Crit. Rev. Plant Sci.* 10: 33-61.
- Gray, D.J. Fisher L.C. and Mortensen J.A. 1987. Comparison of methodologies for in ovulo embryo rescue of seedless grapes. *HortSci.* 22(6): 1334-1335.
- Gray, D.J., J.A. Mortensen, C.M. Benton, R.E. Durham and G.A. Moore. 1990. Ovule culture to obtain progeny from hybrid seedless bunch grapes. *J. Amer. Soc. Hortic. Sci.* 115: 1019-1024.
- Greene, D.W.; 1989: CPPU influences 'McIntosh' apple crop load and fruit characteristics. *HortScience* 24, 94-96.
- Gresshoff, P. and C. Doy. 1974. Derivation of a haploid cell line from *Vitis vinifera* and the importance of the stage of meiotic development of anthers for haploid culture of this and other genera. *Z. Pflanzenphysiol.* 73: 132-141.
- Gribaudo, I. And A. Schubert 1990. Grapevine root transformation with *Agrobacterium rhizogenes*. In: Proc. 5<sup>th</sup> Intern. Symp. grape breeding. St.-Martin/Pflaz (Germany). September 1989. *Vitis* (special issue) pp 412-418.
- Gribaudo, I., R. Zanetti, R. Botta, R. Vallania and I. Eynard. 1993. In ovulo embryo culture of stenospermic grapes. *Vitis.* 32: 9-14.
- Guellec, V., David, C., Branchard, M. and J. Tempe 1990. *Agrobacterium rhizogenes*-mediated transformation of grapevine (*Vitis vinifera* L.). *Plant Cell Tiss. Org. Cult.* 20:211-215.
- Guillen, P., Guis, M., Martnz-Reina, G., Colrat, S., Dalmayrac, S., Deswarte, C., Bouzayen, M., Roustan, J.P., Fallot, J., Pech, J.C. and A. Latchi 1998. A novel NADPH-dependent aldehyde reductase gene from *Vigna radiata* confers resistance to the grapevine fungal toxin eutypine. *Plant J.* 16:335-343.
- Gulati, A. and Jaiwal, P.K. 1990. Culture conditions effecting plant regeneration from cotyledons of (*Vigna radiata* L.). *Plant Cell. Tiss. Org.* 23: 1-7.
- Gustavo AR, Gonzalez-Cabrera J, Vazquez-Padron R, Ayra-Pardo C (1998). *Agrobacterium tumefaciens*: A natural tool for plant transformation. *Electronic J. Biotechnol.* V.1 <http://www.ejb.org/content/vol1/issue3/full/1>.
- Haccius, B. 1978. Question of unicellular origin of non-zygotic embryos in callus cultures. *Phytomorphology* 28: 74-81.



- Hammatt N, Grant NJ (1998) Shoot regeneration from leaves of *Prunus serotina* Ehrh. (black cherry) and *P. avium* L. (wild cherry). *Plant Cell Rep* 17:526–530
- Hammerschlag, F.A. 2000. Resistant responses of peach somaclone 122-1 to *Xanthomonas campestris* pv. *Pruni* and to *Pseudomonas syringae* pv. *Syringae*. *HortScience* 35: 141-143.
- Han, D.H. and Lee, C.H. 2004. The effects of GA<sub>3</sub>, CPPU and ABA applications on the quality of Kyoho (*Vitis Vinifera* L. X *Labrusca* L.) grape. S.-M. Kang, F. Bangerth, S.-K. Kim (Eds.) In: IX International Symposium on Plant Bioregulators in Fruit Production held at Seoul, South Korea during July, 2004.
- Hangarter, R.P. and Good, E. 1981. Evidence that IAA conjugates are slow-release sources of free IAA in plant tissues. *Plant Physiol.* 68: 1424-1427.
- Hansen, G. 2000. Evidence for *Agrobacterium* induced apoptosis in maize cells. *Plant-microbe Inter.* 13: 649-231.
- Harris R E, Stevenson H. 1979. Virus elimination and rapid propagation of Grapes *in vitro*. *Proc. Int. Plant. Sci.* 63 : 311-6.
- Harris, R.E.; Stevenson, J.H.; 1982: *In vitro* propagation of Vitis. *Vitis* 21, 22-32.
- Harst, M. 1995. Development of a regeneration protocol for high frequency somatic embryogenesis from explants of grapevines (*Vitis* spp.). *Vitis*. 34(1): 27-29.
- Harst, M., B. Bornhoff, E. Zypriyan and R. Töpfer. 2000a. Influence of culture technique and genotype on the efficiency of *Agrobacterium*-mediated transformation of somatic embryos (*Vitis vinifera*) and their conversion to transgenic plants. *Vitis*. 39(3): 99-102.
- Harst, M., B. Bornhoff, E. Zypriyan, R. Töpfer and G. Jach. 2000b. Regeneration and transformation of different explants of *Vitis vinifera* spp. *Acta Hort.* 528: 289-295.
- Haselhoff, J., K.R. Siemering, D. Prasher and S. Hodge. 1997. Removal of a cryptic intron and subcellular localisation of green fluorescent protein are required to mark transgenic *Arabidopsis* plants brightly. *Proc. Natl. Acad. Sci. USA.* 94: 2122-2127.
- Hashmi, G., R. Uettel, R. Meyer, L. Krusberg, F. Hammerschlag, RAPD analysis of somaclonal variants derived from embryo callus cultures of peach, *Plant Cell Rep.* 16, 1997, 624-627
- Hawker, J.S., Downton, W.J.S., Wiskich, D. and M.G. Mullins 1973. Callus and cell culture in grape berries. *HortScience* 8: 398-399.
- Hazra, A., Dinesh C. Agrawal, Anjan K. Banerjee, Kaza V. Krishnamurthy and Satish M. Nalawade 2001. Induction of Multiple Shoots and Plant Regeneration From 'Accessory Buds' of Nodal Segments From Field-Grown Mature Cotton Plants (*Gossypium Hirsutum* L.) *In vitro* Cell. Dev. Biol.—Plant 37:830–834.
- Hazra, S., Anuradha V. Kulkarni, Satish M. Nalawade, Anjan K. Banerjee, Dinesh C. Agrawal, and Kaza V. Krishnamurthy 2000. Influence Of Explants, Genotypes and Culture Vessels On Sprouting and Proliferation of Pre-Existing Meristems Of Cotton (*Gossypium hirsutum* L. and *Gossypium arboreum* L.). *In vitro* Cell. Dev. Biol.—Plant 36:505-510.
- Hebert, D., Kikkert, J.R., Smith, F.D. and Reisch, B.I. 1993. Optimization of biolistic transformation of grape cell suspensions. *Plant Cell Rep.* 12 : 585-589.
- Helior, M.C., Fournioux, J.C., Oziol, L. and Bessis, R. 1997. An improved procedure for the propagation *in vitro* of grapevine (*Vitis vinifera* cv. Pinot noir) using axillary bud cuttings. *Plant Cell Tiss. Org. Cult.* 49: 223-225.
- Helior, M.C.; Fournioux, J.C.; Barbier, M.; Jeandet, P. and Bessis, R. 1998. Endogenous polyamine concentrations in juvenile, adult and micropropagated grapevine (*Vitis vinifera* L. cv. Pinot noir). *Vitis* 7: 61-62.

- Hemstad, P.R. and B.I. Reisch 1985. *In vitro* Production of galls induced by *Agrobacterium tumefaciens* and *Agrobacterium rhizogenes* on *Vitis* and *Rubus*. J. Plant Physiol. 120:9-17.
- Hiei, Y., Komari, T. and Kubo, T. 1997. Transformation of rice mediated by *Agrobacterium tumefaciens*. Plant mol. Biol. 35:205-208.
- Hirabayashi, T., I. Kozaki and T. Akihama. 1976. *In vitro* differentiation of shoots from anther callus in *Vitis*. HortScience 11: 511-512.
- Hirasuna, T.J., Shuler, M.L., Lackney, V.K. and R.M. Spanswick 1991. enhanced anthocyanine production in grape cell cultures. Plant Sci. 78: 107-120.
- Hoekema, A., Hirsch, P.R., Hooykaas, P.J.J and Schilperoort, R.A. 1983. A binary plant vector strategy based on separation of *vir*- and T-regions of the *Agrobacterium tumefaciens* Ti plasmids. Nature 303: 179-180.
- Hood, E.E., G.L. Helmer, R.T. Fraley and M.D. Chilton. 1986. The hypervirulence of *Agrobacterium tumefaciens* A281 is encoded in a region pTiBo542 outside of T-DNA. J. Bacteriol. 168:1291-1301.
- Hoos, G. and R. Blaich 1988. Metabolism of stilbene phytoalexins in grapevines: Oxidation of resveratrol in single cell cultures. Vitis 27:1-12.
- Huang, X.S. and M.G. Mullins. 1989. Application of biotechnology to transferring alien genes to grapevine. Hereditas. 11: 9-11.
- Intrieri, C.; Filippetti, I.; Poni, S.; 1992: The effect of N-2-chloro-4-pyridyl-N'-phenylurea; DAP, days after pollination; DAT, days after CPPU treatment. Adv. Hort. Sci. 6: 137-143.
- Iocco, P., Franks, T. and Thomas, M.R. 2001. Genetic transformation of major wine grape cultivars of *Vitis vinifera* L. Transgenic Res. 10: 105-112.
- James, D.J., Passey, A.J., Barbara, D.J. and Bevan, M. 1989. Genetic transformation of apple (*Malus pumila* Mill.) using a disarmed Ti-binary vector. Plant Cell Rep. 7: 658-661.
- Jayasankar, S., D.J. Gray and R.E. Litz. 1999. High-efficiency somatic embryogenesis and plant regeneration from suspension cultures of grapevine. Plant Cell Rep. 18: 533-537.
- Johri B.M. and Sehgalb C.B. 1963. Chemical induction of polyembryony in *Anethum graveolens* L. Naturwissenschaften 50: 47-48.
- Jona R and Webb K.J., 1978. Callus and axillary bud culture of *Vitis vinifera* 'Sylvaner Reisling'. Soc.Hort. 9:55-60.
- Kaepler, H.F., G.K. Menon, R.W. Skadsen, A.M. Nuutila and A.R. Carlson. 2000. Transgenic oat plants via visual selection of cells expressing green fluorescent protein. Plant Cell Rep. 19: 661-666.
- Kamnoon, K. and B. Kantamaht. 2000. A Protocol Towards Micropropagation of the Piscicidal Plant, *Maesa ramentacea* A. DC. ScienceAsia 26 : 201-205.
- Kano, Y. 2000. Effects of CPPU treatment on fruit and rind development of watermelons (*Citrullus lanatus* Matsum. et Nakai). The Journal of Horticultural Science and Biotechnology, 75(6): 651-654.
- Karp, A. and S.W.J. Bright 1985. On the causes and origin of somaclonal variation, in: B. J. Miflin (ed.), Oxford Surveys of Plant Molecular and Cellular Biology, vol. 2, 1985, pp. 199-234.
- Kaur-Sawhney, R.; Tiburcia, A.F.; Altabella, T.; Galston, A.W.; 2003: Polymines in plants: An overview. J. Cell Mol. Bio. 2: 1-12.
- Kikkert, J.R., D. Hébert-Soulé, P.G. Wallace, M.J. Striem, and B.I. Reisch. 1996. Transgenic plantlets of 'Chancellor' grapevine (*Vitis* sp.) from biolistic transformation of embryogenic cell suspensions. Plant Cell Rep. 15: 311-316.
- Kikkert, J.R., G.M. Reustle, G.S. Ali, P.G. Wallace and B.I. Reisch. 2000. Expression of a fungal chitinase in *Vitis vinifera* L. 'Merlot' and 'Chardonnay' plants produced

- by biolistic transformation. In: Proc. 7<sup>th</sup> Intern. Symp. grapevine genetics and breeding. Montpellier (France) July 1998. Acta Hort 528: 297-304.
- Kikkert, J.R., Hebert-Soule, D., Wallace, P.W. and Striem, M.J. and Reisch, B.I. 1996. Transgenic plantlets of "Chancellor" grapevine (*Vitis* sp.) from biolistic transformation of embryogenic cell suspensions. Plant Cell Rep. 15: 311-316.
- Kikkert, J.R., Roustle, G.M., Ali, G.S., Wallace, P.W. and Reisch, B.I. 1998. Expression of fungal chitinase in *Vitis vinifera* L. 'Merlot' and 'Chardonnay' plants produced by biolistic transformation.
- Kikuta, Y. and Okazawa, Y. 1982. Shoot bud formation and plantlet regeneration in potato tuber tissue cultured *in vitro*. J. Fac. Agric. Hokkaido Univ. 61:166-179.
- Kim, S.K., Reisch, B.I., Aldwinckle, H.S. 1986. *In vitro* grape shoot tip mutagenesis. Vignevini 13 Suppl. Al. 12: 26-27.
- Kim, S.K., Reisch, B.I., Aldwinckle, H.S. 1986. *In vitro* grape shoot tip mutagenesis. Vignevini 13 Suppl. Al. 12: 26-27.
- Kochba J., Spiegel-Roy P. and Safran H. 1972. Adventive plants from ovules and nucelli in Citrus. Planta 106: 237-245.
- Komamine, A., Kawahara, R., Matsumoto, M., Sunabori, S., Toya, T., Fujiwara, A., Tsukahara, M., Smith, J., Ito, M., Fukuda, H., Nomura, K. and Fujimura, T. (1992) Mechanisms of somatic embryogenesis in cell cultures: physiology, biochemistry, and molecular biology. *In vitro* Plant Cell. Dev. Biol 28P: 11-14.
- Kozai T, Oki H and Fujiwara K. 1990. Photosynthetic characteristics of *Cymbidium* plantlets *in vitro*. *Plant Cell Tissue Organ Culture* 22 : 205-211.
- Kozai, T., Oki, H. And Fujiwara, K. 1990. Photosynthetic characteristics of *Cymbidium* plantlets *in vitro*. Plant Cell Tiss. Org. Cult. 22: 205-211.
- Kragh, K.M., Jacobsen, S. and Mikkelsen, J.D. 1990. Induction, Purification and Characterization of barley leaf chitinase. Plant Sci. 71: 55-68.
- Krastanova, S., K.S. Ling, H.Y. Zhu, B. Xue, T.J. Burr and D. Gonsalves. 2000. Development of transgenic grapevine rootstocks with genes from grapevine fanleaf virus and grapevine leafroll associated closteroviruses 2 and 3. Acta Hort. 528: 367-372.
- Krastanova, S., Ling, K.S., Zhu, H.Y., Xhe, B., Burr, T.J. and Gonsalves, D. 1998. Development of transgenic rootstocks of grapevine with genes from grapevine fan leaf virus and grapevine leaf roll associated closteroviruses 2 and 3. In: Proc. 7<sup>th</sup> Intern. Symp. grapevine genetics and breeding. Montpellier (France) July 1998.
- Krastanova, S., M. Perrin, P. Barbier, G. Demangeat, P. Cornuet, N. Bardonnnet, L. Otten, L. Pinck and B. Walter. 1995. Transformation of grapevine rootstocks with the coat protein gene of grapevine fanleaf nepovirus. Plant Cell Rep. 14: 550-554.
- Krul, W.R. and J.F. Worley. 1977. Formation of adventitious embryos in callus cultures of 'Seyval', a French hybrid grape. J. Am. Soc. Hortic. Sci. 102: 360-363.
- Krul, W.R. and Mowbray, G.H. 1984. Grapes. p. 396-436. In: W.R. Sharp, D.A. Evans, P.V. Ammirato and Y. Yamada (eds.), Handbook of Plant Cell Culture Vol. 2, Macmillan Publishing Co. Inc. NY.
- Krul, W.R., 1985. *In vitro* propagation of vine. USA patent No. 4: 532-733.
- Kuksova, V.B., Piven, N.M., and Y.Y. Gleba. 1977. Somaclonal variations and *in vitro* induced mutagenesis in grapevine. Plant Cell Tiss. Org. Cult. 49:17-27.
- Kumar, A.; Altabella, T.; Tayler, M.A. and Tiburcio, A.F. 1997. Recent advances in polyamine research. Trens. Plant Sci. 2: 124-130.
- Le Gall, O., L. Torregrosa, Y. Danglot, T. Candresse and A. Bouquet. 1994. *Agrobacterium*-mediated genetic transformation of grapevine somatic embryos and regeneration of transgenic plants expressing the coat protein of grapevine chrome mosaic nepovirus, GCMV. Plant Sci. 102: 161-170.

- Leah, R., Mikkelsen, J.D., Mundy, J. and Svendsen, I. 1987. Identification of a 28,000 dalton endochitinase in barley endosperm. *Carlsberg Res Commun.* 52: 31-37.
- Leblay C, Chevreau E, Raboin LM 1990. Adventitious shoot regeneration from *in vitro* leaves of several pear cultivars (*Pyrus communis* L.). *Plant Cell Tissue Organ Cult* 25:99–105
- Leckie, F., Mattei, B., Capodicasa, C., Hemmings, A., Nuss, L., Aracri, B., De Lorenzo, G. and Cervone, F. 1999. The specificity of polygalactouronase inhibiting protein (PGIP): a single amino substitution in the solvent exposed b-strand /b-turn region of the leucin-rich repeats (LRRs) confers a new recognition capability. *EMBO J.* 18: 2352-2363.
- Ledbetter C.A. and Shonnard C.B. 1990. Improved seed development and germination of stenospermic grapes by plant growth regulators. *J.Hort. Sci.* 65: 269-174.
- Lee N.; Weizstein, H.; 1990: *In vitro* propagation of muscardine grape by axillary shoot proliferation. *J. Ame. Soc. Hort. Sci.* 115, 324-329.
- Legrand, M., Kauffmann, S., Geoffroy, P. and B. Fritig. 1987. Biological function of pathogen related proteins: four tobacco pathogen related proteins are chitinases. *Pro. Natl. Acad. Sci. USA* 84: 6750-6754.
- Legrand, V., Colrat, S., Dalmayrac, S., Fallot, J., and Roustan, J.P. 2000. Expression of VR-ERE gene in transformed grapevine plants increases resistance to eutipine, a toxin from *Eutypa lata*. In: Proc. 6<sup>th</sup> International symposium on Grapevine physiology and biotechnology. 11-15 June, 2000, Heraklion, Greece.
- Levenko, B.A. and M.A. Rubtsova. 2000a. Herbicide resistant transgenic plants of grapevine. *Acta Hort.* 528:339-342.
- Levenko, B.A. and M.A. Rubtsova. 2000b. A new *in vitro* method for grapevine genetic transformation. In: 6<sup>th</sup> Intern. Symp. On Grapevine Physiology and Biotechnology. 11-15 June, 2000, Herakion, Greece (Abstracts).
- Lewandowski, V.T. 1991. Rooting and acclimatization of micropropagated *Vitis labrusca* Delaware. *Hort. Sci.* 26 : 586-589.
- Llyod, G. and McCown, B. 1981. Commercially feasible micropropagation of mountain laurel, *Kalmia latifolia*, by use of shoot tip culture. *Int. Plant. Prop. Soc. Proc.* p. 421
- Lodhi M. A., N. F. Weeden, B. I. Reisch. 1994. A simple and efficient method for DNA extraction from grapevine cultivars and *Vitis species*. *Plant Mol. Biol. Rpt.* 12:6-13.
- Loubser, J.T. and A.J. Meyer 1990. Dual cultures of *Meloidogyne javanica* and grapevine rootstock on artificial media. *South Afr. J. Enol. Vitic.* 11:42-45.
- Loulakakis, Ka. And K.a.. Roubelakis-Angelakis 1997. Characterization of *Vitis vinifera* L. glutamine synthetase and molecular cloning of cDNAs for the cytosolic enzymes. *Plant mol. Biol.* 31: 983-992.
- Lupo, R., Martell, G.P., Castellano, M.A., Boscia, D. and Savino, V. 1994. *Agrobacterium rhizogenes* – transformed plant roots as a source of grapevine viruses for purification. *Plant Cell Tiss. Org. Cult.* 36: 291-301.
- Madhulatha P, Anbalagan M, Jayachandran S, Sakthivel N. 2004. Influence of liquid pulse treatment with growth regulators on *in vitro* propagation of banana (*Musa* spp. AAA). *Plant Cell Tiss. Org. Cult.* 76 : 189-91.
- Mahalakshmi, S.L., Leela, T., Kumar, B.K., Nresh, B. and Devi, P. 2006. *In vitro* plant regeneration from petioles of primary leaves of mungbean *Vigna radiata* L. *Plant Biotechnology* 23 : 409-411.
- Manjul Dutt, Gray, D.J., Li, Z.T., Dhekney, S. and Van Aman, M.M. 2006. Micropropagation Cultures for Genetic Transformation of Grapevine. *HortScience* 41(4): (In Press).

- Marchenko, A.O. 1991. Induction of embryogenesis in primary calluses from grape stem and leaves. *Sov. Plant. Physiol.* 38(3): 428-436.
- Martinelli L., Poletti V., Bragagna P. and Poznanski E. 1996. A study on organogenic potential in the *Vitis* genus. *Vitis* 35(4):159-161.
- Martinelli, L. 1997. Regeneration and genetic transformation in *Vitis* genus. Ph.D. Thesis, Agril. Uni. Wageningen. The Netherlands.
- Martinelli, L. and G. Mandolino. 1994. Genetic transformation and regeneration of transgenic plants in grapevine (*Vitis rupestris* S.). *Theor. Appl. Genet.* 88: 621-628.
- Martinelli, L. and G. Mandolino. 1996. Stability of the  $\beta$ -glucuronidase gene in a R0 population of grape (*Vitis rupestris* S.). *S. Afr. J. Enol. Vitic.* 17(1): 27-30.
- Martinelli, L., Bragagna, P., Poletti, V. and Scienza, A. 1993. Somatic embryogenesis from leaf- and petiole-derived callus of *Vitis rupestris* this, *Plant Cell. Reprod.* 12: 207-210.
- Martinelli, L., Buzkan, N., Minafra, A., Saldarelli, P., Costa, D., Poletti, V., Festi, S., Perl, A. and Martelli, G. P. 2000. Genetic transformation of tobacco and grapevines for resistance to viruses related to the rugose wood disease complex. *Acta Hort.* 528: 321-327.
- Martinelli, L., E. Candioli, D. Costa, V. Poletti and N. Rascio. 2001. Morphogenic competence of *Vitis rupestris* S. secondary somatic embryos with a long culture history. *Plant Cell Rep.* 20: 279-284.
- Martinelli, L., Gribaudo, I., Bertoldi, D., Candioli, E. and Polletti, V. 2001. High efficiency somatic embryogenesis and plant germination in grapevine cultivars Chardonnay and Brachetto a grappolo lungo. *Vitis* 40(3): 111-115.
- Martinelli, L., P. Bragagna, V. Poletti and A. Scienza. 1993a. Somatic embryogenesis from leaf- and petiole-derived callus of *Vitis rupestris*. *Plant Cell Rep.* 12: 207-210.
- Martins M, Sarmento D, Oliveira MM 2004 Genetic stability of micropropagated almond plantlets, as assessed by RAPD and ISSR markers. *Plant Cell Rep* 23: 492-496.
- Matsuta, N. and T. Hirabayashi. 1989. Embryogenic cell lines from somatic embryos of grape (*Vitis vinifera* L.). *Plant Cell Rep.* 7: 684-687.
- Matt, A. and Jehle J.A. 2005. *In vitro* plant regeneration from leaves and internode sections of sweet cherry cultivars (*Prunus avium* L.). *Plant Cell Rep.* 24(8): 468-476.
- Mauch, F., Mauch-Mani, B. and Boller, T. 1988. Antifungal hydrolase in pea tissue : Inhibition of fungal growth by combinations of chitinase and b-1,3-glucanase. *Plant Physiol.* 88: 396-342.
- Mauro, M. C., S. Toutain, B. Walter, L. Pinck, L. Otten, P. Coutos-Thevenot, A. Deloire and P. Barbier. 1995. High efficiency regeneration of grapevine plants transformed with the GFLV coat protein gene. *Plant Sci.* 112: 97-106.
- Mauro, M.C., M. Strefeler, N.F. Weeden, and B.I. Reisch. 1992. Genetic analysis of restriction fragment length polymorphisms in *Vitis*. *J. Heredity.* 83:18-21.
- Mauro, M.C., Nef, C. and Fallot, J. 1986. Stimulation of somatic embryogenesis and plant regeneration from anther cultures of *Vitis vinifera* L. cv. Cabernet Sauvignon. *Plant Cell Rep.* 5:377-380.
- Mauro, M.C., Nef, C. and Fallot, J. 1986. Stimulation of somatic embryogenesis and plant regeneration from anther cultures of *Vitis vinifera* L. cv. Cabernet Sauvignon. *Plant Cell Rep.* 5:377-380.
- Mauro, M.C., Thevenot, P., Bouley, Barbier, P., Walter, B., Valat, L., and Pinck, L. 2000. Analysis of 41B (*Vitis vinifera* x *Vitis berlandieri*) grapevine rootstocks for grapevine fanleaf virus resistance. In: 7<sup>th</sup> Intern. Symp. On grapevine genetics and Breeding. Bouquet, A. and Boursiquot, J.-M. (Eds). *Acta Hort.* 528: 313-319.

- Mehdy, M.C. 1994. Active oxygen species in plant defense against pathogens. *Plant Physiol.* 105: 467-472.
- Meins, F (1983). Heritable variation in plant cell culture, *Annu. Rev. Plant Physiol.* 34, 327-346.
- Mengoli M, Bagni N, Luccarini G, Nuti Ronchi V, Serafini-Fracassini D (1989) *Daucus carota* cell cultures: polyamines and effect of polyamine biosynthesis inhibitors in the pre-embryogenic phase and different embryo stages. *J Plant Physiol* 134:389-394
- Mezzetti B, Pandolfini T, Navacchi O, Landi L. 2002. Genetic transformation of *Vitis vinifera* via organogenesis. *BMC Biotechnology.* 2:1–10
- Mhatre M, Salunke C K, Rao P S. 2000. Micropropagation of *Vitis vinifera* L: towards an improved protocol. *Sci. Hort.* 84 : 357-63.
- Minafra, A., Gollis R., Da Camara Machado, A., Saldarelli, P., Savino, V. and H. Katinger. 1997. Coat protein-mediated resistance against grapevine virus A and grapevine virus B in *Nicotiana benthamiana* and *Nicotiana occidentalis*. 12<sup>th</sup> meeting ICVC, Lisburn.
- Minocha R, Minocha SC and Simola LK (1995) Somatic Embryogenesis and Polyamines in woody plants. In: Jain SM, Guptha PK, Newton RJ (eds) Somatic embryogenesis in woody plants, vol. I. Dordrecht, Kluwer Scientific Publishers, pp119-142
- Minocha R, Smith DR, Reeves C, Steele KD, Minocha SC 1999. Polyamines levels during the development of zygotic and somatic embryos of *Pinus radiata*. *Physiol Plant* 105:155-164.
- Misra P. and Datta S.K. 2001. Direct differentiation of shoot buds in leaf segments of white marigold (*Tagetes erecta* L.). *In vitro Cell Dev. Biol – plant* 37: 466-470.
- Mohamed, S.V., Jih-Min Sung, Toong-Long Jeng and Chang-Cheng Wang (2006) Organogenesis of *Phaseolus angularis* L.: high efficiency of adventitious shoot regeneration from etiolated seedlings in the presence of N<sup>6</sup>-benzylaminopurine and thidiazuron. *Plant Cell Tiss Org. Cult.* 86: 187-199.
- Mohamed, S.V., Min Sung, J., Jeng, T-L., Wang, C-S. 2006. Organogenesis of *Phaseolus angularis* L.: high efficiency of adventitious shoot regeneration from etiolated seedlings in the presence of N<sup>6</sup>- benzylaminopurine and thidiazuron. *Plant Cell Tiss Organ Cult* (2006) 86:187–199
- Monette, P.L. 1998. Grapevine (*Vitis vinifera* L.) In: Bajaj, Y.P.S. (Ed.), *Biotechnology in Agriculture and Forestry. Crops II*, vol. 6. Springer, Berlin, pp.1-37.
- Morales, M., Bru, R., Garcia-Carmona, F., Rosbarcelo, A., and M.A. Pedreno 1998. Effect of dimethyl- $\beta$ -cyclodextrin on resveratrol metabolism in gamay grapevine cell cultures before and after inoculations with *Xylophilus ampelinus*. *Plant Cell Tiss. Org. Cult.* 53: 179-187.
- Morel G., 1944. Sur le developpement de tissus vigne cultives. *In vitro*, C.R. Seanees. *Soc. Biol.* 138, 62.
- Morel, G. 1941. Sur les possibilites de realiser la culture in definie des tissus de vigne. *C. R. Acad. Sci. Paris* 219:36-37.
- Morel, G. 1948. Recherches sur la culture associee de parasites obligatoires et de tissus vegetaux. *Ann. Epiphyties* 14:123-124.
- Morini, S., Marzialetti, P. and Barbieri, C. 1985. *In vitro* propagation of grapevine *Riv. Ortoflorofruitt. Ital.* 69: 385-396.
- Motoike, S.Y., Skirvin, R.I., Norton, M.A. and Otterbacher, A.G. 2001. Somatic embryogenesis and long term maintainence of embryogenic line from fox grapes. *Plant Cell Tiss. Org. Cult.* 66: 121-131.
- Mozsar, J., O. Viczian and S. Sule. 1998. *Agrobacterium*-mediated genetic transformation of an interspecific grapevine. *Vitis.* 37(3): 127-130.

- Mugnier, J. 1987. Infection by *Polymyxa betae* and *Plasmodiophora brassicae* of roots containing root-inducing transfer DNA of *Agrobacterium rhizogenes*. *Phytopathology* 77: 539-542
- Mujib, A. 2005. *In vitro* regeneration of Sandal (*Santalum album* L.) from leaves. *Turk. J. Bot.* 29:63-67.
- Mujib, A., Bandhopadhyay, S., Jana, B.K. and Ghosh, P.D. 1996. Growth regulator involvement and somatic embryogenesis in *Crinum asiaticum*. *Ind. J. Plant Physiol.* 1:84-86.
- Mullins M.G. and Srinivasan C. 1976. Somatic Embryos and Plantlets from an Ancient Clone of the Grapevine (cv. Cabernet-Sauvignon) by Apomixis *in vitro*. *Journal of Experimental Bot.* 27:1022-1030.
- Mullins, M.G. 1990. Applications of tissue cultures for genetic improvement of grapevines. In: Proc. 5<sup>th</sup> Intern. Symp. grape breeding. St.-Martin/Pflaz (Germany). September 1989. *Vitis* (special issue) pp 399-407.
- Mullins, M.G., F.C.A. Tang and D. Facciotti. 1990. *Agrobacterium*-mediated genetic transformation of grapevines: transgenic plants of *Vitis rupestris* Scheele and buds of *Vitis vinifera* L. *BioTechnology*. 8: 1041-1045.
- Murashige, T and Skoog, F. 1962. A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiol Plant* 15:473-497
- Murashige, T., 1977. Plant cell and organ cultures as horticultural practices. *Acta Hort.*, 78: 17-30.
- Muyuan Z, Abing X, Miaobao Y, Chunnong H, Zhilong Y, Linji W & Jianjun Y (1990) Effects of amino acids on callus Differentiation in barley anther culture. *Plant Cell Tiss. Org. Cult.* 22: 201–204
- Nakano, M. Y. Hoshino and M. Mii. 1994. Regeneration of transgenic plants of grapevine, *Vitis vinifera* L., via *Agrobacterium rhizogenes*-mediated transformation of embryogenic calli. *J. Exp. Bot.* 45: 649-656.
- Nakano, M., Hashino, Y. and Mii, M. 1994. Regeneration of transgenic plants of grapevine (*Vitis vinifera* L) via *Agrobacterium rhizogenes*-mediated transformation of embryogenic calli. *J. Exp. Bot.* 45: 649-656.
- Nehra, B.S., Kartha, K., Stusnoff, C., and Gile, K. 1992. The influence of plant growth regulator concentrations and callus age on somaclonal variation in callus culture regenerants of strawberry. *Plant Cell Tiss Org Cult.* 29: 257-268.
- Nei, M. and Li, W.H. 1979. Mathematical model for studying genetic variation in terms of restriction endonucleases. *Proc. Nat. Acad. Sci. USA* 76: 5269-5273.
- Newton, D.J. and Goussard, P.G. 1990. The ontogeny of somatic embryos from *in vitro* cultured grapevine anthers. *S. Afr. J. Enol. Vitic.* Vol. 11:2.
- Nishizawa, K., Kita, Y., Kitayama, M. and Ishimoto, M. 2006. A red fluorescent protein, DsRed2, as a visual reporter for transient expression and stable transformation in soybean. *Plant Cell Rep* 25: 1355–1361
- Nitsch, J.P. and C. Nitsch. 1969. Haploid plants from pollen grains. *Science*, 163 : 85-87.
- Novak, F.J. and Juvova, Z. 1982/83. Clonal propagation of grapevine through *in vitro* axillary bud culture. *Sci. Hort.* 18: 231-240
- Oldach, K.H., Becker, D. and Lorz, H. 2001. Heterologous expression of genes mediating enhanced fungal resistance in transgenic wheat. *Mol. Plant-Microbe Interact.* 14, 832–838.
- Olmo, H.P. 1948. Ruby Cabernet and Emerald Riesling. Two new table-wine grape varieties. *Calif. Agr. Exp. Sta. Bull.* No. 404.
- Ostry, M.E., Hackett, W., Michler, C., Serres, R. and McCown, B. 1994. Influence of regeneration method and tissue culture on the frequency of somatic variation in *Populus* to infection by *Septoria musiva*. *Plant Sci.* 97: 209-215.

- Ouédraogo JT, St-Pierre C-A, Collin J, Rioux S and Comeau A 1998. Effect of amino acids, growth regulators and genotype on androgenesis in barley. *Plant Cell Tiss. Org. Cult.* 53: 59–66
- Pandey, R.M. and S.N. Pandey. 1990. Flowering, fruit set and berry growth. In: Pandey, R.M. and S.N. Pandey (eds.): *The grape in India*. Indian Council of Agricultural Research, New Delhi. Pp. 66.
- Pandit, S.S., Mitra, S., Giri, A.P., Pujari, K.H., Patil, B.P., Jambhale, N.D. and Gupta, V.S. 2007. Genetic diversity analysis of mango cultivars using inter simple sequence repeat markers. *Curr. Sci.* 93: 1135-1141.
- Patterson, J.; Mason, K.A.; Gould, K.S.; 1993: Effects of CPPU (N-(2-chloro-4-pyridyl)-N<sup>1</sup>-phenylurea) on fruit growth, maturity, and storage quality of kiwifruit. *New Zealand J. Crop Hort. Sci.* 21, 253-261.
- Pepin, M.F., Archambault, J., Chavarie, C. and F. Cormier 1995. Growth kinetics of *Vitis vinifera* cell suspension culture: I shakeflask cultures. *Biotech. Bioeng.* 47:131-138.
- Perez-Tornero O, Egea J, Vanoostende A, Burgos L 2000. Assessment of factors affecting adventitious shoot regeneration from *in vitro* cultured leaves of apricot. *Plant Sci* 158:61–70
- Perl, A. and Y. Eshdat. 1998. DNA Transfer and gene expression in transgenic grapes. *Biotech. Engg. Rev.* 15: 365-386.
- Perl, A., N. Sahar, P. Spiegel-Roy, S. Gavish, R. Elyasi, R., E. Orr and H. Bazak. 2000a. Conventional and biotechnological approaches in breeding seedless table grapes. *Acta Hort.* 528:613-618.
- Perl, A., N. Sahar, S. Farchi, V. Colova-Tsolova, D. Holland and R. Gollop. 2000b. Conventional and biotechnological breeding of seedless table grapes in Israel. In: *Proc. 6<sup>th</sup> International symposium on Grapevine physiology and biotechnology*. 11-15 June, 2000, Heraklion, Greece.
- Perl, A., S. Saad, N. Sahar and D. Holland. 1995. Establishment of long term embryogenic cultures of seedless *Vitis vinifera* cultivar - a synergistic effect of auxins and the role of abscisic acid. *Plant Sci.* 104: 193-200.
- Perl. A., O. Lotan, M. Abu-Abied and D. Holland. 1996. Establishment of an *Agrobacterium*-mediated transformation system for grape (*Vitis vinifera* L.): the role of antioxidants during grape-*Agrobacterium* interactions. *Nat. Biotechnol.* 14: 624-628.
- Peros J P, Torregrosa L and Berger G. 1998. Variability among *Vitis vinifera* cultivars in micro-propagation, organogenesis and antibiotic sensitivity. *Journal of Experimental Botany* 49 (319) : 171-179.
- Perrin, M., C. Gertz and J.E. Masson. 2004. High efficiency of regenerable embryogenic callus from anther filaments of 19 grapevine genotypes grown worldwide. *Plant Sci.* 167: 1343-1349.
- Perrin, M., Claude Gertz and Jean Euge`ne Masson 2004. High efficiency initiation of regenerable embryogenic callus from anther filaments of 19 grapevine genotypes grown worldwide. *Plant Science* 167: 1343–1349
- Perrin, M., Martin, D., Joly, D., Demangeat, G., This, P. and Masson, J.E. 2001. Medium-dependent response of grapevine somatic embryogenic cells, *Plant Sci.* 161: 107–116.
- Phillips, R.L., Kaeppler, S.M. and P. Olhoft 1994. Genetic instability of plant tissue cultures: breakdown of normal controls, *Proc. Natl. Acad. Sci. U.S.A* 91, 5222-5226.
- Piola, F., Rohr, R. and Heizmann, P. 1999. Rapid detection of genetic variation within and among *in vitro* propagated cedar (*Cedrus libani* Loudon) clones. *Plant Sci.* 141: 159-163.



- Polambi, M.A. and Damiano, C. 2002. Comparison between RAPD and SSR molecular markers in detecting genetic variation in kiwifruit (*Actinidia deliciosa* A. Chev.). *Plant Cell Rep.* 20: 1061-1066.
- Ponce, M.T., C.B. Agüero, M.T. Gregori and R. Tizio. 2000. Factors affecting the development of stenospermic grape (*Vitis vinifera*) embryos cultured *in vitro*. *Acta Hort.* 528: 667-671.
- Pool, R.M. and Powell, L.E. 1975. The influence of cytokinins on *in vitro* shoot development of 'Concord' grape. *Journal of the American Society for Horticultural Sciences*, 100: 2000-2002.
- Popescu, C.K. 1996. Somatic embryogenesis and plant development from anther culture of *Vitis vinifera* (L.). *Plant Growth Reg.* 20: 75-78.
- Pu, X.A. and R. N. Goodman. 1992. Induction of necrosis by *Agrobacterium tumefaciens* on grape explants. *Physiol. Mol. Plant Pathol.* 41: 245-254.
- Rahman MH, Rajora OP, 2001. Microsatellite DNA somaclonal variation in micropropagated trembling aspen (*Populus tremuloides*). *Plant Cell Rep* 20:531-536.
- Rajasekaran, K. and M.G. Mullins. 1979. Embryos and plantlets from cultured anthers of hybrid grapevines. *J. Exp. Bot.* 30: 399-407.
- Rajasekaran, K. and M.G. Mullins. 1983. The origin of embryos and plantlets from cultured anther of hybrid grapevines. *J. Enol. Vitic.* 34: 108-113.
- Rajasekaran, K. and Mullins, M.G. 1981. Organogenesis in internode explants of grapevines. *Vitis* 20: 218-227.
- Rajora OP, Rahman MH, 2001. Microsatellite DNA somaclonal variation in micropropagated trembling aspen (*Populus tremuloides*). *Plant Cell Rep* 20:531-536
- Rani V, Raina SN, 2000. Genetic fidelity of organized meristem derived micropropagated plants: a critical reappraisal. *In vitro Cell Div Biol Plant* 36:319-330.
- Ravindra, M. B. and Thomas, P. 1995. Sachet technique – an efficient method for the acclimatization of micropropagated grapes (*Vitis vinifera* L.). *Curr. Sci.*, 68 (5): 546-548.
- Reichel, C., J. Mathur, P. Eckes, K. Langenkemper, B. Reiss, C. Konecz, J. Schell and C. Maas. 1996. Enhanced green fluorescence by the expression of an *Aequorea victoria* green fluorescent protein mutant in mono- and dicotyledonous plant cells. *Proc. Natl. Acad. Sci. USA.* 93: 5888-5893.
- Reisch, B.I., M.H. Martens and Z.M. Cheng. 1989. High frequency shoot regeneration from grape leaves, petioles and tendrils. 5<sup>th</sup> International Symposium on Grape Breeding, St. Martin, Federal Republic of Germany. (abstr.)
- Reustle, G., M. Harst and G. Alleweldt, G. 1995. Plant regeneration of grapevine (*Vitis sp.*) protoplasts isolated from embryogenic tissue. *Plant Cell Rep.* 15: 238-241.
- Robacher, C.D. and Chang, C.J. 1992. Shoot-tip culture of muscadine grape to eliminate Pierce's disease bacteria. *HortScience* 27(5) : 449-450.
- Robecker C. (1993) Somatic embryogenesis and plant regeneration from muscadine grape leaf explants. *HortScience* 28: 53-55.
- Roubelakis-Angelakis, K. and Zivanovitch S.B. 1991. A new culture medium for *in vitro rhizogenesis* of grapevine (*Vitis* spp.). *Hort Sci.* 26(12): 1551-1553
- Sahijram, L., M.B. Ravindra, K.T. Bollamma and G.S. Prakasha. 1996. Rapid and mass propagation of grape rootstocks through tissue culture. *Drakshavritta Souvenir* 16(7) : 89-92.
- Salunkhe, C.K., P.S. Rao and M. Mhatre. 1997. Induction of somatic embryogenesis and plantlets in tendrils of *Vitis vinifera* L. *Plant Cell Rep.* 17: 65-67.
- Salunkhe, C.K., P.S. Rao and M. Mhatre. 1999. Plantlet regeneration via somatic embryogenesis in anther callus of *Vitis latifolia* L. *Plant Cell Rep.* 18: 670-673.

- Sambrook, J., Fritsch, E. F., Maniatis, T., 1989, Molecular Cloning: a Laboratory manual, 2<sup>nd</sup> ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York
- Sanford, J.C. and Johnston, S.A. 1993. The concept of pathogen derived resistance – deriving resistant genes from the parasites own genome. *J. Theor. Biol.* 115: 395-406.
- Santarem, E.R., Trick, H.N., Essig, J.S. and Finer, J.J. 1998. Sonication assisted *Agrobacterium* mediated transformation of soybean immature cotyledons: optimization of transient expression. *Plant Cell Rep.* 17: 752-759.
- Sarwar M, Sirvin RM 1997. Effect of thidiazuron and 6- benzylaminopurine on adventitious shoot regeneration from leaves of three strains of ‘McIntosh’ apple (*Malus × domestica* Borkh.) *in vitro*. *Sci Hort* 68:95–100
- Schaefer, R.K., Pool, R.M., and D. Gonsalves 1994. Somatic embryogenesis from nucellar tissues for elimination of viruses from grapevines. Pro. IXX ann. Meeting ASEV/Eastern section, Cleveland, Ohio, July 1994. *Am. J. Enol. Vitic.* 45: 472-473.
- Schlumbaum, A., Mauch, F., Vogeli, U. and Boller, T. 1986. Plant chitinases are potent inhibitors of fungal growth. *Nature* 324: 365-367.
- Schweizer, P., Christoffel, A. and Dudler, R. 1999. Transient expression of members of the germin-like gene in epidermal cells of wheat confers disease resistance. *Plant J.* 20, 541–552.
- Scorza, R., Cordts, J.M., Ramming, D.W. and Emershad, R.L. 1995. Transformation of grape (*V. vinifera* L.) zygotic derived somatic embryos and regeneration of transgenic plants. *Plant Cell Rep.* 14: 589-592.
- Scorza, R., J.M. Cordts, D.J. Gray, D. Gonsalves, R.L. Emershad and D.W. Ramming. 1996. Producing transgenic "Thompson Seedless" grape (*Vitis vinifera* L.) plants. *J. Am. Soc. Hort. Sci.* 121: 616-619.
- Sefc, K.M., H. Steinkellner, H.W. Wagner, J. Gloszl and F. Regner. 1997. Application of microsatellite markers to parentage studies in grapevine. *Vitis.* 36(4): 179-183.
- Sharma D.R., Kaur R. and Kumar K. 1996. Embryo rescue in plants – a review. *Euphytica* 89: 325-337.
- Sharma, K.K., Bhojwani, S.S. and T.A. Thorpe 1991. The role of cotyledon tissue in the differentiation of shoots and roots from cotyledon explants of *Brassica juncea* L. *Czern. Plant Cell Tiss. Org. Cult.* 24 : 55-59.
- Shikhamany, S.D. 2001. Grape Production in the Asia-Pacific Region. FAO, July 2001.
- Shoeb F, Yadav JS, Bajaj S, Rajam MV 2001. Polyamines as biomarkers for plant regeneration by modulation of polyamine metabolism in different genotypes of *indica* rice. *Plant Sci* 160:1229-1235
- Shure, K.B. and T.E. Acree 1994. Production of b-damascenone precursors in cell cultures of *Vitis labruscana* cv. Concord grapes, *Plant Cell Rep.* 13: 477-480.
- Singh Z. and Brar, SJS 1992. *In vivo* development of ovule in seedless and seeded cultivars of grapes (*Vitis vinifera* L.) – a particular reference to *in ovulo* embryo culture. *Vitis*, 31: 77-82.
- Sinnot, E.W. 1960. Plant Morphogenesis. McGraw-Hill, New York, p 550
- Smith, D.I. and Krikorian, A.D. 1990. Somatic pro-embryo production from excised, wounded zygotic carrot embryo on hormone – free medium : Evaluation of effects of pH, ethylene and activated charcoal. *Plant Cell Rep.* 9 :34-37.
- Snedecor, George W. and Cochran, William G. (1989), *Statistical Methods, Eighth Edition*, Iowa State University Press.
- Spiegel-Roy P, Baron Y and Sahar N. 1990. Inheritance of seedlessness in seeded X seedless progeny of *Vitis vinifera* L. *Vitis* 29: 79-83.

- Spiegel-Roy, P., Sahar, N., Baron, J. and Lavi, U., 1985. *In ovulo* culture and plant formation from grape cultivars with abortive ovules and seeds. *J. Am. Soc. Hort. Sci.*, 110(1): 109-112.
- Srinivasan C. and Mullins M.G. 1980. High frequency somatic embryo production from unfertilized ovules of grapes. *Sci. Hort.* 13: 245-252.
- Srinivasan, C. and M.G. Mullins. 1979. Flowering in *Vitis*: Conversion of tendrils into inflorescence and bunches of grapes. *Planta.* 145: 197-92.
- Stamp, J.A. and C.P. Meredith. 1988a. Somatic embryogenesis from leaves and anthers of grapevine. *Sci. Hort.* 35: 235-250.
- Stamp, J.A. and C.P. Meredith. 1988b. Proliferative somatic embryogenesis from zygotic embryos of grapevine. *J. Amer. Soc. Hort. Sci.* 113: 941-945.
- Staudt, G. 1984. The effect of myo-inositol on the growth of callus tissue in *Vitis*. *J. Plant Physiol.* 116: 161-166.
- Staudt, G., Borner H.G. and H. Becker 1972. Studies on callus growth of di- and tetraploid grape *in vitro*. *Vitis* 11:1-9.
- Stout, A.B. 1936. Seedlessness in grapes. *N. Y. Agric. Exp. Sta. Tech. Bull.* 238: 1-68.
- Sudarsono, and Goldy R G. 1991. Growth regulator and axillary bud position effects on *in vitro* establishment of *Vitis rotundifolia*. *HortScience* 26(3) : 304-7.
- Sul. W. and S.S. Korbani 2004. Effects of salt formulations, carbon sources, cytokinins, and auxin on shoot organogenesis from cotyledons of *Pinus pinea* L. *Plant Growth Regulation* 43: 197–205, 2004.
- Swegle, M., Huang, J., Lee, G. and Muthukrishnan, S. 1989. Identification of an enochitinase cDNA clone from barley aleuron cells. *Plant Mol. Biol.* 12: 403-412.
- Takeuchi, N., Tanimoto, S. and Harada, H. 1985. Effects of Wounding on Adventitious Bud Formation in *Torenia* Stem Segments Cultured *In vitro*. *J. Exp. Bot.* 36(5): 841-847.
- Tang H, Zhenglong R, Reustle G, Krczal G. 2002. Plant regeneration from leaves of sweet and sour cherry cultivars. *Sci Hort* 93:235–244
- Tang, F.A. and Mullins, M.G. 1990. Adventitious bud formation in leaf explants of some grapevine rootstock and scion cultivars. *Vitis* 29: 151-158.
- Tassoni, A.; Buuren, M.V.; Franceschetti, M.; Fornale, S. and Bagni, N. 2000. Polyamine content and metabolism in *Arabidopsis thaliana* and effect of spermidine on plant development. *Plant Physiol. Biochem.* 38(5): 383-393.
- Thies K L, Graves J. R. 1992. Meristem micropropagation protocols for *Vitis rotundifolia* Michx. *HortScience* 27 : 447-9.
- Thomas M. R., N. S. Scott, 1993. Microsatellites repeats in grapevine reveal DNA polymorphisms when analyzed as sequence-tagged sites (STSs). *Theor. Appl. Genet.* 86:985-990.
- Thomas P. 1997. Increase in clonal propagation of ‘Arka Neelamani’ grape (*Vitis vinifera*) through induction of axillaries in *in vitro* layering technique. *Indian J. Agri. Sci.* 67 (12) : 594-6.
- Thomas, M.R., N.S. Scott, R. Botta and J.M.H. Kijas. 1998. Sequence-tagged site markers in grapevine and citrus. *J. Japanese Soc. Hort. Sci.* 67: 1189-1192.
- Thomas, M.R., P. Iocco and T. Franks. 2000. Transgenic grapevines: status and future. *Acta Hort.* 528: 279-287.
- Torregrosa, L. 1994. Culture *in vitro* et Transformation Genetique de la Vigne. These, Ecole Nationale Superieure Agronomique de Mont pellier, France.
- Torregrosa, L. 1995. Biotechnologies de la vigne: techniques de regeneration *in vitro*. *Progress Agricole et Viticole.* 22: 479-489.
- Torregrosa, L. 1998. A simple and efficient method to obtain stable embryogenic cultures from anthers of *Vitis vinifera* L. *Vitis.* 37: 91-92.

- Torregrosa, L. and A. Bouquet 1997. *Agrobacterium tumefaciens* and *A. rhizogenes-rhizogenes* cotransformation to obtain grapevine hair roots producing coat protein of grapevine chrome mosaic nepo virus. *Plant Cell Tiss. Org. Cult.* 49:59-3.
- Torregrosa, L. and Bouquet, A. 1996. Adventitious bud formation and shoot development from *in vitro* leaves of *Vitis X Muscadinia* hybrids. *Plant Cell, Tissue and Organ Culture* 45: 245-252.
- Torregrosa, L., M. Torres-Vials and A. Bouquet. 1995. Somatic embryogenesis from leaves of *Vitis x Muscadinia* hybrids. *Vitis*. 34(4): 239-240
- Torregrosa, L.; Bouquet, A.; 1995: *In vitro* propagation of *Vitis x muscadinia* hybrids by microcuttings or axillary budding. *Vitis* 34, 237-8.
- Torregrosa, L.; Bouquet, A.; Goussard, P.G; 2001: *In vitro* culture and propagation of grapevine. In: *Molecular Biology and Biotechnology of Grapevine*, Roubelakis-Angelakis (Ed.). Kluwer Academic Publishers, The Netherlands. pp. 281-326.
- Trottier M-C, Collin J & Comeau A (1993) Comparison of media for their aptitude in wheat anther culture. *Plant Cell Tiss. Org. Cult.* 35: 59-67
- Tsolova, V and A. Atanassov 1996. Plant regeneration of *Vitis* sp. via repetitive embryogenesis. *Biotechnol and Biotechnol. Eq.* 10/1996/1: 32-34.
- Tsolova, V. 1990. Obtaining plants from crosses of seedless grapevine varieties by means of *in vitro* embryo culture. *Vitis*. 295(1): 1-4.
- USDA, 2002. <http://www.fas.usda.gov/hp/horticulture/grapes/>
- Valdez, J. G. and S.M. Ulanovsky. 1997. *In vitro* germination of stenospermic seeds from reciprocal crosses (*Vitis vinifera* L.) applying different techniques. *Vitis* 36(3): 105-107.
- Vazquez, A.M. 2001. Insight in to somaclonal variations. *Plant Biosystems* 135: 57-62.
- Vendrame WA, Kochert G and Wetzstein HY 1999. AFLP analysis of variation in pecan somatic embryos. *Plant cell Reports* 18: 853-857.
- Vidal, J.R., J.R. Kikkert, P.G. Wallace, and B.I. Reisch. 2003. High-efficiency biolistic co-transformation and regeneration of 'Chardonnay' (*Vitis vinifera* L.) containing *npt-II* and antimicrobial peptide genes. *Plant Cell Rep.* 22: 252-260.
- Vilaplana, M. and M. G. Mullins 1989. Regeneration of grapevines (*Vitis* spp.) *in vitro*: Formation of adventitious buds on hypocotyls and cotyledons of somatic embryos. *Journal Of Plant Physiology* 134(4): 413-419.
- Vinod Kumar, Sharma, A., Prasad, B.C.N., Gururaj, H.B. and Ravishankar, G.A. 2006. *Agrobacterium rhizogenes* mediated genetic transformation resulting in hairy root formation is enhanced by ultrasonication and acetosyringone treatment. *Electronic J. Biotechnol.* 9.
- Wang, P.J. and Charles, P.J. 1991. Micropropagation through meristem culture. In: Babaj, Y.P.S. (Ed.) *Hi tch and micropropagation. Biotechnology in agriculture and forestry*, vol. 17. Springer, Berlin Heidelberg, New York, pp 32-52.
- Winkler A.J., Cook J.A., Kliwer W.M., and Lider L.A. 1974. *General Viticulture*. Uni. of California Press, Berkeley, California, USA.
- Xu, N. and Bewley, J.D. 1992. Contrasting pattern of somatic embryo development in alfalfa (*Medicago sativa* L.) as revealed by scanning electron microscopy. *Plant Cell Rep.* 11:279-284.
- Xue, B., K.S. Ling, C.L. Reid, S. Krastanova, M. Sekiya, E.A. Momol, S. Sule, J. Mozsar, D. Gonsalves and T.J. Burr. 1999. Transformation of five grape rootstocks with plant virus genes and a *virE2* gene from *Agrobacterium tumefaciens*. *In vitro Cell. Dev. Biol. Plant.* 35(3): 226-231.
- Yadav JS, Rajam MV 1998. Temporal regulation of somatic embryogenesis by adjusting cellular polyamines content in eggplant. *Plant Physiol.* 116: 617-625.
- YADAV, J.S.; RAJAM, M.V.; 1997: Spacial distribution of free and conjugated polyamines in leaves of *Solanum melongena* L. associated with differential morphogenetic

- potential: efficient somatic embryogenesis with putrescine. *J. Exp. Bot.* 48, 1537-1545.
- Yamamoto, T., H. Iketani, H. Ieki, Y. Nishizawa, K. Notsuka, T. Hibi, T. Hayashi and N. Matsuta. 2000. Transgenic grapevine plants expressing a rice chitinase with enhanced resistance to fungal pathogens. *Plant Cell Rep.* 19: 639-646.
- Yamashita H, Shigehara I and Haniuda T. 1998. Production of triploid grapes by *in ovulo* embryo culture. *Vitis* 37(3): 113-117.
- Yamashita H. Haniuda T. and Siba H. 1995. *In vitro* culture of embryos obtained by crossing tetraploid cultivar Kyoho with diploid cultivars. *J. Japan. Soc. Hort. Sci.* 63: 719-724.
- Yamashita H., Horiuchi S. and Taira T. 1993. Development of seeds and the growth of tetraploid seedlings obtained from reciprocal crosses between diploids. *J. Japan. Soc. Hort. Sci.* 63: 249-255.
- Yancheva SD, Golubowicz S, Fisher E, Lev-Yadun S, Flaishman MA 2003. Auxine type and timing of application determine the activation of the developmental program during *in vitro* organogenesis in apple. *Plant Sci* 165:299–309.
- Yang HY, Schmidt H 1992. Untersuchungen zur Adventivsprossregeneration *in vitro* bei Kirschen. II Adventivprossbildung an *in vitro* Blättern verschiedener *Prunus avium*-Idiotypen. *Gartenbauwissenschaft* 57:7–10.
- Yap, I. V. and Nelson, R. J. 1996. WINBOOT: A program for performing bootstrap analysis for binary data to determine the confidence limits of UPGMA-based dendrograms. International Rice Research Institute, Discussion Paper Series No. 14.
- Yu, D.H. and C.P. Meredith 1986. The influence of explant origin of tissue browning and shoot production in shoot tip cultures of grapevine. *J. Am. Soc. Hort. Sci.* 111: 972-975.
- Zabadal, T.J. and Bukovac, M.T. 2006. Effect of CPPU on fruit development of selected seedless and seeded grape cultivars. *HortScience* 4 (1): 154-157.
- Zatyko J.M., Kiss F. and Szalay F. (1981). Induction of adventive embryony in cultured ovules of Black Current (*Ribes nigrum* L.). *Hort. Res.* 21: 99-101.
- Zhu, Q., Maher, E.A., Masoud, S., Dixon, R.A. and Lamb, C.J. 1994. Enhanced protection against fungal attack by constitutive co-expression of chitinase and glucanase genes in transgenic tobacco. *Biotechnol.* 12: 807-812.
- Zhu, Q., Maher, E.A., Masoud, S., Dixon, R.A. and Lamb, C.J. 1994. Enhanced protection against fungal attack by constitutive co-expression of chitinase and glucanase genes in transgenic tobacco. *Biotechnol.* 12: 807-812.
- Zhu, Y.M., Y. Hoshino, M. Nakano, E. Takahashi and M. Mii. 1997. Highly efficient system of plant regeneration from protoplasts of grapevine (*Vitis vinifera* L.) through somatic embryogenesis by using embryogenic callus culture and activated charcoal. *Plant Sci.* 123: 151-157.
- Ziv, M. 1991. Quality of micropropagated plants. Vitrification. *In vitro Cell Dev Bio.* 27: 64-69.
- Zlenko, V.A., Troshin, L.P. and Kotikov, I.V. 1995. An optimized medium for clonal micropropagation of grapevine. *Vitis* 34(2): 125-126
- Zou, C.J. and P.F. Li 1981. Induction of pollen plants of grape (*Vitis vinifera* L.) *Acta. Bot. Sin.* 23: 79-81.
- Zyprian, E., R. Eibach and R. Töpfer. 2003. Comparative molecular mapping of fungal disease resistance and agronomic traits in segregating populations of grapevine. *Plant & Animal Genomes XI Conference, San Diego, California.*