

CONTENTS

	Page
Certificate	ii
Declaration	iii
Acknowledgements	iv
Abstract	vi
List of Tables	xii
List of Figures	xiii
List of Symbols	xvi
List of Abbreviations	xx
CHAPTER 1 INTRODUCTION	1
1.1 Combustion and Emissions	
1.2 Mixture Formation	
1.3 Ignition	
1.4 Influence of Combustion	
1.5 Flame Quenching	
1.6 Crevice Volume	
1.7 Absorption in the Lubrication Oil	
1.8 Incomplete Combustion	
1.9 Carbon Monoxide Emissions	
1.10 Nitrogen Oxide Emissions	
1.11 Smog Formation	
1.12 Need for Study	
1.13 Problem Statement	
1.14 Objectives of the Study	
1.15 Methodology of the Study	

1.16	Limitations of the Study	
1.17	Organisation of the Thesis	
CHAPTER 2	REVIEW OF LITERATURE	25
2.1	Design of Experiments	
2.3	Alternative Fuels	
2.3	Engine Performance	
2.4	Emission Characteristics	
2.5	Emission and EGR	
2.6	Combustion Characteristics	
2.7	Model Simulations	
2.8	Bio-fuel and Emission Characteristics	
CHAPTER 3	EXPERIMENTAL INVESTIGATION AND METHODOLOGY	48
3.1	Experimental Methodology	
3.2	Experimental Setup	
3.3	Experimental Procedure	
3.3.1	Load and Speed Measurement	
3.3.2	Air and Gas Flow Measurement	
3.3.3	Fuel Flow Measurement	
3.3.4	Temperature Measurement	
3.3.5	Exhaust Gas Analyzer	
3.3.6	Uncertainty associated with Instruments	
3.4	Software Analysis of Experimental Results	
3.4.1	Excel	
3.4.2	MATLAB	
3.4.3	Maple	
3.4.4	Summary	

CHAPTER 4 RESULTS AND DISCUSSION**63**

- 4.1 Brake Thermal Efficiency
 - 4.1.1 Brake Thermal Efficiency for 5 % uncooled and cooled EGR
 - 4.1.2 Brake Thermal Efficiency for 10 % uncooled and cooled EGR
 - 4.1.3 Brake Thermal Efficiency for 15 % uncooled and cooled EGR
 - 4.1.4 Brake Thermal Efficiency for 6 mm orifice and cooled EGR

- 4.2 Specific Fuel Consumption
 - 4.2.1 Specific Fuel Consumption for 5 % uncooled and cooled EGR
 - 4.2.2 Specific Fuel Consumption for 10 % uncooled and cooled EGR
 - 4.2.3 Specific Fuel Consumption for 15 % uncooled and cooled EGR
 - 4.2.4 Specific Fuel Consumption for 6 mm orifice and cooled EGR

- 4.3 Mass Flow Rate
 - 4.3.1 Mass Flow Rate for 10 % cooled EGR
 - 4.3.2 Mass Flow Rate for 6 mm orifice and cooled EGR

- 4.4 Scavenging Efficiency and Trapping Efficiency
 - 4.4.1 Scavenging Efficiency for varying cooled EGR
 - 4.4.2 Trapping Efficiency for varying cooled EGR

- 4.5 Carbon Monoxide emission
 - 4.5.1 Carbon Monoxide emission for varying uncooled EGR
 - 4.5.2 Carbon Monoxide emission for varying uncooled EGR

4.6	Carbon Dioxide Emission	
4.6.1	Carbon Dioxide Emission for varying uncooled EGR	
4.6.2	Carbon Dioxide Emission for varying uncooled EGR	
4.7	Hydrocarbon Emission	
4.7.1	Hydrocarbon Emission for varying uncooled EGR	
4.7.2	Hydrocarbon Emission for varying uncooled EGR	
4.8	Nitrogen Oxides	
4.8.1	Nitrogen Oxides Emission for varying uncooled EGR	
4.8.2	Nitrogen Oxides Emission for varying uncooled EGR	
4.9	Summary	
CHAPTER 5	CONCLUSIONS AND SCOPE FOR FURTHER STUDY	112
5.1	Conclusions	
5.2	Scope for Further Study	
	APPENDIX 1	116
	APPENDIX 2	119
	APPENDIX 3	124
	APPENDIX 4	127
	APPENDIX 5	129
	APPENDIX 6	134
	APPENDIX 7	148
	REFERENCES	153
	PUBLICATIONS	161

LIST OF TABLES

Table		Page
1.1	Constants for NO _x formation mechanism	13
2.1	Flow Velocity Details	30
3.1	Testing Methodology and Experimental Analysis	50
3.2	Parameters observed Performance evaluated	51
3.3	Engine Specifications	53
3.4	Uncertainty associated with Instruments	60
4.1	Brake Thermal Efficiency (%) for all configurations at optimum Brake Power	73
4.2	Specific Fuel (g/kWh) Consumption for all configurations at optimum Brake Power	83
4.3	Mass Flow Rate (kg/h) for all configurations	87
4.4	Carbon Monoxide emission (%) for all configurations	94
4.5	Carbon Dioxide Emission (%) for all configurations	99
4.6	Hydrocarbon Emission (ppm) for all configurations	103
4.7	Nitrogen Oxides Emission (ppm) for all configurations	107