

---

---

**REFERENCES**

- [1] F. A. Al-Sulaiman, "Mechanical Properties of Date Palm Fiber Reinforced Composites," *Appl. Comp. Mater. Int.*, vol. 9, pp. 369 - 3777, 2002.
- [2] J. Bhaskar and V. K. Singh, "Physical and Mechanical Properties of Coconut Shell Reinforced-Epoxy Composite," *J. Mater. Environ. Sci.*, vol. 4, no. 2, pp. 227-232, 2013.
- [3] B. D. Agarwal and L.J. Broutman, "Analysis and performance of fiber composites," John Wiley & Sons, New York, pp.3-12, 1980.
- [4] D. N. Saheb and J. P. Jog, "Natural Fiber Polymer Composites: A Review," *Adv. Polym. Technol.*, vol. 18, no. 4, pp. 351–363, 1999.
- [5] Z. Li, H. Gao and Q. Wang, "Preparation of highly filled wood flour/recycled high density polyethylene composites by in situ reactive extrusion," *J. Appl. Polym. Sci.*, vol. 124, no. 6, pp. 5247–5253, 2012.
- [6] G. Keledi, A. Sudar, C. Burgstaller, K. Renner, J. Moczó and B. Pukanszky, "Tensile and impact properties of three-component PP/wood/elastomer composites," *Express. Polym. Lett.*, vol. 6, no. 3, pp. 224 – 236, 2012.
- [7] R. M. Rowell, "Natural fibers, types and properties," in *Properties and performance of natural-fiber composite*, Ed. ed Cambridge, Woodhead Publishing Limited, 2008.
- [8] M. U. Wahit, N. I. Akos and W. A. Laftah, "Influence of Natural Fibers on the Mechanical Properties and Biodegradation of Poly(lactic acid) and Poly( $\epsilon$ -caprolactone) Composites, A Review," *Polym. Comp.*, vol. 33, pp. 1045-1053, 2012.

- 
- 
- [9] K. Holmberg, P. Andersson and A. Erdemir, "Global energy consumption due to friction in passenger cars," *Tribol. Int.*, vol.47, pp. 221–234,2012.
- [10] G. Fontaras and Z. Samaras, "On the way to 130gCO<sub>2</sub>/km – Estimating the future characteristics of the average European passenger car," *Ener. Polic.*, vol. 38, no. 4, pp. 1826–1833, 2010.
- [11] R. Karnani, M. Krishnan, R. Narayan, "Biofiber-reinforced polypropylene composites," *Polym. Eng. Sci.*, vol. 37, pp. 476–483, 1997.
- [12] J. George, M. S. Sreekala and S. A. Thomas, "Review on interface modification and characterization of natural fiber reinforced plastic composites," *Polym. Eng. Sci.*, vol. 41, pp. 1471–1485, 2001.
- [13] A. K. Bledzki and J. Gassan, "Composites reinforced with cellulose based fibres," *Prog. Polym. Sci.*, vol. 24, pp. 221-274, 1999.
- [14] M. M. Thwe and K. Liao, "Effects of environmental aging on the mechanical properties of bamboo-glass fiber reinforced polymer matrix hybrid composites," *Compos. Part A*:pp. 33, pp. 43-52, 2002.
- [15] H. S. Kim, H. S. Yang, H. J. Kim and H. J. Park, "Thermogravimetric analysis of rice husk flour filled thermoplastic polymer composites," *J. Ther. Analy. Calorim.*, pp. 76, pp. 395-404, 2004.
- [16] P. E. Imoisili, B. A. Olunlade and W. B. Tomori, "Effect of Silane Coupling Agent on the Tensile Properties of Rice Husk Flour (RHF) Polyester Composite," *Pacific J. Sci. Technol.*, vol. 13, no. 1, pp. 457-462, 2012.
- [17] A. Ashori, "Wood-plastic composites as promising green composites for automotive industries!," *Bio-res. Technol.*, vol. 99, no. 11, pp. 4661–4667, 2008.

- 
- 
- [18] A. K. Mohanty, M. Misra and L. T. Drzal, "Sustainable bio-composites from renewable resources: opportunities and challenges in the green materials world," *J. Polym. Environ.*, vol. 10, pp. 19–26, 2002.
- [19] A. K. Mohanty, A. Wibowo, M. Misra and L. T. Drzal, "Effect of process engineering on the performance of natural fiber reinforced cellulose acetate biocomposites," *Compos. Part A: vol.35*, pp. 363-370, 2004.
- [20] P. J. Roe and M. P. Ansel, "Jute reinforced polyester composites," *J. Mater. Sci.*, vol, 20, pp. 4015-4020, 1985.
- [21] X. Lua, M. Z. Qiu, M. R. Zhi, G. Shia and G. Y. Cheng, "Selfreinforced melt processable composites of sisal," *Compos. Sci. Technol.*, vol. 63, pp. 177–186, 2003.
- [22] M. Baiardo, E. Zini and M. Scandola, "Flax fibre – polyester composites," *Compos. Part A: vol. 35*, pp. 703–710, 2004.
- [23] A. P. Mathew, K.Oksman and S. Mohini, "Mechanical properties of biodegradable composites from poly lactic acid (PLA) and microcrystalline cellulose (MCC)," *J. Appl. Polym. Sci.*, vol. 97, pp. 2014-2025, 2005.
- [24] A. Valadez-Gonzales, J. M. Cetvantes-UcR. Olayo, and P. J. Herrera Franco, "Effect of fibre surface treatment on the fibre-matrix bond strength of natural fiber reinforced composite," *Compos. Part B: vol. 3*, pp. 309-320, 1999.
- [25] X. Li, L. G. Tabil, S. Panigrahi and W. J. Crerar, "The Influence of Fiber Content on Properties of Injection Molded Flax Fiber-HDPE Biocomposites," *Canadian Bio-syst. Eng.*, vol. 08-148, pp. 1-10, 2009.
- [26] A. S. Singha, A. Shama and V. K. Thakur, "X-Ray Diffraction, Morphological and Thermal Studies on Methylmethacrylate Graft Copolymerized Saccharum Cilliari Fiber," *Int. J. Polym. Anal. Charact.*, vol. 13, pp. 447-462, 2008.

- 
- [27] A. S. Singha and V. K. Thakur, "Saccharum Cilliarum Fiber Reinforced Polymer Composites," *E-J. Chem.*, vol. 5, pp. 782-791, 2008.
- [28] A. S. Singha and V. K. Thakur, "Effect of Fiber Loading on Properties of Urea – Formaldehyde matrix Based Green Composites," *Iran. Polym. J.*, vol. 17, pp. 861-873, 2008.
- [29] A. S. Singha and V. K. Thakur, "Mechanical properties of Natural Fiber reinforced Polymer Composites," *Bull. Mater. Sci.*, vol. 31, pp. 991-999, 2008.
- [30] A. S. Singha and V. K. Thakur, "Fabrication and study of Lignocellulosic Hibiscus Sabdariffa Fiber Reinforced Polymer Composites," *Bio-Res.*, vol. 3, pp. 1173-1186, 2008.
- [31] A. S. Singha and V. K. Thakur, "Study of Mechanical properties of Urea-Formaldehyde Thermosets Reinforced by Pine Needle Powder," *Bio-Res.*, vol. 4, pp. 292-308, 2009.
- [32] S. Sapieha, P. Allard and Y. H. Zang, "Dicumyl peroxide-modified cellulose/LLDPE composites," *J. Appl. Polym. Sci.*, vol. 41, pp. 2039-2048, 1990.
- [33] D. Ray, B. K. Sarkar, A. K. Rana and N. R. Bose, "Effect of alkali treated jute fibers on composite properties," *Bull. Mater. Sci.*, vol. 24, pp. 129-135, 2001.
- [34] A. Bessadok, S. Roudesli, S. Marais, N. Follain and L. Lebrun, "Alfa fibres for unsaturated polyester composites reinforcement: Effects of chemical treatments on mechanical and permeation properties," *Comp. Part A*: vol. 40, pp. 184 – 195, 2009.
- [35] K. M. M. Rao, K. M. Rao and A. V. R. Prasad, "Fabrication and testing of natural fibre composites: Vakka, sisal, bamboo and banana," *Mater. Des.*, vol. 31, pp. 508 – 513, 2010.

- 
- [36] K. C. C. Carvalho, D. R. Mulinari, H. J. C. Voorwald and M. O. H. Cioffi, "Chemical modification effect on the mechanical properties of HIPS/coconut fiber composites," *Bio-Res.*, vol. 5, no. 2, pp. 1143-1155, 2010.
- [37] V. Vilay, M. Mariatti, R. M. Taib and M. Todo, "Effect of fiber surface treatment and fiber loading on the properties of bagasse fiber – reinforced unsaturated polyester composites," *Comp. Sci. and Technol.*, vol. 68, pp. 631–638, 2008.
- [38] P. Threepopnatkul, N. Kaerkitcha and N. Athipongarporn, "Effect of surface treatment on performance of pineapple leaf fiber – polycarbonate composites," *Comp. Part B*: vol. 40, pp. 628 – 632, 2009.
- [39] M. Jacoba, S. Thomasa and K. T. Varughese, "Mechanical properties of sisal/oil palm hybrid fiber reinforced natural rubber composites," *Comp. Sci. Technol.*, vol. 64, pp. 955 – 965, 2004.
- [40] M. Jawaid and H. P. S. A. Khalil, "Effect of layering pattern on the dynamic mechanical properties and thermal degradation of oil palm-jute fibers reinforced epoxy hybrid composite," *Bio-Res.*, vol. 6, no. 3, pp. 2309 - 2322, 2011.
- [41] P. K. Sahoo, S. K. Swain and N. L. Debsarkar, "Preparation, Characterization, and Properties of Unbleached, Bleached, and Grafted Pulps from JRC-321 Variety Jute Fiber," *J. Appl. Polym. Sci.*, vol. 83, pp. 1963 – 1969, 2002.
- [42] K. Charlet, J. P. Jernot, S. Eve, M. Gomina and J. Bréard, "Multi-scale morphological characterisation of flax: From the stem to the fibrils," *Carbohydr. Polym.*, vol. 82, pp. 54 – 61, 2012.
- [43] M. A. N. Izani, et al., "Effects of fiber treatment on morphology, tensile and thermogravimetric analysis of oil palm empty fruit bunches fibers," *Comp. Part B*: vol. 45, no. 1, pp. 1251 – 1257, 2013.

- 
- [44] F. A. Camargo, et al., "Processing and characterization of composites of poly (3-hydroxybutyrate-co-hydroxyvalerate) and lignin from sugar cane bagasse," *J. Comp. Mater.*, vol. 46, no. 4, pp. 417 – 425, 2012.
- [45] N. Venkateshwaran, A. E. Perumal, D. Arunsundaranayagam, "Fiber surface treatment and its effect on mechanical and visco-elastic behaviour of banana/epoxy composite," *Mater. Des.*, vol. 47, pp. 151 – 159, 2013.
- [46] B. Prasad and M. Sain, "Mechanical properties of thermally treated hemp fibers in inert atmosphere for potential composite reinforcement," *Mater. Res. Innov.*, vol. 7, no. 4, pp. 231 – 238, 2003.
- [47] C. S. Verma, N. K. Sharma, V. M. Chariar, S. Maheshwari and M. K. Hada, "Comparative study of mechanical properties of bamboo laminae and their laminates with woods and wood based composites," *Comp. Part B*: vol. 60, pp. 523 – 530, 2014.
- [48] A. S. Virk, W. Hall and J. Summerscales, "Failure strain as the key design criterion for fracture of natural fibre composites," *Comp. Sci. Technol.*, vol. 70, no. 6, pp. 995 – 999, 2010.
- [49] B. F. Yousif, H. Ku, "Suitability of using coir fiber/polymeric composite for the design of liquid storage tanks," *Mater. Des.*, vol. 36, pp. 847 – 853, 2012.
- [50] G. M. A. Khan, et al., "Influence of chemical treatment on the properties of banana stem fiber and banana stem fiber/coir hybrid fiber reinforced maleic anhydride grafted polypropylene/low-density polyethylene composites," *J. Appl. Polym. Sci.*, vol. 128, no. 2, pp. 1020–1029, 2013.
- [51] S. Shinoj, et al., "Oil palm fiber (OPF) and its composites: a review," *Ind. Crops. Prod.*, vol. 33, no. 1, pp. 7–22, 2011.

- 
- [52] G. Kalaprasad, G. Mathew, C. Pavithran, and S. Thomas, "Melt rheological behavior of intimately mixed short sisal-glass hybrid fiber-reinforced low-density polyethylene composites. I. Untreated fibers," *J. Appl. Polym. Sci.*, vol. 89, no. 2, pp. 432 – 442, 2003.
- [53] S. C. Mishra, "Low cost polymer composites with rural resources," *J. Rein. Plast. Comp.*, vol. 28, no. 18, pp. 2183 – 2188, 2009.
- [54] S. K. Acharya and S. C. Mishra, "Weathering behaviour of flyash jute polymer composite," *Journal of Reinforced Plastics and Composites*, vol. 26, no. 12, pp. 1201 – 1210, 2007.
- [55] G. Kalaprasad, B. Francis and S. Thomas et al., "Effect of fibre length and chemical modifications on the tensile properties of intimately mixed short sisal/glass hybrid fibre reinforced low density polyethylene composites," *Polym. Int.*, vol. 53, no. 11, pp. 1624 – 1638, 2004.
- [56] S. Varghese, B. Kuriakose, and S. Thomas, "Stress relaxation in short sisal-fiber-reinforced natural rubber composites," *J. Appl. Polym. Sci.*, vol. 53, no. 8, pp. 1051 – 1060, 1994.
- [57] Y. Mi, X. Chen, and Q. Guo, "Bamboo fiber-reinforced polypropylene composites: crystallization and interfacial morphology," *J. Appl. Polym. Sci.*, vol. 64, no. 7, pp. 1267 – 1273, 1997.
- [58] F. M. B. Coutinho, T. H. S. Costa, and D. L. Carvalho, "Polypropylene-wood fiber composites: effect of treatment and mixing conditions on mechanical properties," *J. Appl. Polym. Sci.*, vol. 65, no. 6, pp. 1227 – 1235, 1997.
- [59] H. K. Mishra and S. C. Mishra, "Erosion wear behaviour of coir dust reinforced polymercomposite," *Orissa J. Phy.*, vol. 18, no. 1, pp. 97–108, 2011.

- 
- 
- [60] L. A. Pothan, S. Thomas, and N. R. Neelakantan, "Short banana fiber reinforced polyester composites: mechanical, failure and aging characteristics," *J. Rein. Plast. Comp.*, vol. 16, no. 8, pp. 744 – 765, 1997.
- [61] N. Sombatsompop, K. Chaochanchaikul, C. Phromchirasuk, and S. Thongsang, "Effect of wood sawdust content on rheological and structural changes, and thermo-mechanical properties of PVC/sawdust composites," *Polym. Int.*, vol. 52, no. 12, pp. 1847 – 1855, 2003.
- [62] H. Djidjelli, J. J. Martinez-Vega, J. Farenc, and D. Benachour, "Effect of wood flour content on the thermal, mechanical and dielectric properties of poly(vinyl chloride)," *Macro-molecu. Mater. Eng.*, vol. 287, no. 9, pp. 611 – 618, 2002.
- [63] H. Djidjelli, M. Kaci, J. J. Martinez-Vega, and D. Benachour, "Effects of hydrothermal ageing on the thermal behaviour of poly (vinyl chloride) filled with wood flour," *Polym.Int.*, vol. 53, no. 11, pp. 1760 –1765, 2004.
- [64] M. S. Sreekala, M. G. Kumaran, S. Joseph, M. Jacob, and S. Thomas, "Oil palm fibre reinforced phenol formaldehyde composites: influence of fibre surface modifications on the mechanical performance," *Appl. Comp. Mater.*, vol. 7, no. 5-6, pp. 295–329, 2000.
- [65] M. Idicula, S. K. Malhotra, K. Joseph, and S. Thomas, "Effect of layering pattern on dynamic mechanical properties of randomly oriented short banana/sisal hybrid fiber-reinforced polyester composites," *J. Appl. Polym. Sci.*, vol. 97, no. 5, pp. 2168–2174, 2005.
- [66] M. Tasdemir, H. Biltekin and G. T. Caneba, "Investigation of properties of PE & PP / Wood flour polymer composites," *J. Appl. Polym. Sci.*, vol. 112, pp. 3095 - 3102, 2009.
- [67] V. R. Botaro, E. Frollini and G. Siqueira, "Sisal fibers treated with NaOH and



- Benzophenonetetra carboxylic di-anhydride as reinforcement of phenolic matrix,” *J. Appl. Polym. Sci.*, vol. 115, pp. 269 - 276, 2010.
- [68] C. Qin, N. Soykeabkaew, N. Xiuyuan and T. Peijis, “The effect of fiber volume fraction and mercerization on the properties of all-cellulose composites,” *Carbohydr. Polym.*, vol. 71, pp. 458 - 467, 2008.
- [69] C. K. Hong, I. Hwang, N. Kim, D. H. Park, B. S. Hwang and C. Nah, “Mechanical properties of silanized jute polypropylene composites,” *J. Ind. Eng. Chem.*, vol. 14, pp. 71-76, 2008.
- [70] X. Huang and A. Netavali, “Biodegradable green composites made using bamboo micro/nano-fibrils and chemically modified soy protein resin,” *Compos. Sci. Technol.*, vol. 69, pp. 1009 - 1015, 2009.
- [71] H. M. Akil, L.W. Cheng, Z. A. M. Ishak, A.A. Bakar, and M. A. A. Rahman, “Water absorption study on pultruded jute fiber reinforced unsaturated polyester composites,” *Compos. Sci. Technol.*, vol. 69, pp. 1942 - 1948, 2009.
- [72] K. Adekunle, S-W. Cho, C. Patzelt, et al., “Impact and flexural properties of flax fabrics and lyocell fiber-reinforced bio-based thermoset,” *J. Rein. Plast. Comp.*, vol. 30, no. 8, pp. 685 – 697, 2011.
- [73] M. Thiruchitrabalam, A. Alavudeen and N. Venkateshwaran. “Review on kenaf fiber composites,” *Rev. Adv. Mater. Sci.*, vol. 32, pp. 106 - 112, 2012.
- [74] J. P.Dhal and S. C. Mishra, “Processing and Properties of Natural Fiber-Reinforced Polymer Composite,” *J. Mater.*, vol. 2013, 10.1155/2013/297213, pp. 1- 6, 2013.
- [75] L. Yu, K. Dean and L. Li, Polymer blends and composites from renewable resources,” *Prog. Polym. Sci.*, vol. 31, pp. 576 – 602, 2006.

- 
- 
- [76] H. Ku, H. Wang, N. Pattarachaiyakoop and M. Trada, "A review on the tensile properties of natural fiber reinforced polymer composites," *Comp. Part B*: vol. 42, pp. 856 – 873, 2011.
- [77] M. Avella, A. Buzarovska, M. E. Errico, G. Gentile and A. Grozdanov, "Eco-challenges of bio-based polymer composites," *Mater.*, vol. 2, pp. 911 – 925, 2009.
- [78] J. Holbery and D. Houston, "Natural fiber-reinforced polymer composites in automotive Applications," *J. Min. Met. Mater. Soc.*, vol. 58, pp. 80 – 86, 2006.
- [79] K. Begum and M. A. Islam, "Natural Fiber as a substitute to Synthetic Fiber in Polymer Composites: A Review," *Res. J. Eng. Sci.*, vol. 2, no, 3, pp. 46 - 53, April 2013.
- [80] P. Wambua, J. Ivens, and I. Verpoest, "Natural Fibres: Can They Replace Glass in Fibre Reinforced Plastics," *Comp. Sci. Technol.*, vol. 63, pp.1259 - 1264, 2003.
- [81] S. K. Chattopadhyay, R. K. Khandal, U. Ramagopal and A. K. Ghoshal, "Mechanical, thermal, and morphological properties of maleic anhydride-g-polypropylene compatibilized and chemically modified banana-fiber-reinforced polypropylene composites," *J. Appl. Polym. Sci.*, vol. 117, pp. 1731 - 1740, 2010.
- [82] J. B. Naik and S. Mishra, "Esterification effect of maleic anhydride on swelling properties of natural fiber/high density polyethylene composites," *J. Appl. Polym. Sci.*, vol. 106, pp. 2571-2574, 2007.
- [83] C. A. S. Hill and H. P. S. Abdul Khalil, "Effect of fiber treatments on mechanical properties of coir or oil palm fiber reinforced polyester composites," *J. Appl. Polym. Sci.*, vol. 78, pp. 1685 - 1697, 2000.

- 
- [84] R. A. Gross and B. Karla, "Biodegradable polymers for the environment," *Sci.*, vol. 297, pp. 1803–1807, 2002.
- [85] D. Jagadeesh, D. Jeevan Pradsad Reddy, A. Varada Rajulu and R. Li, "Green composites from wheat protein isolate and *Hildegardia populifolia* natural fabric," *Polym. Comp.*, vol. 32, pp. 398 - 406, 2011.
- [86] J. T.Kang and S. H.Kim, "Improvement in the mechanical properties of polylactide and bamboo fiber biocomposites by fiber surface modification," *Macromol. Res.*, vol. 19, pp. 789 - 796, 2011.
- [87] C. Venkata Prasad, K. Chowdoji Rao, G. Venkata Reddy, T. Sobha Rani, B. Yerriswamy and M. C. S.Subha, "Characteristic Studies of Ligno-Cellulosic Fabric *Grewia tenax*," *J. Nat. Fibers*, vol. 7, pp. 194 - 215, 2010.
- [88] A. Merlin, T. Hale, K. Sebnem, A. Ayse and O. Guralp, "Effects of Alkali Treatment on the Properties of Short Flax Fiber–Poly (Lactic Acid) Eco-Composites," *J. Polym. Environ.*, vol. 19, pp. 11 - 17, 2011.
- [89] K. Jayaraman, "Manufacturing sisal-polypropylene composites with minimum fiber Degradation," *Comp. Sci. Technol.*, vol. 63, pp. 367 - 374, 2003.
- [90] M. Z. Rong, M. Q. Zhang, Y. Liu, G. C. Yang and H. M. Zeng, "The effect of treatment on the mechanical properties of unidirectional sisal-reinforced epoxy composites," *Comp. Sci. Technol.*, vol. 61, pp. 1437 - 1447, 2001.
- [91] M. J. John and R. D. Anandjiwala, "Recent Developments in Chemical Modification and Characterization of Natural Fiber-Reinforced Composites," *Polym. Comp.*, vol. 29, no. 2, pp. 187 - 207, 2008.
- [92] C. H. Haigler, "The Functions and Biogenesis of Native Cellulose. Cellulose Chemistry and Its Applications," In *Cellulose Chemistry and its Applications*,

- S. H. Zeronian and T. P. Nevell, eds., Ellis Horwood: Chichester, England, pp. 30 - 83, 1985.
- [93] C. Navin and F. Mohammed, "Tribology of Natural Fiber Polymer Composites," CRC Press, Boca Raton, FL, 205 (2008).
- [94] C. Morvan, A. Jauneau, A. Flaman, J. Millet, M. Demarty, "Degradation of flax polysaccharides with purified endo-polygalacturonase," *Carbohydr. Polym.*, vol. 13, pp. 139 - 163, 1990.
- [95] B. Madsen, "Properties of plant fiber yarn polymer composites – An experimental study," Ph. D Thesis, Department of civil Engineering, Technical University of Denmark, 2004.
- [96] A. Valadez-Gonzales, J. M. Cetvantes-Uc, R. Olayo and P. J. Herrera Franco, "Effect of fibre surface treatment on the fibre-matrix bond strength of natural fibre reinforced composites," *Comp. Part B*: vol. 30, no. 3, pp. 309 - 320, 1999.
- [97] R. C. Raj and B. V. Kokta, "Compounding of cellulose fibers with polypropylene: Effect of fiber treatment on dispersion in the polymer matrix," *J. Appl. Polym. Sci.*, vol. 38, pp. 1987 - 1996, 1989.
- [98] M. Kazayawoko, J. J. Balatinecz and L.M. Matuana, "Surface modification and adhesion mechanisms in wood fiber-polypropylene composites," *J. Mater. Sci.*, vol. 34, pp. 6189 - 6199, 1999.
- [99] B. F. Yousif, et al., "Flexural properties of treated and untreated kenaf/epoxy composites," *Mater. Des.*, vol. 40, pp. 378 – 385, 2012.
- [100] K. G. Satyanarayana, K. K. Ravikumar, K. Sukumaran, P.S. Mukherjee, S.G.K. Pillai, and A.K. Kulkarni, *J. Mater. Sci.*, 21, 57 (1986)

- 
- 
- [101] M. Thiruchitrambalam, A. Alavudeen, A. Athijayamani, N. Venkateshwaran, and A. E. Perumal, "Improving mechanical properties of banana/kenaf polyester hybrid composites using sodium lauryl sulfate treatment," *Mater. Phys. Mech.*, vol. 8, pp. 165 - 173, 2009.
- [102] A. V. Ratan Prasad, K. M. Rao, and G. Nagasrinivasulu, "Mechanical properties of banana empty fruit bunch fibre reinforced polyester composites," *Ind. J. Fiber Text. Res.*, vol. 34, pp. 162 - 167, 2009.
- [103] A. M. M. Edeerozey and H. Md. Akil, "Chemical modification of kenaf fibers," *Mater. Lett.*, vol. 61, pp. 2023 - 2025, 2007.
- [104] L. Yan, N. Chouw and X. Yuan, "Improving the mechanical properties of natural fiber fabric reinforced epoxy composites by alkali treatment," *J. Reinf. Plast. Comp.*, vol. 31, pp. 425 - 437, 2012.
- [105] M. Scandola, G. Frisoni, and M. Baiardo, "Chemically Modified Cellulosic Reinforcements," in *Book of Abstracts 219<sup>th</sup> ACS National Meeting*, Washington, D.C., American Chemical Society, pp. 26, 2000.
- [106] A. Valadez-Gonzalez, J. M. Cervantes-Uc, R. Olayo and P. J. Herrera-Franco, "Chemical modification of henequen fibers with an organosilane coupling agent," *Comp. Part B*: vol. 30, no. 3, pp. 321 - 331, 1999.
- [107] S. Kalia, B. S. Kaith and I. Kaur, "Pretreatments of natural fibers and their application as reinforcing material in polymer composites—A review," *Polym. Engg. Sci.*, vol. 49, pp. 1253 - 1272, 2009.
- [108] S. Mishra, M. Misra, S. S. Tripathy, S. K. Nayak and A. K. Mohanty, "Graftcopolymerization of acrylonitrile on chemically modified sisal fibers," *Macromol. Mater. Eng.*, vol. 286, no. 2, pp. 107 - 113, 2001.

- 
- [109] A. Shalwan and B. F. Yousif, "Investigation on interfacial adhesion of date palm/epoxy using fragmentation technique," *Mater. Des.*, vol. 53, pp. 928 – 937, 2014.
- [110] I. van de Weyenberg, J. Ivens, A. De Coster, B. Kino, E. Baetens and I. Verpoest, "Influence of processing and chemical treatment of flax fibers and their composites," *Comp. Sci. Technol.*, vol. 63, no. 9, pp. 1241 - 1246, 2003.
- [111] C. K. Hong, I. Hwang, N. Kim, D. H. Park, B. S. Hwang and C. Nah, "Mechanical properties of silanized jute-polypropylene composites," *J. Ind. Eng. Chem.*, vol. 14, pp. 71 - 76, 2008.
- [112] A. Bessadok, S. Marais, S. Roudesli, C. Lixon and M. Metayer, "Influence of chemical modifications on water-sorption and mechanical properties of Agave fibers," *Comp. Part A*: vol. 39, pp. 29 - 45, 2008.
- [113] Y. Li, C. Hu and Y. Yu, "Interfacial studies of sisal fiber reinforced high density polyethylene (HDPE) composites," *Comp. Part A*: vol. 39, pp. 570 - 578, 2008.
- [114] R. S. Santos, A. A. Souza, M. A. De Paoli, and C. M. L. Souza, "Cardanol-formaldehyde thermoset composites reinforced with buriti fibers: Preparation and characterization," *Comp. Part A*: vol. 41, pp. 1123 - 1129, 2010.
- [115] J. D. Jr. Megiatto, E. C. Ramires and E. Frollini, "Phenolic matrices and sisal fibers modified with hydroxy terminated polybutadiene rubber: Impact strength, water absorption, and morphological aspects of thermosets and composites," *Indust. Crops. Products*, vol. 31, pp. 178 - 184, 2010.

- 
- [116] H. Ku, H. Wang, N. Pattarachaiyakooop, M. Trada, "A review on the tensile properties of natural fiber reinforced polymer composites," *Comp. Part B*: vol. 42, 856 - 873, 2011.
- [117] A. K. Mohanty, M. Misra, L. T. Drzal, "Surface modifications of natural fibers and performances of the resulting biocomposites: An overview," *Comp. Interfaces*, vol. 8, no. 5, pp. 313 - 343, 2001.
- [118] D. G. Hepworth, J. F. V. Vincent, G. Jeronimidis and D. M. Bruce, "The penetration of epoxy resin into plant fibre cell walls increases the stiffness of plant fibre composites," *Comp. Part A*: vol. 31, pp. 599 – 601, 2000.
- [119] A. Alawar, M. A. Hamid and A. Kaabi, "Characterization of treated date palm tree fiber as composite reinforcement," *Comp. Part B*: vol. 40, pp. 601 – 606, 2009.
- [120] M. F. Rosa, B. S. Chiou, E. S. Medeiros, D. F. Wood, T. G. Williams and L. H. C. Mattoso, "Effect of fiber treatments on tensile and thermal properties of starch/ethylene vinyl alcohol copolymers/coir biocomposites," *Biores. Technol.*, vol. 100, pp. 5196 – 202, 2009.
- [121] A. Duval, A. Bourmaud, L. Augier and C. Baley, "Influence of the sampling area of the stem on the mechanical properties of hemp fibers," *Mater. Lett.*, vol. 65, pp. 797 –800, 2011.
- [122] M. Rokbi, H. Osmani, A. Imad and N. Benseddiq, "Effect of chemical treatment on flexure properties of natural fiber-reinforced polyester composite," *Proc. Eng.*, vol. 10, pp. 2092 – 2097, 2011.
- [123] N. Venkateshwaran, A. Elayaperumal and G. K. Sathiya, "Prediction of tensile properties of hybrid-natural fiber composites," *Comp. Part B*: vol. 43, pp. 793 – 796, 2012.

- 
- [124] F. G. Torres and M. L. Cubillas, "Study of the interfacial properties of natural fibre reinforced polyethylene," *Polym. Test. J.*, vol. 24, pp. 694 – 698, 2005.
- [125] M. M. Haque, M. Hasan, M. S. Islam and M. E. Ali, "Physico-mechanical properties of chemically treated palm and coir fiber reinforced polypropylene composites," *Biores. Technol.*, vol. 100, pp. 4903 – 4906, 2009.
- [126] P. Saha, S. Manna, S. R. Chowdhury, R. Sen, D. Roy and B. Adhikari, "Enhancement of tensile strength of lignocellulosic jute fibers by alkali-steam treatment," *Biores. Technol.*, vol. 101, pp. 3182 – 3187, 2010.
- [127] R. Kozłowski and M. Władyska-Przybylak, "Use of Natural Fiber Reinforced Plastics," in *Natural Fibers, Plastics and Composites*, F.T. Wallenberger and N.E. Weston, Eds., Kluwer Academic Publisher, New York, Chapter 14, pp. 266, 2004.
- [128] S Shibata, Y Cao and I. Fukumoto, "Press forming of short natural fiber-reinforced biodegradable resin: effects of fiber volume and length on flexural properties," *Polym. Test. J.*, vol. 24, pp. 1005 – 1011, 2005.
- [129] P.J. Herrera-Franco and A. Valadez-González, "Mechanical Properties of Continuous Natural Fibre Reinforced Polymer Composites," *Comp. Part A*: vol. 35, pp. 339 - 345, 2004.
- [130] H. D. Rozman, G. S. Tay, R. N. Kumar, A. Abubakar, H. Ismail and Z. A. Mohd. Ishak, "Polypropylene Hybrid Composites: A preliminary Study on the Use of Glass and Coconut Fiber as Reinforcements in Polypropylene Composites," *Polym. Plast. Technol. Eng.*, vol. 38, no. 5, pp. 997 - 1011, 1999.
- [131] L. Uma Devi, S. S. Bhagawan and S. Thomas, "Mechanical Properties of Pineapple Leaf Fiber-Reinforced Polyester Composites," *J. Appl. Polym. Sci.*, vol. 64, pp. 1739 -1748, 1997.



- 
- [132] B. F. Yousif, S. T. W. Lau and S. Mc William, "Polyester composite based on betelnut fibre for tribological applications," *Tribol. Int.*, vol. 43, pp. 503 – 511, 2010.
- [133] C. W. Chin and B. F. Yousif, "Potential of kenaf fibres as reinforcement for tribological applications," *Wear*, vol. 267, pp. 1550 – 1557, 2009.
- [134] B. Yousif and N. El-Tayeb, "Adhesive wear performance of T-OPRP and UT-OPRP Composites," *Tribol. Lett.*, vol. 32, pp. 199 – 208, 2008.
- [135] N. Chand and U. K. Dwivedi, "Sliding wear and friction characteristics of sisal fibre reinforced polyester composites: effect of silane coupling agent and applied load," *Polym. Comp.*, vol. 29, pp. 280 – 284, 2008.
- [136] S. A. R. Hashmi, U. K. Dwivedi and N. Chand, "Graphite modified cotton fibre reinforced polyester composites under sliding wear conditions," *Wear*, vol. 262, pp. 1426 – 1432, 2007.
- [137] N. Chand and U. K. Dwivedi, "Effect of coupling agent on abrasive wear behaviour of chopped jute fibre-reinforced polypropylene composites," *Wear*, vol. 261, pp. 1057 – 1063, 2006.
- [138] U. Nirmal, J. Hashim and K. O. Low, "Adhesive wear and frictional performance of bamboo fibres reinforced epoxy composite," *Tribol. Int.*, vol. 47, pp. 122 – 133, 2012.
- [139] O. Shinji, "Mechanical properties of kenaf fibers and kenaf/PLA composites," *Mech. Mater.*, vol. 40, pp. 446 – 452, 2008.
- [140] U. Nirmal, B. F. Yousif, D. Rilling and P. V. Brevern, "Effect of betelnut fibres treatment and contact conditions on adhesive wear and frictional performance of polyester composites. *Wear*, vol. 268, 1354 – 1370, 2010.

- 
- [141] N. S. M. El-Tayeb, "A study on the potential of sugarcane fibers/polyester composite for tribological applications," *Wear*, vol. 265, pp. 223 – 235, 2008.
- [142] B. F. Yousif, "Frictional and wear performance of polyester composites based on coir fibres," *Proc. Inst. Mech. Eng. Part J: J. Eng. Tribol.*, vol. 223, pp. 51 – 59, 2009.
- [143] F. A. Al-Sulaiman, "Date palm fibre reinforced composite as a new insulating material," *Int. J. Ener. Res.*, vol. 27, pp. 1293 - 1297, 2003.
- [144] A. Sbiai, A. Maazouz, E. Fleury, A. Sautereau and H. Kaddamu, "Short date palm tree fibers/polyepoxy composites prepared using RTM process: Effect of tempo-mediated oxidation of the fibers," *Bio-Res.*, vol. 5, no. 2, pp. 672 - 689, 2010.
- [145] S. Mahdavi, H. Kermanian, A. Varshoei, "Comparision of Mechanical Properties of Date palm Fiber-Polyethylene Composite," *Bio-Res.*, vol. 5, no. 4, pp. 2391 - 2403, 2010.
- [146] K. M. M. Rao and M. K. Rao, "Extraction and tensile properties of natural fibers: Vakka, date and bamboo," *Comp. Struct.*, vol. 77, pp. 288 – 295, 2007.
- [147] M. A. AlMaadeed, Z. Nogellova, M. Micusik, I. Novak and I. Krupa, "Mechanical, sorption and adhesive properties of composites based on low density polyethylene filled with date palm wood powder," *Mater. Des.*, vol. 53, pp. 29 - 37, 2014.
- [148] F. A. Al-Sulaiman, "Mechanical Properties of Date Palm Leaf Fibers reinforced composites," *Appl. Comp. Mater.*, vol. 9, pp. 369 -377, 2002.
- [149] F. A. Al-Sulaiman, "Mechanical Properties of Date Palm Leafs," *J. Rein. Plast. Comp.*, vol. 19, pp. 1379 - 1388, 2000.

- 
- [150] M. Shamsi and S. M. Mazlounzadeh, "Some physical and mechanical properties of date palm trees related to cultural operations industry mechanization," *J. Agricult. Technol.*, vol. 5, no. 1, pp. 17 - 31, 2009.
- [151] A. Al-Khanbashi, K. Al-Kaabi and A. Hammami, "Date Palm Fibers as Polymeric Matrix Reinforcement: Fiber Characterization," *Polym. Comp.*, vol. 26, no. 4, pp. 486 - 497, 2005.
- [152] M. A. AlMaadeeda, R. Kahramanb, P. N. Khanama and K. Zadeha, "Characterization of male and female date palm leaves for using as reinforcements in polymer composites," *Int Conf. of Mechanics of Nano, Micro and Macro Composite Structures Politecnico di Torino.*, June, 18 - 20, pp. 1, 2012.
- [153] J. R. Mohanty, S. N. Das, H. C. Das and S. K. Swain, "Effective Mechanical Properties of Polyvinylalcohol Biocomposites with Reinforcement of Date Palm Leaf Fibers," *Polym. Comp.*, vol. 34, no. 6, pp. 959 - 966, 2013.
- [154] R. Agrawal, N. S. Saxena, K. B. Sharma, S. Thomas and M. S. Sreekala, "Activation energy and crystallization kinetics of untreated and treated oil palm fiber reinforced phenol formaldehyde composites," *Mater. Sci. Eng: A*, vol. 277, pp.77 - 82, 2000.
- [155] K. Joseph, L. H. C. Mattoso, R. D. Toledo, S. Thomas, L. H. de Carvalho, L. Pothen, S. Kala and B. James, "Natural Fiber Reinforced Thermoplastic Composites in Natural Polymers and Agrofibers Composites," *Frollini E., Leao A. L. & Mattoso L. H. C. Eds.*, 159, San Carlos, Brazil, Embrapa, USP-IQSC, UNESP, 2000.
- [156] T. W. Frederick and W. Norman, "Natural fibers plastics and composites, Kluwer Academic Publishers, New York, 2004.

- 
- 
- [157] A. Paul, K. Joseph and S. Thomas, "Effect of surface treatments on the electrical properties of low-density polyethylene composites reinforced with short sisal fibers," *Comp. Sci. Technol.*, vol. 57, no. 1, pp. 67-79, 1997.
- [158] K. Joseph and S. Thomas, "Effect of chemical treatment on the tensile properties of short sisal fiber-reinforced polyethylene composites," *Polym.*, vol. 37, pp. 5139 - 5149, 1996.
- [159] K. Bledzki, S. Reihmane, and J. Gassan, "Properties and modification methods for vegetable fibers for natural fiber composites," *J. Appl. Polym. Sci.*, vol. 59, pp. 1329 -1336, 1996.
- [160] M. S. Sreekala, M. G. Kumaran, and S. Thomas, "Water sorption in oil palm fiber reinforced phenol formaldehyde composites," *Comp. Part A*: vol. 33, pp. 763 - 777, 2002.
- [161] ASTM D3379-75, "Standard test method for tensile strength and Young's modulus for high modulus single filament fibers," *ASTM Standard*, 1975.
- [162] R. Narendra and Y. Yiqi, "Biofibers from agricultural byproducts for industrial Applications," *Trend. Biotechnol.*, vol. 23, no. 1, pp. 22 - 27, 2005.
- [163] L. K. Weng, S. A. Samat, A. R. Rahmat, M. Mokhtar and A. Hassan, "Mechanical Properties Of Short Pineapple Leaf Fiber Thermoplastic Polypropylene Composites," *National Symposium of Polymeric Materials (NSPM)*, UNITEN Bangi. August, 23 - 24, 2005.
- [164] S. K. Swain and A. I. Isayev, "PA6/Clay Nanocomposites by Continuous Sonication Process," *J. Appl. Polym. Sci.*, vol. 114, no. 4, pp. 2378 - 2387, 2009.

- 
- [165] S. K. Swain and A. I. Isayev, "Effect of ultrasound on HDPE/clay nanocomposites: Rheology, structure and properties," *Polym.*, vol. 48, no. 1, pp. 281 - 289, 2007.
- [166] M. Tajvidi and G. Ebrahimi, "Water uptake and mechanical characteristics of natural filler polypropylene composites," *J. Appl. Polym. Sci.*, vol. 88, no. 4, pp. 941 - 946, 2003.
- [167] A. Espert, F. Vilaplana and S. Karlsson, "Comparison of water absorption in natural cellulosic fibers from wood and 1 year crops in polypropylene composites and its influence on their mechanical properties," *Comp. Part A: vol. 35*, no. 11, pp. 1267 - 1276, 2004.
- [168] C. R. Reddy, A. P. Sardashti and L. C. Simon, "Preparation and characterization of polypropylene–wheat straw–clay composites," *Comp. Sci. Techno.*, vol. 70, no. 12, pp. 1674 - 1680, 2010.
- [169] C. H. Shen, G. S. Springer, "Moisture Absorption and Desorption of Composite Materials," *J. Comp. Mater.*, vol. 10, no. 1, pp. 2 - 20, 1976.
- [170] L. S. Eyre, "Wear Characteristics of metals", *Tribo. Int.*, vol. 9, no. 5, pp. 203 – 212, 1976.
- [171] N. S. M. El-Tayeb, B. F. Yousif and T.C. Yap, "An investigation on worn surfaces of chopped glass fibre reinforced polyester through SEM observations," *Tribo. Int.*, vol. 41, no. 5, pp. 331 – 340, 2008.
- [172] N. S. M. El-Tayeb, B. F. Yousif and T.C. Yap, "Tribological studies of polyester reinforced with CSM 450-R-glass fiber sliding against smooth stainless steel counterface," *Wear*, vol. 261, pp. 443 – 452, 2006.

- 
- 
- [173] N. S. M. El-Tayeb and B. F. Yousif, "Evaluation of glass fibre reinforced polyester composite for multi-pass abrasive wear applications," *Wear*, vol. 262, pp. 1140 – 1151, 2007.
- [174] S. Bahadur and Y. Zheng, "Mechanical and tribological behavior of polyester reinforced with short glass fibers," *Wear*, vol. 137, no. 2, pp. 251 – 266, 1990.
- [175] V. K. Srivastava and J. P. Pathak, "Friction and wear properties of bushing bearing of graphite filled short glass fiber composite in dry sliding," *Wear*, vol. 197, pp. 145 – 150, 1996.
- [176] H. Pihtili and N. Tosun, "Effect of load and speed on the wear behaviour of woven glass fabrics and aramid fiber-reinforced composites," *Wear*, vol. 252, pp. 979 – 984, 2002.
- [177] J. R. Gomes, O. M. Silva, C. M. Silva, L. C. Pardini and R. F. Silva, "The effect of sliding speed and temperature on the tribological behavior of carbon-carbon composites," *Wear*, vol. 249, pp. 240 – 245, 2001.
- [178] N. S. M. El-Tayeb and B. F. Yousif, "Wear and friction behavior of CGRP and WGRP composites subjected to dry sliding," in: *ASME World Tribology Congress III, CD, Washington DC, USA, WTC 2005 - No. 63097, September 12 – 16, 2005*.
- [179] A. I. Medalia, "On structure property relations of rubber," *Proc. Int. Conf. Kharagpuur, India*; pp. 13, 1980.
- [180] G. W. Stachowiak and A. W. Batchelor, "Engineering Tribology," Netherlands: Elsevier; 3<sup>rd</sup> Edition, ISBN 0750673044, 2000.
- [181] P. H. Shipway and N. K. Ngao, "Microscale abrasive wear of polymeric materials," *Wear*, vol. 255, no. 1 – 6, pp. 742 – 750, 2003.

- 
- [182] N. Chand, A. Naik and S. Neogi, "Three-body abrasive wear of short glass fiber polyester composite," *Wear*, vol. 242, no. 1 – 2, pp. 38 – 46, 2000.
- [183] B. F. Yousif, N. Umar and K. J. Wong, "Three-body abrasion on wear and frictional performance of treated betelnut fibre reinforced epoxy (T-BFRE) composite," *Mater. Des.*, vol. 31, pp. 4514 – 4521, 2010.
- [184] J. K. A. Amu zu, B. J. Briscoe and D. Tabor, "Polymers as bearing and lubricants: Aspects of fundamental research," In: *Advances in Tribology*. London: Institute of Mechanical Engineers; April 3 - 4, pp. 59 - 62, 1978.
- [185] S. A. R. Hashmi, U. K. Dwivedi, A Naik and N. Chand, Effect of chemical treatments on high stress abrasive wear behaviour of PP based lining materials," *Metals Mater. Proces.*, vol. 14, pp. 235 – 240, 2002.
- [186] B. F. Yousif and N. S. M. El-Tayeb, "High-stress three-body abrasive wear of treated and untreated oil palm fiber reinforced polyester composite," *Proc. I MechE. J: J. Eng. Tribol.*, vol. 222, no. 5, pp. 6367 - 6646, 2008.
- [187] B. F. Yousif and N. S. M. El-Tayeb, "The effect of oil palm fibres as reinforcement on tribological performance of polyester composite," *Surf. Rev. Lett.*, vol. 14, no. 6, pp. 1095 – 1102, 2007.
- [188] A. K. Rana, B. C. Mitra and A. N. Banerjee, "Short jute fibre-reinforced polypropylene composite: dynamic mechanical study," *J. Appl. Polym. Sci.*, vol. 71, pp. 531 – 539, 1999.
- [189] N. S. M. El-Tayeb, "Two-body abrasive behaviour of untreated SC and R-G fibres polyester composites," *Wear*, vol. 266, pp. 220 – 232, 2009.
- [190] P. K. Bajpai, I. Singh and J. Madaan, "Tribological behaviour of natural fiber reinforced PLA composites," *Wear*, vol. 297, pp. 829 – 840, 2013.

- 
- [191] J. Tong, Y. Ma, D. Chen, J. Sun and L. Ren, "Effects of vascular fiber content on abrasive wear of bamboo," *Wear*, vol. 259, pp. 37 – 46, 2005.
- [192] N. Chand and U. K. Dwivedi, "High stress abrasive study on bamboo," *J. Maters. Process. Technol.*, vol. 183, pp. 155 – 159, 2007.
- [193] N. Chand, U. K. Dwivedi and S. K. Acharya, "Anisotropic abrasive wear behaviour of bamboo (*Dentrocalthamus strictus*)," *Wear*, vol. 262, pp. 1031 – 1037, 2007.
- [194] S. Basavarajappa, S. M. Yadav, S. Kumar, K. V. Arun and S. Narendranath, "Abrasive Wear Behavior of Granite-Filled Glass-Epoxy Composites by SiC Particles Using Statistical Analysis," *Tribo. Trans.*, vol. 50, no. 5, pp. 516 - 524, 2011.
- [195] P. K. Padhi and A. Satapathy, "Analysis of Sliding Wear Characteristics of BFS Filled Composites Using an Experimental Design Approach Integrated with ANN," *Tribo. Trans.*, vol. 56, no. 5, pp. 789 - 796, 2013.
- [196] A. Shalwan and B. F. Yousif, "In State of Art: Mechanical and tribological behaviour of polymeric composites based on natural fibres," *Maters. Des.*, vol. 48, pp. 14 - 24, 2013.
- [197] J. G. A Bitter, "A study of erosion phenomena", Part I. *Wear*, vol. 6, pp. 5 - 21, 1993.
- [198] I. M. Hutchings, R. E. Winter and J. E. Field, "Solid particle erosion of metals: the removal of surface material by spherical projectiles," *Proc. Roy. Soc. Lond., Ser A*: vol. 348, pp. 379 - 392, 1976.
- [199] M. Roy, B. Vishwanathan, G. Sundararajan, "The solid particle erosion of polymer matrix composites," *Wear*, vol. 171, pp. 149 - 161, 1994.



- 
- 
- [200] A. Hager, K. Friedrich, Y. A. Dzenis and S. A. Paipetis, "Study of erosion wear of advanced polymer composites," In: Street K, editor. ICCM-10, Conference proceedings, Whistler, BC, Canada. Cambridge (UK): Wood head Publishing; pp. 155 - 162, 1995.
- [201] A. P. Harsha and A. A. Thakre, "Investigation on solid particle erosion behaviour of polyetherimide and its composites," *Wear*, vol. 262, pp. 807 - 818, 2007.
- [202] U. S. Tewari, A. P. Harsha, A. M. Hager and K. Friedrich, "Solid particle erosion of carbon fiber- and glass fiber-epoxy composites," *Comp. Sci. Technol.*, vol. 63, pp. 549 - 557, 2003.
- [203] J. Bijwe, J. Indumathi, J. J. Rajesh and M. Fahim, "Friction and wear behaviour of polyetherimide composites in various wear modes," *Wear*, vol. 249, pp. 715 - 726, 2001.
- [204] J. Bijwe, J. Inthi and A. K. Ghose, "On the abrasive wear behaviour of fabric - reinforced polyetherimide composites," *Wear*, vol. 253, pp. 768 - 777, 2002.
- [205] A. P. Harsha, U. S. Tewari and B. Venkataraman, "Solid particle erosion behavior of various polyarylether ketone composites," *Wear*, vol. 254, pp. 693 - 712, 2003.
- [206] B. C. Patel, S. K. Acharya and D. Mishra, "Effect of stacking sequence on the erosive wear behaviour of jute and jute-glass fabric reinforced epoxy composite," *Int. J. Eng. Sci. Technol.*, vol. 3, no. 1, pp. 213-219, 2011.
- [207] S. Biswas and A. Satapathy, "A comparative study on erosion characteristics of red mud filled bamboo-epoxy and glass-epoxy composites," *Mater. Des.*, vol. 31; pp. 1752 - 1767, 2010.

- 
- [208] A. Satapathy, A. Patnaik and M. K. Pradhan, "A study on processing, characterization and erosion behavior of fish (Labeo-rohita) scale filled epoxy matrix composites," *Mater. Des.*, vol. 30, pp. 2359 – 2371, 2009.
- [209] A. W. Ruff and L.K. Ives, "Measurement of solid particle velocity in erosive wear," *Wear*, vol. 35, pp. 195 - 199, 1975.
- [210] G. P. Tilly and W. Sage, "The interaction of particle and material behaviour in erosion process," *Wear*, vol. 16, pp. 447 - 465, 1970.
- [211] K.V. Pool, C. K. H. Dharan and I. Finnie, "Erosive wear of composite materials," *Wear*, vol. 107, pp. 1 - 12, 1986.
- [212] G. Sundararajan and B. V. Roy, "Erosion efficiency – a new parameter to characterize the dominant erosion mechanism", *Wear*, vol. 140, pp. 369 – 381, 1990.