

### ACKNOWLEDGEMENT

It gives me immense pleasure to record my sincere thanks and profound gratitude to my esteemed teacher and guide, Dr. (Miss) B.M. Trivedi, M. Pharm., Ph.D.(Prague), Principal and Head of the Department of Pharmaceutics and Pharmaceutical Technology, L.M. College of Pharmacy, Ahmedabad (India), whose guidance gave me encouragement throughout the course of present work.

I thank Prof. G.M. Chauhan for his keen interest and suggestions throughout the course of this investigation. I gratefully thank the directors of Cadila Laboratories Shri R.B. Patel and Shri I.A. Modi for granting me the permission for utilising some of their laboratory facilities.

I thank Dr. Mukesh Patel, Research Director, Cadila Laboratories for his keen interest throughout the course of these studies. I express my gratitude to Dr. T.P. Gandhi, Cadila Laboratories for his constructive suggestions and help in planning the in vivo studies.


I am also thankful to the Principal, L.D. College of Engineering, Ahmedabad, for granting me the

permission to use their computer. I feel happy to extend my thanks to my colleague Mr. H.B. Patel for his guidance in computational work.

I am indebted to my family members, friends, and colleagues for their kind cooperation. It would not have been possible to complete this great task without their active involvement.

AHMEDABAD (INDIA)

DECEMBER 1984



MUKESH C. GOHEL