

LIST OF FIGURES

<i>Fig. No</i>	<i>Description</i>	<i>Page No.</i>
1.1	Hydrodynamic Action of a Journal Bearing	2
2.1	Dynamically Loaded Bearing	15
2.2	Discretization of Flow Field	16
2.3	Local Coordinate System	17
2.4	Two Lobe Bearing Geometry	23
2.5	Three Lobe Bearing Geometry	23
2.6	Discretization of Circular Bearing	27
2.7	Discretization of Two Lobe Bearing	28
2.8	Discretization of Three Lobe Bearing	29
4.1	Flow Diagram for Determining Nodal Pressure	40
4.2	Flow Diagram for Reynolds Boundary	41
4.3	Flow Diagram for Attitude Angle for Non-Circular Bearings	42
4.4	Flow Diagram for Determining Nodal Pressure for Circular and Noncircular Bearing with Newtonian and Micropolar Lubricants	43
4.5	Flow Diagram for Determination of Nodal Displacements	45
4.6	Solution Scheme for Journal Bearings with Newtonian and Micropolar Lubricant	46
4.7	Flow Diagram for Computing the Journal Performance Characteristics	47
5.1	Load carrying Capacity (\bar{W}) vs Volume Concentration of Additives (λ_{c_r}) in Circular Bearing	53
5.2	End Leakage (\bar{Q}_z) vs Volume Concentration of Additives (λ_{c_r}) in Circular Bearing	54
5.3	Attitude Angle (ϕ) vs Volume Concentration of Additives (λ_{c_r}) in Circular Bearing	55
5.4	Frictional Force (\bar{F}) vs Volume Concentration of Additives (λ_{c_r}) in Circular Bearing	56

5.5	Stiffness Coefficient(\bar{S}_{11}) vs Volume Concentration of Additives (λ_{c_r}) in Circular Bearing	57
5.6	Stiffness Coefficient (\bar{S}_{12}) vs Volume Concentration of Additives (λ_{c_r}) in Circular Bearing	58
5.7	Stiffness Coefficient (\bar{S}_{21}) vs Volume Concentration of Additives (λ_{c_r}) in Circular Bearing	59
5.8	Stiffness Coefficient (\bar{S}_{22}) vs Volume Concentration of Additives (λ_{c_r}) in Circular Bearing	60
5.9	Damping Coefficient(\bar{B}_{11}) vs Volume Concentration of Additives (λ_{c_r}) in Circular Bearing	61
5.10	Damping Coefficient($\bar{B}_{12} = \bar{B}_{21}$) vs Volume Concentration of Additives (λ_{c_r}) in Circular Bearing	62
5.11	Damping Coefficient(\bar{B}_{22}) vs Volume Concentration of Additives (λ_{c_r}) in Circular Bearing	63
5.12	Threshold Speed ($\bar{\omega}_{th}$) vs Volume Concentration of Additives (λ_{c_r}) in Circular Bearing	64
5.13	Damped frequency of whirl ($\bar{\omega}_d$) vs Volume Concentration of Additives (λ_{c_r}) in Circular Bearing	65
5.14	Computed Pressure Field for Circular Rigid Bearing	66
5.15	Load carrying Capacity (\bar{W}) vs Deformation Coefficient ($\bar{\psi}$) in Circular Bearing	70
5.16	End Leakage (\bar{Q}_z) vs Deformation Coefficient ($\bar{\psi}$) in Circular Bearing	71
5.17	Attitude Angle (ϕ) vs Deformation Coefficient ($\bar{\psi}$) in Circular Bearing	72
5.18	Frictional Force (\bar{F}) vs Deformation Coefficient ($\bar{\psi}$) in Circular Bearing	73
5.19	Stiffness Coefficient(\bar{S}_{11}) vs Deformation Coefficient ($\bar{\psi}$) in Circular Bearing	74

5.20	Stiffness Coefficient(\bar{S}_{12}) vs Deformation Coefficient ($\bar{\psi}$) in Circular Bearing	75
5.21	Stiffness Coefficient(\bar{S}_{21}) vs Deformation Coefficient ($\bar{\psi}$) in Circular Bearing	76
5.22	Stiffness Coefficient(\bar{S}_{22}) vs Deformation Coefficient ($\bar{\psi}$) in Circular Bearing	77
5.23	Damping Coefficient(\bar{B}_{11}) vs Deformation Coefficient ($\bar{\psi}$) in Circular Bearing	78
5.24	Damping Coefficient($\bar{B}_{12} = \bar{B}_{21}$) vs Deformation Coefficient ($\bar{\psi}$) in Circular Bearing	79
5.25	Damping Coefficient (\bar{B}_{22}) vs Deformation Coefficient (ψ) in Circular Bearing	80
5.26	Threshold Speed ($\bar{\omega}_{th}$) vs Deformation Coefficient ($\bar{\psi}$) in Circular Bearing	81
5.27	Damped Frequency of whirl ($\bar{\omega}_d$) vs Deformation Coefficient ($\bar{\psi}$) in Circular Bearing	82
5.28	Computed Pressure and Deformation Field for Circular Bearing	83
5.29	Load carrying Capacity (\bar{W}) vs Volume Concentration of Additives (λ_{c_r}) in Two Lobe Bearing	87
5.30	End Leakage (\bar{Q}_z) vs Volume Concentration of Additives (λ_{c_r}) in Two Lobe Bearing	88
5.31	Attitude Angle (ϕ) vs Volume Concentration of Additives (λ_{c_r}) in Two Lobe Bearing	89
5.32	Friction Parameter(\bar{f}) vs Volume Concentration of Additives (λ_{c_r}) in Two Lobe Bearing	90
5.33	Stiffness Coefficient(\bar{S}_{11}) vs Volume Concentration of Additives (λ_{c_r}) in Two Lobe Bearing	91
5.34	Stiffness Coefficient(\bar{S}_{12}) vs Volume Concentration of Additives (λ_{c_r}) in Two Lobe Bearing	92

5.35	Stiffness Coefficient(\bar{S}_{21}) vs Volume Concentration of Additives (λ_{c_r}) in Two Lobe Bearing	93
5.36	Stiffness Coefficient(\bar{S}_{22}) vs Volume Concentration of Additives (λ_{c_r}) in Two Lobe Bea	94
5.37	Damping Coefficient(\bar{B}_{11}) vs Volume Concentration of Additives (λ_{c_r}) in Two Lobe Bearing	95
5.38	Damping Coefficient($\bar{B}_{12} = B_{21}$) vs Volume Concentration of Additives (λ_{c_r}) in Two Lobe Bearing	96
5.39	Damping Coefficient(\bar{B}_{22}) vs Volume Concentration of Additives (λ_{c_r}) in Two Lobe Bearing	97
5.40	Threshold Speed ($\bar{\omega}_{th}$) vs Volume Concentration of Additives (λ_{c_r}) in Two Lobe Bearing	98
5.41	Damped Frequency of Whirl ($\bar{\omega}_d$) vs Volume Concentration of Additives (λ_{c_r}) in Two Lobe Bearing	99
5.42	Computed Pressure Field for Two Lobe Rigid Bearing	100
5.43	Load carrying Capacity (\bar{W}) vs Deformation Coefficient ($\bar{\psi}$) in Two Lobe Bearing with Newtonian Lubricants	103
5.44	Load carrying Capacity (\bar{W}) vs Deformation Coefficient ($\bar{\psi}$) in Two Lobe Bearing	104
5.45	End Leakage (\bar{Q}_z) vs Deformation Coefficient ($\bar{\psi}$) in Two Lobe Bearing	105
5.46	Attitude Angle (ϕ) vs Deformation Coefficient ($\bar{\psi}$) in Two Lobe Bearing	106
5.47	Friction Parameter (\bar{f}) vs Deformation Coefficient ($\bar{\psi}$) in Two Lobe Bearing	107
5.48	Stiffness Coefficient (\bar{S}_{11}) vs Deformation Coefficient ($\bar{\psi}$) in Two Lobe Bearing	108
5.49	Stiffness Coefficient(\bar{S}_{12}) vs Deformation Coefficient ($\bar{\psi}$) in Two Lobe Bearing	109

5.50	Stiffness Coefficient(\bar{S}_{21}) vs Deformation Coefficient ($\bar{\psi}$) in Two Lobe Bearing	110
5.51	Stiffness Coefficient(\bar{S}_{22}) vs Deformation Coefficient ($\bar{\psi}$) in Two Lobe Bearing	111
5.52	Damping Coefficient(\bar{B}_{11}) vs Deformation Coefficient ($\bar{\psi}$) in Two Lobe Bearing	112
5.53	Damping Coefficient($\bar{B}_{12} = B_{21}$) vs Deformation Coefficient ($\bar{\psi}$) in Two Lobe Bearing	113
5.54	Damping Coefficient($\bar{B}_{12} = B_{21}$) vs Deformation Coefficient ($\bar{\psi}$) in Two Lobe Bearing	114
5.55	Threshold Speed ($\bar{\omega}_{th}$) vs Deformation Coefficient ($\bar{\psi}$) in Two Lobe Bearing	115
5.56	Damped frequency of whirl ($\bar{\omega}_d$) vs Deformation Coefficient ($\bar{\psi}$) in Two Lobe Bearing	116
5.57	Computed Pressure and Deformation Field for Two Lobe Bearing	117
5.58	Load carrying Capacity (\bar{W}) vs Volume Concentration of Additives (λ_c) in Three Lobe Bearing	120
5.59	End Leakage (\bar{Q}_z) vs Volume Concentration of Additives (λ_c) in Three Lobe Bearing	121
5.60	Attitude Angle (ϕ) vs Volume Concentration of Additives (λ_c) in Three Lobe Bearing	122
5.61	Friction Parameter (\bar{f}) vs Volume Concentration of Additives (λ_c) in Three Lobe Bearing	123
5.62	Stiffness Coefficient(\bar{S}_{11}) vs Volume Concentration of Additives (λ_c) in Three Lobe Bearing	124
5.63	Stiffness Coefficient(\bar{S}_{12}) vs Volume Concentration of Additives (λ_c) in Three Lobe Bearing	125

5.64	Stiffness Coefficient(\bar{S}_{21}) vs Volume Concentration of Additives (λ_{cr}) in Three Lobe Bearing	126
5.65	Stiffness Coefficient(\bar{S}_{22}) vs Volume Concentration of Additives (λ_{cr}) in Three Lobe Bearing	127
5.66	Damping Coefficient(\bar{B}_{11}) vs Volume Concentration of Additives (λ_{cr}) in Three Lobe Bearing	128
5.67	Damping Coefficient($\bar{B}_{12} = \bar{B}_{21}$) vs Volume Concentration of Additives (λ_{cr}) in Three Lobe Bearing	129
5.68	Damping Coefficient(\bar{B}_{22}) vs Volume Concentration of Additives (λ_{cr}) in Three Lobe Bearing	130
5.69	Threshold Speed (ω_{th}) vs Volume Concentration of Additives (λ_{cr}) in Three Lobe Bearing	131
5.70	Damped frequency of whirl ($\bar{\omega}_d$) vs Volume Concentration of Additives (λ_{Cr}) in Three Lobe Bearing	132
5.71	Pressure Field For Three Lobe Rigid Bearing	133
5.72	Load carrying Capacity (\bar{W}) vs Deformation Coefficient ($\bar{\psi}$) in Three Lobe Bearing with Newtonian Lubricants	135
5.73	Load carrying Capacity (\bar{W}) vs Deformation Coefficient ($\bar{\psi}$) in Three Lobe Bearing	136
5.74	End Leakage (\bar{Q}_z) vs Deformation Coefficient ($\bar{\psi}$) in Three Lobe Bearing	137
5.75	Attitude Angle (ϕ) vs Deformation Coefficient ($\bar{\psi}$) in Three Lobe Bearing	138
5.76	Friction Parameter (\bar{f}) vs Deformation Coefficient ($\bar{\psi}$) in Three Lobe Bearing	139
5.77	Stiffness Coefficient(\bar{S}_{11}) vs Deformation Coefficient ($\bar{\psi}$) in Three Lobe Bearing	140
5.78	Stiffness Coefficient(\bar{S}_{12}) vs Deformation Coefficient ($\bar{\psi}$) in Three Lobe Bearing	141

5.79	Stiffness Coefficient(\bar{S}_{21}) vs Deformation Coefficient ($\bar{\psi}$) in Three Lobe Bearing	142
5.80	Stiffness Coefficient(\bar{S}_{22}) vs Deformation Coefficient ($\bar{\psi}$) in Three Lobe Bearing	143
5.81	Damping Coefficient(\bar{B}_{11}) vs Deformation Coefficient ($\bar{\psi}$) in Three Lobe Bearing	144
5.82	Damping Coefficient($\bar{B}_{12} = \bar{B}_{21}$) vs Deformation Coefficient ($\bar{\psi}$) in Three Lobe Bearing	145
5.83	Damping Coefficient(\bar{B}_{22}) vs Deformation Coefficient ($\bar{\psi}$) in Three Lobe Bearing	146
5.84	Threshold Speed ($\bar{\omega}_{th}$) vs Deformation Coefficient ($\bar{\psi}$) in Three Lobe Bearing	147
5.85	Damped frequency of whirl ($\bar{\omega}_d$) vs Deformation Coefficient ($\bar{\psi}$) in Three Lobe Bearing	148
5.86	Computed Pressure and Deformation Field in Three Lobe Bearing	149
