

1. Aazza S, Lyoussi B, Miguel MG. Antioxidant and Antiacetylcholinesterase Activities of Some Commercial Essential Oils and Their Major Compounds. *Molecules*. 2011; 16: 7672-90.
2. Adelroth E, Rosenhall L, Johansson S, Linden M, Venge P. Inflammatory cells and eosinophilic activity in asthmatics investigated by bronchoalveolar lavage: the effects of antiasthmatic treatment with budesonide or terbutaline. *Am Rev Respir Dis*. 1990; 142:91-9.
3. Adler KB, Holden-Stauffer WJ, Repine JE. Oxygen metabolites stimulate release of high molecular weight glycoconjugates by cell and organ cultures of rodent respiratory epithelium via arachidonic acid dependent mechanism. *J Clin Invest*. 1990; 85: 75-85.
4. Aggarwal AN, Chaudhry K, Chhabra SK, D'Souza GA, Gupta D, Jindal SK, et al. Prevalence and Risk Factors for Bronchial Asthma in Indian Adults: A Multicentre Study. *Indian J Chest Dis Allied Sci*. 2006; 48:13-22.
5. Ahmad NS, Farman M, Najmi MH, Mian KB, Hasan A. Pharmacological basis for use of *Pistacia integerrima* leaves in hyperuricemia and gout. *J Ethnopharmacol*. 2008; 117(3):478-82.
6. Ahmad NS, Waheed A, Farman M, Qayyum A. Analgesic and anti-inflammatory effects of *Pistacia integerrima* extracts in mice. *J Ethnopharmacol*. 2010 May 27; 129(2):250-3.
7. Ahmad S, Ali M, Ansari S.H, Ahmed F. Phytoconstituents from the gall of *Pistacia integerrima* Stewart, J. *Saudi Chem. Society*. 2010; 14: 409-12.
8. Ahn GS, Jang HU, Jung GY, Kim JH, Lee HG, Lee IS, Oh SR, Park SH. Essential oil component having inhibition activity of leukotriene production. *Molecules*. 2013; 18: 1227-1254.
9. Akubugwo IE, Ugboogu AE. Physicochemical Studies on Oils from Five Selected Nigerian Plant Seeds. *Pak. Jour. Nutrit*. 2007; 6(1): 75-8.
10. Alamgir M, Uddin SJ. Recent advances on the ethnomedicinal plants as immunomodulatory agents. *Ethnomedicine: A Source of Complementary Therapeutics*. Debprasad Chattopadhyay; 2010. 227-44 ISBN.

11. Amanda Sánchez-Recillas, Gabriel Navarrete-Vázquez, Sergio Hidalgo-Figueroa, María Yolanda Rios, Maximiliano Ibarra-Barajas, Samuel Estrada-Soto. Semisynthesis, ex vivo evaluation, and SAR studies of coumarin derivatives as potential antiasthmatic drugs. *Eur. J. Med. Chem.* 2014; 77(2): 400–8.
12. Andersson P. Antigen induced bronchial anaphylaxis in actively sensitized guinea pigs: effect of long-term treatment with sodium cromoglycate and aminophylline. *Br. J. Pharmacol.* 1981; 74:601-9.
13. Anonymous. Coordinating Research Group of Antiasthmatica in Zhejiang. New antiasthmatic principles in the essential oil from leaves of *Artemisia argyi*. *Zhong Cao Yao*; 1982, 13, p. 241–5.
14. Anonymous. *Medicinal Plants of India*. New Delhi: Indian Council of Medical Research; 1987. Vol.II, p. 115.
15. Anonymous. *The Wealth of India, A Dictionary of Indian Raw Materials*. CSIR, New Delhi; 1948-1972. Vol.1-12.
16. Anonymous. *The Wealth of India, A Dictionary of Indian Raw Materials and Industrial Products Publication and Information Directorate*; CSIR, New Delhi; 1998. Vol. VIII, p 120.
17. Ansari SH, Ali M, Qadry JS. Essential oils of *Pistacia integerrima* galls and their effect on the central nervous system, *Int. J. Pharmacogn.* 1993; 31: 89-95.
18. Ansari, S.H., Ali, M., Qadry, J.S. New tetracyclic triterpenoids from *Pistacia integerrima* galls. *Pharmazie*. 1994b; 49: 356–57.
19. Ansari, SH, Ali M, Qadry JS, Siddiqui, N. Analgesic activity of tetracyclic triterpenoids isolated from *Pistacia integerrima* galls. *Update Ayurveda*; 1994a. 94, p.73.
20. Antonicelli F, Parmentier M, Drost E. M, Hirani N, Rahman I, Donaldson K, Macnee W. Nacystelyn inhibits oxidant-mediated interleukin-8 expression and NF-kappa B nuclear binding in alveolar epithelial cells. *Free Radic. Biol. Med.* 2002; 32:492–502.
21. AOAC (Association of Official Analytical Chemists), *Official methods of analysis*. Gaithersburg, MD, Washington, USA, 2000.
22. AOCS, *Official methods and recommended practices of the American Oil Chemists' Society*. Champaign, IL, USA, 1998.

23. Arakawa T, Osawa K. Pharmacological study and application to food of mint flavor-antibacterial and antiallergic principles. *Aroma Res.* 2000; 1: 20–3.
24. Arakawa T, Shibata M, Hosomi, K, Watanabe T, Honma, Y, Kawasumi K, Takeuchi Y. Anti-allergenic effects of peppermint oil, chicle, and jelutong. *Shokuhin Eiseigaku Zasshi.* 1992; 33: 569–75.
25. Arulmozhi S, Muzumda P, Ashok P, Satyanarayan L. In Vitro Antioxidant and Free Radical Scavenging Activity of *Alstonia scholaris* Linn. *Iran J Pharmacol Therapeutics.* 2007; 6: 191-96.
26. Aruoma OI, Halliwell B, Laughton MJ, Quinlan GJ, Gutteridge JMC. The mechanism of initiation of lipid peroxidation: evidence against a requirement for an iron (II)-iron (III) complex. *Biochem. J.* 1989; 258:617–20.
27. Atmakuri L. R, Dathi S. Current Trends in Herbal Medicines. *J. of Pharm. Research.* 2010; 3(1): 109-13.
28. Badoni A, Bisht C, Chauhan JS. Micropropagation of *Hedychium spicatum* Smith using in vitro shoot tip. *Stem Cell.* 2010; 1: 11–3.
29. Bairagi SH, Salaskar PP, Loke SD, Surve NN, Tandel DV, Dusara MD. Medicinal significance of coumarins. *Int J Pharm Res.* 2012; 4:16-9.
30. Balandrin MF, Klocke JA, Wurtele ES, Bollinger WH. Natural plant chemicals: Sources of industrial and medicinal materials. *Science.* 1985; 228:1154-60.
31. Balas KK. Chemistry of Indian Essential oils. *Perfum Essent Oil Rec.* 1967; 58:782.
32. Bangboye AI, Adejumo OI. Physicochemical properties of Roselle seed oil. *Nutr Food Sci.* 2010; 40(2): 186-92.
33. Bande M, Nepali K, Goyal R, Thakur V, Suri J, Budhiraja RD, et al. Evaluation of antiasthmatic activity of 7, 8, 9, 10-tetrahydroazepino [2, 1-b] quinazolin-12 (6H)-one in combination with ambroxol in Guinea pigs. *Med. Chem. Res.* 2012; 21(12):4158-67.
34. Barnes PJ. How corticosteroids control inflammation: Quintiles Prize Lecture 2005. *Br. J. Pharmacol.* 2006; 148: 245–54.
35. Barnes PJ. Pathophysiology of asthma. *Br J Clin Pharmacol.* 1996; 42: 3–10
36. Barnes PJ. Reactive oxygen species and airway inflammation. *Free Rad Biol Med.* 1990; 9: 235-43.

37. Bastos VPD, Gomes AS, Lima FJB, Brito TS, Soares PMG, Pinho, JPM, et al. Inhaled 1,8-cineole reduces inflammatory parameters in airways of ovalbumin-challenged guinea pigs. *Basic Clin. Pharmacol. Toxicol.* 2011, 108, 34–9.
38. Batista PA, Werner MFP, Oliveira EC, Burgos L, Pereira P, Brum LFS, et al. The antinociceptive effect of (–)-linalool in models of chronic inflammatory and neuropathic hypersensitivity in mice. *J. Pain.* 2010; 11:1222–29.
39. Beeh KM, Beier J, Esperester A, Paul LD. Antiinflammatory properties of Ambroxol. *Eur J Med Res.* 2008; 13: 557-62.
40. Bhatt ID, Prasad K, Rawat S, Rawal RS. Evaluation of antioxidant phytochemical diversity in *Hedychium spicatum*: A high value medicinal plant of Himalaya. *PHOG MAG.* 2008; 4(16): 202-5.
41. Bhatt VP, Negi V, Purohit VK. *Hedychium spicatum* Buch.-Ham.: a high valued skin glowing and curing medicinal herb needs future attention on its conservation. *Nat Sci.* 2009; 7: 75–7.
42. Bibi Y, Nisa S, Chaudhary FM, Zia M. Antibacterial activity of some selected medicinal plants of Pakistan. *BMC Complement Altern Med.* 2011; 11:52.
43. Bisgaard H. Leukotriene modifiers in pediatric asthma management. *Pediatrics.* 2001; 10(2): 381-90.
44. Bishit GS, Awasthi AK, Dhole TN. Antimicrobial activity of *Hedychium spicatum*. *Fitoterpia.* 2006; 77(3):240-42.
45. Bousquet J, Chanez P, Lacoste JY, Barneon G, Ghavanian N, Enander I, (1990). Eosinophilic inflammation in asthma. *N Engl J Med* 323:1033-39
46. Busse W, Elias J, Sheppard D, Bank-Schlegel S. Airway remodeling and repair. *Am J Respir Crit Care Med.* 1999; 160: 1035-42.
47. Busse WW, Calhoun WJ, Sedgwick JD. Mechanisms of airway inflammation in asthma. *Am Rev Respir Dis.* 1993; 147: S20-S24.
48. Busse WW, Lemanske RF. Jr. Asthma. *N Engl J Med.* 2001; 344(5): 350-62.
49. Cal K, Kupiec K, Sznitowska M. Effect of physicochemical properties of cyclic terpenes on their ex vivo skin absorption and elimination kinetics. *J. Dermatol. Sci.* 2005; 41:137-42.

50. Canning BJ, Chou Y. Using guinea pigs in studies relevant to asthma and COPD. *Pulm Pharmacol & Ther.* 2008; 21:702–20.
51. Cantin AM, North SL, Hubbard RC, Crystal RG. Normal alveolar epithelial lining fluid contains high levels of glutathione. *J Appl Physiol.* 1987; 63(1):152–7.
52. Casoni GL, Chitano P, Pinamonti S, Chicca M, Ciaccia A, Fabbri L, et al. Reducing agents inhibit the contractile response of isolated guinea-pig main bronchi. *Clin. Exp. Allergy.* 2003; 33:999–1004.
53. Chaturvedi GN, Sharma BD. Clinical studies on *Hedychium spicatum*: An antiasthmatic drug. *J Res Indian Med.* 1975; 10(2): 6.
54. Chauhan NS, Medicinal and Aromatic plants of Himachal Pradesh, Indus Publishing Company, New Delhi, 2<sup>nd</sup> Edn, 2006; p. 215-18 and 311-14.
55. Chauhan VS, Standardizing herbs and intermediates- newer approaches. *The Pharma Review.* 2006; 2:37-44.
56. Chen BW, Wang HH, Liu JX, Liu XG. Zinc sulphate solution enema decreases inflammation in experimental colitis in rats. *J. Gastroenterol. Hepatol.* 1999; 14:1088–92.
57. Chi T, Ji X, Xia M, Rong Y, Qiu F, Zou L. Effect of six extractions from Wuhu decoction on isolated tracheal smooth muscle in Guinea pig. *Zhong Guo Shi Yan Fang Ji Xue Za Zhi.* 2009; 15: 52–5.
58. Choi IY, Lim JH, Hwang S, Lee JC, Cho GS, Kim WK. Anti-ischemic and anti-inflammatory activity of (S)-cis-verbenol. *Free Radic. Res.* 2010; 44; 541–51.
59. Chopra N. Tranquilising action of essential oils of *Hedychium spicatum*. *Indian J Pharmacol.* 1979; 11:147.
60. Chopra RN, Badhwar RK, Ghosh S. Poisonous Plants of India, Indian Council of Agricultural Research, New Delhi; 1965. p. 270.
61. Chopra RN, Chopra IC. Chopra's indigenous drug of India. Academic publishers Kolkata. Second edition 1958, Third reprint 2006. p. 377-78.
62. Chopra RN, Nayar SL, Chopra IC. Glossary of Indian Medicinal Plant C.S.I.R, New Delhi; 1956. 14: p. 137-38.

63. Ciftci O, Tanyildizi S, Godekmerdan A. Curcumin, myrecene and cineol modulate the percentage of lymphocyte subsets altered by 2, 3, 7, 8-Tetrachlorodibenzo-p-dioxins (TCDD) in rats. *Hum. Exp. Toxicol.* 2011; 30:1986–94.
64. Clevenger JF. Apparatus for the determination of volatile oils. *J Am Pharm Assoc*, 1928;17:345-9
65. Croteau R, Kutchan, TM, Lewis NG. Natural products (secondary metabolites). In Buchanan B, Grissem W, Jones R (Eds.), *Biochemistry and molecular biology of plants*. Rockville, MD: American Society of Plant Physiol. 2000. p. 1250-318.
66. Dai JP, Chen J, Bei, YF, Han BX, Wang S. Influence of borneol on primary mice oral fibroblasts: A penetration enhancer may be used in oral submucous fibrosis. *J. Oral Pathol. Med.* 2009; 38: 276–81.
67. DcMonchy JGR, Kauffman IF, Venge P, Koeter GH, Jansen HM, Sluiter J. Bronchoalvolar eosinophilia during allergen-induced late asthmatic reactions. *Am Rev Respir Dis*; 1985131:373-76
68. Del Maestro RF, Bjork J, Arfors K. Increase in microvascular permeability induced by enzymatically generated free radicals I In vivo study. *Microvasc Res.* 1981; 22:239–54.
69. Del Toro-Arreola S, Flores-Torales E, Torres-Lozano C, del Toro-Arreola A, Tostado-Pelayo K, Guadalupe RDM, et al. A. Effect of D-limonene on immune response in BALB/c mice with lymphoma. *Int. Immunopharmacol.* 2005: 5: 829–38.
70. Denburg JA, Sehmi R, Saito H, Pil-Seob J, Inman MD, O’Byrne PM. Systemic aspects of allergic disease: Bone marrow responses. *J Allergy Clin Immunol.* 2000; 106:S242–S246.
71. Dhar V, Rawat RS, Upreti J. Setting priorities for conservation of medicinal plants a case study in the Indian Himalaya. *Biol. Conserv.* 2000; 96:57-65.
72. Dixit VK, Varma KC, Vashit YN. Studies on essential oils of rhizomes of *Hedychium spicatum* Koeing and *Hedychium coronarium* Koeing. *Indian J Pharm.* 1977; 39(3):58-60.
73. Doelman CJA, Bast A. Oxygen radicals in lung pathology. *Free Rad Biol Med.* 1990; 9: 381–400.

74. Dormana HJD, Suraia P, Deans SG. In Vitro Antioxidant Activity of a Number of Plant Essential Oils and Phytoconstituents. *J. Essent. Oil Res.* 2000; 12 (2):241-248.
75. Dunn CJ, Elliot GA, Oostveen JA, Richards IM. Development of prolonged eosinophil-rich inflammatory leukocyte infiltration in the guinea pig asthmatic response to ovalbumin inhalation. *Am Rev Respir Dis.* 1988; 137: 541-47.
76. Duthie, J.F. 1903-1929. Flora of Upper Gangetic Plains and of the adjacent Siwaliks and Sub-Himalayan Tracts. Bishen Singh Manendra Pal Singh, Dehradun. Reprinted; 1974.
77. Ecobichon DJ. The basis of toxicology testing, (RC press, New York); 1997. p.43-86.
78. Ellmann G L. Tissue sulfhydryl groups. *Arch Biochem Biophys.* 1959; 82: 70-7.
79. Evans WC. Pharmacognosy. 15 ed. English Language Book, Society Baillere Tindall, Oxford University Press; 2002.
80. Foresi A, Bertorelli C, Pesci A, Chetta A, Olivieri D. Inflammatory markers in bronchoalveolar lavage and in bronchial biopsy in asthma during remission. *Chest.* 1990; 98:528-35.
81. Fox AJ. Modulation of cough and airway sensory fibres. *Pulm Pharmacol.* 1996; 9:335-42
82. Friedrich K, Delgado I.F, Santos LMF, Paumgarten, FJR. Assessment of sensitization potential of monoterpenes using the rat popliteal lymph node assay. *Food Chem. Toxicol.* 2007; 45:1516-22.
83. Frum, Y, Viljoen A.M. In vitro 5-lipoxygenase activity of three indigenous South African aromatic plants used in traditional healing and the stereospecific activity of limonene in the 5-lipoxygenase assay. *J. Essent. Oil Res.* 2006; 18: 85-8.
84. Garg SN, Shawl AS, Gulati BC. Essential oil of *Hedychium spicatum* var *acuminata*. *Indian Perfu.* 1977; 21:79.
85. Ghildiyal S, Gautam MK, Joshi VK, Goel RK. Pharmacological evaluation of extracts of *Hedychium spicatum* (Ham-ex-Smith) rhizome. *Anc Sci Life.* 2012; 31(3): 117-22.
86. Global Strategy for Asthma Management and Prevention update, GINA Guide; 2011. p. 28-32.

87. Gomez Outes A, Suarez-Gea ML, Calvo-Rojas G. Discovery of anticoagulant drugs: a historical perspective. *Curr Drug Discov Technol* 2012; 9: 83-104.
88. Gonsior E, Schultze Werninghaus G, Wüthrich B. Protective antiallergic effects of a new coumarin compound (BM 15.100) in experimental asthma. *Int J Clin Pharmacol Biopharm.* 1979; 17(7):283-89.
89. Goodman & Gilman's. *Manual of Pharmacology and Therapeutics*, Professor of Pharmacology & Medicine University of California, 5th ed. San Diego LaJolla, California; 2008. p. 262-79.
90. Goyal HR, Tamaka Shwasa (Bronchial Asthma): A Clinical Study, Central Council for Research in Ayurveda and Siddha, New Delhi; 1997.
91. Green LC, Wagner DA, Glogowski, J, Skipper PL, Wishnok, JS, Tannenbaum SR. Analysis of nitrate, nitrite, and nitrate in biological samples. *Anal. Biochem.* 1982; 126:131-38.
92. Guhan AR, Cooper S, Osborne J, Lewis S, Bennett J, Tattersfield AE. Systemic effects of formoterol and salmeterol: a dose-response comparison in healthy subjects. *Thorax.* 2000; 55(8): 650-56.
93. Gupta K B, Verma M. Nutrition and Asthma. *Lung India.* 2007; 24: 105-14.
94. Gupta SS, Parse RM, Ram AK. Development of anti-allergic and anti- histaminic activity in relation to histamine releasing effects of a plant saponin from *Clerodendron serratum*. *Asp. Allergy Appl. Immunol.* 1968; 2: 133-42.
95. Halliwell B, Gutteridge JMC. *Free Radicals in Biology and Medicine*. 3rd ed. Oxford Science Publications, Oxford, England: Oxford University Press, 936, xxxi, of col. Plates; 1999.
96. Handa SS, Kaul MK. Supplement to cultivation and Utilization of Aromatic Plants. Jammu Tawi: Regional Research Laboratory; 1997. p.302, 493, 517.
97. Harborne JB, *Phytochemical Methods - A Guide to Modern Techniques of Plant Analysis*. Chapman and Hall, London; 1998a. p. 182-90.
98. Harborne JB. Methods of extraction & isolation. In *phytochemical methods*, Chapman & Hall, London. 1998b; 60-66.
99. Hart PH, Brand C, Carson CF, Riley TV, Prager RH, Finlay-Jones JJ. Terpinen-4-ol, the main component of the essential oil of *Melaleuca alternifolia* (tea tree oil),



- suppresses inflammatory mediator production by activated human monocytes. *Inflamm. Res.* 2000; 49: 619–26.
100. He X, Lu Q, Liu Y. Effects of borneol injection on inflammation in focal cerebral ischemia reperfusion rats. *Hua Xi Yao Xue Za Zhi.* 2006; 21:523–526.
101. Heinrich W, Christian S, Uwe D. Concomitant therapy with Cineole (Eucalyptole) reduces exacerbations in COPD: A placebo-controlled double-blind trial. *Respir. Res.* 2009; 10: 69.
102. Held S, Schieberle P, Somoza V. Identification of  $\alpha$ -terpineol as an anti-inflammatory component of orange juice by in vitro and ex vivo studies. In *Recent Highlights in Flavor Chemistry & Biology*, 8th ed.; Proceedings of the Wartburg Symposium on Flavor Chemistry and Biology, Eisenach, Germany, 27 February–2 March 2007; Deutsche Forschungsanstalt für Lebensmittelchemie: Garching, Germany; 2007. p. 239–44.
103. Held S, Somoza V. Identification of volatile orange juice components that increase the IL-4 and IL-10 formation in buccal cells. *Curr. Top. Nutraceutical Res.* 2008; 6:23–28.
104. Hendeles L, Bighley L, Richardson RH, Hepler CD, Carmichael J. Frequent toxicity from IV aminophylline infusions in critically ill patients. *Drug Intell Clin Pharm.* 1977; 11: 12-7.
105. Henry GE, Momin RA, Nair MG, Dewitt DL. Antioxidant and Cyclooxygenase Activities of Fatty Acids Found in Food. *J. Agric. Food Chem.* 2002; 50(8): 2231–34.
106. Hirota R, Roger NN, Nakamura H, Song H.S, Sawamura M, Suganuma N. Anti-inflammatory effects of limonene from yuzu (*Citrus junos* Tanaka) essential oil on eosinophils. *J. Food Sci.* 2010; 75: H87–H92.
107. Hisama M, Matsuda S, Tanaka T, Shibayama H, Nomura M, Iwaki M. Suppression of mutagens-induced SOS response by phytoncide solution using salmonella typhimurium TA 1535/pSK1002 umu Test. *J. Oleo. Sci.* 2008; 57: 381-90.
108. Huang TC, Liu PK, Chang SY, Chou CF, Tseng HL. Study of antiasthmatic constituents in *Ocimum basilicum* Benth. *Yao Xue Tong Bao.* 1981; 16:56.

109. Husain A, Virmani OP, Popli S P, Misra L N, Gupta M M, Srivastava G N, Abraham, Singh A K . Dictionary of Indian Medicinal Plants. CIMAP, Lucknow, India; 1992. p. 546.
110. Ishida K, Kelly LJ, Thompson RJ, Beattie LL, Schellenberg RR. Repeated antigen challenge induces airway hyperresponsiveness with tissue eosinophilia in guinea pigs. *J Appl Physiol*. 1989; 67(3):1133-39,.
111. Jadhav V, Kore A, Kadam VJ. In vitro pediculicidal activity of *Hedychium spicatum* essential oil. *Fitoterpia* 2007; 78(7-8):470-73.
112. Jawla S, Mogla OP, Kumar Y. Herbal remedies for asthma: an overview. *J. chem. Pharm. Res*. 2010; 2(1): 267-72.
113. Jeffery PK. Pathology of asthma. *Br Med Bull*. 1992; 48:23-39.
114. Jeffrey F, Linzer Sr. Review of Asthma: Pathophysiology and Current Treatment Options. *Clin Ped Emerg Med*. 2007; 8:87-95.
115. Joshi S, Chanotiva CS, Agarwal G, Prakash O. Terpenoid compositions and antioxidant and antimicrobial properties of the rhizome essential oils of *Hedychium spicatum*. *Chem Biodivers*. 2008; 5(2):299-309.
116. Joshi UP, Mishra SH. In Vitro Antioxidant activity of *Pistacia integerrima* galls. *Pharmacologyonline*. 2009; 2: 763-768
117. Juergens UR, Dethlefsen U, Steinkamp G, Gillissen RR, Vetter H. Anti-inflammatory activity of 1,8-cineol (eucalyptol) in bronchial asthma: A double-blind placebo-controlled trial. *Respir. Med*. 2003; 97:250–56.
118. Juergens UR, Engelen T, Racke K, Stoeber M, Gillissen A, Vetter H. Inhibitory activity of 1,8-cineol (eucalyptol) on cytokine production in cultured human lymphocytes and monocytes. *Pulm. Pharmacol. Ther*. 2004; 17: 281–87.
119. Juergens UR, Stober M, Vetter H. Steroid-like inhibition of monocyte arachidonic acid metabolism and IL-1 production by 1, 8-cineole. *Atemwegs Lungenk* 1998; 24:3–11.
120. Kale R.N, Patel RN, Patel R. Asthma and herbal drugs. *IJPSR*. 2010; 1(12): 37-42.
121. Kariyawasam HH, Robinson DS. The eosinophil: the cell and its weapons, the cytokines, its locations. *Semin Respir Crit Care Med*. 2006; 27: 117-27.

122. Katsumata U, Miura M, Ichinose M. Oxygen radicals produce airway constriction and hyperresponsiveness in anesthetized cats. *Am Rev Respir Dis.* 1990; 141:1158–61.
123. Kawata J, Kameda M, Miyazawa M. Cyclooxygenase-2 inhibitory effects of monoterpenoids with a p-methane skeleton. *Int. J. Essent. Oil Ther.* 2008; 2:145–148.
124. Kay AB. The role of eosinophils in the pathogenesis of asthma. *Trends Mol Med.* 2005; 11: 148-52.
125. Kedzia B, Jankowiak J, Holonska J, Krzyzaniak M. Investigation of essential oils and components with immunostimulating activity. *Herba Pol.* 1998; 44:126–35.
126. Keinan E, Alt A, Amir G, Bentur L, Bibi H, Shoseyov, D. Natural ozone scavenger prevents asthma in sensitized rats. *Bioorg. Med. Chem.* 2005; 13:557–62.
127. Kelly HW, Nelson HS. Potential adverse effects of the inhaled corticosteroids. *J Allergy Clin Immunol.* 2003; 112: 469-78.
128. Kettle AJ, Gedye CA, Winterbourn CC. Mechanism of inactivation of myeloperoxidase by 4-aminobenzoic acid hydrochloride. *Biochem. J.* 1997; 321:503–08.
129. Khan MA, Jehanzeb, Shafiullah, Malik S A, Shafi M. *Hepatoprotective effects of Berberis lycium, Galium aparine and Pistacia integerrima* in Carbon tetrachloride (ccl4)-treated rats. *J Postgrad Med Inst.* 2008; 22(2):91-4.
130. Khandelwal KR. *Practical Pharmacognosy*, 19th edition, Nirali Prakashan, Pune; 2008. p.13-48.
131. Khoddami A, Ghazali HM, Yassoralipour A, Ramakrishnan Y, Ganjloo A. Physicochemical Characteristics of Nigella Seed (*Nigella sativa* L.) Oil as Affected by Different Extraction Methods. *J. Am. Oil Chem. Soc.* 2011; 88: 533-40.
132. Kimbonguila A, Nzikou J.M, Matos L, Loumouamou B, Ndangui C.B, Pambou-Tobi NPG, et al. Proximate Composition and Physicochemical Properties on the Seeds and Oil of *Annonamuricata* grown In Congo-Brazz. *Research Journal Environmental and Earth Science.* 2010; 2(1): 13-8.
133. Kirby JG, Hargreave FE, Gleich GJ and O’Byrne PM. Bronchoalveolar cell profiles of asthmatic and nonasthmatic subjects. *Am Rev Respir Dis.* 1987; 136:379–83.

134. Kirtikar KR, Basu RD. Indian Medicinal Plants. 2nd ed. Dehradun: International Book Distributors; 1999. p. 2429-431.
135. Knothe, G. Structure indices in FA chemistry. How relevant is the iodine value. *J. Am. Oil Chem. Soc.* 2002; 9: 847-53.
136. Kokate CK. Practical Pharmacognosy Delhi: Vallabh Prakashan; 1997.
137. Komori T, Fujiwara R, Tanida M, Nomura J, Yokoyama MM. Effects of citrus fragrance on immune function and depressive states. *Neuroimmunomodulation.* 1995; 2:174-80.
138. Kunle FO, Egharevba OH, Ahmadu OP. Standardization of herbal medicines - A review. *Int. J. Biodivers. Conserv.* 2012; 4(3):101-12.
139. Kyriakidis NB, Katsiloulis T. Calculation of iodine value from measurements of fatty acid methyl esters of some oils: comparison with the relevant American oil chemists society method. *J. Am. Oil Chem. Soc.* 2000; 77: 1235-8.
140. Larche M, Robinson DS, Kay AB. The role of T lymphocytes in the pathogenesis of asthma. *J Allergy Clin Immunol.* 2003;111: 450-63,
141. Larsson K. Oxitropium Bromide, Ipratropium Bromide and Fenoterol in Exercise-Induced Asthma. *Respiration.* 1982; 43(1): 57-63.
142. Laude EA, Higgins KS, Morice AHA. Comparative study of the effects of citric acid. *Pulm Pharmacol.* 1993; 6:171–175.
143. Laude EA, Morice A H, Grattan T J. *Pulm. Pharmacol,* 1994; 7: 179–84
144. Lee GI. Inhibitory effects of oriental herbal medicines on IL-8 induction in lipopolysaccharide-activated rat macrophages. *Planta Medi.* 1995; 61(1): 26-30.
145. Leonel AJ, Teixeira LG, Oliveira RP, Santiago AF, Batista NV, Ferreira TR, et al. Antioxidative and immunomodulatory effects of tributyrin supplementation on experimental colitis. *Br J Nutr.* 2013 Apr 28; 109 (8):1396-407.
146. Li Q, Nakadai A, Matsushima H, Miyazaki Y, Krensky AM, Kawada T, Morimoto K. Phytoncides (wood essential oils) induce human natural killer cell activity. *Immunopharmacol Immunotoxicol.* 2006; 28:319-33.
147. Liang YZ, Xie P, Chan K. Quality control of herbal medicines. *J. Chromatogr.* 2004; 812(1-2): 53–70

148. Liu QS, Tan HL, Li JX. Study on growth principle of *P. chinensis* Bunge. *J Henan Forest Sci Technol.* 1999; 19: 3-6.
149. Liu R, Zhang L, Lan X, Li L, Zhang TT, Sun JH, Du G.H. Protection by borneol on cortical neurons against oxygen-glucose deprivation/reperfusion: Involvement of anti-oxidation and anti-inflammation through nuclear transcription factor  $\text{NF-}\kappa\text{B}$  signaling pathway. *Neuroscience.* 2011; 176:408–19.
150. Louis R, Lau L, Bron AO, Roldaan AC, Radermecker M, Djukanovi R. The relationship between airways inflammation and asthma severity. *Am J Respir Crit Care Med.* 2000; 161: 9-16.
151. Maarsingh H, Leusink J, Zaagsma J, Meurs H. Role of the L- citrulline/Larginine cycle in iNANC nerve-mediated nitric oxide production and airway smooth muscle relaxation in allergic asthma. *Eur J Pharmacol.* 2006; 546:171–6.
152. Mabalirajan U, Dinda AK, Sharma SK, Ghosh B. Esculetin Restores Mitochondrial Dysfunction and Reduces Allergic Asthma Features in Experimental Murine Model. *J Immunol.* 2009; 183: 2059–67.
153. Mahajan SG, Mehta AA. Suppression of ovalbumin induced Th2-driven airway inflammation by  $\beta$ -sitosterol in guinea pig model of asthma. *Euro J. Pharmacol.* 2011; 650:458-64.
154. Mali RG, Dhake AS. A review on herbal antiasthmatics. *Orient Pharm Exp Med.* 2011; 11:77-90.
155. Malviya N, Jain S, Malviya S. Antiasthmatic Potential of Indigenous Medicinal Plants. *Spatula DD.* 2011; 1(1):43-50.
156. Marcocci L, Maguire JJ, Droy-Lefaix MT, Packer L. The nitric oxide-scavenging properties of *Ginkgo biloba* extract EGb 761. *Biochem Biophys Res Commun.* 1994a; 15:748–55.
157. Marcocci L, Packer L, Droy-Lefaix MT. Antioxidant action of *Ginkgo biloba* extract EGB 761. *Methods Enzymol.* 1994b; 234: 462–75.
158. Matsuda H, Kageura T, Toguchida I, Murakami T, Kishi A, Yoshikawa M. Effects of sesquiterpenes and triterpenes from the rhizome of *Alisma orientale* on nitric oxide production in lipopolysaccharide-activated macrophages: Absolute stereostructures

- of alismaketones-B 23-acetate and -C 23-acetate. *Bioorg Med Chem Lett.* 1999; 9:3081-6.
159. Matsuda H, Kageura T, Toguchida I, Ueda H, Morikawa T, Yoshikawa M. Inhibitory effect of sesquiterpenes from bay leaf on nitric oxide production in lipopolysaccharide activated macrophages: structure requirement and role of heat shock proteins induction. *Life Sci.* 2000; 66: 2151—57.
160. Matsuda H, Morikawa T, Sakamoto Y, Toguchida I, Yoshikawa M. Labdane-type Diterpenes with Inhibitory Effects on Increase in Vascular Permeability and Nitric Oxide Production from *Hedychium coronarium*. *Bioorg Med Chem.* 2002;10: 2527–34
161. Mazid M, Khan AT, Firoz M. Medicinal Plants of Rural India: A Review of Use by Indian Folks. *Indo Global J Pharm Sci.* 2012; 2(3): 286-304.
162. McGill KA, Busse WW. Zileuton. *Lancet.* 1996; 348: 519-24.
163. Misra SB. Antimalarial activity of Traditional plants against erythrocytic stages of *Plasmodium berghei*. *Int J Pharmacog.* 1991; 29:19-23.
164. Missouri Botanical Garden, Tropicos Available from: <http://www.tropicos.org/Name/50326335>
165. Monaco P, Previtera L, Mangoni L. Terpenes in *Pistacia* plants: a possible defense role for monoterpenes against gall-forming aphids. *Phytochemistry.* 1982; 21:1408.
166. Mukherjee PK, Houghton PJ. Evaluation of Herbal Medicinal Products-Perspectives of quality, safety and efficacy. 1st ed. Pharmaceutical Press, Royal Pharmaceutical Society of Great Britain; 2009. p13.
167. Mukherjee PK. Exploring botanicals in Indian systems of medicine-regulatory perspectives. *Clinical Res Reg Affairs.* 2003; 20: 249-64.
168. Mukherjee PK. Quality control of herbal drugs—an approach to evaluation of botanicals (1st edition). Business Horizons, New Delhi; 2002. p.604.
169. Nadkarni KM. Indian Materia Medica. Mumbai: Popular Prakshan Private Limited; 1976. Vol 1, p. 608.
170. Naithani BD. Flora of Chamoli, Botanical Survey of India, Howrah; 1984, 1: p.8-24.

171. Nam JH, Jung HJ, Choi J, Lee KT, Park HJ. The anti-gastropathic and anti-rheumatic effect of nigaichigoside F1 and 23-hydroxytormentonic acid isolated from the unripe fruits of *Rubus Coreanus* in a rat model. *Biol. Pharm. Bull.* 2006; 29: 967-70.
172. Nascimento NRF, Refosco RMC, Vasconcelos ECF, Kerntopf MR, Santos CF, Batista FJA, de Sousa CM, Fonteles M.C. 1,8-Cineole induces relaxation in rat and guinea-pig airway smooth muscle. *J. Pharm. Pharmacol.* 2009; 61:361–366.
173. National Asthma Education and Prevention Program. Expert panel report 3: Guidelines for the diagnosis and management of asthma. NIH Publication No.07-4051. Bethesda, MD: U.S. Department of Health and Human Services; National Institutes of Health; National Heart, Lung, and Blood Institute; 2007.
174. Naz K, Khan MR, Shah NA, Sattar S, Noureen F, Awan ML.. *Pistacia chinensis*: A potent ameliorator of CCl<sub>4</sub> induced lung and thyroid toxicity in rat model. *Biomed Res Int.* 2014; Article ID 192906.
175. Nepali K, Kumar S, Suri OP, Bande MS, Sharma P, Sapra S, et al. Antitussive effects of azepino[2,1-b]quinazolones. *Med Chem Res.* 2011; DOI 10.1007/s00044-011-9641-1.
176. Nigam MC, Siddiqui MS, Misra LN, Sen T. Gas chromatographic examination of the essential oil of rhizomes of *Hedychium spicatum*. *Perfum & Kosmet.* 1979; 60(7): 245-46.
177. Nose K. Role of reactive oxygen species in the regulation of physiological functions. *Bio Pharm Bull.* 2000; 23:897-903.
178. OECD guidelines for the testing of chemicals, number 423. Acute Oral Toxicity: Acute Toxic Class Method, adopted 17th December 2001.
179. Ohkawa H, Ohishi N, Yagi K. Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction. *Anal Biochem.* 1979; 95: 351-8.
180. Oikawa S. Sequence-specific DNA damage by reactive oxygen species: Implications for carcinogenesis and aging. *Environ. Health Prev. Med.* 2005; 10:65-71.
181. Oliveira IS, Brunialti MK, Koh IH, Junqueira VB, Salomao R. Effect of pentoxifylline on lung inflammation and gas exchange in a sepsis-induced acute lung injury model. *BRAZ J MED BIOL RES.* 2006; 39:1455-63.

182. Ozbek H. Investigation of lethal dose levels and anti-inflammatory effect of Fenchone. *Turk Hijyen ve Deneysel Biyoloji Dergisi*. 2007; 64: 22–5.
183. Padulosi S, Caruso T, Barone E, editors. Taxonomy, distribution, conservation and uses of *Pistacia* genetic resources. IPGRI; 1996. p. 29-30.
184. Panchawat S, Rathore SK, Sisodia Nema RK. Standardization and evaluation of herbal drug formulations. *Green Chem*. 2010; 7: 23-6.
185. Panchawat S, Rathore SK. Standardization and evaluation of herbal drug formulations; Article base; *Green Chem*. 2009; 6:56-67.
186. Pant S, Samant SS. Ethanobotanical observation in the Momaula Reserve Forest of Koumoun., West Himalaya. *India Ethanobotanical Leaflets*; 2010. p.1493.
187. Paoliello-Paschoalato AB, Oliveira SH, Cunha FQ. Interleukin 4 induces the expression of inducible nitric oxide synthase in eosinophils. *Cytokine*. 2005; 30:116–24.
188. Parfitt DE, Badenes M L. Molecular phylogenetic analysis of the genus *Pistacia*. *Acta Horticulturae*. 1998; 470:143–51.
189. Parthiban KT, Selvan P, Paramathma M, Kanna SU, Kumar P, Subbulakshmi V, et al. Physico-chemical characterization of seed oil from *Jatropha curcas* L. genetic resources. *J. Ecol. Nat. Environ*. 2011; 3(5):163-7.
190. Patil US, Jaydeokar AV, Bandawane DD. Immunomodulators: A Pharmacological Review. *Int J Pharm Pharm Sci*. 2011; 4(1): 30-6.
191. Peana AT, D'Aquila PS, Serra FPG, Pippia P, Moretti MDL. Anti-inflammatory activity of linalool and linalyl acetate constituents of essential oils. *Phytomedicine*. 2002; 9:721–6.
192. Peters-Golden M. The alveolar macrophage: the forgotten cell in asthma. *Am J Respir Cell Mol Biol*. 2004; 31(1): 3-7.
193. Phipps RJ, Denas SM, Sielczak MV, Wanner A. The effect of 0.5ppm ozone on glycoprotein secretion, ion and water fluxes in sheep trachea. *J Appl Physiol*. 1986; 60: 918–27.
194. Pocket guide for asthma prevention and management in children, GINA Guide; 2006. p. 8-14.



195. Pongprayoon, U, Soontornsaratune P, Jarikasem S, Sematong T, Wasuwat S, Claeson P. Topical antiinflammatory activity of the major lipophilic constituents of the rhizome of *Zingiber cassumunar*. Part 1. The essential oil. *Phytomedicine*. 1997; 3:319–22.
196. Qin F, Guo TB, Liu ZG, Song MH. Literature review of researches on *P. chinensis* Bunge. *Nonwood Forest Res*. 2007; 25: 90-6.
197. Quality Control Methods for Medicinal Plant Material; WHO Geneva; 1998. p. 28-30, 45-46.
198. Quintão NL, da Silva GF, Antonialli CS, Rocha LW, Cechinel, FV, Ciccio JF. Chemical composition and evaluation of the anti-hypernociceptive effect of the essential oil extracted from the leaves of *Ugni myricoides* on inflammatory and neuropathic models of pain in mice. *Planta Med*. 2010; 76: 1411–8.
199. Rachmilewitz D, Simonm PL, Schwartz LW, Griswold DE, Fondacaro JD, Wasserman MA. Inflammatory mediators of experimental colitis in rats. *Gastroenterology*. 1989; 97; 326–37.
200. Rahman, Macnee IW. Oxidative stress and regulation of glutathione in lung inflammation. *Eur. Respir. J*. 2000; 16:534–54.
201. Raina MK. Quality control of herbal and herbo-mineral formulations. *Indian J Nat Prod*. 2003; 19:11-15.
202. Rajan A, Upadhyaya BN. Role of Shati (*Hedychium spicatum*) and Shvasa Kuthar Rasa on Vatika Kasa with the special reference to pulmonary eosinophilia. In *Proc Int Congr on Ayurveda-2000*. Chennai TN, India; 2000. p. 94.
203. Ramachandra Y L, Shankara BER, Ganapathy PSS, Rajan SS. In-Vitro Antimicrobial Activity of *Pistacia Integerrima* Leaf Gall Extracts. *Pharmacophore*. 2010; 1 (2):149-54.
204. Raphael TJ, Kuttan G. Immunomodulatory activity of naturally occurring monoterpenes carvone, limonene, and perillic acid. *Immunopharmacol Immunotoxicol*. 2003, 25, 285–294.
205. Rastogi RP, Mehrotra BN. *Compendium of Indian Medicinal Plants*. New Delhi: Central Drug Research Institute, Lucknow and National Institute of Science Communication; 1979. Vol. 2, p. 359-60.

206. Rastogi RP, Mehrotra BN. Compendium of Indian Medicinal Plants. Vol. 3, New Delhi: Central Drug Research Institute, Lucknow and National Institute of Science Communication; 1984. p. 332-3.
207. Rauf A, Uddin G, Arfan M, Muhammad N. Chemical composition and biological screening of essential oils from *Pistacia integerrima*. Afr. J. Pharm. Pharmacol. 2013; 7(20):1220-1224.
208. Rawat RK, Khar RK, Garg A. Development and standardization of herbal formulations. The Pharma Review. 2007; 6:104.
209. Ray PG, Majumdar SK. Antimicrobial activity of some Indian plants. Econ Bot. 1976; 30:317-320.
210. Reddy PP, Ashok K, Tiwari R, Amtul Z. New labdane diterpenes as intestinal - glycosidase inhibitor from antihyperglycemic extract of *Hedychium spicatum* rhizomes. Bio Org Med Chem Let 2009b; 19(9):2562-65.
211. Reddy PP, Rao RR, Rekha K, Babu SK, Shashidar J, Shashikiran G, et al. Two new cytotoxic diterpenes from the rhizomes of *Hedychium spicatum*. Bioorg Med Chem Lett. 2009; 19:192-5
212. Reddy PP, Rao RR, Shashidhar J, Sastry BS. Phytochemical investigation of labdane diterpenes from the rhizomes of *Hedychium spicatum* and their cytotoxic activity. Bio Org Med Chem Let. 2009a; 19(21):6078-81.
213. Rhoden KJ, Barnes PJ. Effect of hydrogen peroxide on guinea-pig tracheal muscle in vitro: role of cyclooxygenase and airway epithelium. Br J Pharmacol. 1989; 98:325-30.
214. Ricciardolo FL. Multiple roles of nitric oxide in the airways. Thorax. 2003; 58:175-82.
215. Rika Hartatia, Asep Gana Sugandaa, Irda Fidriannya. Botanical, Phytochemical and Pharmacological Properties of *Hedychium* (Zingiberaceae) - A Review. Procedia Chem. 2014;13:150-63
216. Rodrigo GJ, Rodrigo C. The role of anticholinergics in acute asthma treatment. Chest 121: 1977-1987, 2002.

217. Royal Botanic Gardens, KEW. Available from: [http://apps.kew.org/wcsp/synonymy.do;jsessionid=2C9A6E1202745680E0C935485B5217DD?name\\_id=248214](http://apps.kew.org/wcsp/synonymy.do;jsessionid=2C9A6E1202745680E0C935485B5217DD?name_id=248214)
218. Sahu RB. Clinical trial of *Hedychium spicatum* in tropical pulmonary eosinophilia. J Nepal Pharm Assoc. 1979; 7: 65-72.
219. Sain S, Naoghare PK, Devi SS, Daiwile A, Krishnamurthi K, Arrigo P, Chakrabarti T. Beta caryophyllene and caryophyllene oxide, isolated from *Aegle marmelos*, as the potent anti-inflammatory agents against lymphoma and neuroblastoma cells. Anti inflamm Anti allergy Agents. Med Chem. 2014; 13(1):45-55.
220. Samant SS, Butola JS, Sharma A. Assessment of Diversity, Distribution, Conservation Status and Preparation of Management Plan for Medicinal Plants in the Catchment Area of Parbati Hydroelectric Project Stage – III in Northwestern Himalaya. J. Mountain Sci. 2007; 4(1): 034-56
221. Samant SS, Dhar U, Palni LMS. Medicinal Plants of Indian Himalaya: Diversity Distribution Potential Values. Gyanodaya Prakashan, Nainital; 1998.
222. Samant SS, Dhar U. Diversity, endemism and economic potential of wild edible plants of Indian Himalaya. Int. J. Sustain. Dev. World Ecol. 1997; 4:179-91.
223. Samant SS, Palni LMS. Diversity, distribution and indigenous uses of essential oil yielding medicinal plants of Indian Himalayan region. J. Med. Arom. Plant Sci. 2000; 22: 671- 84.
224. Samant SS, Pant S. Diversity, Distribution, Pattern and conservation status of the plants used in liver Diseases/Ailments in Indian Himalaya region. J. Mountain Sci. 2006; 3: 28-47.
225. Samant SS. Diversity, distribution and conservation of fodder resource of west Himalaya, India. In: Misri, B. (ed.), Proceedings of the Third Temperate Pasture and Fodder Network (TAPAFON), Pokhara, Nepal, sponsored by F.A.O. Rome; 1998. p. 109 -28.
226. Sandra L. Tecklenburg, Timothy D. Mickleborough, Alyce D. Fly, Yeon Bai, Joel M. Stager. Ascorbic acid supplementation attenuates exercise-induced bronchoconstriction in patients with asthma. RESP MED. 2007; 101: 1770–78.

227. Sane RT. Standardization, quality control and GMP for herbal drugs, Indian Drugs. 2002; 39(3): 184-90.
228. Santos, F.A.; Silva, R.M.; Campos, A.R.; Araújo, R.P.; Júnior, R.C.P.L.; Rao, V.S.N. 1,8-cineole (eucalyptol), a monoterpene oxide attenuates the colonic damage in rats on acute TNBS-colitis. Food Chem. Toxicol. 2004; 42:579–84.
229. Savithamma N., Sulochana C.H., Rao K.N., Ethnobotanical survey of plants to treat asthma in Andhra Pradesh, India, J. Ethnopharm. 2007; 113: 54-61,
230. Sears MR. Adverse effects of  $\beta$ -agonists. J Allergy Clin Immunol. 2002; 110 (6): S322-28.
231. Sengupta NN. The Ayurvedic System of Medicine, Neeraj Publishing, New Delhi; 1984. Vol. 1, p.198.
232. Sharma CS, Tandon JS, Dhar MM. 7-Hydroxyhedychenone: A furanoditerpene from *Hedychium spicatum*. Scientia Horticulturae. 2008; 117(4):369-77.
233. Sharma CS, Tandon JS, Dhar MM. Hedychenone: A furanoid diterpene from *Hedychium spicatum*. Phytochem. 1975; 14(4):1059-61.
234. Sharma CS, Tandon JS. A new diterpene from *Hedychium spicatum*. Indian J Chem. 1983; 22: 93-4.
235. Sharma PC, Yelne MB, Dennis TJ. Database on Medicinal Plants used in Ayurveda. New Delhi: Central Council for Research in Ayurveda and Siddha; 2002. Vol.4. p.505-13.
236. Sharma PV. Cakradatta: A Treatise on Principles and Practices of Ayurvedic Medicine, Chaukhambha Orientalia, Varanasi; 1994. p.145.
237. Sharma V, Dhar KL, Sharma P, Sharma P. Indian Herbal Medicine- A Natural Cure to Asthma. IJPPR. 2013-14; 5(4); 302-10
238. Shaw BP. Clinical study of Kapur Kachari in the treatment of tropical pulmonary eosinophilia. Nagarjuna 1980; 23(10):214-16.
239. Shibata H, Fujiwara R, Iwamoto M, Matsuoka H, Yokoyama MM. Immunological and behavioral effects of fragrance in mice. Int. J. Neurosci. 1991; 57:151-9.
240. Shirole RL, Shirole NL, Kshatriya AA, Kulkarni R, Saraf MN. Investigation into the mechanism of action of essential oil of *Pistacia integerrima* for its antiasthmatic activity. J Ethnopharmacol. 2014; 153(3):541-51.

241. Singh DK, Hajra PK. Florestic diversity. In Gujral (ed.), Biodiversity Status in the Himalaya. British Council, New Delhi; 1997. p. 23-38.
242. Souza MC, Siani AC, Ramos MFS, Menezes-de-Lima O, Henriques M.G. Evaluation of anti-inflammatory activity of essential oils from two Asteraceae species. *Pharmazie*. 2003; 58:582–86.
243. Sravani T, Padmaa MP. Evaluation of anthelmintic activity of rhizomes of *Hedychium spicatum* Buch. Ham. *Int. J. Res. Pharm. Sci.* 2011; 2(1):66-68.
244. Sreejayan, Rao MN. Nitric oxide scavenging by curcuminoids. *J Pharm Pharmacol.* 1997; 49: 105–107.
245. Standen M.D.; Connellan, P.A.; Leach, D.N. Natural killer cell activity and lymphocyte activation: Investigating the effects of a selection of essential oils and components in vitro. *Int. J. Aromather.* 2006; 16:133–39.
246. Sun J. New antiasthmatic principles in the essential oil from leaves of *Artemisia argyi*. *Zhong Cao Yao.* 1981; 12:558.
247. Sun, X.; Ou, L.; Mi, S.; Wang, N. Analgesic and anti-inflammation effect of borneol. *Zhong Yao Xin Yao Yu Lin Chuang Yao Li.* 2007; 18:353–355.
248. Surendra A, Patan F, Nagaraju B, Puranik DS, Purohit S. Antiasthmatic activity of aqueous extract of *Pistacia integerrima* galls. *WJPP.* 2013; 2 (3):26 -32.
249. Tandon SK, Chandra S, Gupta S, Lal J. Analgesic and anti-inflammatory effects of *Hedychium spicatum*. *Indian J Pharma Sci* 1997; 59(3):148-50.
250. Tarek S. Towards a deep understanding of bronchial asthma. *Egyptian J. Bronch,* 2007; 1(1): 120-24
251. Thakur RS, Puri HS, Husain A. Major Medicinal Plants of India, CIMAP, Lucknow, India; 1989. p. 50-2.
252. The Ayurvedic Pharmacopoeia of India (Under the Drugs & Cosmetics Act) A.P.I. Part-I; 1999a. Vol. I, page 88-9, 132-33.
253. The Ayurvedic Pharmacopoeia of India (Under the Drugs & Cosmetics Act) A.P.I. Part-I; 1999b. appendix 2.1, 2.2.
254. The Global Asthma Report 2014, Auckland, New Zealand: Global Asthma Network; 2014.
255. The Wealth of India. C.S.I.R., New Delhi; 1959. Vol. 5, p. 13.

256. Trease GE and Evans WCA. Textbook of Pharmacognosy. 15 ed. Saunder; 2002. p. 528-41
257. Trinh HT, Lee IA, Hyun YJ, Kim DH. *Artemisia princeps* Pamp essential oil and its constituents eucalyptol and -terpineol ameliorate bacterial vaginosis and vulvovaginal candidiasis in mice by inhibiting bacterial growth and NF- B activation. *Planta Med.* 2011; 77:1996–2002.
258. Tung YT, Chua MT, Wang S, Chang ST. Anti-inflammation activities of essential oil and its constituents from indigenous cinnamon (*Cinnamomum osmophloeum*) twigs. *Bioresour. Technol.* 2008; 99:3908–12.
259. Tushar, Basak S, Sarma GC, Rangan L. Ethnomedicinal uses of zingiberaceous plants of north east India, *J. Ethnopharm.* 2010; 132: 286-96.
260. Uddin G, Rauf A, Arfan M, Ali M, Qaisar M, Saadiq M, Atif M. Preliminary phytochemical Screening and antioxidant activity of *Bergenia Caliata*, *Middle-East J. Sci. Res.* 2012b; 11(8):1140-42.
261. Uddin G, Rauf A, Rehman TU, Qaisar M, Phytochemical Screening of *Pistacia chinensis* var. *integerrima*. *Middle-East J. Sci. Res.* 2011; 7(5):707-11.
262. Uddin G, Rauf A, Siddiqui BS, Khan H. Cytotoxic Activity of Extracts/ Fractions of Various Parts of *Pistacia integerrima* Stewart. *Transl Med.* 2013; 3(118): doi: 10.4172/2161-1025.1000118.
263. Uddin G, Rauf A, Siddiqui BS, Khan H. The Biological Screening of Extracts/Fractions of Various Parts of *Pistacia integerrima* Stewart against Pathogenic Fungi. *Transl Med.* 2013; 4:1 doi:10.4172/2161-1025.1000120.
264. Uddin G, Rauf A. Phytochemical screening, antimicrobial and antioxidant activities of aerial parts of *Quercus robur* L. *Middle-East J. Med. Plant Res.* 2012a; 1(1):01-4.
265. Uddin G., Rauf A., Rehman T., Qaisar M., Phytochemical Screening of *Pistacia chinensis* var. *integerrima*. *Middle-East J. Sci Research*, 2011; 7(5): 707-11.
266. Vaidya ABD, Devasagayam Thomas PA. Current Status of Herbal Drugs in India: An Overview. *J. Clin. Biochem. Nutr.* 2007; 41: 1–11.
267. Van der Vliet A, O'Neill CA, Cross CE, Koostra JM, Volz WG, Halliwell B, Louie S. Determination of low-molecular-mass antioxidant concentrations in human respiratory tract lining fluids. *Am J Physiol.* 1999; 276:L289–96.

268. Vriesman MF, Haenen GR, Westerveld GJ, Paquay JB, Voss HP, Bast A. A method for measuring nitric oxide radical scavenging activity. Scavenging properties of sulfur-containing compounds. *Pharm World Sci.* 1997; 19(6): 283-86.
269. Watanabe K, Yano S, Horie T, Kachia RS, Ikegami F, Yamamoto Y, et al. Borneol as allergy inhibitor. JP 06211713. 2 August 1994.
270. Wechsler ME, Finn D, Gunawardena D, Westlake R, Barker A, Haranath SP, et al. Churg-Strauss syndrome in patients receiving montelukast as treatment for asthma. *Chest.* 2000; 117(3):708-13,
271. Weiss EB, Bellino JR. Leukotriene-associated toxic oxygen metabolites induces airway hyperreactivity. *Chest.* 1986; 89: 709–16.
272. WHO technical report series, Guidelines for the assessment of herbal medicines, 1996. p. 178-184.
273. Wood LJ, Inman MD, Denburg JA, O’Byrne PM. Allergen challenge increases cell traffic between bone marrow and lung. *Am J Respir Cell Mol Biol.* 1998; 18:759–67.
274. World Health Organization. Global surveillance, prevention and control of chronic respiratory diseases: a comprehensive approach; 2007.
275. Wu X, Li X, Xiao F, Zhang Z, Xu Z, Wang H. Studies on the analgesic and anti-inflammatory effect of bornyl acetate in volatile oil from *Amomum villosum*. *Zhong Yao Cai.* 2004; 27:438–39.
276. Xiong YY, Wu FH, Wang JS, Li J, Kong LY. Attenuation of airway hyperreactivity and T helper cell type 2 responses by coumarins from *Peucedanum praeruptorum* Dunn in a murine model of allergic airway inflammation. *J Ethnopharmacol.* 2012; 141(1):314–21.
277. Yeap SK, Alitheen NB, Ali AM, Omar AR, Raha AR, Suraini AA, Muhajir AH. Effect of *Rhaphidophora korthalsii* methanol extract on human peripheral blood mononuclear cell (PBMC) proliferation and cytolytic activity toward HepG2. *J. Ethnopharmacol.* 2007; 114: 406-11.
278. Yeap SK, Alitheen NB, Ho WY, Omar AR, Ali AM, Beh BK, Yousr AHN. Immunomodulatory role of *Rhaphidophora korthalsii* methanol extract on human peripheral blood mononuclear cell proliferation, cytokine secretion and cytolytic activity. *J. Med. Plant. Res.* 2010; 5(6): 958-65.

279. Zeiger RS, Bird SR, Kaplan MS, Schatz M, Pearlman DS, Orav EJ, et al. Short-term and long-term asthma control in patients with mild persistent asthma receiving montelukast or fluticasone: a randomized controlled trial. *Am J Med.* 2005; 118(6):649-57.
280. Zhipeng Li, Jinfeng Hu, Mingna Sun, Haijie Ji, Shifeng Chu, Gang Liu, Naihong Chen. Anti-inflammatory effect of IMMLG5521, a coumarin derivative, on Sephadex-induced lung inflammation in rats. *Int Immunopharmacol.* 2012; 14(2):145-9.
281. Zohary, M. A monographic study of the genus *Pistacia*. *Palestine J. Bot., Jerusalem Series.* 1952; 5(4):187-228.