

REFERENCES

1. Abdellah, D., Peter, P., Robert, C.B.II. and Menachem, S. (1992), 'Crystallization and preliminary X-ray crystallographic studies of rusticyanin from *Thiobacillus ferrooxidans*', *Journal of Molecular Biology*, Vol.227, pp.581-582.
2. Agate, A.D. and Vishniac, W. (1972), 'Iron transport by phospholipids in a two phase system containing water and n-pentanol', *Chemistry and Physics of Lipids*, Vol.9, pp.247-254.
3. Akhira, S., Takanori, T., Hiroe, Y., Tamako, H., Shoji, H., Atsushi, K. and Hiroshi, K. (1997), 'Production of bluish purple pigments by *Janthinobacterium lividum* isolated from raw silk and dyeing with them', *Journal of Sericulture Science Japan*, Vol.9, pp.21-28.
4. Akthar, M., Sastry, K. and Mohan, P. (1996), 'Mechanism of metal ion biosorption by fungal biomass', *BioMetals*, Vol.9, pp.21-28.
5. Amaro, A.M., Chamorro, D., Seeger, M., Arredondo, R., Peirano, I. and Jerez, C.A. (1991), 'Effect of external pH perturbations on in vivo protein synthesis by the acidophilic bacterium *Thiobacillus ferrooxidans*', *Journal of Bacteriology*, Vol.173, pp.910-915.
6. Angeles, C., Concepcion, H., Enrique, T., and Julio, A. (1995), 'Copper toxicity on the marine microalga *Phaeodactylum tricornutum*: effects on photosynthesis and related parameters', *Aquatic Toxicology*, Vol.31, pp.165-174.
7. Apel, W.A., Dugan, P.R., Filppi, J.A. and Rheins, M.S. (1976), 'Detection of *Thiobacillus ferrooxidans* in acid mine environments by indirect fluorescent antibody staining', *Applied and Environmental Microbiology*, Vol.32, pp.159-165.

8. Axel, S., Peter-Georg, J. and Wolfgang, S. (1996), 'Sulfur chemistry in bacterial leaching of pyrite', *Applied and Environmental Microbiology*, Vol.62, No.9, pp.3424-3431.
9. Baker, K.H. and A.L. Mills. (1982), 'Determination of the number of respiring *Thiobacillus ferrooxidans* cells in water samples by using combined fluorescent antibody 2-(p-iodophenyl)-3-(p-nitrophenyl)5-phenyl tetrazolium chloride staining', *Applied and Environmental Microbiology*, Vol.43, pp.338-334.
10. Barron, J.L. and Leuking, D.R. (1990), 'Growth and maintenance of *Thiobacillus ferrooxidans* cells', *Applied and Environmental Microbiology*, Vol.56, No.9, pp.2801-2806.
11. Benka-Coker, M.O. and Ekundayo, J.A. (1998), 'Effects of metal on the growth of species of *Micrococcus* and *Pseudomonas* in a crude oil/mineral salts medium', *Bioresource Technology*, Vol.66, pp.241-245.
12. Benka-Coker, M.O. and Ekundayo, J.A. (1995), 'Effects of an oil spill on soil physiochemical properties of a spill site in Niger delta area of Nigeria', *Environmental Monitoring Assessment*, Vol.78, pp.1-12.
13. Beveridge, T. (1989), 'Interactions of metal ions with components of bacterial cell walls and their biomineralization', In: Poole, R. and Gadd, G. (eds), *Metal-Microbe Interactions. Special Publication Society General Microbiology*, pp. 65-83.
14. Blake, R.C.Ind., Gary, T.H. and Stephan, M. (1994), 'Enhanced yields of iron-oxidizing bacteria by in situ electrochemical reduction of soluble iron in the growth medium', *Applied and Environmental Microbiology*, Vol.60, pp.2704-2710.
15. Blake, R.C.Ind, Shute, E.A. and Howard, G.T. (1994), 'Solubilization of minerals by bacteria: electrophoretic mobility of *Thiobacillus ferrooxidans* in the presence of iron, pyrite, and sulfur', *Applied and Environmental Microbiology*, Vol.60, pp.3349-3357.

16. Blake, R.C.Ind., Shute, E.A., Greenwood, M.M., Spencer, G.H. and Ingledew, W.J. (1993), 'Enzymes of aerobic respiration on iron', FEMS Microbiology Reviews, Vol.11, pp.9-18.
17. Boon, M., Meedar, T.A., Thone, C., Ras, C. and Heijen, J.J. (1999), 'The ferrous iron oxidation kinetics of *Thiobacillus ferrooxidans* in continuous culture', Applied Microbiology and Biotechnology, Vol.51, pp.820-826.
18. Bopp, L.H. and Ehrlich, H.L. (1988), 'Chromate resistance and reduction in *Pseudomonas fluorescens* strain LB300', Archives Microbiology, Vol.150, pp. 426-431.
19. Braun, V. and Schmitz, G. (1980), 'Excretion of a protease by *Serratia marcescens*', Archives of Microbiology, Vol.124, pp.55-61.
20. Bromke, B.J. and Hammel, J.M. (1979), 'Regulation of extracellular protease formation by *Serratia marcescens*', Canadian Journal of Microbiology, Vol.25, pp.47-52.
21. Brierley, C.L. (1982), 'Microbial mining', Scientific American, Vol.247, pp.42-51.
22. Brierley, C.L. (1978), 'Bacterial leaching', Critical Review of Microbiology, Vol.6, pp.207-219.
23. Brown, N.L., Barrett, S.R., Camakaris, J., Lee, B.T.O. and Rouch, D.A. (1995), 'Molecular genetics and transport analysis of the copper resistance determinant (pco) from *Escherichia coli* plasmid pRJ1004', Molecular Microbiology, Vol.17, pp.1153-1166.
24. Brown, N.L., Lee, B.T.O. and Silver, S. (1994), 'Bacterial transport of and resistance to copper'. In: Sigel, H. and Sigel, A. (eds)., Metal Ions in Biological Systems, Marcel Dekker, New York, Vol.30, pp.405-434.
25. Buonfiglio, V., Polidoro, M., Flora, L., Citro, G., Valenti, P. and Orsi, N. (1993), 'Identification of two surface proteins involved in the oxidation of sulfur compounds in *Thiobacillus ferrooxidans*', FEMS Microbiology Reviews, Vol.11, pp.43-50.

26. Caesar-Tonthat, T., van Ommen, K.F., Geesey, G. and Henson, J. (1995), 'Melanin production by a filamentous soil fungus in response to copper and localization of copper sulfide by sulfide-silver staining', *Applied and Environmental Microbiology*, Vol.61, No.5, pp.1968-1975.
27. Cervantes, C. and Silver, S. (1992), 'Plasmid chromate resistance and chromium reduction', *Plasmid*, Vol.27, pp.65-71.
28. Cervantes, C., Ohtake, H., Chu, L., Misra, T.K. and Silver, S. (1990), 'Cloning, nucleotide sequence and expression of the chromate resistance determinant of *Pseudomonas aeruginosa* plasmid pUM505', *Journal of Bacteriology*, Vol.172, pp.287-291.
29. Cha, J.S. and Cooksey, D.A. (1991), 'Copper resistance in *Pseudomonas syringae* mediated by periplasmic and outer membrane proteins', *Proceedings of National Academy of Science USA*, Vol.88, pp.8915-8919.
30. Chang, S., Sanada, M., Johdo, O., Ohta, S., Nagamatsu, Y. and Yoshimoto, A. (2000), 'High production of prodigiosin by *Serratia marsescens* grown on ethanol', *Biotechnology Letters*, Vol.22, pp.1761-1765.
31. Chang, K.H. and Volesky, B. (1995), 'Description of two metal biosorption equilibria by Langmuir-type models', *Biotechnology Bioengineering*, Vol.47, pp.451-460.
32. Chang, J.S., Hong, J., Oa, O. and Bah, O. (1993), 'Interaction of mercuric ions with the bacterial growth medium and its effect on enzymatic reduction of mercury', *Biotechnology*, Vol.9, pp.526-532.
33. Chevion, M., Berenshtein, E. and Zhu, B.Z. (1999), 'The role of transition metal ions in free radical mediated damage', In: Gilbert, D.L. and Colton, C.A. (eds), *Reactive oxygen species in biological systems: An interdisciplinary approach*, Plenum publishers, New York, pp.103-131.
34. Christoph, B., Reinhard, B. and Helmut, B. (1998), 'Development of a laboratory-scale leaching plant for metal extraction from fly ash by *Thiobacillus* strains', *Applied and Environmental Microbiology*, Vol.64, pp.1237-1241.

35. Cobley, J.G. and Cox, J.C. (1983), 'Energy conservation in acidophilic bacteria', *Microbiology Reviews*, Vol.47, pp.579-595.
36. Cobley, J.G. and Haddock, B.A. (1975), 'The respiratory chain of *Thiobacillus ferrooxidans*: the reduction of cytochromes by Fe²⁺ and the preliminary characterization of rusticyanin a novel "blue" copper protein', *FEBS Letters*, Vol.60, pp.29-33.
37. Cooksey, D.A. (1994), 'Molecular mechanisms of copper resistance and accumulation in bacteria', *FEMS Microbiology Review*, Vol.14, pp.381-386.
38. Colmer, A.R., Temple, K.L. and Hinkle, M.E. (1950), 'An iron oxidising bacterium from the acid mine drainage of some bituminous coal mines,' *Journal of Bacteriology*, Vol.59, pp.317-328.
39. Cox, J.C., and Boxer, D.H. (1978), 'The purification and some properties of rusticyanin, a blue copper protein involved in iron(II) oxidation from *Thiobacillus ferrooxidans*', *Biochemical Journal*, Vol.174, pp.497-502.
40. Curtin, M.E. (1983), 'Microbial mining and metal recovery: corporations take the long and cautious path', *Biotechnology*, Vol.1, pp.229-238.
41. Curuchet, G., Pogliani, C. and Donati, E. (1995), 'Indirect bioleaching of covellite by *Thiobacillus thiooxidans* with an oxidant agent', *Biotechnology Letters*, Vol.17, pp.1251-1256.
42. De Petris, S. (1967), 'Ultrastructure of the cell wall of *Escherichia coli* and chemical layer of its constituent layers', *Journal of Ultrastructural Research*, Vol.19, pp.45-83.
43. De Rienzo, F., Gabdoulline, R.R., Menziani, M.C. and Wade, R.C. (2000), 'Blue copper proteins. A comparative analysis of their molecular interaction properties', *Protein Science*, Vol.9, pp.1439-1454.
44. Dew, D.W., Lawson, E.N. and Broadhurst, J.L. (1998), 'The BIOX[®] process for the biooxidation of gold bearing ore or concentrates', In Rawlings, D.E. (ed.), *Biomining: Theory, microbes and industrial processes*. Springer-Verlag, Berlin, Germany, pp.45-80.

45. Diaz-Ruiz, C., Montaner, B. and P'erez-T'omas, R. (2001), 'Prodigiosin induces cell death and morphological changes indicative of apoptosis in gastric cell line HGT-1', *Histology and Histopathology*, Vol.16, pp.415-421.
46. Doelman, P., Jansen, E., Michels, M. and Van, T.M. (1994), 'Effects of heavy metals in soil on microbial diversity and activity as shown by the sensitivity resistance index, an ecologically relevant parameter', *Biology and Fertility of Soils*, Vol.17, pp.177-184.
47. Drozd, J. and Postgate, J.R. (1970), 'Interference by oxygen in the acetylene reduction test for aerobic nitrogen fixing bacteria', *Journal of General Microbiology*, Vol.60, pp.427-429.
48. Dugan, P.R. and Lundgren, D.G. (1965), 'Energy supply for the chemoautotroph *Ferrobacillus ferrooxidans*', *Journal of Bacteriology*, Vol.89, pp.825-834.
49. Eberz, G., Eitinger, T. and Friedrich, B. (1989), 'Genetic determinants of a nickel-specific transport system are part of the plasmid-encoded hydrogenase gene cluster in *Alcaligenes eutrophus*', *Journal of Bacteriology*, Vol.171, pp.1340-1345.
50. Eccles, H. (1999), 'Treatment of metal contaminated waste: why select a biological process?', *TIBTECH*, Vol.17, pp.462-465.
51. Eitinger, T., Wolfram, L., Degen, O. and Anthon, C. (1997), 'A Ni²⁺ binding motif is the basis of high affinity transport of the *Alcaligenes eutrophus* nickel permease', *Journal of Biological Chemistry*, Vol.2, pp.17139-17144.
52. Eitinger, T. and Friedrich, B. (1991), 'Cloning, nucleotide sequence, and heterologous expression of a high-affinity nickel transport gene from *Alcaligenes eutrophus*', *Journal of Biological Chemistry*, Vol.266, pp.3222-3227.
53. Eleanora, I.R. (2000), 'Bacteria and archaea in acidic environments and a key to morphological identification', *Hydrobiologia*, Vol.433, pp.61-89.
54. Engl, A. and Kunz, B. (1995), 'Biosorption of heavy metals by *Saccharomyces cereveisiae*: effects of nutrient conditions', *Journal of Chemical Technology and Biotechnology*, Vol.63, pp.257-261.

55. Fletcher, M. (ed.), (1996), 'Bacterial adhesion: Molecular and ecological diversity,' pp.1-24, Wiley-Liss, New York, U.S.A.
56. Fogarty, R. and Tobin, J. (1996), 'Fungal melanins and their interactions with metals', *Enzyme Microbial Technology*, Vol.19, pp.311-317.
57. Foulds, J.D. and Shemin, D. (1969), 'Properties and characteristics of a bacteriocin from *Serratia marcescens*', *Journal of Bacteriology*, Vol.99, pp. 655-660.
58. Fourest, E. and Volesky, B. (1996), 'Contribution of sulfonate groups and alginate to heavy metal biosorption by the dry biomass of *Sargassum uditans*', *Environmental Science and Technology*, Vol.30, pp.277-282.
59. Fry, I.V., Lazaroff, N. and Packer, L. (1986), 'Sulphate dependent iron oxidation by *Thiobacillus ferrooxidans*: characterization of a new EPR detectable electron transport component on the reducing side of rusticyanin', *Archives of Biochemistry and Biophysics*, Vol.246, pp.650-654.
60. Fujimura, Y.K., Tsuzaki, N. and Kuraishi, H. (1982), 'Ubiquinone, fatty acid and DNA base composition determination as a guide to the taxonomy of the genus *Thiobacillus*', *Journal of General Microbiology*, Vol.128, pp.1599-1611.
61. Fukumori, Y., Yano, T., Sato, A. and Yamanaka, T. (1988), 'Ferrous oxidising enzyme purified from *Thiobacillus ferrooxidans*', *FEMS Microbiology Letters*, Vol.50, pp.169-172.
62. Fuqua, W.C., Winans, S.C. and Greenberg, E.P. (1996), 'Census and consensus in bacterial ecosystems- the LuxR-LuxI family of quorum sensing transcriptional regulators', *Annual Review of Microbiology*, Vol.50, pp.727-751.
63. Gadd, G.M. (1992a), 'Metals and microorganisms: a problem of definition', *FEMS Microbiology Letters*, Vol.100, pp.197-204.
64. Gadd, G.M. (1992b), 'Microbial control of heavy metal pollution'. In: Fry, J., Gadd, G.M., Herbert, R.A., Jones, C.W. and Watson-Craik, I.A. (eds), *Forty-Eighth Symposium of the Society for General Microbiology*, Cambridge University Press, The University of Cardiff, pp.59-88.

65. Gale, N.L. and Beck, J.V. (1967), 'Evidence for the Calvin cycle and hexose monophosphate pathway in *Thiobacillus ferrooxidans*', *Journal of Bacteriology*, Vol.94, pp.1052-1059.
66. Gates, J.E. and Pham, K.D. (1979), 'An indirect fluorescent antibody staining technique for determining population levels of *Thiobacillus ferrooxidans* in acid mine drainage waters', *Microbial Ecology*, Vol.5, pp.121-127.
67. Gasiorek, J. (1994), 'Microbial removal of sulphur dioxide from a gas stream,' *Fuel Process Technology*, Vol.40, pp.129-138.
68. Gehrke, T., Hallmann, R. and Sand, W. (1995), 'Importance of exopolymers from *Thiobacillus ferrooxidans* and *Leptospirillum ferrooxidans* for bioleaching', p.1-11. In Vargas, T., Jerez, C.A., Wiertz, J.V. and Tolebo, H. (ed.), *Biohydrometallurgical Processing*, University of Chile, Santiago, Chile.
69. Gerber, N.N. (1975), 'Prodigiosin like pigments', *CRC Critical Review of Microbiology*, Vol.3, pp.469-485.
70. Givskov, M., Olsen, L. and Molin, S. (1988), 'Cloning and expression in *Escherichia coli* of the gene for extracellular phospholipase A1 from *Serratia liquefaciens*', *Journal of Bacteriology*, Vol.170, pp.5855-5862.
71. Gonzalez, H. and Jensen, T.E. (1998), 'Nickel sequestering by polyphosphate bodies in *Staphylococcus aureus*', *Microbios*, Vol.93, pp.179-185.
72. Goyal, N., Jain, S.C. and Banerjee, U.C. (2003), 'Comparative studies on the microbial adsorption of heavy metals', *Advances in Environmental Research*, Vol.7, pp.311-319.
73. Guasch, J.F., Enfedaque, J., Ferrer, S., Gargallo, D. and Regue, M. (1995), 'Bacteriocin 28b, a chromosomally encoded bacteriocin produced by most *Serratia marcescens* biotypes', *Resource Microbiology*, Vol.146, pp.477-483.
74. Guidici-Orticoni, M.T., Guerlesquin, F., Bruschi, M. and Nitschke, W. (1999), 'Interaction induced redox switch in the electron transfer complex rusticyanin: cytochrome c4', *Journal of Biological Chemistry*, Vol.274, pp.30365-30369.

75. Guzzo, A., Du Bow, M. and Bauda, P. (1994), 'Identification and characterization of genetically programmed responses to toxic metal exposure in *E.coli*. Metals and microorganisms: relationships and applications', FEMS Microbiology Reviews, Vol.14, pp.369-374.
76. Haddix, P.L. and Werner, F.T. (2000). ' Spectrophotometric assay of gene expression: *Serratia marcescens* pigmentation', Gene Expression Bioscene, Vol.26, No.4, pp.3-13.
77. Harrison, Jr.A.P. (1984), 'The acidophilic *Thiobacilli* and other acidophilic bacteria that share their habitat', Annual Review of Microbiology, Vol.38, pp.265-292.
78. Hart, A., Murrell. J.C., Poole, R.K. and Norris, P.R. (1991), 'An acid stable cytochrome in iron oxidising *Leptospirillum ferrooxidans*. FEMS Microbiology Letters, Vol.81, pp.81-94.
79. Hassen, A., Saidi, N., Cherif, A. and Boudabous, A. (1998), 'Effects of heavy metals on *Pseudomonas aeruginosa* and *Bacillus thuringiensis*', Bioresource Technology, Vol.65, pp.73-82.
80. Hazra, T.K., Mukherjea, M. and Mukherjea, R.N. (1992), 'Role of rusticyanin in the electron transport process in *Thiobacillus ferrooxidans*', Indian Journal of Biochemistry and Biophysics, Vol.29, pp.77-81.
81. Hector, M.L. and Isamu, S. (1989), 'Synergistic competitive inhibition of ferrous iron oxidation by *Thiobacillus ferrooxidans* by increasing concentration of ferric iron and cells', Applied and Environmental Microbiology, Vol.55, pp.2588-2591.
82. Helle, U. and Onken, O. (1988), 'Iron and mineral oxidation by acidophilic bacteria: affinities for iron and attachment to pyrite. In Biohydrometallurgy, Proceedings of the International Symposium, pp.61-75.
83. Heller, K. (1979), 'Lipolytic activity co-purified with the outer membrane of *Serratia marcescens*', Journal of Bacteriology, Vol.140, pp.1120-1122.
84. Hiroki, M. (1994), 'Populations of cadmium tolerant microorganisms in soil polluted with heavy metals', Soil Science and Plant Nutrition, Vol.40, pp.515-524.

85. Hmiel, S.P., Snavely, M.D., Florer, J.B., Maguire, M.E. and Miller, C.G. (1989), 'Magnesium transport in *Salmonella typhimurium*: genetic characterization and cloning of three magnesium transport loci', *Journal of Bacteriology*, Vol.171, pp.4742-4751.
86. Hofmann, K., Bucher, P., Falquet, L. and Bairoch, A. (1999), 'The Prosite Database, its status in 1999', *Nucleic Acids Research*, Vol.27, pp.215-219.
87. Holuigue, L., Herrera, L., Philips, O.M., Young, M. and Allanda, J.E. (1987), 'Carbon dioxide fixation by mineral leaching bacteria: characteristics of the ribulose biphosphate carboxylase oxygenase of *Thiobacillus ferrooxidans*', *Biotechnology and Applied Biochemistry*, Vol.9, pp.497-505.
88. Hubert, W.A., Ferroni, G.D. and Leduc, L.G. (1994), 'Temperature dependent survival of isolates of *Thiobacillus ferrooxidans*', *Current Microbiology*, Vol.28, pp.179-183.
89. Ingledew, W.J. (1986), 'Ferrous iron oxidation by *Thiobacillus ferrooxidans*', In Ehrlich, H.L., and Holmes, D.W. (eds.), *Biotechnology for the mining metal refining and fossil fuel processing industries*. *Biotechnology and Bioengineering Symposium* Vol.16, pp. 23-33, John Wiley and Sons, New York, U.S.A.
90. Ingledew, W.J. (1982), '*Thiobacillus ferrooxidans*: The Bioenergetics of an acidophilic chemolithotroph', *Biochimica et Biophysica Acta*, Vol.683, pp.89-117.
91. Ingledew, W.J. and Houston, A. (1986), 'The organisation of the respiratory chain of *Thiobacillus ferrooxidans*', *Biotechnology and Applied Biochemistry*, Vol.8, pp.242-248.
92. Ingledew, W.J. and Cobley, J.G. (1980), 'A potentiometric and kinetic study on the respiratory chain of ferrous iron grown *Thiobacillus ferrooxidans*. *Biochimica et Biophysica Acta*, Vol.590, pp.141-158.
93. Ison, J.J., Blades, M.J., Bleasby, A.J., Daniel, S.C., Parish, J.H. and Findlay, J.B. (2000), 'Key residues approach to the definition of protein families and analysis of sparse family signatures', *Proteins*, Vol.40, No.2, pp.330-341.

94. Jackson M.A., Slininger P.J. and Bothast R.J. (1989), 'Effect of zinc, iron, cobalt and manganese on *Fusarium moniliforme* NRRL 13616 growth and Fusarin C biosynthesis in submerged cultures', *Applied and Environmental Microbiology*, Vol.55, pp.649-655.
95. Jedlicki, E., Reyes, R., Jordana, X., Mercereau, P.O. and Allende, J.E. (1986), 'Rusticyanin: initial studies on the regulation of its synthesis and gene isolation', *Biotechnology and Applied Biochemistry*, Vol.8, pp.342-350.
96. Jerez, C.A. and Arredando, R. (1991). 'A sensitive immunological method to enumerate *Leptospirillum ferrooxidans* in the presence of *Thiobacillus ferrooxidans*', *FEMS Microbiology Letters*, Vol.78, pp.99-102.
97. Jerez, C.A., Chamarro, D., Peirano, I., Toledo, H. and Arredando, R. (1988), 'Studies of stress response in chemolithotrophic acidophilic bacteria', *Biochemistry International*, Vol.17, pp.989-999.
98. Jerez, C.A., Peirano, I., Chamarro, D. and Campos, G. (1986), 'Immunological and electrophoretic differentiation of *Thiobacillus ferrooxidans* strains', pp.443-456. In Lawrence, R.W., Branion, R.M.R. and Ebner, H.G. (ed.), *Fundamental and Applied Biohydrometallurgy*, Elsevier, Amsterdam.
99. John, H.Y. (1932). '7-Iodo 8-hydroxyquinoline -5-sulfonic acid as a reagent for the colorimetric determination of ferric iron'. *Photochemical Studies*, Vol.54, pp.4139-4143.
100. Johnson, D.B. (1991), 'Diversity of microbial life in highly acidic, mesophilic environments', pp.225-238. In Berthelin, J. (ed.), *Diversity of Environmental Biogeochemistry*. Elsevier, Amsterdam, The Netherlands.
101. Johnson, D.B. and Kelso, W.I. (1983), 'Detection of heterotrophic contaminants in cultures of *Thiobacillus ferrooxidans* and their elimination by subculturing in media containing copper sulphate', *Journal of General Microbiology*, Vol.123, pp.2969-2972.
102. Joho, M., Inouhe, M., Tohoyama, H. and Murayama, T. (1995), 'Nickel resistance mechanisms in yeasts and other fungi', *Journal of Indian Microbiology*, Vol.14, pp.164-168.

103. Joho, M., Ishikawa, Y., Kunikane, M., Inouhe, M., Tohoyama, H. and Murayama, T. (1992), 'The subcellular distribution of nickel in Ni-sensitive and Ni-resistant strains of *Saccharomyces cerevisiae*', *Microbios*, Vol.71, pp.149-159.
104. Jones, J.D., Grady, K.L., Suslow, T.V. and Bedbrook, J.R. (1986), 'Isolation and characterization of genes encoding two chitinase enzymes from *Serratia marcescens*', *European Molecular Biology Organization Journal*, Vol.5, pp.467-473.
105. Jungdon, B., Hyunsoo, M., Kyeong-Keun, O., Chang-Ho, K., Dae, S.L., Seung, W.K. and Suk-In, H. (2001), 'A novel bioreactor with an internal adsorbent for integrated fermentation and recovery of prodigiosin like pigment produced from *Serratia* sp', *Biotechnology Letters*, Vol.23, pp.1315-1319.
106. Kai, M., Yano, T., Fukumori, Y. and Yamanaka, T. (1989), 'Cytochrome oxidase of an acidophilic iron-oxidizing bacterium, *Thiobacillus ferrooxidans*, functions at pH 3.5', *Biochemical and Biophysical Research Communications*, Vol.160, pp.839-843.
107. Karavaiko, G.I., Kuznetsov, S.I., and Golonizik, A.I. (1977), 'The bacterial leaching of metals from ores', Technicopy Ltd, England.
108. Kawarazaki, M., Yagisawa, M. and Yamaguchi, M. (1986). 'The viable count of iron oxidizing bacteria. *Thiobacillus ferrooxidans*. With new silica gel plate count method', *Rep. Ferment. Res. Inst*, Vol.65, pp.45-49.
109. Kelly, D.P. and Jones, C.A. (1978), 'Factors affecting metabolism and ferrous iron oxidation in suspensions and batch cultures of *Thiobacillus ferrooxidans*: relevance to ferric iron leach solution regeneration', pp.19-44. In Murr, L.E., Torma, A.E. and Brierley, J.E. (ed.), *Metallurgical applications of bacterial leaching and related microbiological phenomena*. Academic Press, Inc, New York. U.S.A.
110. Kim, Chang, H., Sung-Ho, K. and Suk-In, K. (1998), 'Isolation and characteristics of prodigiosin like red pigment produced by *Serratia* sp. KH-95', *Korean Journal of Applied Microbiology and Biotechnology*. Vol.26, pp.283-289.

111. Kovalenko, T.V., Karavaiko, G.I. and Piskunov, V.P. (1982), 'Effect of Fe³⁺ ions on *Thiobacillus ferrooxidans* oxidation of ferrous oxide at various temperatures', *Mikrobiologia*, Vol.51, pp.156-160.
112. Kramer, U., Cotterhowells, J.D., Charnock, J.M., Baker, A.J.M. and Smith, J.A.C. (1996), 'Free histidine as a metal chelator in plants that accumulate nickel', *Nature*, Vol.379, pp.635-638.
113. Kulpa, C.F.Jr., Mjoli, N. and Roskey, M.T. (1986), 'Comparision of iron and sulphur oxidation in *Thiobacillus ferrooxidans*: inhibition of iron oxidation by growth on sulphur', *Biotechnology and Bioengineering Symposium*, Vol.16, pp.289-295.
114. Lakshmi B.S., Kanguene P., Binu A. and Gautam P. (1999), 'Effect of vegetable oils in the secretion of lipase from *Candida rugosa*' *Letters in Applied Microbiology*, Vol.29, pp.66-70.
115. Laemmali U.K. (1970), *Nature London*, Vol.227: pp. 680-685.
116. Leduc, L.G. and Ferroni, G.D. (1964), 'The chemolithotrophic bacterium *Thiobacillus ferrooxidans*', *FEMS Microbiology Review*, Vol.14, pp.103-120.
117. Lee, Y.A., Hendson, M., Panapoulus, N.J. and Schroth, M.N. (1994), 'Molecular cloning, chromosomal mapping, and sequence analysis of copper resistance genes from *Xanthomonas campestris* pv. *juglandis*: homology with blue copper proteins and multicopper oxidase', *Journal of Bacteriology*, Vol.176, pp.173-188.
118. Lesia, H., Hector, M.L. and Isamu, S. (2000), 'Selective inhibition of the oxidation of ferrous iron or sulphur in *Thiobacillus ferrooxidans*', *Applied and Environmental Microbiology*, Vol.66, No.3, pp.1031-1037.
119. Letoffe, S., Ghigo, J.M. and Wandersman, C. (1994), 'Secretion of the *Serratia marcescens* HasA protein by an ABC transporter', *Journal of Bacteriology*, Vol.76, pp.5372-5377.
120. Li, X.Y., Tetling, S., Winkler, U.K., Jaeger, K.E. and Benedik, M. J. (1995), 'Gene cloning, sequence analysis, purification and secretion by *Escherichia coli* of an extracellular lipase from *Serratia marcescens*', *Applied and Environmental Microbiology*, Vol.61, pp.2674-2680.

121. Liakopoulou-Kyriakides, M., Tsatsaroni, E., Laderos, P. and Georgiadou, K. (1998), 'Effect of enzymatic treatment and dyeing of cotton and wool fibres with pigments from *Crocus Sativus*', *Dyes and Pigments*, Vol.36, pp.215-221.
122. Liesegang, H., Lemke, K., Siddiqui, R.A. and Schlegel, H.G. (1993), 'Characterization of the inducible nickel and cobalt resistance determinant *cnr* from pMOL28 of *Alcaligenes eutrophus* CH34', *Journal of Bacteriology*, Vol.175, pp.767-778.
123. Lindstrom, E.B. and Sehlin, H.M. (1989), 'High efficiency of plating of the thermophilic sulfur- dependent archeabacterium *Sulfolobus acidocaldarius*', *Applied and Environmental Microbiology*, Vol.55, pp.3020- 3021.
124. Lion, L. and Rochlin, K. (1989), 'Adsorption of Pb II by a marine bacterium: the effect of cell concentration and pH', *Estuarine Coastal Shelf Science*, Vol.29, pp.11-22.
125. Lizama, H.M., and Suzuki, I. (1989), 'Rate equations and kinetic parameters of the reactions involved in pyrite oxidation by *Thiobacillus ferrooxidans*', *Applied and Environmental Microbiology*, Vol.55, pp.2918-2923.
126. Lowry, O.H., Rosebrough N.J., Farr A.L. and Randall R.J. (1951), 'Protein measurement with the Folin phenol reagent', *The Journal of Biological Chemistry*, Vol.193: pp.265-275.
127. Luciana, G. A., Luisa, P., Paola, B., Alessandra, B. and Stefano P. (1997), '*Rubia tinctorum* a source of natural dyes: agronomic evaluation, quantitative analysis of alizarin and industrial assays', *Industrial Crops and Products*, Vol.6, pp.303-311.
128. MacDiarmid, C.W. and Gardner, R.C. (1998), 'Over expression of the *Saccharomyces cerevisiae* magnesium transport system confers resistance to aluminum ion', *Journal of Biological Chemistry*, Vol.273, pp.1727-1732.
129. Magnin, J., Baillet, F., Boyer, A., Zlaters, R., Luca, M., Cheuy, A. and Ozil, P. (1998), 'Augmentation par regeneration electrochimique du substrat, de la production d'une biomasse (*Thiobacillus ferrooxidans* DSM 583) pour un procede biologique de recuperation de metaux', *Canadian Journal of Chemical Engineering*, Vol.76, pp.978-984.

130. Mark, D. and Lindstrom, E.B. (1999), 'Potential role of *Thiobacillus caldus* in arsenic pyrite bioleaching', *Applied and Environmental Microbiology*, Vol.65, pp.36-40.
131. Marsh, R.M. and Norris, P.R. (1983), 'The isolation of some thermophilic, autotrophic, iron and sulphur oxidising bacteria, FEMS Microbiology Letters, Vol.17, pp.311-315.
132. Michael, J. B. and Ulrich, S. (1998), '*Serratia marsescens* and its extracellular nuclease', *FEMS Microbiology Letters*, Vol.165, pp.1-13.
133. Miguel, P., Robert, R.E. and Gary, S. (2001), 'Catalytic and spectroscopic analysis of blue copper containing nitrite reductase mutants altered in the environment of the type two copper center: implications for substrate interactions', *Biochemical Journal*, Vol.353, pp.259-266.
134. Montaner, B. and P'erez-Tom'as, R. (2002), 'The cytotoxic prodigiosin induces phosphorylation of p38-MAPK but not of SAPK/JNK', *Toxicology Letters*, Vol.129, pp.93-98.
135. Montaner, B., Navarro, S., Pique, M., Vilaseca, M., Martinell, M., Giralt, E., Gil, J. and P'erez-Tom'as, R. (2000), 'Prodigiosin from supernatant of *Serratia marsescens* induces apoptosis in haematopoietic cancer cell lines', *British Journal of Pharmacology*, Vol.131, pp.585-593.
136. Monreal, J. and Reese, E.T. (1969), 'The chitinase of *Serratia marcescens*', *Canadian Journal of Microbiology*, Vol.15, pp.689-696.
137. Mustin, C., Donato de, P. and Berthelin, J. (1992), 'Quantification of the intergranular porosity formed in bioleaching of pyrite by *Thiobacillus ferrooxidans*, *Biotechnology and Bioengineering*, Vol.39, pp.1121-1127.
138. Muyzer, G., deBruyn, A.C., Schmedding, D.J.M., Bos, P., Westbroek, P. and Kuenen, G.J. (1987), 'A combined immunofluorescence-DNA fluorescence staining technique for enumeration of *Thiobacillus ferrooxidans* in a population of acidophilic bacteria', *Applied and Environmental Microbiology*, Vol.53, pp.660-664.
139. Nakamura Patent No: 4,266,028. 1981.

140. Neito, J.J., Castillo, R.F., Marquez, M.C., Ventosa, A., Queseda, E. and Ruiz, B.F. (1989), 'Survey of metal tolerance in moderately halophilic eubacteria', *Water Resource*, Vol.55, pp.2385-2390.
141. Nemery, B., Lewis, C.P. and Demedts, M. (1994), 'Cobalt and possible oxidant-mediated toxicity', *Science Total Environment*, Vol.150, pp.57-64.
142. Nies, A., Nies, D.H. and Silver, S. (1990), 'Nucleotide sequence and expression of plasmid encoded chromate resistance determinant from *Alcaligenes eutrophus*', *Journal of Biological Chemistry*, Vol.265, pp.5648-5653.
143. Nies, D., Mergeay, M., Friedrich, B. and Schlegel, H.G. (1987), 'Cloning of plasmid genes encoding resistance to cadmium, zinc, and cobalt in *Alcaligenes eutrophus* CH34', *Journal of Bacteriology*, Vol.169, pp.4865-4868.
144. Nishimura, K., Igarashi, K. and Kakinuma, Y. (1998), 'Proton gradient driven nickel uptake by vacuolar membrane vesicles of *Saccharomyces cerevisiae*', *Journal of Bacteriology*, Vol.180, pp.1962-1964.
145. Norris, P.R., Barr, D.W. and Hinson, D. (1988), 'Iron and mineral oxidation by acidophilic bacteria: affinities for iron and attachment to pyrite. In *Biohydrometallurgy, Proceedings of the International Symposium*, pp.43-59. Edited by Norris, P.R. and Kelly, D.P. Kew: Science and Technology Letters.
146. Ohmura, N., Tsugita, K., Koizumi, J. I. and Saika, H. (1996), 'Sulfur-binding protein of flagella of *Thiobacillus ferrooxidans*', *Journal of Bacteriology*, Vol.178, pp.5776-5780.
147. Ohtake, H., Cervantes, C. and Silver, S. (1987), 'Decreased chromate uptake in *Pseudomonas Fluorescens* carrying a chromate resistance plasmid', *Journal of Bacteriology*, Vol.169, pp.3853-3856.
148. Osario, G., Varela, P., Arredando, R., Seegar, M., Amaro, A. M. and Jerez, C.A. (1993), 'Changes in global gene expression ion of *Thiobacillus ferrooxidans* when grown on elemental sulphur', In: Torma, A.E., Apel, M.L., Brierley, C.L., (eds.), *Biohydrometallurgical Technologies. 2*, TMS Press, Warrendale, Pa, pp.565-575.

149. Oscar, H.M., Paloma, A., Natalia, M.R., V´ctor, P., Rafael, P.M. and Francisco, M. (1996), 'A *relA/spoT* Homologous Gene from *Streptomyces coelicolor*A3(2) Controls Antibiotic Biosynthetic Genes', *The Journal of Biological Chemistry*, Vol.271, No.18, Issue.3, pp.10627–10634.
150. Patricia, V., Gloria, L., Fransisco, R. and Carlos, A.J. (1998), 'An immunological strategy to monitor insitu the phosphate starvation state in *Thiobacillus ferrooxidans*', *Applied and Environmental Microbiology*, Vol.64, pp.4990-4993.
151. Pennanan, T., Fritze, H., Vanhala, P., Kiikkilo, O., Neuvonen, S. and Baath, E. (1998), 'Structure of a microbial community in soil after prolonged addition of low levels of simulated acid rain', *Applied and Environmental Microbiology*, Vol.64, pp.2173-2180.
152. Powell, A.W. and Parr, S.W. (1919), 'A study of the forms in which sulfur occurs in coal', *University Illinois, Eng. Exp. Sta. Bull*, Vol.111, pp.1-61.
153. Rajini, R.D.B. and Mahadevan, A. (1994), 'Cloning and expression of mercury resistance genes of marine *Pseudomonas* sp. strain MR1 plasmid pMR1 in *Escherichia coli*', *Resource Microbiology*, Vol.145, pp.121-127.
154. Ram, S., Yoram, Z. and Shlomo, K. (1993), 'Metal induced extracellular protein excretion in *Arthrobacter aureescens*', *FEMS Microbiology Letters*, Vol.109, pp.139-144.
155. Ramesar, R.S., Abratt, V., Woods, D.R. and Rawlings, D.E. (1989), 'Nucleotide sequence and expression of a cloned *Thiobacillus ferrooxidans* recA gene in *Escherichia coli*', *Gene*, Vol.78, pp.1-8.
156. Ramesar, R.S., Woods, D.R., and Rawlings, D.E. (1988), 'Cloning and expression in *Escherichia coli* of a recA-like gene from the acidophilic autotroph *Thiobacillus ferrooxidans*', *Journal of General Microbiology*, Vol.134, pp.1141-1146.
157. Rapport, A.I. and Muler, O.A. (1995), 'Biosorption of hexavalent chromium by Yeast', *Process Biochemistry*, Vol.30, pp.145-149.

158. Rawlings, D.E. and Kusano, T. (1994), 'Molecular genetics of *Thiobacillus ferrooxidans*', Microbiological Reviews, Vol.58, No.1, pp.39-55.
159. Rawlings, D.E., Pretorius, I.M. and Woods, D.R. (1986), 'Expression of *Thiobacillus ferrooxidans* plasmid functions and the development of genetic systems for the *Thiobacilli*', Biotechnology and Bioengineering Symposium, Vol.16, pp.281-287.
160. Rawlings, D.E., Pretorius, I.M. and Woods, D.R. (1984), 'Construction of arsenic resistant *Thiobacillus ferrooxidans* recombinant plasmids and the expression of autotrophic cell free system', Journal of Biotechnology, Vol.1, pp.129-143.
161. Rawlings, D.E., Gawith, C., Peterson, A. and Woods, D.R. (1983), 'Characterization of plasmids and potential genetic markers in *Thiobacillus ferrooxidans*', In: Rossi, G. and Torma, A.E. (Eds.), Recent progress in Biohydrometallurgy, pp.555-570. Associazione Minerario Sarda, Iglesias.
162. Razzell, W.E. and Trussell, P.C. (1963), 'Isolation and properties of an iron oxidising *Thiobacillus*', Journal of Bacteriology, Vol.85, pp.595-610.
163. Renato, A. and Carlos, A.J. (1989), 'Specific dot immunobinding assay for detection and enumeration of *Thiobacillus ferrooxidans*', Applied and Environmental Microbiology, Vol.55, pp.2025-2029.
164. Redinbo, M.R., Yeates, T.O. and Merchant, S. (1994), 'Plastocyanin: structural and functional analysis', Journal of Bioenergetics and Biomembrane, Vol.26, pp.49-66.
165. Roca, A.L. and Cox, M.M. (1990), 'The Rec A protein: structure and function', Critical Review of Biochemistry and Molecular Biology, Vol.25, pp.415-456.
166. Rodriguez, M., Campos, S., and Gomez, S.B. (1986), 'Studies on native strains of *Thiobacillus ferrooxidans*. Studies on the surface of *Thiobacillus ferrooxidans*, characterization of lipopolysaccharides and proteins', Biotechnology and Applied Biochemistry, Vol.8, pp.292-299.
167. Rohit, M. and Sheela, S. (1994), 'Uptake of zinc in *Pseudomonas* sp. Strain UDG26', Applied and Environmental Microbiology, Vol.60, pp.2367-2370.

168. Ross, I.S. (1995), 'Reduced uptake of nickel by a nickel resistant strain of *Candida utilis*', *Microbios*, Vol.83, pp.261-270.
169. Rudd, T., Sterritt, R. and Lester, J. (1984), 'Formation and conditional stability constants of complexes between heavy metals and bacterial extracellular polymers', *Water Resource*, Vol.18, No.3, pp.379-384.
170. Sand, W., Gehrke, T., Hallmann, R. and Schippers, A. (1995), 'Sulphur chemistry, biofilm and the indirect attack mechanism- a critical evaluation of bacterial leaching', *Applied Microbiology and Biotechnology*, Vol.43, pp.961-966.
171. Sand, W., Rhode, K., Sobotke, B. and Zenneck, C. (1992). 'Evaluating *Leptospirillum ferrooxidans* for leaching', *Applied and Environmental Microbiology*, Vol.58, pp.85-92.
172. Sato, T., Konno, H., Tanaka, Y., Kataoaka, T., Nagai, K., Wasserman, H. and Ohkuma, S. (1998), 'Prodigiosins as a new group of H⁺/Cl⁻ symporters that uncouple proton translocators', *Journal of Biological Chemistry*, Vol.273, pp.21455-21462.
173. Savage, D.C. and Fletcher, M. (1985), 'Bacterial adhesion', Academic Press, pp.349-351, New York, U.S.A.
174. Schmidt, T. and Schlegel, H. G. (1994), 'Combined nickel-cobalt-cadmium resistance encoded by the ncc locus of *Alcaligenes xylosoxidans* 31A', *Journal of Bacteriology*, Vol.176, pp.7045-7054.
175. Schiebel, E., Schwarz, H. and Braun, V. (1989), 'Subcellular location and unique secretion of the hemolysin of *Serratia marcescens*', *Journal of Biological Chemistry*, Vol.264, pp.16311-16320.
176. Shen, Y., Stehmeier, L.G. and Voordouw, G. (1998), 'Identification of hydrocarbon degrading bacteria in soil by reverse sample genome probing', *Applied and Environmental Microbiology*, Vol.64, pp.637-645.
177. Shijin, R. and Paul, D.F. (2003), 'Kinetics of the toxicity of metals to luminescent bacteria', *Advances in Environmental Research*, Vol.7, pp.537-547.

178. Shively, J.M., Decker, G.L. and Greenawalt, J.W. (1970), 'Comparative ultrastructure of *Thiobacilli*', *Journal of Bacteriology*, Vol.101, No.2, pp.618-627.
179. Silverman, M.P. and Lundgren, D.G. (1959), 'Studies on chemoautotrophic iron bacterium *Ferrobacillus ferrooxidans*', *Journal of Bacteriology*, Vol.77, pp.642-647.
180. Simon, J.M., Mathew, T.G.H., Bycroft, B.W. and Salmond, G.P.C. (1999). 'Molecular genetics of carbapenem natibiotic biosynthesis'. *Antonie von Leeuwenhoek*, Vol 75, pp 135-141.
181. Simon, S. (1996), 'Bacterial resistances to toxic metal ions – a review', *Gene*, Vol.179, pp.9-19.
182. Slawson, R.M., Lee, H. and Trevors, J.T. (1990), 'Bacterial interactions with silver', *Biology of Metals*, Vol.3, pp.151-154.
183. Snavely, M.D., Florer, J.B., Miller, C.G. and Maguire, M.E. (1989a), 'Magnesium transport in *Salmonella typhimurium*: 28Mg²⁺ transport by CorA, MgtA, and MgtB systems', *Journal of Bacteriology*, Vol.171, pp.4761-4766.
184. Snyder, C.A., Sellakumar, A. and Waterman, S. (1997), 'An assessment of the tumorigenic properties of a Hudson County soil sample heavily contaminated with hexavalent chromium', *Archives of Environmental Health*, Vol.52, pp.220-226.
185. Sugio, T., Tano, T. and Imai, K. (1981), 'The purification and some properties of a factor having a stimulating effect on iron oxidising activity of *Thiobacillus ferrooxidans*. *Agriculture and Biological Chemistry*, Vol.45, pp.405-412.
186. Suzuki, I., Lizama, H.M. and Tackaberry, P.D. (1989), 'Competitive inhibition of ferrous iron oxidation by *Thiobacillus ferrooxidans* by increasing concentration of cells', *Applied and Environmental Microbiology*, Vol.55, pp.1117-1121.
187. Takahiro, Y., Yoshihiro, F. and Tateo, Y. (1991), 'The amino acid sequence of rusticyanin isolated from *Thiobacillus ferrooxidans*', *FEBS*, Vol.288, No.1,2, pp.159-162.

188. Thomson, N.R., Cox, A., Bycroft, B.W., Stewart, G.S.A.B., Williams, P. and Salmond, G.P.C. (1997), 'The Rap and Hor proteins of *Erwinia*, *Serratia* and *Yersinia*: a novel subgroup in growing superfamily of proteins regulating diverse physiological processes in bacterial pathogens', *Molecular Microbiology*, Vol.26, pp.531-544.
189. Trevors, J.T. (1987), 'Copper resistance in bacteria', *Microbiological Science*, Vol.4, pp.29-31.
190. Tsatsaroni, E. and Liakopoulou-Kyriakides, M. (1995), 'Effect of enzymatic treatment on the dyeing of cotton and wool fibres with natural dyes', *Dyes and Pigments*, Vol.29, pp.203-209.
191. Tuovinen, O.H. and Kelly, D.P. (1972), 'Biology of *Thiobacillus ferrooxidans* in relation to the microbiological leaching of sulphide ores', *Z. Allg. Mikrobiol*, Vol.12, pp.311-346.
192. Urszula, K., Jesus, S., Gregg, S., Mattie, S. and Gerard, W.C. (1999), 'Paramagnetic NMR studies of blue and purple copper proteins', *Biospectroscopy*, Vol.5, pp.S19-S32.
193. Veglio, F. and Beolchini, F. (1997), 'Removal of metals by biosorption: a review', *Hydrometallurgy*, Vol.44, pp.301-316.
194. Vernon, L.P., Magnum, J.H., Beck, J.V. and Shafia, F.M. (1960), 'Studies on a ferrous iron oxidising bacterium cytochrome composition', *Archives of Biochemistry and Biophysics*, Vol.88, pp.227-231.
195. Vincent L.W., Brent C.T., Xiuqin Y., Sean C.R., Maud M.W. and Paul L. (1999), 'Species-specific detection of hydrocarbon-utilizing bacteria', *Journal of Microbiological Methods*, Vol.39, pp.59-78.
196. Wayne, F.O., Caryn, E.O., Jeremy, V.O. and Thomas, H. (2000), 'Transcriptional activation of an *Escherichia coli* efflux regulon by the chromosomal mer A homologue Cue R. *Journal of Biological Chemistry*, Vol.275, pp.31024-31029.
197. Williams, P., Bainton, N.J., Swift, S., Chhabra, S.R., Winson, M.K., Stewart, G.S.A.B., Salmond, G.P.C., and Bycroft, B.W. (1992), 'Small molecule mediated density dependent control of gene expression in prokaryotes: bioluminescence and the biosynthesis of carbapenam antibiotics', *FEMS microbiology Letters*, Vol.100, pp.161-168.

198. Wilson, K.H. and Blitchington, R.B. (1996), 'Human colonic biota studied by ribosomal DNA sequence analysis', *Applied and Environmental Microbiology*, Vol.62, pp.2273-2278.
199. Wood, T.A., Murray, K.R. and Burgess, J.G. (2001), 'Ferrous sulphate oxidation using *Thiobacillus ferrooxidans* cells immobilized on sand for the purpose of treating acid mine drainage', *Applied Microbiology and Biotechnology*, Vol.56, pp.560-565.
200. Woese, C.R. (1987), 'Bacterial evolution', *Microbiology Review*, Vol.51, pp.221-271.
201. Wong, P.K. and Chang, L. (1991), 'Effects of copper, chromium and nickel on growth, photosynthesis and chlorophyll a synthesis of *Chlorella pyrenoidosa* 251', *Environmental Pollution*, Vol.72, pp.127-139.
202. Wood, J. and Wang, H. (1985), 'Strategies for microbial resistance to heavy metals', In: Stumm, W. (ed.), *Chemical Processes in Lakes*. Wiley, New York, pp.81-98.
203. Wrightson, F.M. (1949), 'Determination of traces of iron, nickel and vanadium in petroleum oils', *Analytical Chemistry*, Vol.21, pp.1543-1545.
204. Yamamoto, D., Kiyozuka, K., Uemura, Y., Yamamoto, C., Takemoto, H., Hirata, H., Tanaka, K., Hioki, K. and Tsubura, A. (2000a), 'Cycloprodigiosin hydrochloride, a H⁺/Cl⁻ symporter, induces apoptosis in human breast cancer cell lines'. *Journal of Cancer Research and Clinical Oncology*, Vol.126, pp.191-197.
205. Yamamoto, D., Uemura, Y., Tanaka, K., Nakai, K., Yamamoto, C., Takemoto, H., Kamata, K., Hirata, H. and Hioki, K. (2000b), 'Cycloprodigiosin hydrochloride, a H⁺/Cl⁻ symporter, induces apoptosis and differentiation in HL-60 cells', *International Journal of Cancer*, Vol.88, pp.121-128.
206. Yamamoto, C., Takemoto, H., Kuno, K., Yamamoto, D., Tsubura, A., Kamata, K., Yamamoto, A., Kano, H., Seki, T. and Inoue, K. (1999), 'Cycloprodigiosin hydrochloride, a new H⁺/Cl⁻ symporter, induces apoptosis in human and rat hepatocellular cancer cell lines invitro and inhibits the growth of hepatocellular carcinoma xenografts in nude mice', *Hepatology*, Vol.30, pp.894-902.

207. Yamanaka, T. and Fukumori, Y. (1995), 'Molecular aspects of the electron transfer system which participates in the oxidation of ferrous ion by *Thiobacillus ferrooxidans*', FEMS Microbiology Reviews, Vol.17, pp.401-413.
208. Yates, J.R. and Holmes, D.S. (1987), 'Two families of repeated DNA sequences in *Thiobacillus ferrooxidans*', Journal of Bacteriology, Vol.169, pp.1861-1870.
209. Yates, J.R., Lobos, J.H. and Holmes, D.S. (1986), 'The use of genetic probes to detect microorganisms in biomining operations', Journal of Indian Microbiology, Vol.1, pp.129-135.
210. Yu-Sen, E.L., Radisav, D.V., Janet, E.S., Christine, A.M. and Victor, L.Y. (1998), 'Inactivation of *Mycobacterium avium* by copper and silver ions', Water Resource, Vol.32, No.7, pp.1997-2000.