

## LIST OF FIGURES

FIGURE NO.	TITLE	PAGE NO.
1.1	Transmission electron micrograph of <i>Thiobacillus ferrooxidans</i>	7
1.2	Electron Transport Chain In <i>Thiobacillus ferrooxidans</i>	18
1.3a	Blue copper protein : rusticyanin with the copper atom	22
1.3b	The active binding site of copper to amino acids in rusticyanin	22
1.4	Microscopic view of <i>Serratia marsescens</i>	30
1.5	Chemical structure of prodigiosin	38
1.6	Biosynthetic pathway of prodigiosin	38
3.1	Growth of iron oxidizing acidophiles in ferrous sulphate and in ammonium ferrous sulphate medium	73
3.2a	Ferron ferric complex formation at acidic pH	75
3.2b	Minimum ferric estimation with ferron	75
3.3a	Growth profile of <i>Thiobacillus ferrooxidans</i> as assayed by ferron	76
3.3b	Growth Profile of <i>Acidothiobacillus ferrooxidans</i> as Assayed by Ferron	76
3.3c	Growth profile of <i>Leptospirillum ferrooxidans</i> as assayed by ferron	78
3.4	Growth profile of isolates as assayed by ferron	78
3.5a	Colony formation of DSM cultures	79

FIGURE NO.	TITLE	PAGE NO.
3.5b	Colony Formation of isolates on ferrous agar plates from natural environments	80
3.6	Coloration of the iron oxidising acidophiles on ferrous sulphate agar plates with potassium ferrocyanide	81
3.7a	Exclusive culturing of acidophilic iron oxidising bacteria from Kudremukh Iron ore soil isolate on ammonium ferric oxalate complexes	83
3.7b	Exclusive culturing of acidophilic iron oxidising bacteria from DSM <i>Acidithiobacillus ferrooxidans</i> strain 9465 on ammonium ferric oxalate complexes	84
3.8a	Growth of Kudremukh Iron ore soil isolate in pyrite	85
3.8b	Growth profile of the isolates in pyrite as assayed by ferron	85
3.9	<i>Serratia</i> sp isolate from soil	93
3.10	Thin Layer Chromatography of the pigment extract.	95
3.11	Mass Spectrometric analysis of pigment from <i>Serratia</i> sp	97
3.12a &		
3.12b	Plasmid and Genomic DNA from <i>Serratia</i> sp	98
3.13	417 base pair product amplified of the 16s rDNA sequence of the soil isolate indicating the culture to be <i>Serratia marsescens</i>	98
3.14a	Growth of <i>Serratia marsescens</i> in powdered sesame seed broth, powdered peanut broth and powdered copra broth at 28 <sup>0</sup> C 30 <sup>0</sup> C 37 <sup>0</sup> C	104

FIGURE NO.	TITLE	PAGE NO.
3.14b	Growth of <i>Serratia marsescens</i> at different concentrations of powdered peanut in distilled water	104
3.15	Comparative analysis of sesame oil broth, peanut oil broth, and coconut oil broth	105
3.16a	Effect of pH on the Growth of <i>Serratia marsescens</i>	107
3.16b	SDS PAGE for the cell pellets of <i>Serratia imarsescens</i> grown at different pH	107
3.17a	Pigment produced for every two hours by <i>Serratia marsescens</i>	108
3.17b	Extracellular protein profile of <i>Serratia marsescens</i> for every two hours	108
3.18	Growth profile of <i>Serratia marsescens</i> in [1] NB, [2] Sesame and [3] Peanut medium taken at 2 hour interval from zero time till 34 hours	109
3.19a	Growth of <i>Serratia marsescens</i> in nutrient broth, peanut broth and peanut in nutrient broth at different temperatures	111
3.19b	SDS PAGE analysis of the cell pellet from <i>Serratia marsescens</i> grown in peanut broth [28 <sup>0</sup> C, 37 <sup>0</sup> C], nutrient broth [28 <sup>0</sup> C, and 37 <sup>0</sup> C], and peanut in nutrient broth [28 <sup>0</sup> C, 37 <sup>0</sup> C]	111
3.20	Minimum concentration study of the Ni <sup>2+</sup> , Cu <sup>2+</sup> , Co <sup>2+</sup> and Cr <sup>6+</sup> in blocking pigment production.	114
3.21a	Effect of higher Co <sup>2+</sup> metal concentration on pigment production	116
3.21b	Effect of higher Cu <sup>2+</sup> metal concentration on pigment production	117

FIGURE NO.	TITLE	PAGE NO.
3.21c	Effect of higher Cr <sup>6+</sup> metal concentration on pigment production	119
3.21d	Effect of higher Ni <sup>2+</sup> metal concentration on pigment production	120
3.22a	Extracellular protein profile of <i>Serratia marsescens</i> inoculated in the presence and absence of nickel with preinoculum from nutrient broth grown at 28 <sup>0</sup> C and 37 <sup>0</sup> C	124
3.22b	Extracellular protein profile of <i>Serratia marsescens</i> inoculated in the presence and absence of copper with preinoculum from nutrient broth grown at 28 <sup>0</sup> C and 37 <sup>0</sup> C	124
3.22c	Extracellular protein profile of <i>Serratia marsescens</i> inoculated in the presence and absence of cobalt with preinoculum from nutrient broth grown at 28 <sup>0</sup> C and 37 <sup>0</sup> C	125
3.22d	Extracellular protein profile of <i>Serratia marsescens</i> inoculated in the presence and absence of chromium with preinoculum from nutrient broth grown at 28 <sup>0</sup> C and 37 <sup>0</sup> C	125
3.23	SDS PAGE of <i>Serratia marsescens</i> grown in the presence of metal and the reversion to non metal peanut medium	127
3.24	Agarose electrophoresis of the PCR product for partial gene sequence of the high molecular weight regulatory protein in <i>Serratia marsescens</i>	127

FIGURE NO.	TITLE	PAGE NO.
3.25a	Blast analysis of <i>E. coli</i> copper protein A with the <i>Serratia marsescens</i> plasmid whole sequence	129
3.25b	Blast analysis of <i>E. coli</i> copper protein B with the <i>Serratia marsescens</i> plasmid whole sequence	132
3.25c	Blast analysis of <i>E. coli</i> copper protein C with the <i>Serratia marsescens</i> plasmid whole sequence	134
3.25d	Blast analysis of <i>E. coli</i> copper protein D with the <i>Serratia marsescens</i> plasmid whole sequence	135
3.26	Blast analysis of chromate resistance protein A of <i>Pseudomonas</i> plasmid pB4 with the <i>Serratia marsescens</i> plasmid whole sequence	137
3.27	Clustal W analysis of chromate resistance protein A <i>Pseudomonas</i> plasmid pB4 and putative protein in <i>Serratia marsescens</i> plasmid whole sequence	138
3.28a	Clustal W analysis of copper protein B of <i>Serratia marsescens</i> with rusticyanin of <i>Thiobacillus ferrooxidans</i>	139
3.28b	Clustal W analysis of copper protein C of <i>Serratia marsescens</i> with rusticyanin of <i>Thiobacillus ferrooxidans</i>	140

<b>FIGURE NO.</b>	<b>TITLE</b>	<b>PAGE NO.</b>
3.29	Effect of UV and Sunlight on Prodigiosin	142
3.30a	Dyeing of prodigiosin pigment on plastic petriplate and eppendorf	142
3.30b	Dyeing of different textile samples with prodigiosin	144
3.30c	Effect of different dyeing treatment of the front and backside of chamois leather	145