

## LIST OF TABLES

Table-1:	Grade-wise share of Indian iron ore reserves
Table-2:	Hematite iron ore availability in India
Table-3:	Magnetite iron ore availability in India
Table-4:	Comparison between pellets and sinter
Table-5:	Major pellet producing countries in the world
Table-6	Share of various technologies in world's pellet production
Table-7	Status of commissioned pellet plants in India
Table-8	Chemical analysis of the as-received iron ore fines from Noamundi mines
Table-9	Chemical analysis of fluxes and additives used in pelletizing
Table-10	Size analysis of fluxes and additives used in pelletizing
Table-11	Chemical assay & mineral mass % in the as-received sample
Table-12	Mineral mass and grain size of as-received sample
Table-13	Liberation pattern of goethite & hematite for as-received sample
Table-14	Responsible minerals and their concentration (Department) for Fe & Al in the as-received sample
Table-15	Mineral mass and mean grain size of different size fractions of ground sample
Table-16	Liberation pattern of goethite & hematite for ground sample
Table-17	Department of Al and Fe in the ground sample
Table-18	Ingredients of green pellets with varying amount of fluxes and their quality

Table-19	Chemical analysis of pellets with varying basicity and MgO content
Table-20	Details of burden sample and slag chemistry from softening melting test
Table-21	Ingredients of green pellets with varying amount of magnesite
Table-22	Chemical analysis of magnesite pellets with varying MgO content
Table-23	Chemical formula and theoretical MgO content of magnesium silicate minerals
Table-24	Ingredients of green pellets with varying pyroxenite dosage & their quality
Table-25	Chemical analysis of pellets with varying amounts of pyroxenite
Table-26	Chemical analysis of varying MgO pellets using pyroxenite as flux
Table-27	Advanced swelling and softening test results for varying MgO pellets
Table-28	Summary of the results of effect of different fluxes on pellet quality
Table-29	Summary of the results of advanced metallurgical tests of pyroxenite pellets

## LIST OF FIGURES

- Fig.1 Schematic diagram of pelletizing process
- Fig.2 Schematic diagram of SG induration process for iron ore pelletizing
- Fig.3 Structure of porous agglomerate with reference to the relative distribution of air-water-solid phases
- Fig.4 Formal representation of green pellet growth mechanisms
- Fig.5 The average green pellet diameters as a function of the number of drum revolutions
- Fig.6 The differential growth rate curve for taconite concentrate
- Fig.7 Contact angle versus ore hematite content
- Fig.8 Effect of pelletizing feed fineness on the drop number and compression strength
- Fig.9 Effect of feed fineness on the size distribution of manganese concentrate
- Fig.10 Effect of feed fineness on the mean pellet diameter of manganese concentrate
- Fig.11 Effect of moisture content on the size distribution and mean pellet diameter of manganese concentrate
- Fig.12 Effect of bentonite dosage on the drop number
- Fig.13 Effect of bentonite dosage on the compression strength
- Fig.14 Effect of bentonite on growth of green pellets during batch balling
- Fig.15 Self-preserving behaviour of manganese concentrate during pelletizing

- Fig.16 CaO-Fe<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> system in air
- Fig.17 Effect of limestone addition on the strength of (a) preheated and (b) fired pellets
- Fig.18 Effect of pellet basicity on their swelling behaviour
- Fig.19 Effect of pellet basicity on their reducibility
- Fig.20 Effect of pellet MgO on its reducibility at 1.3 basicity
- Fig.21 Effect of MgO/SiO<sub>2</sub> ratio on reducibility of pellets
- Fig.22 Effect of MgO/SiO<sub>2</sub> ratio on swelling of pellets
- Fig.23 Effect of MgO/SiO<sub>2</sub> and CaO/SiO<sub>2</sub> on high temperature reducibility of pellets
- Fig.24 Effect of MgO/SiO<sub>2</sub> and CaO/SiO<sub>2</sub> on softening temperature of pellets
- Fig 25 Effect of MgO on the Fe<sup>2+</sup> content of pellets
- Fig.26 Effect of MgO/SiO<sub>2</sub> ratio on the cold strength of pellets
- Fig.27 Effect of MgO in the form of serpentine on the swelling of pellets
- Fig.28 Iron ore sample preparation using coning and quartering of bulk sample
- Fig.29 Rotary hearth furnace used for firing the pellets
- Fig.30 Photographs of pellets before and after firing in RHF
- Fig.31 Schematic diagram of RDI apparatus for pellet testing
- Fig.32 Schematic diagram of Softening-Melting testing apparatus
- Fig.33 Mounted and polished pellet samples for microstructural study

- Fig.34 (a) Size analysis of the as-received Noamundi iron ore fines
- Fig.34 (b) Size distribution of as-received Noamundi iron ore fines
- Fig.35 (a) Goethite inclusion in Hematite (b) Gibbsite and Hematite inclusion in Goethite
- Fig.36 Particle analysis of some size fractions of as-received sample (a=+3mm, b=+0.5mm, c=+0.045mm)
- Fig.37 Particle analysis of some size fractions of ground sample (a=+1.4mm, b=+0.25mm, c=+0.15mm)
- Fig.38 (a) XRD analysis of the iron ore fines and different fluxes
- Fig.38 (b) TGA analysis of the iron ore, different fluxes and coal
- Fig.39 Effect of grinding time on  $P_{80}$  and mean particle size during ball mill grinding
- Fig.40 Mean particle size distribution of iron ore fines ground for different duration
- Fig.41 Effect of pelletizing feed fineness on the  $D_{50}$  of green pellets
- Fig.42 (a) Self-preserving behaviour of the Noamundi iron ore fines
- Fig.42 (b) Aggregated self-preserving curve of the Noamundi iron ore fines
- Fig.43 Green pellet properties as a function of Mean particle size
- Fig.44 Effect of the firing temperature on the cold crushing strength (CCS) of pellets at varying fineness
- Fig.45 Microstructure of fired pellets made from different fineness pellet feed

- Fig.46 Optical microstructures of the fired basic pellets with varying basicity
- Fig.47 Image analysis of the MgO-free pellets (a) Distribution of different phases and (b) silicate melt density
- Fig.48 Optical microstructures of the fired MgO pellets with varying basicity
- Fig.49 Image analysis of the fired MgO pellets with varying basicity (a) Distribution of different phases and (b) pore density
- Fig.50 SEM image of Pellet A C & E with EDS analysis of all the pellets (A,B,C,D &E)
- Fig.51 Distribution of Fe, Si, Ca and Mg in the fired MgO-free pellet with 0.8 basicity (Pellet E)
- Fig.52 SEM image of Pellet A1 C1 & E1 with EDS analysis of all the pellets (A1,B1,C1,D1 &E1)
- Fig.53 Distribution of Fe, Si, Ca and Mg in the fired MgO pellet with 0.4 basicity (Pellet D1)
- Fig.54 Effect of pellet basicity on the cold strength of fired pellets
- Fig.55 Effect of pellet basicity on the swelling of fired pellets
- Fig.56 Effect of pellet basicity on the RDI of fired pellets
- Fig.57 Effect of pellet basicity on the reducibility of fired pellets
- Fig.58 Effect of pellet basicity on the softening melting characteristics of mixed burden
- Fig.59 Effect of pellet basicity at 1.5% MgO on the softening melting characteristics of mixed burden

- Fig.60 Composite quality index of varying basicity pellets with and without MgO
- Fig.61 Optical microstructures of magnesite fluxed pellets with varying MgO
- Fig.62 Image analysis of magnesite fluxed fired pellets with varying MgO
- Fig.63 SEM image of Pellet A, C, E & G with EDS analysis of all the pellets (A, B, C, D, E, F & G)
- Fig.64 Distribution of Fe, Si, Al, Ca and Mg in the fired magnesite fluxed pellets with 3% MgO (Pellet G)
- Fig.65 Effect of pellet MgO on the cold compression strength of fired pellets
- Fig.66 Effect of pellet MgO on the swelling of the fired pellets
- Fig.67 Effect of pellet MgO on the RDI of the fired pellets
- Fig.68 Effect of pellet MgO on the reducibility of the fired pellets
- Fig.69 Optical microstructures of the fired pellets with varying MgO
- Fig.70 Amount of different phases formed in the fired pellets with varying MgO content
- Fig.71 SEM image of Pellet A & D with EDS analysis of all the pellets (A, B, C, D, E, F & G)
- Fig.72 Effect of MgO on the amount of relict Mg-silicate and FeO content of slag phase in the fired pellets
- Fig.73 Distribution of Fe, Si and Mg in the fired pellets (a) Acid pellet (pellet A) and (b) Pyroxenite pellet with 1.5% MgO (pellet D)
- Fig.74 FeO-MgO phase diagram
- Fig.75 Effect of MgO content on cold strength of the fired pellets

- Fig.76 Effect of MgO on the density of hematite phase in the fired pellets
- Fig.77 Effect of MgO content on swelling index of the fired pellets
- Fig.78 FeO-SiO<sub>2</sub> phase diagram
- Fig.79 Effect of MgO content on reduction degradation of the fired pellets
- Fig.80 Effect of MgO content on reducibility of the fired pellets
- Fig.81 Effect of MgO content on the softening-melting characteristics of the fired pellets
- Fig.82 Free swelling index of varying MgO pyroxenite pellets
- Fig.83 Disintegration and reduction time of pellets as a function of MgO content
- Fig.84 Reduction time as a function of pellet MgO content
- Fig.85 Reduced pellet samples with varying MgO before and after tumbling
- Fig.86 Effect of MgO content on reduction time, delta P and softening temperature
- Fig.87 Effect of pellet MgO content on their softening temperature
- Fig.88 Pellet samples after completion of swelling and softening test
- Fig.89 Microstructure of pyroxenite pellet sample from 6 MTPA pellet plant of Tata Steel
- Fig.90 Microstructure of pyroxenite pellet with relict pyroxenite particle